Course 2


Project

Title: -

Arti Maurya's Portfolio

A portfolio is a compilation of academic and professional materials that exemplifies your beliefs, skills, qualifications, education, training, and experiences. It provides insight into your personality and work ethic.

Header Section




Menu Bar



Main Section

Section 1




In section 1 I have short introduction and read more button then I have create links for social Icons like Facebook, Instagram and LinkedIn and we display skills images also like React, NodeJs and Mongo DB I have an Image also.

Section 2




In section 2 I have give a deep introduction of mine and created Download Resume Button for better knowing of mine. I have also created a link of Get In Touch for go to the contact us section.



In section 3 I have define My Skills on Languages in percentage form.

Section 4




In section 4 I have given short descriptions of my certificates and here you can also see My Certificates through view buttons and on buttons I use hover effects.

Section 5



In section 5 I have given a short descriptions of My Projects which I have created during my college and training sessions Here I provided my Google Drive links to show my Projects. In every Projects cards I use Transform effects to create a unique visibility to the users.



In section 6 I have create a form where users and Recruiters can fill their details where I reached them.

Footer Section



In Footer Section we can create Linked Images to contact me on any Communication Media.

Here we use Call and Email buttons to contact me as well and on buttons we use hovering effects.

Coding Section

HTML File Coding

Header

```
| Pick | Edit Selection | View Go Run | Terminal | Help | E | Pick | Connect Project | E | District | E | Distr
```

Section 1 (Brief Intro)

Section 2 (Deep Intro)

Section 3 (Skills)

Section 4 (Certification)

Section 5 (Projects)

```
caection class="ection project" id="id_projects">
class="section = "ph(134, 241, 26);">
class="project1 project" id="content">
clav class="project1 project" id="content">
clav class="project1 project" id="content">
clav class="project2 project2 id="content">
clav class="project2 project2 project" id="content">
clav class="project3 project2 project" id="content">
clav class="project3 project2 id="content">
clav class="project4 project1 id="content">
clav class="project4 project1" id="content">
clav class="project5 project1" id="content">
clav class="proje
```

Section 6 (Contact)

Footer

CSS File Coding

Header

```
header{
    background-color: □black;
    padding: 5px;
    display: flex;
    justify-content: space-evenly;
    color: ☐white;
    align-items: center;
.logo{
    height: 50px;
    width: 50px;
    border: 2px solid ■red;
    border-radius: 50%;
    padding: 2px;
    margin: 5px;
/* day night toogle button section */
.switch {
    position: relative;
    display: inline-block;
    width: 60px;
    height: 34px;
```

```
.switch input {
   opacity: 0;
   width: 0;
   height: 0;
.slider {
   position: absolute;
   cursor: pointer;
   top: 0;
   left: 0;
   right: 0;
   bottom: 0;
   background-color: ■#fbf7f7;
    -webkit-transition: .4s;
   transition: .4s;
.slider:before {
   position: absolute;
   content: "";
   height: 26px;
   width: 26px;
   left: 4px;
   bottom: 4px;
   background-color: □rgb(26, 1, 1);
    -webkit-transition: .4s;
   transition: .4s;
input:checked + .slider {
    background-color: ■#f33a21;
```

```
input:focus + .slider {
   box-shadow: 0 0 1px ■#e04116;
input:checked + .slider:before {
   -webkit-transform: translateX(26px);
   -ms-transform: translateX(26px);
   transform: translateX(26px);
.slider.round {
   border-radius: 34px;
.slider.round:before {
   border-radius: 50%;
nav{
   display: flex;
   justify-content: space-evenly;
nav a{
   color: ■white;
   margin: 20px;
```

Main

```
/* brief intro section */
.section1{
   display: flex;
   color: ■white;
   justify-content: space-evenly;
   align-items: center;
   padding: 20px;
.social_links{
   display: flex;
   justify-content: space-evenly;
   align-items: center;
   margin-top: 30px;
.skills span{
   margin-left: 300px;
/* image with animation */
.section1_mypic{
   height: 30%;
   width: 20%;
   animation: imageMove 5s linear 2s infinite alternate;
```

```
@keyframes imageMove {
    from{
       transform: translateY(0px);
    to{
       transform: translateY(100px);
/* read more button */
.read_more{
   background-color: ■red;
    border-radius: 20%;
    color: ■white;
   margin-top: 50px;
    text-align: start;
    align-items: center;
    padding: 5px;
    padding-left: none;
.read_more:hover {background-color: ■#e46429}
.read_more:active {
  background-color: ■#d26837;
 box-shadow: 0 5px □#666;
  transform: translateY(4px);
```

```
.section2{
   display: flex;
   margin-top: 80px;
   color: ■white;
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    justify-content: center;
.section2_intro1{
   width: 25%;
.section2_intro1 h2{
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    margin-top: 0px;
   margin-left: 100px;
.section2_intro1 p{
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   margin-top: 10px;
   margin-left: 150px;
    font-weight: 500;
/* section2 heading and paragraph animation effect */
.section2 intro1 h2{
    animation: headingMovement 2s linear 2s infinite alternate;
.section2_intro1 p{
    animation: headingMovement 5s linear 2s infinite alternate;
```

```
@keyframes headingMovement {
   from{
       transform: translateX(0px);
   to{
      transform: translateX(100px);
.section2 img{
   height: 30%;
   width: 20%;
   border-radius: 100%;
   display: inline-block;
   margin-left: 100px;
.section2_intro2{
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   width: 75%;
   margin-top: 100px;
.section2_intro2 h4{
   margin-left: 30px;
.section2_intro2 p{
   margin-top: 8px;
   margin-left: 60px;
```

```
.container-link {
   display: inline-block;
    font-weight: bold;
   margin-left: 10px;
a.link::after{
 display: block;
 width: 100%;
 height: 3px;
 background-color: ■#394ff4;
a.link:hover{
 background-color: ■#394ff4;
 color: □#fff;
/* download resume button with hover effect */
.button{
   background-color: ■red;
   color: ☐white;
   padding: 5px;
   margin-left: 50px;
    cursor: pointer;
a.button:hover {background-color: ■#d00736}
a.button:active {
 background-color: ■#cb5787;
 box-shadow: 0 5px □#666;
 transform: translateY(4px);
```

```
.section3{
   margin-top: 80px;
   color: ☐white;
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
.section3 h2{
   text-align: center;
.skills{
   margin-top: 40px;
   display: flex;
   justify-content: space-around;
.section3_skills1{
   background-color: □black;
   width: 40%;
   height: 50%;
   padding: 20px;
   display: inline-block;
   justify-self: flex-start;
   border: 2px solid ■red;
/* rectangular skills container section */
.container {
 width: 100%;
 background-color: ■#ddd;
 height: 21px;
 margin-bottom: 10px;
.skills1 {
 text-align: right;
 color: ☐white;
.html {width: 95%; background-color: ■#f44336;}
.css {width: 85%; background-color: ■#f44336;}
.js {width: 75%; background-color: ■#f44336;}
.Mern {width: 70%; background-color: ■#f44336;}
.DSA {width: 60%; background-color: ■#f44336;}
.dbms {width: 75%; background-color: ■#f44336;}
.section3_skills2{
    width: 30%;
    height: 15%;
    color: white;
.section3 skills2 img{
    height: 100px;
    width: 100px;
    border: 2px solid ■red;
    margin-right: 100px;
    margin-top: 50px;
```

Section 4 Certificate

color: _rgb(235, 243, 13);

```
.section certification{
    margin-top: 30px;
    color: ■white;
    padding: 20px;
    text-align: center;
.section4 div{
    display: flex;
    justify-content: space-evenly;
    align-items: center;
.certification{
    border: 2px solid ■red;
    height: 280px;
    width: 40%;
    margin: 20px;
    padding: 20px;
    display: inline-block;
    margin-top: 40px;
    text-align: center;
div.certification{
    overflow-wrap: break-word;
.certification{
    background-image: url(images/c1_bg_img.jpg);
.btn_certificate{
   background-color: ■red;
   border: 2px solid ■red;
   padding: 8px;
   color: ■white;
   cursor: pointer;
   box-shadow: 0 10px 20px 0 □rgba(238, 6, 6, 0.903), 0 8px 20px 0 □rgba(202, 15, 15, 0.81);
.btn_certificate:hover{
   background-color: ☐ rgba(222, 14, 14, 0.9);
.certification h3{
```

Section 5 (Projects)

/* project section */

```
.section5 div{
    display: flex;
    justify-content: space-evenly;
    align-items: center;
.section Project{
    margin-top: 30px;
    color: ■white;
    padding: 20px;
    text-align: center;
.project{
    background-color: □black;
    border: 2px solid ■red;
    height: 250px;
    width: 25%;
    margin: 20px;
    padding: 20px;
    display: inline-block;
    margin-top: 40px;
    overflow-wrap: break-word;
div.project{
    overflow-wrap: break-word;
div.project{
    overflow-y:auto;
.project{
    background-image: url(images/p1 bg img.jpg);
.project a{
   color: □yellow;
   font-weight: bold;
.project h3{
   color: ■rgb(243, 13, 139);
/* for projects card hover effect */
#content {
   box-shadow: 0px 5px 10px 0px □rgba(0, 0, 0, 0.5);
   transition: transform ease 0.5s, box-shadow ease 0.5s;
#content:hover {
   transform: perspective(400px) translateZ(20px);
```

box-shadow: 0px 10px 20px 2px □rgba(0, 0, 0, 0.25);

Section 6 (Contact)

```
.contact{
   color: ■white;
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
.contact h2{
   margin-top: 50px;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    justify-self: start;
.contact h3{
   margin-top: 10px;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    color: □rgb(98, 255, 0);
form{
    border-style: groove;
   height: 100%;
   width: 80%;
    text-align: center;
   margin: 50px;
    padding: 10px;
    border: 2px solid ■red;
    background-color: □black;
input{
   width: 90%;
 textarea{
     width: 90%;
 form span{
     margin: 10px;
     text-align: start;
     display: block;
 .submit{
```

```
width: 90%;
}
form span{
    margin: 10px;
    text-align: start;
    display: block;
}
.submit{
    background-color: □rgb(215, 44, 21);
    padding: 5px;
    color: □white;
    width: fit-content;
    align-self: center;
    cursor: pointer;
}
.submit:hover{
    background-color: □rgb(176, 73, 101);
}
```

Footer

```
footer{
   background-color: □black;
   display: flex;
   justify-content: center;
   align-items: center;
   padding: 30px;
   height: 10%;
   width: 100%;
footer img{
   margin-left: 50px;
   border: 2px solid ■red;
   border-radius: 100%;
   padding: 8px;
.call_btn{
   background-color: ☐rgb(34, 33, 33);
   box-shadow: 0 8px 16px 0 \squarergba(0,0,0,0.2), 0 6px 20px 0 \squarergba(0,0,0,0.19);
   cursor: pointer;
.call_btn:hover{
   background-color: ☐rgb(80, 76, 76);
.call_btn img{
   align-self: center;
   margin-left: 30px;
   margin-right: 30px;
   margin-top: 5px;
   margin-bottom: 5px;
```

```
.whatsapp_btn{
    background-color: ☐rgb(34, 33, 33);
    box-shadow: 0 8px 16px 0 □rgba(0,0,0,0.2), 0 6px 20px 0 □rgba(0,0,0,0.19);
    cursor: pointer;
.whatsapp btn:hover{
    background-color: ☐rgb(80, 76, 76);
.whatsapp_btn img{
    align-self: center;
    margin-left: 30px;
    margin-right: 30px;
    margin-top: 5px;
    margin-bottom: 5px;
.github_btn{
    background-color: ☐rgb(34, 33, 33);
    box-shadow: 0 8px 16px 0 □rgba(0,0,0,0.2), 0 6px 20px 0 □rgba(0,0,0,0.19);
    cursor: pointer;
.github_btn:hover{
    background-color: □rgb(80, 76, 76);
.github_btn img{
    align-self: center;
    margin-left: 30px;
    margin-right: 30px;
    margin-top: 5px;
    margin-bottom: 5px;
.email btn{
   background-color: ☐rgb(34, 33, 33);
   box-shadow: 0 8px 16px 0 □rgba(0,0,0,0.2), 0 6px 20px 0 □rgba(0,0,0,0.19);
   margin-left: 40px;
   cursor: pointer;
.email_btn:hover{
   background-color: □rgb(80, 76, 76);
.email_btn img{
   align-self: center;
   margin-left: 30px;
   margin-right: 30px;
   margin-top: 5px;
   margin-bottom: 5px;
```

Media Queries

```
@media screen and (min-width:250px) and (max-width:480px){
    header{
        display: flex;
        flex-direction: column;
        justify-content: space-between;
        align-items: center;
    nav{
       display: flex;
        flex-direction: column;
    .section1{
       display: flex;
       flex-direction: column;
        align-items: center;
        padding: 20px;
    .section1 div{
        display: flex;
       flex-direction: column;
        padding: 20px;
        align-items: center;
    .social_links{
       display: flex;
        flex-direction: column;
        justify-content: space-between;
        align-items: center;
    .skills{
        flex-direction: column;
        align-items: center;
        justify-content: center;
```

```
.skills_span{
  margin-left: 1px;
.section1_mypic{
   height: 95%;
   width: 85%;
.section2{
   display: flex;
   flex-direction: column;
   align-items: center;
   padding: 20px;
   margin-top: 5px;
.section2_intro1 h2{
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   margin-top: 0px;
   margin-left: 0px;
.section2_intro1 p{
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   margin-top: 10px;
   margin-left: 0px;
   font-weight: 500;
   /* margin-left: 120px;
```

```
.section2_intro2{
    margin-top: 5px;
.section2 img{
    height: 95%;
    width: 85%;
    border-radius: 100%;
    display: inline-block;
    margin-left: 1px;
    margin-top: 5px;
.section4 div{
    display: flex;
    flex-direction: column;
    flex-wrap: wrap;
.section5_div{
    display: flex;
    flex-direction: column;
    flex-wrap: wrap;
div.project{
    overflow-y:auto;
div.certification{
    overflow-y:auto;
footer{
  display: flex;
   flex-direction: column;
   justify-content: center;
  align-items: center;
footer img{
  margin-left: 20px;
```

```
@media screen and (min-width:481px) and (max-width:768px){
    nav{
        display: flex;
        flex-direction: column;
    .skills span{
        margin-left: 100px;
    .section2_intro2 h4{
        margin-left: 0px;
    .section2_intro2 p{
        margin-top: 8px;
        margin-left: 0px;
    .button{
        background-color: ■red;
        color: ■white;
        padding: 5px;
        margin-left: 10px;
    .section5_div{
        display: flex;
        flex-wrap: wrap;
    footer img{
        margin-left: 30px;
        border: 2px solid ■red;
        border-radius: 100%;
        padding: 8px;
```

Thank You!