# **DOM JavaScript Assignment**

# **Assignment: Student Enrollment System**


Title: - Student Enrollment System.

**Description**: - It is a "Student Enrollment System" which provides the entire process of student registration, from initial application submission to final enrollment, including features like student name, student ID, email ID and Contact Number. Here we can Reset and Delete the Records of students.


### **Header Section**




### **Main Section**




Add Student Details




## On Edit Button Click



## On Update Button Click



On Delete Button Click



#### **Codes Section**

#### Index.html

```
··· × Welcome

∨ OPEN EDITORS

                                                                                                                                                                 <!DOCTYPE html>
                      × Welcome
                                                                                                                                                                        <html lang="en">
                          # style.css
                                                                                                                                                                                           <meta charset="UTF-8" />
V INTERNSHALA DOM ASSIGN...
                                                                                                                                                                                             <meta name="viewport" content="width=device-width, initial-scale=1.0" />
                                                                                                                                                                                             <meta name="provider" content="Internshala">
<meta name="keywords" content="Student Enrollment">
    > images
      JS index.js
                                                                                                                                                                                             <meta name="description" content="Student Enrollment System">
                                                                                                                                                                                             <title>Student Enrollment System</title>
                                                                                                                                                                                             k rel="stylesheet" href="style.css" />
<script src="index.js" defer></script>
                                                                                                                                                                                                       <header class="header-section">
    <h1 class="heading">Student Enrollment System</h1>

  It is a "Student Enrollment System" which provide the entire process
                                                                                                                                                                                                                             of student registration, from initial application submission to final % \left( 1\right) =\left( 1\right) \left( 1
                                                                                                                                                                                                                            enrollment, including features like student name, student ID, email ID
                                                                                                                                                                                                                             and Contact Number. Here we can Reset and Delete the Records of
                                                                                                                                                                                                                             students.
                                                                                                                                                                                                         <main class="main-section">
                                                                                                                                                                                                                 <form class="studentForm" onsubmit="return false">
                                                                                                                                                                                                                                       <label for="std_name" class="nameLabel label">Student Name</label>
                                                                                                                                                                                                                                                   class="nameInput input"
name="std_name"
                                                                                                                                                                                                                                            .
<label for="std_ID" class="IdLabel label">Student ID</label>
```

```
⋈ Welcome
                                            宀

✓ OPEN EDITORS

    index.html > 
    html > 
    head > 
    meta

                               2 <html lang="en
 Q

★ Welcome

                                     <main class="main-section">

✓ INTERNSHALA DOM ASSIGN...

                                           <form class="studentForm" onsubmit="return false">
       > images
                                               <label for="std_ID" class="IdLabel label">Student ID</label>
AS
                                                  name="std_ID
                                                <label for="std email" class="emailLabel label">Email ID</label>
                                                 type="email"
                                                 id="std email"
                                                 class="emailInput input"
name="std email"
                                                 >Contact No</label
                                                 type="tel"
                                                  name="std_contact"
                                                   type="submit"
                                                    id="addButton"
                                                   class="submitButton"
(8)
                                                    onclick="addData()'
```

```
index.html X

✓ OPEN EDITORS

    index.html >  html >  head >  meta

                                  <html lang="en">
0
         ⋈ Welcome
                                   <body onload="myFunction()">
         # style.css
બૂ
     V INTERNSHALA DOM ASSIGN...
                                         <form class="studentForm" onsubmit="return false">
      > images
                                                 type="button"
AH.
                                                 id="updateButton"
                                                 onclick="UpdateStudent()"
                                                 type="button"
                                                 value="Cancel"
                                                 style="display: none;"
                                                   Student Name
                                                   Student ID
                                                   Email ID
                                                   Contact No
                                                   Action
(2)
```

```
index.html X # style.cs:
 EXPLORER
                 ▼ Welcome

✓ OPEN EDITORS

                  <html lang="en">
   ⋈ Welcome
                       <body onload="myFunction()">
   # style.css

✓ INTERNSHALA DOM ASSIGN...

                            <form class="studentForm" onsubmit="return false">
 > images
 index.html
 JS index.js
 # style.css
                             <div class="display-section">
                               Student Name
                                   Student ID
                                   Email ID
                                   Contact No
                                   Action
```

## Style.css

```
OPEN EDITORS
     ⋈ Welcome
                                      margin: 0;
                                      padding: 0;
     JS index.js
                                  .container{

✓ INTERNSHALA DOM ASSIGN...

                                      display: flex;
                                      flex-direction: column;
background-image: url("images/background1_image.jpg");
                                      background-repeat: no-repeat;
 JS index.js
                                      background-size: cover;
                                      height: 100vh;
                                      display: flex;
                                      flex-direction: column;
                                  .heading{
                                      text-align: center;
                                      text-shadow: 2px 2px 5px ☐rgb(13, 0, 255);
                                      padding-top: 20px;
                                      padding-bottom: 20px;
                                      font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
                                  .paragraph{
                                      padding: 20px 100px 20px 100px;
                                      text-shadow: 2px 2px 5px ☐rgb(0, 255, 128);
                                      font-weight: 400;
                                      font-family:Cambria, Cochin, Georgia, Times, 'Times New Roman', serif; color: □rgb(38, 30, 34);
                                  .studentForm{
                                      margin-top: 50px;
                                      display: flex;
                                      justify-content: center;
```

```
✓ OPEN EDITORS 1 unsaved

                          # style.css > 😝 *
     X Welcome
                               .studentForm{
                                    margin-top: 50px;
     index.html
                                    display: flex;
     JS index.js
                                     justify-content: center;
   # style.css

✓ INTERNSHALA DOM ASSIGN...

                                .registration-section{
  > images
                                     display: flex;
                                     flex-direction: column;
 o index.html
                                     margin: 10px;
 JS index.js
                                     border-bottom: 1px solid ■rgb(6, 200, 103);
 # style.css
                                     border-right: 1px solid ■rgb(6, 200, 103);
                                     padding: 50px;
                                     box-shadow: 5px 5px ■rgb(134, 190, 209);
                                .label{
                                     font-weight: bold;
                                     font-size: large;
                                    display: block;
                                    margin-top: 10px;
                                     text-shadow: 2px 2px 5px ☐rgb(212, 0, 255);
                                .input{
                                     display: block;
                                    width: 350px;
                                    height: 30px;
                                     border-radius: 10px;
                                     margin-top: 10px;
                                     box-shadow: 5px 5px ■rgb(99, 186, 215);
                                .buttons{
                                    margin-top: 20px;
                                     display: flex;
                                     justify-content: center;
                                     align-items: center;
                                     gap: 20px;
```

```
index.html
                                .submitButton{
     JS index.js
                                    background-color: ☐rgb(25, 136, 220);
   • # style.css
                                    padding: 10px;

✓ INTERNSHALA DOM ASSIGN...

                                    cursor: pointer;
                                    font-weight: bold;
 > images
                                    box-shadow: 5px 5px ■rgb(134, 190, 209);
 index.html
 JS index.js
                                .submitButton:hover{
 # style.css
                                    background-color: transparent;
                                    border: 2px solid □blue;
                                .submitButton:active{
                                    background-color: ■lightblue;
                                    border: 2px solid ☐rgb(208, 0, 255);
                                .updateButton{
                                    background-color: ☐rgb(25, 136, 220);
                                    padding: 10px;
                                    cursor: pointer;
                                    box-shadow: 5px 5px ■rgb(134, 190, 209);
                                    font-weight: bold;
                                    color: □white;
                                .updateButton:hover{
                                    background-color: transparent;
                                    border: 2px solid ☐ blue;
                                    color: □black;
                                .updateButton:active{
                                    background-color: ■lightblue;
                                    border: 2px solid ☐ rgb(208, 0, 255);
```

```
≀ index.html
                                 .CancelButton{
     JS index.js
                                     background-color: ☐rgb(233, 6, 6);
   # style.css
                                     cursor: pointer;

✓ INTERNSHALA DOM ASSIGN...

                                     box-shadow: 5px 5px ■rgb(134, 190, 209);
  > images
                                     color: □yellow;
 o index.html
                                     padding: 10px;
                                     font-weight: bold;
 JS index.js
 # style.css
                                 .CancelButton:hover{
                                     background-color: transparent;
                                     border: 2px solid □blue;
                                     color: ■red;
                                 .CancelButton:active{
                                     background-color: ■lightblue;
                                     border: 2px solid ☐rgb(208, 0, 255);
                                 .display-section{
                                     margin: 10px;
                                     margin-left: 50px;
                                     padding: 40px;
                                     display: flex;
                                     flex-direction: column;
                                     box-shadow: 5px 5px ■rgb(134, 190, 209);
                                     overflow-y: auto;
                                     height: 400px;
                                 .studentTable{
                                     border: 2px solid □black;
                                 th{
                                     width: 120px;
```

```
X Welcome
                                td{
     o index.html
                                    text-align: center;
     JS index.js
                                    padding: 10px;
   # style.css

✓ INTERNSHALA DOM ASSIGN...

                                .editButton{
 > images
                                    margin: 2px;
 o index.html
                                    padding: 5px;
                                    background-color: ■rgb(124, 162, 192);
 JS index.js
                                    cursor: pointer;
 # style.css
                                    font-weight: bold;
                                .deleteButton{
                                    margin: 2px;
                                    padding: 5px;
                                    background-color: ■rgb(124, 162, 192);
                                    cursor: pointer;
                                    font-weight: bold;
                                .editButton:hover{
                                    background-color: transparent;
                                    border: 2px solid ☐ blue;
                                .editButton:active{
                                    background-color: ■lightblue;
                                    border: 2px solid ☐rgb(208, 0, 255);
                                .deleteButton:hover{
                                    background-color: transparent;
                                    border: 2px solid ☐blue;
                                .deleteButton:active{
                                    background-color: ■lightblue;
                                    border: 2px solid ☐ rgb(208, 0, 255);
```

```
@media screen and (min-width:250px) and (max-width:480px){

✓ INTERNSHALA DOM ASSIGN...

                                    .container{
 > images
                                        display: flex;
 index.html
                                        flex-direction: column;
 JS index.js
                                        align-items: center;
                                        background-image: url("images/background1_image.jpg");
 # style.css
                                        background-repeat: no-repeat;
                                        background-size: cover;
                                        height: 100%;
                                        width: 100%;
                                     .studentForm{
                                        margin-top: 50px;
                                        display: grid;
                                        grid-template-columns: repeat(1, 1fr);
                                        grid-template-rows: repeat(2, 1fr);
                                     .input{
                                        display: block;
                                        width: 250px;
                                        height: 30px;
                                        border-radius: 10px;
                                        margin-top: 10px;
                                        box-shadow: 5px 5px ■rgb(99, 186, 215);
```

```
.input{
   JS index.js
                                   .display-section{
 # style.css
                                       margin: 10px;
INTERNSHALA DOM ASSIGN...
                                       padding: 40px;
> images
                                       display: flex;
index.html
                                       flex-direction: column;
                                       box-shadow: 5px 5px ■rgb(134, 190, 209);
JS index.js
                                       overflow-y: auto;
# style.css
                                       height: 400px;
                                       overflow-x: auto;
                                 @media screen and (min-width:481px) and (max-width:769px){
                                   .container{
                                       display: flex;
                                       flex-direction: column;
                                       align-items: center;
                                       background-image: url("images/background1_image.jpg");
                                       background-repeat: no-repeat;
                                       background-size: cover;
                                       height: 100%;
                                       width: 100%;
                                   .studentForm{
                                       margin-top: 50px;
                                       display: grid;
                                       grid-template-columns: repeat(1, 1fr);
                                       grid-template-rows: repeat(2, 1fr);
```

```
INTERNSHALA DOM ASSIGN...
                                    .studentForm{
> images
                                        margin-top: 50px;
o index.html
                                        display: grid;
                                        grid-template-columns: repeat(1, 1fr);
JS index.js
                                        grid-template-rows: repeat(2, 1fr);
# style.css
                                    .input{
                                        display: block;
                                        width: 350px;
                                        height: 30px;
                                        border-radius: 10px;
                                        margin-top: 10px;
                                        box-shadow: 5px 5px ■rgb(99, 186, 215);
                                    .display-section{
                                        margin: 10px;
                                        padding: 40px;
                                        display: flex;
                                        flex-direction: column;
                                        box-shadow: 5px 5px ■rgb(134, 190, 209);
                                        overflow-y: auto;
                                        height: 400px;
                                        overflow-x: auto;
```

```
OPEN EDITORS 1 unsaved
       ⋈ Welcome
                                              var rowNumber = 0;
                                             var pattern_email = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
var patt_contact = /^\d{10}$/;
   • # style.css
                                             var idsArray = [];
var updatedId ="";
var valName = /^[a-zA-Z\s]*$/;
var val_ID = /^[0-9]+$/;

✓ INTERNSHALA DOM ASSIGN...

  > images
                                             var rowIdToUpdate = null;
  # style.css
                                              function addData() {
                                                 rowNumber++;
                                                    let name = document.getElementById("std_name").value;
                                                    let stdId = document.getElementById("std_ID").value;
let email = document.getElementById("std_email").value;
                                                   let contact = document.getElementById("std_contact").value;
if(name == "" || stdId == "" || email == "" || contact == ""){
    alert("Please insert all Fields.");
                                                         clearInputs();
                                                    if(!name.match(valName)){
                                                         alert("Please enter valid Name.");
                                                         document.getElementById("std_name").value = "";
                                                    if(idsArray != null && idsArray.length >0 && idsArray.includes(stdId))
                                                          alert("Please enter unique Student Id.");
document.getElementById("std_ID").value = "";
```

```
# style.css
INTERNSHALA DOM ASSIGN...
                                     function editData(button, stdId) {
                                          let row = button.parentNode.parentNode;
> images
                                           let nameCell = row.cells[0].innerHTML;
                                          let idCell = row.cells[1].innerHTML;
                                          let emailCell = row.cells[2].innerHTML;
style.css
                                          let contactCell = row.cells[3].innerHTML;
                                          rowIdToUpdate = button.id;
                                          document.getElementById("std_name").value = nameCell;
document.getElementById("std_ID").value = idCell;
                                          document.getElementById("std_email").value = emailCell;
                                          document.getElementById("std_contact").value = contactCell;
document.getElementById("addButton").style.display = "none";
                                          document.getElementById("updateButton").style.display = "inline";
document.getElementById("cancelButton").style.display = "";
                                          updatedId = stdId;
                                     function UpdateStudent() {
                                          button = document.getElementById(rowIdToUpdate);
                                          let rowToUpdate = button.parentNode.parentNode;
                                          let name = document.getElementById("std_name").value;
                                          let stdId = document.getElementById("std ID").value;
                                          let email = document.getElementById("std_email").value;
                                          let contact = document.getElementById("std_contact").value;
if(name == "" || stdId == "" || email == "" || contact == ""){
                                               alert("Please insert all Fields.");
                                               clearInputs();
```

```
JS index.js
                                  if(!name.match(valName)){
# style.css
                                      alert("Please enter valid Name.");
TERNSHALA DOM ASSIGN...
                                      document.getElementById("std_name").value = "";
images
index.html
                                  if(idsArray.includes(stdId) && updatedId != stdId)
index.js
style.css
                                       alert("Please enter unique Student Id.");
                                      document.getElementById("std_ID").value = "";
                                   if(!stdId.match(val_ID)){
                                      alert("Please enter only Numeric values in Student ID.");
document.getElementById("std_ID").value = "";
                                  if(!pattern_email.test(email)){
                                      alert("Please enter valid Email Address.");
                                      document.getElementById("std_email").value = "";
                                  if(!patt_contact.test(contact)){
                                      alert("Please enter valid Contact Number.");
                                      document.getElementById("std_contact").value = "";
                                  rowToUpdate.cells[0].innerHTML = document.getElementById("std_name").value;
                                  rowToUpdate.cells[1].innerHTML = document.getElementById("std_ID").value;
                                  rowToUpdate.cells[2].innerHTML = document.getElementById("std_email").value;
                                  rowToUpdate.cells[3].innerHTML = document.getElementById("std_contact").value;
                                  rowToUpdate = null;
```

```
index.js
                                                   let indexToRemove = idsArray.indexOf(updatedId);
                                  122
                                                   idsArray.splice(indexToRemove, 1);
 # style.css
                                                   idsArray.push(stdId);
ERNSHALA DOM ASSIGN...
                                                   setLocalStorage();
nages
                                                  Cancel();
ndex.html
ndex.js
tyle.css
                                            function Cancel() {
                                                   document.getElementById("std_name").value = "";
                                                  document.getElementById("std_ID").value = "";
document.getElementById("std_email").value = "";
document.getElementById("std_email").value = "";
document.getElementById("std_contact").value = "";
document.getElementById("addButton").style.display = "block";
document.getElementById("updateButton").style.display = "none";
document.getElementById("cancelButton").style.display = "none";
                                                  rowToUpdate = null;
                                            function deleteData(button, stdId) {
                                                   let row = button.parentNode.parentNode;
                                                   row.parentNode.removeChild(row);
                                                   let indexToRemove = idsArray.indexOf(stdId);
                                                   idsArray.splice(indexToRemove, 1);
                                                   setLocalStorage();
```

GitHub Link: - https://github.com/Arti2510/internshala\_dom\_assignment.git

# **THANK YOU!**