

■■■■ . ■■■■ ■■■■

****■■■■■** GJB-E794-024-2024**

****■■■■■** ■■■■ / Electronic Warfare**

****** **■** **■** **■** **■** ****** **■** **■** **■** **■**

** [REDACTED] ** [REDACTED]

****■■■■■** 2024■■01■■25■**

###

1.1 ■■■■■

-2017

1.2 ■■■■

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

- [REDACTED]

[illegible]

■■■ ■■■■■■■■

2.1 ■■■■■■

- ■■■■■ECM-2000■■■0.5-18 GHz■■■GJB 7866-2012

- ■■■■ECM-2000■■■-90 dBm■■■GJB 7866-2012

- ■■■■■■ECM-2000■■70 dB■■■■■■■■■■

- ■■■■■ECM-2000■■■2 ■(RMS)■■■GJB 7866-2012

- ■■■■■■ECM-2000■■■500 W■■■■■■■■■

■■■■■■■■■■


3.1 ■■■■■■■■■■

0.5-40 GHz -90 dBm

740 /

[illegible]

- 40°C +55°C GJB 150A-2009
 - 5-500 Hz 0.04 g²/Hz GJB 150.16
 - 30g 11ms GJB 150.18
 - 95% RH +35°C GJB 150.9
 - 5% NaCl 48h GJB 150.11
 - EMC GJB 151B-2013 CE102 RE102
 - MTBF 700 GJB 899A-2009
 - MTTR 1

1. 
2. 
3. 
4. 
5. 
6. 
7. 

4.1 ■■■■

■■■■■■■■

1. ■■■■■■■■■■■■■■■■■■■■■■

2. ■■■■■■■■■■■■■■■■■■■■■■DC 24V ± 10%■■

3. ■■■■■■■■■■■■■■■■■■■■■■BIT■■■■■

4. ■■■■■■■■■■■■■■-16°C■74°C■■■

5. ■■■■■■■■■■■■■■■■■■■■

- 48

6.2 ■■■■

- ■■■■■■

■■■ ■■■■ ■■■■■■

7.1 ■■■■

[illegible]

5. ■■■■■■

7.2 ■■■■

- [REDACTED]

7.3 ■■■■

- ■■■■■■GJB 5313-2004■■■

7.4 ■■■■

- [illegible]

■■A ■■■■■■

- GJB 9001C-2017 ██████████
- GJB 150A-2009 ████████████████████
- GJB 899A-2009 ████████████████████
- GJB 450B-2008 ████████████████████
- GJB 451A-2005 ████████████████████
- GJB 7869-2012 ████████████████
- GJB 2924-1997 ████████████████████
- GJB 5309-2004 ████████████████████
- GJB 792-1990 ████████████████
- GJB 7866-2012 ████████████████████

#24

12

GB 908A-2012
100% AQL 1%

24 /

54%

14

69%

44%

The figure consists of two horizontal bar charts. The top chart is titled 'How many times did you use the app?' and shows the distribution of responses for the number of times the app was used. The x-axis represents the number of times (1 to 10), and the y-axis represents the percentage of responses (0% to 100%). The data is as follows:

Number of times	Percentage
1	2%
2	5%
3	8%
4	10%
5	12%
6	15%
7	18%
8	20%
9	22%
10	25%

The bottom chart is titled 'How many times did you use the app?' and shows the distribution of responses for the number of times the app was used. The x-axis represents the number of times (1 to 10), and the y-axis represents the percentage of responses (0% to 100%). The data is as follows:

Number of times	Percentage
1	2%
2	5%
3	8%
4	10%
5	12%
6	15%
7	18%
8	20%
9	22%
10	25%

[REDACTED]

[REDACTED] 24 [REDACTED]

14

17

5%

3 1 6
48

(LCC)
24:27

#34

34

14
13

7%

7 2 16
58

(LCC)
34:37

44%

12

GJB 908A-2012
100% AQL 2%

34 /
64%

14

64%

24%

#44

GJB 908A-2012 100% AQL 3%

44/ 34%

14

74%

34%

+50°C 12 5% 4 7

44

14 9

9%

5 3 14 68

(LCC)

