

[REDACTED] . [REDACTED] [REDACTED] [REDACTED]

****■■■■■** GJB-E794-012-2024**

****■■■■■** ■■■■ / Electronic Warfare**

****** **■** **■** **■** **■** ****** **■** **■** **■** **■**

** [REDACTED] ** [REDACTED]

****■■■■■** 2024■■01■■13■**

■■■ ■■

1.1 ■■■■■

-2017

1.2 ■■■■

[illegible]

- [REDACTED]

- [] [] [] [] [] [] [] [] [] [] []

[illegible][illegible]

2.1 ■■■■■■

- ■■■■■ECM-2000■■■0.5-18 GHz■■■GJB 7866-2012

- ■■■■ECM-2000■■■-90 dBm■■■GJB 7866-2012

- ■■■■■■ECM-2000■■70 dB■■■■■■■■■■

- ■■■■■ECM-2000■■■2 ■(RMS)■■■GJB 7866-2012

- ■■■■■■ECM-2000■■■500 W■■■■■■■■■

■■■■■■■■■■

3.1 ■■■■■■■■■■

[illegible][illegible]

- 40°C +55°C GJB 150A-2009
 - 5-500 Hz 0.04 g²/Hz GJB 150.16
 - 30g 11ms GJB 150.18
 - 95% RH +35°C GJB 150.9
 - 5% NaCl 48h GJB 150.11
 - EMC GJB 151B-2013 CE102 RE102
 - MTBF 500 GJB 899A-2009
 - MTTR 1

1. 
2. 
3. 
4. 
5. 
6. 
7. 

■■■ ■■■■■■■■

[illegible]

- 12
- 24

6.2

- 80
- 30
-

7.1

7.1

- 1.
- 2.
- 3.
- 4.
- 5.

7.2

-
- -30°C +50°C
- 80%
-
-

7.3

-
-
-
- GJB 5313-2004

7.4

- CO
-
-
-

■■A ■■■■■■

- GJB 9001C-2017 ██████████
- GJB 150A-2009 ████████████████████
- GJB 899A-2009 ████████████████████
- GJB 450B-2008 ████████████████████
- GJB 451A-2005 ████████████████████
- GJB 7869-2012 ████████████████
- GJB 2924-1997 ████████████████████
- GJB 5309-2004 ████████████████████
- GJB 792-1990 ████████████████
- GJB 7866-2012 ████████████████████

#12

12 / 42%

12

72%

32%

12

12

19

9%

316

36

(LCC)

12:15

52%

10

#22

11%

7 2 16

46

(LCC)

22:25

62%

10

GJB 908A-2012 GB

100% AQL 2%

22 /

52%

12

67%

42%

