

■■■■ . ■■■■ ■■■■

****■■■■■** GJB-E8A3-024-2024**

****■■■■■** ■■■■ / Armor Vehicles**

** [REDACTED] ** [REDACTED]

** [REDACTED] ** [REDACTED]

****■■■■■** 2024■■01■■25■**

■■■ ■■

1.1 ■■■■■

-2017

1.2 ■■■■

■■■■■■■■■■

- [REDACTED]

- [REDACTED]

- [] [] [] [] [] [] [] [] [] [] []

■■■■■■■■■■

2.1 ■■■■■■

- ■■■■■ ZTZ-99A ■■ 55 t ■■■ GJB 792-1990

- ■■■■■■ZTZ-99A■■■1500 hp■■■GJB 792-1990

- ■■■■■■ZTZ-99A■■■70 km/h■■■■■■■■■■

- ■■■■■ ZTZ-99A ■■■ 125 mm ■■■ GJB 792-1990

- ■■■■■■ZTZ-99A■■■41 ■■■■■■■■■■

[REDACTED]

3.1 ■■■■■■■■■■

[illegible][illegible]

150044kW/t

840mm

3.2

- -40°C+55°CGJB 150A-2009
- 5-500 Hz0.04 g²/HzGJB 150.16
- 30g11msGJB 150.18
- 95% RH+35°CGJB 150.9
- 5% NaCl48hGJB 150.11
- EMCGJB 151B-2013CE102RE102
- MTBF700GJB 899A-2009
- MTTR1

3.3

-
- BIT19
-
-
-
-
-

##

4.1

-
- DC 24V ± 10%
- BIT
- 16°C74°C
-

4.2

[illegible][illegible]

Figure 1: Schematic representation of the data structure. The figure shows a grid of data points for eight error types (ERR-001 to ERR-008). Each error type has two columns of data points, each represented by a 4x4 grid of black squares. The columns are separated by vertical dashed lines. The error types are listed on the left, and the columns are labeled 'ERR-001' and 'ERR-002' at the top.

- ██████████ 48

- ██████████ 72

- ██████████ 24

- ██████████ 48

6.2

- 80
- 30
-

##

7.1

-
- 1.
 - 2.
 - 3.
 - 4.
 - 5.

7.2

-
- -30°C +50°C
- 80%
-
-

7.3

-
-
-
- GJB 5313-2004

7.4

-
- CO
 -
 -
 -

A

- GJB 9001C-2017
- GJB 150A-2009
- GJB 899A-2009
- GJB 450B-2008
- GJB 451A-2005
- GJB 7869-2012
- GJB 2924-1997
- GJB 5309-2004
- GJB 792-1990
- GJB 7866-2012

#24

12

GJB 908A-2012 100% AQL 1%

24 54%

14

69%

44%

+50°C 8 5% 2 7

24

14 17

5%

[illegible][illegible]

48

[REDACTED] (LCC) [REDACTED]

[illegible]

■■■■■■■■■■ #34■

[illegible]

■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■34■■■■■■■■

[REDACTED]14[REDACTED]

13

7%

[illegible]

[REDACTED] 7 [REDACTED] 2 [REDACTED] 16

58

[REDACTED] (LCC) [REDACTED]

[illegible]

[REDACTED]

44%

[illegible]

XX

[illegible][illegible][illegible]

64%

[illegible]

14

