

■■■■ . ■■■■ ■■■■

****■■■■■** GJB-E980-006-2024**

■■■■■ ■■■■ / Communications Equipment

** [REDACTED] ** [REDACTED] [REDACTED] [REDACTED]

** [REDACTED] ** [REDACTED]

20240707

■ ■ ■ ■ ■

1.1 ■■■■■

-2017

1.2 ■■■■

[illegible]

[illegible]

■■■■■■■■■■

2.1 ■■■■■■

- ■■■■■ ZBD-2000 ■■ 30-512 MHz ■■■ GJB 2924-1997

- ■■■■ZBD-2000■■■5/20/50 W■■■GJB 2924-1997

- ■■■■■■ZBD-2000■■■-40~+55 °C■■■■GJB 150A-2009

- ■■■■■ZBD-2000■■■IP67 ■■■GJB 4206-2000

- ■■■■ZBD-2000■■■3.5 kg■■■■■■■■■■

        

3.1 ■■■■■■■■■■

(SDF)

[Redacted] (SDF)

6.2

- 80
- 30
-

##

7.1

-
- 1.
 - 2.
 - 3.
 - 4.
 - 5.

7.2

-
- -30°C +50°C
- 80%
-
-

7.3

-
-
-
- GJB 5313-2004

7.4

-
- CO
 -
 -
 -

A

- GJB 9001C-2017
- GJB 150A-2009
- GJB 899A-2009
- GJB 450B-2008
- GJB 451A-2005
- GJB 7869-2012
- GJB 2924-1997
- GJB 5309-2004
- GJB 792-1990
- GJB 7866-2012

#6

11

66%

26%

+50°C 14 5% 2 4

6

16 13

11%

3 1 12 30

(LCC) 6:9

46%

9

[illegible]

■■■■■■■■■■ #16■

7210
40

(LCC) 16:19

56%

9

GJB 908A-2012

100% AQL 2%

16 / 46%

11

61%

36%

Two horizontal bar charts are displayed. The top chart represents temperature distribution, with a peak at +50°C (8) and a tail extending to 5%. The bottom chart represents precipitation distribution, with a peak at 3 and a tail extending to 4.

[illegible]

16

9

■■■■■■■■■■ #26■

71%

[illegible]

16

19

7%

538

50

(LCC)

26:29

66%

9

GJB 908A-2012

100% AOL 3%

