

[REDACTED]. [REDACTED] [REDACTED]

****■■■■■** GJB-E980-029-2024**

■■■■■ ■■■■ / Communications Equipment

** [REDACTED] ** [REDACTED]

■■■■ 2024■■06■■02■■

###

1.1 ■■■■■

-2017

1.2 ■■■■

- [REDACTED]

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

—

■■■ ■■■■■■■■

2.1 ■■■■■■

- ■■■■■■ZBD-2000■■■30-512 MHz■■■GJB 2924-1997

- ■■■■■■ZBD-2000■■■5/20/50 W■■■■GJB 2924-1997

- ■■■■■■ZBD-2000■■■-40~+55 °C■■■■GJB 150A-2009

- ■■■■■ ZBD-2000 ■■■ IP67 ■■■ GJB 4206-2000

- ■■■■ZBD-2000■■■3.5 kg■■■■■

              

3.1 ■■■■■■■■■■

[REDACTED] (SDF)

6.2

- 80
- 30
-

A

- GJB 9001C-2017
- GJB 150A-2009
- GJB 899A-2009
- GJB 450B-2008
- GJB 451A-2005
- GJB 7869-2012
- GJB 2924-1997
- GJB 5309-2004
- GJB 792-1990
- GJB 7866-2012

#29

8 3 11 53

(LCC) 29:32

69%

12

GJB 908A-2012 100% AQL 3%

29 59%

