

8.3	Sampling Uncertainty	232
8.3.1	Sampling and Heterogeneity	232
8.3.2	Procedure of Homogeneity Check	236
8.3.3	Example of Copper in Wheat Flour	237
8.4	Measurement Uncertainty: Special Issues	240
8.4.1	Influence of the Calibration Model	240
8.4.2	Uncertainty of Corrected Results	243
8.4.3	Increase the Number of Replicates	250
8.4.4	Replication under Repeatability Condition	251
8.4.5	Replication under Intermediate Precision Condition	253
	References	254
9	MU and Quantification Limits	257
9.1	Definitions and Assessment of LOQ	258
9.1.1	Multiple Blank Standard Deviations	258
9.1.2	Visual Examination	259
9.1.3	Signal-to-Noise Ratio	259
9.1.4	Empirical Experimental Approach	260
9.2	LOQ as an Expected Relative Uncertainty	260
9.3	Decision Limit and Detection Capability	262
9.3.1	Concepts and Definitions	262
9.3.2	Initial Procedure (2002)	265
9.3.3	Modified Procedure (2021)	265
9.3.4	Example of Calculation	267
	References	269
10	Examples of MU Application	271
10.1	Standard Addition Method and Drug Quality	271
10.1.1	SAM Without Replication	273
10.1.2	SAM with Replication	279
10.1.3	Estimation from Method Accuracy Profile	281
10.2	Method Comparison Using Uncertainty	283
10.2.1	Analyte Defined by the Operating Procedure	283
10.2.2	Kjeldahl and Dumas Method Comparison	285
	References	287
11	Conclusions	289
11.1	Role of the Number of Replicates	290
11.2	Traceability to International Units	290
11.3	Education about Uncertainty	292
11.4	Risk Analysis	292
11.5	Harmonization of MU Estimation Procedures	293
	References	294

Annexes	295
The 10-step MAP Procedure	295
Glossary of Used Terms	295
Acronyms	302
Reference	304
 Index	 305

List of Figures

- Figure 1** How to read this book. *xviii*
- Figure 1.1** Schematic representation of the quantification principle. 2
- Figure 1.2** Schematic representation of absolute, semi, and relative quantification modes. 6
- Figure 1.3** Contribution to the reproducibility of two quantification methods in liquid chromatography of saccharides. 9
- Figure 1.4** Two-run standard addition method. 16
- Figure 1.5** Calibration modes in analytical sciences. 17
- Figure 1.6** LC-MS on endogenous metabolites: proposed workflow for selecting a calibration operating procedure. 22
- Figure 2.1** THEOPHYLLINE – illustration of the calibration data of series 1. 27
- Figure 2.2** Direct calibration and inverse calibration. 28
- Figure 2.3** Principles of ordinary least-squares (OLS) method. 30
- Figure 2.4** ELISA – determination of interleukin 6. 43
- Figure 2.5** SAM – multiple point standard addition method. 48
- Figure 3.1** Graphical representation of diverse total variance decomposition, affording diverse sources of variation. 60
- Figure 3.2** LEAD – illustration of interlaboratory study. 63
- Figure 3.3** Geometric interpretation of the general ANOVA. 66
- Figure 3.4** (a) ANOVA – observed model. (b) ANOVA – theoretical model. 68
- Figure 3.5** Graphical representation of the experimental design. (a) Balanced and (b) unbalanced. 71
- Figure 3.6** Diverse types of outliers in an interlaboratory study. 75
- Figure 3.7** LEAD – interlaboratory study after outlier deletion. 77
- Figure 4.1** Example of systematic error generated by the integration mode of poorly resolved chromatographic peaks. 84
- Figure 4.2** Geometric interpretation of additive and multiplicative bias. 85

- Figure 4.3** ALFALFA 97
- Figure 4.4** NITROGEN – examples of anomalies in a wheat flour control chart. 100
- Figure 4.5** Possible location of different Qcontrol charts in a routine laboratory. 102
- Figure 5.1** Frequency of terms used in validation guides. 109
- Figure 5.2** Example of a multicriteria validation procedure. 111
- Figure 5.3** Example of single-criterion validation procedure. 112
- Figure 5.4** Number of publications with “accuracy profile” in the title ratioed to all “validation” published papers. 115
- Figure 5.5** THEOPHYLLINE – MAP with six validation materials. Inverse-predicted concentrations are obtained with WLS quadratic model. 119
- Figure 5.6** THEOPHYLLINE – validation and validated ranges ($\beta\% = 80\%$). 120
- Figure 5.7** THEOPHYLLINE – lower part of the MAP expressed as absolute inverse-predicted concentration ($\beta\% = 80\%$). 121
- Figure 5.8** Schematic representation for LOQ calculation. 122
- Figure 5.9** Comparison tolerance and confidence intervals calculated for 18 replicates assumed to be normally distributed. 124
- Figure 5.10** THEOPHYLLINE – accuracy profile with the two tolerance intervals ($\beta\% = 80\%$, $\gamma\% = 95\%$). Inverse-predicted concentrations are obtained with WLS quadratic models. 131
- Figure 5.11** THEOPHYLLINE – accuracy profile (MAP) with the two tolerance intervals obtained for OLS quadratic models ($\beta\% = 80\%$, $\gamma\% = 95\%$). 133
- Figure 5.12** Schematic representation of the experimental design to be used to build a relevant accuracy profile. 134
- Figure 5.13** Influence of the experimental design parameters on the number of effective measurements. 136
- Figure 5.14** Influence of the experimental design on the coverage factor with $\beta\% = 80\%$. 138
- Figure 5.15** Coverage factor as a function of the number of efficient measurements. 140
- Figure 5.16** THEOPHYLLINE – half tolerance intervals for different probability values. 143
- Figure 6.1** The 4-step GUM general procedure for measurement uncertainty (MU) estimation. 151
- Figure 6.2** LEAD – cause to effect diagram of the sources of uncertainty when determining lead by ICP-ID-MS. 157

- Figure 6.3** Triangular distribution law applied to a digitized reading rounded to 90. 161
- Figure 6.4** LEAD – uncertainty budget. 168
- Figure 6.5** Schematic representation of the main concepts used for method validation. 172
- Figure 6.6** Comparison between the total analytical error (TAE) model and the measurement uncertainty (MU) model. 173
- Figure 6.7** Modeling: moving from the real world to idealized world. 175
- Figure 6.8** CORTISOL – accuracy profiles from four validation studies. 176
- Figure 6.9** CORTISOL – uncertainty functions of four accuracy profiles. 177
- Figure 7.1** Different MU estimation procedures proposed for the analytical sciences. 180
- Figure 7.2** Generic cause-to-effect diagram with eight main classic sources of uncertainty. 184
- Figure 7.3** THEOPHYLLINE – 95% coverage intervals. 192
- Figure 7.4** ALBUMIN – control chart and QC. 194
- Figure 7.5** (a) LEAD – laboratory coverage intervals including outliers, (b) LEAD – individual coverage intervals after removing outliers. 203
- Figure 7.6** Horwitz (solid line) and Thompson (dashed line) models. 205
- Figure 7.7** Precision and trueness acceptance criteria proposed in various official guidelines. 208
- Figure 7.8** (a) THEOPHYLLINE – standard uncertainty function, (b) THEOPHYLLINE – relative uncertainty function. 210
- Figure 7.9** Different power functions when power coefficient b varies, and $a = 0.2$ remains constant. 212
- Figure 7.10** Coverage interval and measurement uncertainty. 214
- Figure 8.1** Total circulating testosterone reference values for normal and pathological states with associated MU. 224
- Figure 8.2** Three ways to assess sample conformity to a unilateral or bilateral specification interval. 228
- Figure 8.3** The guard band concept introduced by the JCGM. 229
- Figure 8.4** Influence of MU on acceptability or rejection intervals. 230
- Figure 8.5** Basic sampling vocabulary. 232
- Figure 8.6** Main types of spatial distribution of an analyte in a batch or population. 233
- Figure 8.7** Cause to effect diagram of the sampling operation. 235
- Figure 8.8** COPPER – distribution of measurements and control number. 239
- Figure 8.9** PARACETAMOL – method accuracy profiles using two calibration models on the same data. 241