Components

Alerts →

Badges →

Buttons →

Button Group →

Checkboxes →

Chips →

Dialogs →

Navigation →

Logo →

Progress indicators →

Radio buttons →

Switch →

Tables →

Tabs →

Text fields →

Variables →


Units

The measurements in this file are based on a single unit.
The single unit measures 4 pixels.

e.g. Measures/4 means: 4 ×4, so 16 pixels

Padding vs Spacing

Let's clarify a couple of things first:



Container


A container is any element that contains other elements. Very simple.



Blocks


A block is any element that is being contained

Now that we know the difference between Containers and Blocks:



Padding


Is the measure between a container and its contained block elements



Spacing

Is the measure between blocks inside a container

Here is a more complex example:



Each container has a certain padding to lay out the blocks inside it, and each block has a certain **spacing** to distance them between eachother.

Theme

Name	Value
General Roundness	Radius/radius-0
Fonts	
Titles	Bitsy Pixels
Paragraph	JetBrains Mono

Name	Value
Accent	Colors/ Neutral/White 05
Accent Foreground	Colors/ Neutral/White
Background	#0D0C0C
Background-Foreground	Colors/ Neutral/White
Border	Colors/ Neutral/White 15
Input	Colors/ Neutral/White
Primary	#D4031C
Primary-Foreground	Colors/ Neutral/White
Secondary	Colors/ Neutral/White
Secondary-Foreground	Colors/Background
Specific/**Disabled**	
Background	Colors/ Neutral/White 15
Foreground	Colors/ Neutral/White 50
Border	Colors/ Neutral/White 15
Specific/Text/**On Primary**	
Title	Primary-Foreground
Paragraph	Colors/ Neutral/White 75
Specific/Text/**On Secondary**	
Title	Colors/Secondary-Foreground
Paragraph	Colors/Secondary-Foreground
Specific/Text/**On Background**	
Title	Background-Foreground
Paragraph	Colors/ Neutral/White 50

Dimensions

Name	Value
Padding	
Padding-xxs	Measures/0,5
Padding-xs	Measures/1
Padding-sm	Measures/2
Padding-md	Measures/4
Padding-xl	Measures/5
Padding-xxl	Measures/6
Spacing	
Spacing-xxs	Measures/0,5
Spacing-xs	Measures/1
Spacing-sm	Measures/2
Spacing-md	Measures/4
Spacing-xl	Measures/5
Spacing-xxl	Measures/6

Primitives

Name	Value
Padding	
0	0
0,5	2
1	4
2	8
3	12
4	16
6	24
8	32
10	40
16	64
20	80
30	120
Radius	
radius-0	Measures/0
radius-1	Measures/1
radius-2	Measures/2
radius-4	Measures/4
radius-6	Measures/6
radius-8	Measures/8
radius-10	Measures/10
radius-16	Measures/16
Full	9999

Name	Value
Functional/**Success**	
Success Primary	#00B74F
Success Light	#BFFFDB
Functional/**Warning**	
Warning Primary	#FFC138
Warning Light	#FFECC2
Functional/**Error**	
Error Primary	#D10B00
Error Light	#FFC5C2
Functional/**Info**	
Info Primary	#3860FF
Info Light	#C2CEFF
Neutral	
Black	#0D0C0C
Black 75	#0D0C0C
Black 50	#0D0C0C
Black 15	#0D0C0C
Black 05	#0D0C0C
Black 03	#0D0C0C
White	#FFFFFF
White 75	#FFFFFF
White 50	#FFFFFF
White 15	#FFFFFF
White 05	#FFFFFF
White 03	#FFFFFF
Transparent	#FFFFFF

Alerts

A way of informing the user of important changes in a prominent way.



Badges

Badges are used to convey dynamic information, such as a count or status. A badge can include text, labels, or numbers.




Buttons

Buttons help people take actions, such as sending an email, sharing a document, or liking a comment.

Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
Button >
[BUTTON]
[BUTTON]

Button group


A wrapper for multiple, related buttons.






Checkboxes

Checkboxes allow users to select one or more items from a set and can be used to turn an option on or off.






Chips

Chips help people enter information, make selections, filter content, or trigger actions.



Dialogs

Dialogs provide important prompts in a user flow. They can require an action, communicate information for making decisions, or help users accomplish a focused task.



Navigation

A container for navigation links; these can be to other pages (e.g. main site navigation) or to elements within the current page (e.g. a table of contents).

Mining board

Mining board

Mining board

Mining board

Mining board

Mining board

Mining board

Username
u@mail.com

Username
u@mail.com

Logo Username
u@mail.com

Logo

Main

Playground

History

Starred

Settings

Models

Documentation

Settings

Projects

Design

Sales

Travel

More

Support

Feedback

Username
u@mail.com

Logo [Home] [Start] [End] Search 1 8





Product Logo



Progress

Progress indicators inform users about the status of ongoing processes. They communicate an app’s state and indicate available actions.









Radio buttons

Radio buttons allow users to select one option from a set. They’re a selection control that often appears when users are asked to make decisions or select a choice.






Switch

Switches toggle the state of a single item on or off.



Tables


A component for displaying large amounts of data in rows and columns.



	Header	Header	Header		
☐	Cell	Label	Button >	✕	✕
☐	Cell	Label	Button >	✕	✕
☐	Cell	Label	Button >	✕	✕
☐	Cell	Label	Button >	✕	✕


Tabs

Tabs organize and support navigation between groups of related content at the same level of hierarchy.



Text Fields

Text fields allow users to enter text into a UI. They typically appear in forms and dialogs.



Misc

