Rest Specifications

- Github link: https://github.com/ArtizianCapstone/backend
- To create repo: "clone git@github.com:ArtizianCapstone/backend.git"
- To run server: "npm start"

Index

User

Method	Endpoint
GET all users	{{url}}/users
GET specific user	{{url}}/users/<userId>
GET all artisans for specific user	{{url}}/users/<userId>/artisans
POST	{{url}}/users
PATCH	{{url}}/users/<userId>
DELETE	{{url}}/users/<userId>

Artisan

Method	Endpoint
GET all artisans	{{url}}/artisans
GET specific artisan	{{url}}/artisans/<artisanId>
POST	{{url}}/artisans
PATCH	{{url}}/artisans/<artisanId>
DELETE	{{url}}/artisans/<artisanId>

Listing

Method	Endpoint
GET all listings	{{url}}/listings
GET specific listing	{{url}}/listings/<listingId>
GET all listing for user	{{url}}/listings/byuser/<userId>
GET listings for user and artisan	{{url}}/listings/<userId>/<artisanId>
POST	{{url}}/listings
PATCH	{{url}}/listings/<listingId>
DELETE	{{url}}/listings/<listingId>

Orders

Method	Endpoint
GET all order	{{url}}/orders
GET specific order	{{url}}/orders/<orderId>
GET order by listing	{{url}/orders/bylisting/<orderId>
POST	{{url}}/orders
PATCH	{{url}}/orders/<orderId>
DELETE	{{url}}/orders/<orderId>

Meetings

Method	Endpoint
GET all meetings	{{url}}/meetings
GET specific meeting	{{url}}/meetings/<meetingId>
GET all meetings for specific user	{{url}}/meetings/byuser/<userId>

GET all meetings for specific user and artisan	{{url}}/meetings/<userId>/<artisanId>
POST	{{url}}/meetings
PATCH	{{url}}/meetings/<meetingId>
DELETE	{{url}}/meetings/<meetingId>

Uploads

Method	Endpoint
GET specific image	{{url}}/uploads/<imageName>

Endpoint overview with examples

User - Collection of all current users.

{{url}}/users

GET all users

Ex: 123.56.78.910:5000/users
Return a list of 0 or more users.

Example JSON Returned
```
{
    "count": 2,
    "users": [
        {
            "_id": "5c00776e2f1dfe588f33138c",
            "password": "badPassword",
            "name": "Jackson Kurtz",
```

```
            "phone_number": "1111111111",
            "creation_date": "2018-11-29T23:34:06.661Z",
            "request": {
                "use": "Request specific user.",
                "type": "GET",
                "url":
"http://localhost:3000/users/5c00776e2f1dfe588f33138c"
            }
        },
        {
            "_id": "5c00c34099617e5c3f548a8d",
            "password": "badPassword",
            "name": "asdfa sdf",
            "phone_number": "2342356",
            "creation_date": "2018-11-30T04:57:36.722Z",
            "request": {
                "use": "Request specific user.",
                "type": "GET",
                "url":
"http://localhost:3000/users/5c00c34099617e5c3f548a8d"
            }
        }
    ]
}
```

{{url}}/users/<userId>

GET specific user

Ex: 123.56.78.910:5000/users/5c00776e2f1dfe588f33138c

Returns specific user.

```
Example JSON Returned
{
    "user": {
        "_id": "5c00776e2f1dfe588f33138c",
        "password": "badPassword",
        "name": "Jackson Kurtz",
        "phone_number": "1111111111",
        "creation_date": "2018-11-29T23:34:06.661Z"
    },
    "request": {
        "use": "Request all users",
```

```
        "type": "GET",
        "url": "http://localhost:3000/users"
    }
}
```

{{url}}/users/<userId>/artisans

GET all artisans for specific user

Ex: 123.56.78.910:5000/users/5c00776e2f1dfe588f33138c/artisans
Returns list of artisans

Example JSON Returned
```
[
    {
        "_id": "5c00ba2f61795a5b726c7487",
        "name": "Tom",
        "phone_number": "123",
        "creation_date": "2018-11-30T04:18:55.801Z"
    },
    {
        "_id": "5c00dc7ebc96e45e5c9d3bd8",
        "name": "George the artisan",
        "phone_number": "54",
        "image":
     "uploads/2019-01-29T20:57:17.473ZGuitar.png",
        "creation_date": "2018-11-30T06:45:18.546Z"
    }
]
```

{{url}}/users

POST

Ex: 123.56.78.910:3000/users
Create new user.

JSON Required
```
{
    "name": "Bill Foote",
    "password": "badPassword",
    "phone_number": "2342356"
}
```

Example JSON Returned
```json
{
    "message": "Created user successfully",
    "createdUser": {
        "_id": "5c01b47607170f9377b207bc",
        "password": "badPassword",
        "name": "Bill Foote",
        "phone_number": "2342356",
        "creation_date": "2018-11-30T22:06:46.077Z",
        "request": {
            "use": "Request specific user",
            "type": "GET",
            "url":
"http://localhost:3000/users/5c01b47607170f9377b207bc"
        }
    }
}
```

{{url}}/users/<userId>

PATCH

Ex: localhost:3000/users/5c01b47607170f9377b207bc
Update user's properties.

Example JSON Provided
```json
[
    { "propName": "phone_number", "value":"56756789"}
]
```

Example JSON Returned
```json
{
    "n": 1,
    "nModified": 1,
    "opTime": {
        "ts": "6665044216889999361",
        "t": 6
    },
    "electionId": "7fffffff0000000000000006",
    "ok": 1,
    "operationTime": "6665044216889999361",
```

```
        "$clusterTime": {
            "clusterTime": "6665044216889999361",
            "signature": {
            "hash": "Bm9R1+tru3C1Pud76H0VVkc2EZg=",
            "keyId": "6617001391321776130"
            }
        }
}
```

{{url}}/users/<userId>

DELETE

Ex: 123.56.78.910:5000/user/5c00c34099617e5c3f548a8d
Delete specific user

```
Example JSON Returned
{
    "user": {
        "_id": "5c00c34099617e5c3f548a8d",
        "name": "asdfa sdf",
        "phone_number": "2342356",
        "creation_date": "2018-11-30T04:57:36.722Z"
    },
    "request": {
        "use": "Request all users",
        "type": "GET",
        "url": "http://localhost:3000/users"
    }
}
```

Artisan - Collection of all current artisans

{{url}}/artisans

GET all artisans

Ex: 123.56.78.910:5000/artisans
Return a list of 0 or more artisans.

Example JSON Returned
```json
{
    "count": 2,
    "artisans": [
        {
            "_id": "5c00ba2f61795a5b726c7487",
            "user": {
                "_id": "5c00776e2f1dfe588f33138c",
                "name": "Jackson Kurtz"
            },
            "name": "Tom",
            "bio": "sample bio",
            "phone_number": "123",
            "creation_date": "2018-11-30T04:18:55.801Z",
            "request": {
                "use": "Get specific artisan",
                "type": "GET",
                "url":
"http://localhost:3000/artisans/5c00ba2f61795a5b726c7487"
            }
        },
        {
            "_id": "5c00dc7ebc96e45e5c9d3bd8",
            "user": {
                "_id": "5c00776e2f1dfe588f33138c",
                "name": "Jackson Kurtz"
            },
            "name": "George the artisan",
            "bio": "sample bio",
            "phone_number": "54",
            "image":
          "uploads/2019-01-29T20:57:17.473ZGuitar.png",
            "creation_date": "2018-11-30T06:45:18.546Z",
            "request": {
                "use": "Get specific artisan",
                "type": "GET",
                "url":
"http://localhost:3000/artisans/5c00dc7ebc96e45e5c9d3bd8"
            }
        }
    ]
}
```

{{url}}/artisans/<artisanId>

GET specific artisan

Ex: localhost:3000/artisans/5c00dc7ebc96e45e5c9d3bd8

Returns specific artisan.

Example JSON Returned
```
{
    "artisan": {
        "_id": "5c50be2db6ae1768dd6ab0bc",
        "user": "5c00776e2f1dfe588f33138c",
        "name": "Jackson Kurtz",
        "bio": "this is a bio",
        "phone_number": "13109088013",
        "image":
"uploads/2019-01-29T20:57:17.473ZGuitar.png",
        "creation_date": "2019-01-29T20:57:17.492Z",
        "__v": 0
    },
    "request": {
        "use": "Get all artisans.",
        "type": "GET",
        "url": "http://localhost:3000/artisans"
    }
}
```

{{url}}/artisans

POST

Ex: 123.56.78.910:5000/artisans

Create new artisan. Only ".png" and ".jpg" file formats are accepted.

JSON Required (form-data)

key	value	type
userId	5c00776e2f1dfe588f33138c	text
name	Camila sandoval	text

bio	bio	text
phone_number	9781141387	text
listingImage	Guitar.png	file

Example JSON Returned

```
{
    "message": "Artisan stored",
    "createdOrder": {
        "_id": "5c50be2db6ae1768dd6ab0bc",
        "user": "5c00776e2f1dfe588f33138c",
        "name": "Jackson Kurtz",
        "bio": "this is a bio",
        "phone_number": "13109088013",
        "image": "uploads/2019-01-29T20:57:17.473ZGuitar.png",
        "creation_date": "2019-01-29T20:57:17.492Z"
    },
    "request": {
        "use": "Get specific artisan",
        "type": "GET",
        "url":
"http://localhost:3000/artisans/5c50be2db6ae1768dd6ab0bc"
    }
}
```

{{url}}/artisans/<artisanId>

PATCH

Ex: localhost:3000/artisans/5c00dc7ebc96e45e5c9d3bd8

Updates artisan's properties.

Example JSON Provided

```
[
    { "propName": "bio", "value": "I want to make videogames"}
]
```

Example JSON Returned

```
{
     "n": 1,
     "nModified": 1,
     "opTime": {
          "ts": "6665036936920432641",
          "t": 6
     },
     "electionId": "7fffffff0000000000000006",
     "ok": 1,
     "operationTime": "6665036936920432641",
     "$clusterTime": {
          "clusterTime": "6665036936920432641",
          "signature": {
          "hash": "V+LZJzkvBjIKEi74hDYIsZWJCPY=",
          "keyId": "6617001391321776130"
          }
     }
}
```

{{url}}/artisans/<artisanId>

DELETE

Ex: 123.56.78.910:5000/artisans/5c00c34099617e5c3f548a8d

Delete specific artisan

Example JSON Returned
```
{
     "message": "Artisan deleted",
     "request": {
          "type": "POST",
          "url": "http://localhost:3000/orders"
     }
}
```

Listing - Collection of all listings

{{url}}/listings

GET all listings

*Ex: 123.56.78.910:5000/*listings
Return a list of 0 or more listings.

Example JSON Returned

```json
[
    {
        "_id": "5c47a1c6e6a530161236f216",
        "name": "shoe",
        "price": 3,
        "creation_date": "2019-01-22T23:05:42.521Z",
        "__v": 0,
        "artisan": {
            "_id": "5c099264a341197e0eb718e9",
            "name": "Rebecca Krieger"
        },
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        }
    },
    {
        "_id": "5c4a2b5ab4e5df6c70e800c6",
        "name": "Whiteboard",
        "price": 5000.419921875,
        "creation_date": "2019-01-24T21:17:14.239Z",
        "__v": 0,
        "artisan": "5c098361908540e67eeff148",
        "user": "5c00776e2f1dfe588f33138c"
    },
    {
        "_id": "5c4a3c65b4e5df6c70e800cb",
        "name": "test",
        "price": 42,
        "creation_date": "2019-01-24T22:29:57.790Z",
        "__v": 0,
        "artisan": {
```

```
                "_id": "5c098361908540e67eeff148",
                "name": "Sean Reddell"
        },
        "user": {
                "_id": "5c00776e2f1dfe588f33138c",
                "name": "Jackson Kurtz"
        }
    },
    {
        "_id": "5c4e2489f71e9415c2551e13",
        "name": "guitar",
        "price": 99,
        "creation_date": "2019-01-27T21:37:13.637Z",
        "__v": 0,
        "artisan": {
                "_id": "5c099264a341197e0eb718e9",
                "name": "Rebecca Krieger"
        },
        "user": {
                "_id": "5c01b47607170f9377b207bc",
                "name": "Bill Foote"
        }
    },
```

{{url}}/listings/<listingID>

GET specific listing

Ex: 123.56.78.910:5000/listings/5c4a2b5ab4e5df6c70e800c6
Gets listing by its id.

Example JSON Returned
```
{
    "_id": "5c4a2b5ab4e5df6c70e800c6",
    "name": "Whiteboard",
    "price": 5000.419921875,
    "creation_date": "2019-01-24T21:17:14.239Z",
    "__v": 0,
    "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
    },
```

```
    "user": {
        "_id": "5c00776e2f1dfe588f33138c",
        "name": "Jackson Kurtz"
    }
}
```

{{url}}/listings/byuser/<userID>

GET listings by user

Ex: 123.56.78.910:5000/listings/byuser/5c00776e2f1dfe588f33138c
Gets all listings associated with a user.

```
Example JSON Returned
[
    {
        "_id": "5c47a1c6e6a530161236f216",
        "name": "shoe",
        "price": 3,
        "creation_date": "2019-01-22T23:05:42.521Z",
        "__v": 0,
        "artisan": {
            "_id": "5c099264a341197e0eb718e9",
            "name": "Rebecca Krieger"
        },
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        }
    },
    {
        "_id": "5c4a2b5ab4e5df6c70e800c6",
        "name": "Whiteboard",
        "price": 5000.419921875,
        "creation_date": "2019-01-24T21:17:14.239Z",
        "__v": 0,
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
```

```
                    "name": "Jackson Kurtz"
            }
        }
]
```

{{url}}/listings/<userID>/<artisanID>

GET listings for user and artisan

Ex:
123.56.78.910:5000/listings/5c00776e2f1dfe588f33138c/5c098361908540e67eeff148
Query for listings using both user and artisan filters.

Example JSON Returned
```
[
    {
        "_id": "5c4a2b5ab4e5df6c70e800c6",
        "name": "Whiteboard",
        "price": 5000.419921875,
        "creation_date": "2019-01-24T21:17:14.239Z",
        "__v": 0,
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        }
    }
]
```

{{url}}/listings

POST

Ex: 123.56.78.910:5000/listings
Create new listing. Only ".png" and ".jpg" file formats are accepted.

JSON Required (form-data)

key	value	type
name	guitar2	text
description	Its a guitar	text
price	99	text
artisanID		text
userID		text
listingImage	Guitar.png	file

Example JSON Returned
```
{
    "message": "Created listing successfully",
    "createdListing": {
        "_id": "5c85bc63acc34f22abae19a8",
        "name": "guitar2",
        "price": 99,
        "creation_date": "2019-03-11T01:39:47.763Z",
        "listingImage":
"uploads/2019-03-11T01:39:45.895ZGuitar.png"
    }
}
```

{{url}}/listings/<listingID>

PATCH

Ex: 123.56.78.910:5000/listings/5c4e2c238c2d1619613775a8
Updates the fields of a listing.

Example JSON Provided
```
[
    { "propName": "price", "value": 199}
]
```

Example JSON Returned

```
{
      "n": 1,
      "nModified": 1,
      "opTime": {
            "ts": "6664046611951255553",
            "t": 6
      },
      "electionId": "7fffffff0000000000000006",
      "ok": 1,
      "operationTime": "6664046611951255553",
      "$clusterTime": {
            "clusterTime": "6664046611951255553",
            "signature": {
                  "hash":
      "ot8OKEHpOwFW5YG4NnYvho5lwKU=",
                  "keyId": "6617001391321776130"
            }
      }
}
```

{{url}}/listings/<listingID>

DELETE

Ex: 123.56.78.910:5000/listings/5c4e2c238c2d1619613775a8

Deletes a listing from the database.

Example JSON Returned

```
{
      "n": 1,
      "opTime": {
            "ts": "6664047801657196546",
            "t": 6
      },
      "electionId": "7fffffff0000000000000006",
      "ok": 1,
      "operationTime": "6664047801657196546",
      "$clusterTime": {
            "clusterTime": "6664047801657196546",
```

```
        "signature": {
            "hash": "RSjqFakYo0R5iQkgrxvNZSBB7n8=",
            "keyId": "66170013913217776130"
        }
    }
}
```

Orders - Collection of all orders

{{url}}/orders/

GET all orders
Ex: localhost:3000/orders/
Get a list of 0 or more orders.

Example JSON Returned
```
[
    {
        "_id": "5c7c75b16efc0518a7879c46",
        "user": "5c00776e2f1dfe588f33138c",
        "artisan": "5c098361908540e67eeff148",
        "listing": "5c47a1c6e6a530161236f216",
        "date_ordered": "2019-03-04T00:47:45.393Z",
        "paid": false,
        "date_paid": null,
        "shipped": false,
        "date_shipped": null,
        "__v": 0
    },
    {
        "_id": "5c7c77cb6efc0518a7879c47",
        "user": "5c00776e2f1dfe588f33138c",
        "artisan": "5c098361908540e67eeff148",
        "listing": "5c47a1c6e6a530161236f216",
        "date_ordered": "2019-03-04T00:56:43.877Z",
        "paid": false,
        "date_paid": null,
        "shipped": false,
        "date_shipped": null,
        "__v": 0
    }
```

```
]
```

{{url}}/orders/<orderID>

GET specific order
Ex: localhost:3000/orders/5c7c75b16efc0518a7879c46
Get an order by its ID.

```
Example JSON Returned
{
        "_id": "5c7c75b16efc0518a7879c46",
        "user": "5c00776e2f1dfe588f33138c",
        "artisan": "5c098361908540e67eeff148",
        "listing": "5c47a1c6e6a530161236f216",
        "date_ordered": "2019-03-04T00:47:45.393Z",
        "paid": false,
        "date_paid": null,
        "shipped": false,
        "date_shipped": null,
        "__v": 0
}
```

{{url}}/orders/bylisting/<listingID>

GET orders by listing
Ex: localhost:3000/orders/bylisting/5c47a1c6e6a530161236f216
Get all orders of a listing.

```
Example JSON Returned
[
        {
                "_id": "5c7c75b16efc0518a7879c46",
                "user": "5c00776e2f1dfe588f33138c",
                "artisan": "5c098361908540e67eeff148",
                "listing": "5c47a1c6e6a530161236f216",
                "date_ordered": "2019-03-04T00:47:45.393Z",
                "paid": false,
                "date_paid": null,
```

```
              "shipped": false,
              "date_shipped": null,
              "__v": 0
     },
     {
              "_id": "5c7c77cb6efc0518a7879c47",
              "user": "5c00776e2f1dfe588f33138c",
              "artisan": "5c099264a341197e0eb718e9",
              "listing": "5c47a1c6e6a530161236f216",
              "date_ordered": "2019-03-04T00:56:43.877Z",
              "paid": false,
              "date_paid": null,
              "shipped": false,
              "date_shipped": null,
              "__v": 0
     },
     {
              "_id": "5c7c7ab06efc0518a7879c48",
              "user": "5c00776e2f1dfe588f33138c",
              "artisan": "5c098361908540e67eeff148",
              "listing": "5c47a1c6e6a530161236f216",
              "date_ordered": "2019-03-04T01:09:04.899Z",
              "paid": false,
              "date_paid": null,
              "shipped": false,
              "date_shipped": null,
              "__v": 0
     }
]
```

{{url}}/orders/

POST

Ex: localhost:3000/orders
Create new order.

Example JSON Returned
```
{
     "message": "Created new Order",
     "createdOrder": {
```

```
        "_id": "5c7c75b16efc0518a7879c46",
        "user": "5c00776e2f1dfe588f33138c",
        "artisan": "5c098361908540e67eeff148",
        "listing": "5c47a1c6e6a530161236f216",
        "date_ordered": "2019-03-04T00:47:45.393Z",
        "paid": false,
        "date_paid": null,
        "shipped": false,
        "date_shipped": null,
        "__v": 0
    }
}
```

{{url}}/orders/<orderID>

PATCH

Ex: localhost:3000/orders/5c7c77cb6efc0518a7879c47

Update existing order.

JSON Required (form-data)

key	value	type
propName	artisan	string
value	5c099264a341197e0eb718e9	text

Example JSON Provided
```
[
    { "propName": "artisan",
      "value": "5c099264a341197e0eb718e9" }
]
```

Example JSON Returned
```
{
    "n": 1,
    "nModified": 1,
    "opTime": {
```

```
        "ts": "6664351425780252673",
        "t": 6
    },
    "electionId": "7fffffff0000000000000006",
    "ok": 1,
    "operationTime": "6664351425780252673",
    "$clusterTime": {
        "clusterTime": "6664351425780252673",
        "signature": {
            "hash":
 "XzPKgBpt7xiRL5lArblyc8Qi24c=",
            "keyId": "6617001391321776130"
        }
    }
}
```

{{url}}/orders/<orderID>

DELETE

Ex: localhost:3000/orders/5c7c7ab06efc0518a7879c48
Delete order from database.

Example JSON Returned
```
{
    "n": 1,
    "opTime": {
    "ts": "6664354999193042945",
    "t": 6
    },
    "electionId": "7fffffff0000000000000006",
    "ok": 1,
    "operationTime": "6664354999193042945",
    "$clusterTime": {
        "clusterTime": "6664354999193042945",
        "signature": {
        "hash":
 "g4mgLpDWSOlZKu7fZSDQJW+vspQ=",
        "keyId": "6617001391321776130"
        }
    }
```

```
}
```

Meetings - Collection of all meetings

{{url}}/meetings/

GET all meetings

Ex: 123.56.78.910:5000/meetings

Get a list of 0 or more meetings.

Example JSON Returned
```
[
    {
        "_id": "5c7af491889cff1c60551b63",
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        },
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "date": "2018-12-06T20:15:29.820Z",
        "itemsExpected": 1,
        "__v": 0
    },
    {
        "_id": "5c7afd868493491f45410ba5",
        "user": {
            "_id": "5c01b47607170f9377b207bc",
            "name": "Bill Foote"
        },
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "date": "2019-01-29T20:57:17.492Z",
        "itemsExpected": 3,
        "__v": 0
    },
```

```
    {
        "_id": "5c7b05b78493491f45410ba6",
        "user": {
            "_id": "5c01b47607170f9377b207bc",
            "name": "Bill Foote"
        },
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "date": "2019-01-29T20:57:17.492Z",
        "itemsExpected": 6,
        "__v": 0
    }
]
```

{{url}}/meetings/<meetingID>

GET specific meeting

Ex: 123.56.78.910:5000/meetings/5c7af491889cff1c60551b63
Returns specific meeting.

Example JSON Returned
```
{
    "_id": "5c7af491889cff1c60551b63",
    "user": {
        "_id": "5c00776e2f1dfe588f33138c",
        "name": "Jackson Kurtz"
    },
    "artisan": {
        "_id": "5c098361908540e67eeff148",
        "name": "Sean Reddell"
    },
    "date": "2018-12-06T20:15:29.820Z",
    "itemsExpected": 1,
    "__v": 0
}
```

{{url}}/meetings/byuser/<userID>

GET all meetings for specific user

Ex: localhost:3000/meetings/byuser/5c00776e2f1dfe588f33138c

Returns all meetings for the specified user.

Example JSON Returned
```
[
    {
        "_id": "5c7af491889cff1c60551b63",
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        },
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "date": "2018-12-06T20:15:29.820Z",
        "itemsExpected": 1,
        "__v": 0
    },
    {

        "_id": "5c7b05ea8493491f45410ba9",
        "user": "5c00776e2f1dfe588f33138c",
        "artisan": "5c098361908540e67eeff148",
        "date": "2019-01-29T20:57:17.492Z",
        "itemsExpected": 9,
        "__v": 0
    },
    {

        "_id": "5c7b05f08493491f45410baa",
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        },
        "artisan": {
            "_id": "5c098361908540e67eeff148",
            "name": "Sean Reddell"
        },
        "date": "2019-01-29T20:57:17.492Z",
        "itemsExpected": 10,
        "__v": 0
```

```
        },
        {
            "_id": "5c7b05f58493491f45410bab",
            "user": {
                "_id": "5c00776e2f1dfe588f33138c",
                "name": "Jackson Kurtz"
            },
            "artisan": {
                "_id": "5c098361908540e67eeff148",
                "name": "Sean Reddell"
            },
            "date": "2019-01-29T20:57:17.492Z",
            "itemsExpected": 11,
            "__v": 0
        }
]
```

{{url}}/meetings/<userID>/<artisanID>

GET all meetings for specific user and artisan

Ex:
localhost:3000/meetings/5c00776e2f1dfe588f33138c/5c099264a341197e0eb718e9

Returns all meetings between the specified user and artisan.

```
Example JSON Returned
[
    {
        "_id": "5c7b06788493491f45410bac",
        "user": {
            "_id": "5c00776e2f1dfe588f33138c",
            "name": "Jackson Kurtz"
        },
        "artisan": {
            "_id": "5c099264a341197e0eb718e9",
            "name": "Rebecca Krieger"
        },
        "date": "2019-01-29T20:57:17.492Z",
        "itemsExpected": 12,
        "__v": 0
    },
    {
```

```
            "_id": "5c7b067e8493491f45410bad",
            "user": {
                  "_id": "5c00776e2f1dfe588f33138c",
                  "name": "Jackson Kurtz"
            },
            "artisan": {
                  "_id": "5c099264a341197e0eb718e9",
                  "name": "Rebecca Krieger"
            },
            "date": "2019-01-29T20:57:17.492Z",
            "itemsExpected": 13,
            "__v": 0
      },
      {
            "_id": "5c7b06838493491f45410bae",
            "user": {
                  "_id": "5c00776e2f1dfe588f33138c",
                  "name": "Jackson Kurtz"
            },
            "artisan": {
                  "_id": "5c099264a341197e0eb718e9",
                  "name": "Rebecca Krieger"
            },
            "date": "2019-01-29T20:57:17.492Z",
            "itemsExpected": 14,
            "__v": 0
      }
]
```

{{url}}/meetings/

POST

Ex: 123.56.78.910:5000/meetings

Creates a new meeting.

Example JSON Returned
```
{
      "message": "Handling POST requests to
/meetings",
      "createdMeeting": {
            "_id": "5c7af491889cff1c60551b63",
```

```
        "user": "5c00776e2f1dfe588f33138c",
        "artisan":
"5c098361908540e67eeff148",
        "date": "2018-12-06T20:15:29.820Z",
        "itemsExpected": 1,
        "__v": 0
    }
}
```

{{url}}/meetings/<meetingID>

PATCH

Ex: 123.56.78.910:5000/meetings/5c7af491889cff1c60551b63

Update a specific meeting. All parameters are optional, but **included in an array**.

Example JSON Provided
```
[
    { "propName": "itemsExpected", "value": 4}
]
```

Example JSON Returned
```
{
    "n": 0,
    "nModified": 0,
    "opTime": {
    "ts": "6663923926210445317",
    "t": 6
    },
    "electionId": "7fffffff0000000000000006",
    "ok": 1,
    "operationTime": "6663923926210445317",
    "$clusterTime": {
        "clusterTime": "6663923926210445317",
        "signature": {
            "hash": "H8WeQWZWaPG43R0HMsKTuyS7eEg=",
            "keyId": "6617001391321776130"
        }
    }
}
```

{{url}}/meetings/<meetingID>

DELETE

Ex: 123.56.78.910:5000/meetings/5c7b068b8493491f45410baf

Deletes a specific meeting from the database.

```
Example JSON Returned
{
    "n": 1,
    "opTime": {
    "ts": "6663929471013224452",
    "t": 6
    },
    "electionId": "7fffffff0000000000000006",
    "ok": 1,
    "operationTime": "6663929471013224452",
    "$clusterTime": {
        "clusterTime": "6663929471013224452",
        "signature": {
            "hash": "EsrNzSpz7gGaCoXSZnqDvNLXnjs=",
            "keyId": "6617001391321776130"
        }
    }
}
```

{{url}}/uploads/

GET specific image

Ex: 123.56.78.910:5000/uploads/2019-01-27T22:09:39.357ZGuitar.png

Returns stored image from the database.