



Description

Dynamic Occlusion is a tool that will allow you to run your game with a smooth game experience and focused on dynamic objects. although served in all cases

How to use: Simply add the script Dynamic Occlusion.cs on your camera. You must assign the item to a layer intended to dynamic Occlusion and this object must not be static before the execution of the game.

You can optionally add dynamic LOD to put the items you want higher performance. The advantage of Dynamic LOD is that it automatically calculates the limits if desired, generates fewer objects in the scene saving more memory and allowing make cleaner scenes.

Occlusion culling 100% dynamic + System detail levels for unity + Dynamic Quality Changer integrated

- No need baking time
- scenes procedural compatible with 100%
- occlusion systems uses 2 intelligently

- works with all renderers unity.
- Occlusion lights and Lens Flares
- Occlusion sound
- supports real-time shadows
- supports batching dynamic
- supports unity with Unity 4.5 and 4.6 free and pro
- supported by Unity 5

Notes:

Dynamic Occlusion is quick and easy to use and implement, its power is noticeable in dynamic objects that are moving or have been generated at runtime, by default it does not take objects static or already are part of the static batch

in unity 4 free Dynamic Occlusion can be extremely effective because you do not have static Batch or static Occlusion of umbra.

In Unity 4 Pro and Unity 5 Dynamic Occlusion handles the elements found in movement or that have been generated during the execution after Awake () method.

How does it work?

Dynamic Occlusion System makes the Game Objects a list containing the scene renderers, Audiosources and lights.

Renderers need that are not part of a Static Batching and are in a layer that can be used for dynamic Occlusion to be hidden from the point of view of the camera.

For Audio Sources. must the Spatial Blend has value 1 in Unity 5.

lighting, Dynamic Occlusion select only those that are Spot type or type Point, the Lens Flares no need to configure anything extra.

The graphic quality is automatically selected by Dynamic Occlusion also the details of the plot are adjusted to ensure that the game runs above the FPS you want or below that you want.

Dynamic LOD automatically determines the distance if desired, and the level of detail of the object, according to the volume of the Mesh, the position of the GameObject and the visual quality of the game

How to Use

Dynamic Occlusion System contains three scripts but Dynamic LOD is optional for your project:


just create a new layer in the inspector and assigns the objects you want . that are occluded
adds Dynamic occlusion to a camera or an empty GameObject and assigns a camera and the
layer you want to be occluded and set options

Dynamic Occlusion System: You can add it to gameobject camera or a Game Manager LOD.

Dynamic You can . add to each of the prefabs requiring control the level of detail

Class Extensions: it contains methods that are called from other scripts, just leave it in your
project

Dynamic Occlusion System



Layer to Cull: Is serial number of the layer to be It is prepared for control of Dynamic Occlusion. values ranging from 0-31 layers

Cam.Select the camera where you want the occlusion occurs, does not support using this script in separate chambers. If you do not select any camera, is automatically assigned the Main Camera

Debug Shows the amount of renderers, lights, Audiosources and flares at the scene and which of these are being addressed by Dynamic Occlusion also the current quality setting and FPS.

Auto Quality: Allows this script automatically manage the graphics quality in works of FPS. if this is turned off at runtime will be the initial quality you've made in the Start () method.

Terrain Quality Handles the details of the terrain according to current FPS to take effect Auto Quality you must have previously

Fast Method: off renderers without preserving the shadows, perfect for scenes that have already baked lightmaps or does not require the use of shadows Fast Method activated. Thus is automatically activated when the quality falls below

note

To change this property at runtime must disable this script and change the property and turn it back on again.

Renderers Occlusion: You allow this Script control Dynamic renderers.

Lights Occlusion: allow this script control or Point Light Spotlight on the scene Occlusion.

AudioSource Occlusion: Audiosources allows control of the Spatial Blend = 1

Lens Flare Occlusion: hide Lens Flares not see the camera

enable./ disable GO: You can disable GameObjects already too far and activate when the camera is close to them

Min FPS: is the lowest rank to Auto Quality lower the graphic detail to a lower level FPS.

MaxFPS: It is the range Auto Quality higher to increase the graphic quality to a higher level.

to take effect Auto Quality must be enabled.

DynamicLOD



Dynamic LOD limits recalculated every second, in case the object changes position

unexpectedly. Static also does not interfere with Batch, you can leave LOD0 unassigned as

this object directly taking just load the scene. Its advantage over LOD Groups is that you need fewer configurations as the rest do it automatically and thus leave less GameObjects in the hierarchy because they are loaded directly from the project0.

LODs

LOD 0: Mesh greater detail (it is recommended not to assign nothing here)

LOD 1: mesh median geometry

LOD 2: mesh low geometry 0.

Distances

Lod Distance 1: is the distance at which switches between LOD0 and LOD1

Lod Distance 21: is the changeover between LOD1 and LOD2

Automatic Distances : if this is activated automatically calculate the distances based on the volume renderer Distances ignoring values

Support and contact:

Updates will be posted on the following website: <http://brlme1616.wix.com/darkcomtech>

also I receive questions and suggestions in the next post.

<http://forum.unity3d.com/threads/dynamic-occlusion-system.340182/>

I'll be happy to answer your questions.