



# OWASP ZAP Scan Report

Target: <https://www.apple.com/>

All scanned sites: <https://supportmetrics.apple.com> <https://km.support.apple.com> <https://graffiti-tags.apple.com> <https://idmsa.apple.com> <https://secure6.store.apple.com> <https://xp.apple.com> <https://appleseed.apple.com> <https://education.apple.com> <https://discussions.apple.com> <http://developer.apple.com> <https://mynews.apple.com> <http://jobs.apple.com> <https://ecommerce.apple.com> <http://discussions.apple.com> <http://consultants.apple.com> <https://getsupport.apple.com> <https://consultants.apple.com> <https://machinelearning.apple.com> <https://jobs.apple.com> <https://business.apple.com> <https://training.apple.com> <https://nova.apple.com> <http://support.apple.com> <https://store.storevideos.cdn-apple.com> <https://businessconnect.apple.com> <http://tv.apple.com> <http://www.apple.com> <https://securemetrics.apple.com> <https://store.storeimages.cdn-apple.com> <https://apple.com> <https://secure.store.apple.com> <https://itunes.apple.com> <https://artists.apple.com> <https://podcasts.apple.com> <https://events-delivery.apple.com> <https://fitness.apple.com> <https://books.apple.com> <https://authors.apple.com> <https://one.apple.com> <https://contactretail.apple.com> <https://music.apple.com> <https://developer.apple.com> <https://tv.apple.com> <https://www.apple.com.cn> <https://help.apple.com> <https://locate.apple.com> <https://card.apple.com> <https://wallet.apple.com> <https://investor.apple.com> <https://apps.apple.com> <https://appleid.apple.com> <https://support.apple.com> <https://www.apple.com>

Javascript included from: <https://supportmetrics.apple.com> <https://km.support.apple.com> <https://graffiti-tags.apple.com> <https://idmsa.apple.com> <https://appleid.cdn-apple.com> <https://secure6.store.apple.com> <https://cdn.apple-mapkit.com> <https://xp.apple.com> <https://appleseed.apple.com> <https://education.apple.com> <https://discussions.apple.com> <http://developer.apple.com> <https://mynews.apple.com> <http://jobs.apple.com> <https://ecommerce.apple.com> <http://discussions.apple.com> <http://consultants.apple.com> <https://getsupport.apple.com> <https://consultants.apple.com> <https://machinelearning.apple.com> <https://jobs.apple.com> <https://business.apple.com> <https://training.apple.com> <https://nova.apple.com> <http://support.apple.com> <https://store.storevideos.cdn-apple.com> <https://businessconnect.apple.com> <http://tv.apple.com> <http://www.apple.com> <https://securemetrics.apple.com> <https://store.storeimages.cdn-apple.com> <https://apple.com> <https://secure.store.apple.com> <https://itunes.apple.com> <https://artists.apple.com> <https://podcasts.apple.com> <https://events-delivery.apple.com> <https://fitness.apple.com> <https://books.apple.com> <https://authors.apple.com> <https://one.apple.com> <https://contactretail.apple.com> <https://music.apple.com> <https://developer.apple.com> <https://tv.apple.com> <https://www.apple.com.cn> <https://help.apple.com> <https://locate.apple.com> <https://card.apple.com> <https://wallet.apple.com> <https://investor.apple.com> <https://apps.apple.com> <https://appleid.apple.com> <https://support.apple.com> <https://www.apple.com>

Generated on Sat, 24 Jun 2023 17:03:30

ZAP Version: 2.12.0

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	9
Low	9
Informational	7

## Alerts

Name	Risk Level	Number of Instances
<a href="#">Absence of Anti-CSRF Tokens</a>	Medium	104
<a href="#">CSP: Wildcard Directive</a>	Medium	26
<a href="#">CSP: script-src unsafe-eval</a>	Medium	26
<a href="#">CSP: script-src unsafe-inline</a>	Medium	26
<a href="#">CSP: style-src unsafe-inline</a>	Medium	26
<a href="#">Content Security Policy (CSP) Header Not Set</a>	Medium	96
<a href="#">Cross-Domain Misconfiguration</a>	Medium	90
<a href="#">Multiple X-Frame-Options Header Entries</a>	Medium	102
<a href="#">Vulnerable JS Library</a>	Medium	1
<a href="#">Cookie No HttpOnly Flag</a>	Low	102
<a href="#">Cookie Without Secure Flag</a>	Low	105
<a href="#">Cookie without SameSite Attribute</a>	Low	104
<a href="#">Cross-Domain JavaScript Source File Inclusion</a>	Low	38
<a href="#">Secure Pages Include Mixed Content</a>	Low	3
<a href="#">Server Leaks Version Information via "Server" HTTP Response Header Field</a>	Low	90
<a href="#">Strict-Transport-Security Header Not Set</a>	Low	1
<a href="#">Strict-Transport-Security Multiple Header Entries (Non-compliant with Spec)</a>	Low	101
<a href="#">X-Content-Type-Options Header Missing</a>	Low	58
<a href="#">Charset Mismatch (Header Versus Meta Content-Type Charset)</a>	Informational	38
<a href="#">Content-Type Header Missing</a>	Informational	5
<a href="#">Cookie Poisoning</a>	Informational	102
<a href="#">Loosely Scoped Cookie</a>	Informational	102
<a href="#">Re-examine Cache-control Directives</a>	Informational	102
<a href="#">Retrieved from Cache</a>	Informational	24
<a href="#">User Controllable HTML Element Attribute (Potential XSS)</a>	Informational	45

## Alert Detail

Medium	<b>Absence of Anti-CSRF Tokens</b>
Description	<p>No Anti-CSRF tokens were found in a HTML submission form.</p> <p>A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL/form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf.</p> <p>CSRF attacks are effective in a number of situations, including:</p> <ul style="list-style-type: none"> <li>* The victim has an active session on the target site.</li> <li>* The victim is authenticated via HTTP auth on the target site.</li> <li>* The victim is on the same local network as the target site.</li> </ul> <p>CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.</p>
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET

Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*/includes/">https://www.apple.com/*/includes/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*/includes/">https://www.apple.com/*/includes/</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*retail/availability">https://www.apple.com/*retail/availability</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*retail/availability">https://www.apple.com/*retail/availability</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*retail/availabilitySearch">https://www.apple.com/*retail/availabilitySearch</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*retail/availabilitySearch">https://www.apple.com/*retail/availabilitySearch</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*retail/pickupEligibility">https://www.apple.com/*retail/pickupEligibility</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*retail/pickupEligibility">https://www.apple.com/*retail/pickupEligibility</a>
Method	GET
Parameter	
Attack	

Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/*popup">https://www.apple.com/*shop/*popup</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/*popup">https://www.apple.com/*shop/*popup</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/browse/campaigns/mobile_overlay">https://www.apple.com/*shop/browse/campaigns/mobile_overlay</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/browse/campaigns/mobile_overlay">https://www.apple.com/*shop/browse/campaigns/mobile_overlay</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/browse/overlay/">https://www.apple.com/*shop/browse/overlay/</a>

Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/browse/overlay/">https://www.apple.com/*shop/browse/overlay/</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/browse/ribbon/">https://www.apple.com/*shop/browse/ribbon/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/browse/ribbon/">https://www.apple.com/*shop/browse/ribbon/</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/button_availability">https://www.apple.com/*shop/button_availability</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/button_availability">https://www.apple.com/*shop/button_availability</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/favorites">https://www.apple.com/*shop/favorites</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/favorites">https://www.apple.com/*shop/favorites</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/iphone/payments/overlay/">https://www.apple.com/*shop/iphone/payments/overlay/</a>
Method	GET
Parameter	

Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/iphone/payments/overlay/">https://www.apple.com/*shop/iphone/payments/overlay/</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/mobile/olss_error">https://www.apple.com/*shop/mobile/olss_error</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/mobile/olss_error">https://www.apple.com/*shop/mobile/olss_error</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/mobilex/">https://www.apple.com/*shop/mobilex/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/mobilex/">https://www.apple.com/*shop/mobilex/</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/np/giftorguestorder">https://www.apple.com/*shop/np/giftorguestorder</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/np/giftorguestorder">https://www.apple.com/*shop/np/giftorguestorder</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/np/sign_in">https://www.apple.com/*shop/np/sign_in</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">

URL	<a href="https://www.apple.com/*shop/np/sign_in">https://www.apple.com/*shop/np/sign_in</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/rs-mvt/rel/">https://www.apple.com/*shop/rs-mvt/rel/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/rs-mvt/rel/">https://www.apple.com/*shop/rs-mvt/rel/</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/sign_in">https://www.apple.com/*shop/sign_in</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/sign_in">https://www.apple.com/*shop/sign_in</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/sign_out">https://www.apple.com/*shop/sign_out</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/sign_out">https://www.apple.com/*shop/sign_out</a>
Method	GET
Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/*shop/signed_in_account">https://www.apple.com/*shop/signed_in_account</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/*shop/signed_in_account">https://www.apple.com/*shop/signed_in_account</a>
Method	GET

Parameter	
Attack	
Evidence	<form id="searchform-form" class="searchform" action="/us/search" method="get" data-suggestions-url="/search-services/suggestions/">
URL	<a href="https://www.apple.com/accessibility/">https://www.apple.com/accessibility/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/accessibility/cognitive/">https://www.apple.com/accessibility/cognitive/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/accessibility/hearing/">https://www.apple.com/accessibility/hearing/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/accessibility/mobility/">https://www.apple.com/accessibility/mobility/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/accessibility/vision/">https://www.apple.com/accessibility/vision/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airplay/">https://www.apple.com/airplay/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-2nd-generation/">https://www.apple.com/airpods-2nd-generation/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-2nd-generation/compare/">https://www.apple.com/airpods-2nd-generation/compare/</a>
Method	GET
Parameter	
Attack	

Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-2nd-generation/specs/">https://www.apple.com/airpods-2nd-generation/specs/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-3rd-generation/">https://www.apple.com/airpods-3rd-generation/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-3rd-generation/compare/">https://www.apple.com/airpods-3rd-generation/compare/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-3rd-generation/specs/">https://www.apple.com/airpods-3rd-generation/specs/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-max/">https://www.apple.com/airpods-max/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-max/compare/">https://www.apple.com/airpods-max/compare/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-max/specs/">https://www.apple.com/airpods-max/specs/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-pro/">https://www.apple.com/airpods-pro/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>

Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-pro/compare/">https://www.apple.com/airpods-pro/compare/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods-pro/specs/">https://www.apple.com/airpods-pro/specs/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods/">https://www.apple.com/airpods/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airpods/compare/">https://www.apple.com/airpods/compare/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/airtag/">https://www.apple.com/airtag/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/app-store/">https://www.apple.com/app-store/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/app-store/developing-for-the-app-store/">https://www.apple.com/app-store/developing-for-the-app-store/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/">https://www.apple.com/apple-arcade/</a>
Method	GET
Parameter	

Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-cook_learn-apl-ref-220617">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-cook_learn-apl-ref-220617</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Disney_learn-apl-ref-211217">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Disney_learn-apl-ref-211217</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-epxoxo_learn-apl-ref-220106">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-epxoxo_learn-apl-ref-220106</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Gear_learn-apl-ref-220408">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Gear_learn-apl-ref-220408</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hero_lrn-apl-ref-230504">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hero_lrn-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-211025">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-211025</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-220305">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-220305</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-jj2_learn-apl-ref-220819">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-jj2_learn-apl-ref-220819</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">

URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-LEGOSW_learn-apl-ref-211119">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-LEGOSW_learn-apl-ref-211119</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210416">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210416</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210430">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210430</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210507">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210507</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210709">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210709</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210820">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210820</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-nba_learn-apl-ref-230309">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-nba_learn-apl-ref-230309</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-NickTennis_learn-apl-ref-220121">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-NickTennis_learn-apl-ref-220121</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-pony_learn-apl-ref-111216">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-pony_learn-apl-ref-111216</a>
Method	GET

Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-sst_learn-apl-ref-220717">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-sst_learn-apl-ref-220717</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Warp_learn-apl-ref-220521">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Warp_learn-apl-ref-220521</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-who_learn-apl-ref-230407">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-who_learn-apl-ref-230407</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Wylde_learn-apl-ref-220218">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Wylde_learn-apl-ref-220218</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-arcade/how-to/">https://www.apple.com/apple-arcade/how-to/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-books/">https://www.apple.com/apple-books/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-card/">https://www.apple.com/apple-card/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-card/family/">https://www.apple.com/apple-card/family/</a>
Method	GET
Parameter	
Attack	

Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-card/features/">https://www.apple.com/apple-card/features/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-card/financial-health/">https://www.apple.com/apple-card/financial-health/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-card/how-to/">https://www.apple.com/apple-card/how-to/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-card/monthly-installments/">https://www.apple.com/apple-card/monthly-installments/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-cash/">https://www.apple.com/apple-cash/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-events/">https://www.apple.com/apple-events/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-events/?useASL=true">https://www.apple.com/apple-events/?useASL=true</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-fitness-plus/">https://www.apple.com/apple-fitness-plus/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-fitness-plus/whats-new/">https://www.apple.com/apple-fitness-plus/whats-new/</a>

Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-music/">https://www.apple.com/apple-music/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
URL	<a href="https://www.apple.com/apple-news/">https://www.apple.com/apple-news/</a>
Method	GET
Parameter	
Attack	
Evidence	<form action="/us/search" method="get" class="globalnav-searchfield">
Instances	104
Solution	<p>Phase: Architecture and Design</p> <p>Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid.</p> <p>For example, use anti-CSRF packages such as the OWASP CSRFGuard.</p> <p>Phase: Implementation</p> <p>Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script.</p> <p>Phase: Architecture and Design</p> <p>Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330).</p> <p>Note that this can be bypassed using XSS.</p> <p>Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation.</p> <p>Note that this can be bypassed using XSS.</p> <p>Use the ESAPI Session Management control.</p> <p>This control includes a component for CSRF.</p> <p>Do not use the GET method for any request that triggers a state change.</p> <p>Phase: Implementation</p> <p>Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.</p>
Reference	<a href="http://projects.webappsec.org/Cross-Site-Request-Forgery">http://projects.webappsec.org/Cross-Site-Request-Forgery</a> <a href="http://cwe.mitre.org/data/definitions/352.html">http://cwe.mitre.org/data/definitions/352.html</a>
CWE Id	<a href="#">352</a>
WASC Id	9
Plugin Id	<a href="#">10202</a>

Medium	CSP: Wildcard Directive
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set

of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.

URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/includes/">https://www.apple.com/*/includes/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/availability">https://www.apple.com/*retail/availability</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/availabilitySearch">https://www.apple.com/*retail/availabilitySearch</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/pickupEligibility">https://www.apple.com/*retail/pickupEligibility</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com

URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/sign_in">https://www.apple.com/*shop/sign_in</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/sign_out">https://www.apple.com/*shop/sign_out</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/signed_in_account">https://www.apple.com/*shop/signed_in_account</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/">https://www.apple.com/accessibility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/cognitive/">https://www.apple.com/accessibility/cognitive/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/hearing/">https://www.apple.com/accessibility/hearing/</a>
Method	GET

Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/mobility/">https://www.apple.com/accessibility/mobility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/vision/">https://www.apple.com/accessibility/vision/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airplay/">https://www.apple.com/airplay/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/">https://www.apple.com/airpods-2nd-generation/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/compare/">https://www.apple.com/airpods-2nd-generation/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/specs/">https://www.apple.com/airpods-2nd-generation/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	



	nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-pro/">https://www.apple.com/airpods-pro/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="http://www.w3.org/TR/CSP2/">http://www.w3.org/TR/CSP2/</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://caniuse.com/#search=content+security+policy">http://caniuse.com/#search=content+security+policy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a> <a href="https://github.com/shapeshow/salvation">https://github.com/shapeshow/salvation</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	CSP: script-src unsafe-eval
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/includes/">https://www.apple.com/*/includes/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/availability">https://www.apple.com/*retail/availability</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/availabilitySearch">https://www.apple.com/*retail/availabilitySearch</a>

Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/pickupEligibility">https://www.apple.com/*retail/pickupEligibility</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/sign_in">https://www.apple.com/*shop/sign_in</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/sign_out">https://www.apple.com/*shop/sign_out</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*shop/signed_in_account">https://www.apple.com/*shop/signed_in_account</a>
Method	GET
Parameter	Content-Security-Policy

Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/">https://www.apple.com/accessibility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/cognitive/">https://www.apple.com/accessibility/cognitive/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/hearing/">https://www.apple.com/accessibility/hearing/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/mobility/">https://www.apple.com/accessibility/mobility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/vision/">https://www.apple.com/accessibility/vision/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airplay/">https://www.apple.com/airplay/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com



URL	<a href="https://www.apple.com/airpods-max/">https://www.apple.com/airpods-max/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/compare/">https://www.apple.com/airpods-max/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/specs/">https://www.apple.com/airpods-max/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-pro/">https://www.apple.com/airpods-pro/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="http://www.w3.org/TR/CSP2/">http://www.w3.org/TR/CSP2/</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://caniuse.com/#search=content+security+policy">http://caniuse.com/#search=content+security+policy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a> <a href="https://github.com/shapeshow/salvation">https://github.com/shapeshow/salvation</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	CSP: script-src unsafe-inline
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET

Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/includes/">https://www.apple.com/*/includes/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/retail/availability">https://www.apple.com/*/retail/availability</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/retail/availabilitySearch">https://www.apple.com/*/retail/availabilitySearch</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/retail/pickupEligibility">https://www.apple.com/*/retail/pickupEligibility</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/shop/answer/vote">https://www.apple.com/*/shop/answer/vote</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*/shop/bag">https://www.apple.com/*/shop/bag</a>
Method	GET
Parameter	Content-Security-Policy
Attack	



URL	<a href="https://www.apple.com/accessibility/mobility/">https://www.apple.com/accessibility/mobility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/vision/">https://www.apple.com/accessibility/vision/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airplay/">https://www.apple.com/airplay/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/">https://www.apple.com/airpods-2nd-generation/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/compare/">https://www.apple.com/airpods-2nd-generation/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/specs/">https://www.apple.com/airpods-2nd-generation/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com

URL	<a href="https://www.apple.com/airpods-3rd-generation/">https://www.apple.com/airpods-3rd-generation/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-3rd-generation/compare/">https://www.apple.com/airpods-3rd-generation/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-3rd-generation/specs/">https://www.apple.com/airpods-3rd-generation/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/">https://www.apple.com/airpods-max/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/compare/">https://www.apple.com/airpods-max/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/specs/">https://www.apple.com/airpods-max/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-pro/">https://www.apple.com/airpods-pro/</a>
Method	GET

Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="http://www.w3.org/TR/CSP2/">http://www.w3.org/TR/CSP2/</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://caniuse.com/#search=content+security+policy">http://caniuse.com/#search=content+security+policy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a> <a href="https://github.com/shapeshow/security/csp#policy_applies_to_a_wide_variety_of_resources">https://github.com/shapeshow/security/csp#policy_applies_to_a_wide_variety_of_resources</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	CSP: style-src unsafe-inline
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks. Including (but not limited to) Cross Site Scripting (XSS), and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*includes/">https://www.apple.com/*includes/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/availability">https://www.apple.com/*retail/availability</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/*retail/availabilitySearch">https://www.apple.com/*retail/availabilitySearch</a>
Method	GET
Parameter	Content-Security-Policy
Attack	



URL	<a href="https://www.apple.com/accessibility/">https://www.apple.com/accessibility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/cognitive/">https://www.apple.com/accessibility/cognitive/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/hearing/">https://www.apple.com/accessibility/hearing/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/mobility/">https://www.apple.com/accessibility/mobility/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/accessibility/vision/">https://www.apple.com/accessibility/vision/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airplay/">https://www.apple.com/airplay/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com

URL	<a href="https://www.apple.com/airpods-2nd-generation/">https://www.apple.com/airpods-2nd-generation/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/compare/">https://www.apple.com/airpods-2nd-generation/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-2nd-generation/specs/">https://www.apple.com/airpods-2nd-generation/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-3rd-generation/">https://www.apple.com/airpods-3rd-generation/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-3rd-generation/compare/">https://www.apple.com/airpods-3rd-generation/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-3rd-generation/specs/">https://www.apple.com/airpods-3rd-generation/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/">https://www.apple.com/airpods-max/</a>
Method	GET

Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/compare/">https://www.apple.com/airpods-max/compare/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-max/specs/">https://www.apple.com/airpods-max/specs/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
URL	<a href="https://www.apple.com/airpods-pro/">https://www.apple.com/airpods-pro/</a>
Method	GET
Parameter	Content-Security-Policy
Attack	
Evidence	default-src 'self' blob: data: *.akamaized.net *.apple.com *.apple-mapkit.com *.cdn-apple.com *.organicfruitapps.com; child-src blob: embed.music.apple.com embed.podcasts.apple.com https://recyclingprogram.apple.com swdlp.apple.com www.apple.com www.instagram.com platform.twitter.com www.youtube-nocookie.com; img-src 'unsafe-inline' blob: data: *.apple.com *.apple-mapkit.com *.cdn-apple.com *.mzstatic.com; script-src 'unsafe-inline' 'unsafe-eval' blob: *.apple.com *.apple-mapkit.com www.instagram.com platform.twitter.com; style-src 'unsafe-inline' *.apple.com
Instances	26
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	<a href="http://www.w3.org/TR/CSP2/">http://www.w3.org/TR/CSP2/</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://caniuse.com/#search=content+security+policy">http://caniuse.com/#search=content+security+policy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a> <a href="https://github.com/shapeshed/salvation">https://github.com/shapeshed/salvation</a> <a href="https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources">https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variety_of_resources</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10055</a>

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://appleseed.apple.com/it/">https://appleseed.apple.com/it/</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://apps.apple.com/us/genre/ios-business/id6000/">https://apps.apple.com/us/genre/ios-business/id6000/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://education.apple.com/">https://education.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://education.apple.com/?cid=pm-enus-web-apple-edu-at-webfy23q1">https://education.apple.com/?cid=pm-enus-web-apple-edu-at-webfy23q1</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://help.apple.com/voiceover/command-charts/">https://help.apple.com/voiceover/command-charts/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://investor.apple.com/">https://investor.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1">https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=singapore-SGP&amp;sort=relevance&amp;team=acoustic-technologies-HRDWR-ACT+analog-and-digital-design-HRDWR-ADD+architecture-HRDWR-ARCH+battery-engineering-HRDWR-BE+camera-technologies-HRDWR-CAM+display-technologies-HRDWR-DISP+engineering-project-management-HRDWR-EPM+environmental-technologies-HRDWR-ENVT+health-technology-HRDWR-HT+machine-learning-and-ai-HRDWR-MCHLN+mechanical-engineering-HRDWR-ME+process-engineering-HRDWR-PE+reliability-engineering-HRDWR-REL+sensor-technologies-HRDWR-SENT+silicon-technologies-HRDWR-SILT+system-design-and-test-engineering-HRDWR-SDE+wireless-hardware-HRDWR-WT+information-systems-and-technology-CORSV-IT+finance-CORSV-FIN+legal-CORSV-LEG+people-CORSV-HR+learning-and-development-CORSV-LRNDV+global-security-CORSV-GLSEC+information-security-CORSV-INFOSEC+environment-and-social-initiatives-CORSV-ENSI+policy-and-government-affairs-CORSV-GOV+real-estate-and-development-CORSV-REFAC+dining-and-food-services-CORSV-DFS+administration-CORSV-ADMIN+apps-and-frameworks-SFTWR-AF+cloud-and-infrastructure-SFTWR-CLD+core-operating-systems-SFTWR-COS+devops-and-site-reliability-SFTWR-DSR+engineering-project-management-SFTWR-EPM+information-systems-and-technology-SFTWR-ISTECH+machine-learning-and-ai-SFTWR-MCHLN+security-and-privacy-SFTWR-SEC+software-quality-automation-and-tools-SFTWR-SQAT+wireless-software-SFTWR-WSFT+business-intelligence-and-analytics-OPMFG-BIA+business-process-management-OPMFG-BPM+supply-demand-management-and-npi-readiness-OPMFG-SDMNR+retail-and-e-commerce-fulfillment-OPMFG-RECF+logistics-and-supply-chain-OPMFG-SCL+sales-planning-and-operations-OPMFG-SPO+procurement-OPMFG-PRC+manufacturing-and-operations-engineering-OPMFG-MFGE+quality-engineering-OPMFG-QE+supplier-responsibility-OPMFG-SR+program-management-OPMFG-PRMGMT+internships-STDNT-INTRN+corporate-STDNT-CORP+apple-store-STDNT-ASTR+apple-store-leader-program-STDNT-ASLP+apple-retail-partner-store-STDNT-ARPS+apple-support-college-program-STDNT-ACCP+apple-campus-leader-STDNT-ACR+business-development-SLDEV-BUSDEV+account-management-SLDEV-CC+apple-store-sales-SLDEV-ARS+retail-partner-sales-SLDEV-CRC+sales-planning-and-operations-SLDEV-SO+field-and-solutions-engineering-SLDEV-FSE+machine-learning-infrastructure-MLAI-MLI+deep-learning-and-reinforcement-learning-MLAI-DLRL+natural-language-processing-and-speech-technologies-MLAI-NLP+computer-vision-MLAI">https://jobs.apple.com/en-us/search?location=singapore-SGP&amp;sort=relevance&amp;team=acoustic-technologies-HRDWR-ACT+analog-and-digital-design-HRDWR-ADD+architecture-HRDWR-ARCH+battery-engineering-HRDWR-BE+camera-technologies-HRDWR-CAM+display-technologies-HRDWR-DISP+engineering-project-management-HRDWR-EPM+environmental-technologies-HRDWR-ENVT+health-technology-HRDWR-HT+machine-learning-and-ai-HRDWR-MCHLN+mechanical-engineering-HRDWR-ME+process-engineering-HRDWR-PE+reliability-engineering-HRDWR-REL+sensor-technologies-HRDWR-SENT+silicon-technologies-HRDWR-SILT+system-design-and-test-engineering-HRDWR-SDE+wireless-hardware-HRDWR-WT+information-systems-and-technology-CORSV-IT+finance-CORSV-FIN+legal-CORSV-LEG+people-CORSV-HR+learning-and-development-CORSV-LRNDV+global-security-CORSV-GLSEC+information-security-CORSV-INFOSEC+environment-and-social-initiatives-CORSV-ENSI+policy-and-government-affairs-CORSV-GOV+real-estate-and-development-CORSV-REFAC+dining-and-food-services-CORSV-DFS+administration-CORSV-ADMIN+apps-and-frameworks-SFTWR-AF+cloud-and-infrastructure-SFTWR-CLD+core-operating-systems-SFTWR-COS+devops-and-site-reliability-SFTWR-DSR+engineering-project-management-SFTWR-EPM+information-systems-and-technology-SFTWR-ISTECH+machine-learning-and-ai-SFTWR-MCHLN+security-and-privacy-SFTWR-SEC+software-quality-automation-and-tools-SFTWR-SQAT+wireless-software-SFTWR-WSFT+business-intelligence-and-analytics-OPMFG-BIA+business-process-management-OPMFG-BPM+supply-demand-management-and-npi-readiness-OPMFG-SDMNR+retail-and-e-commerce-fulfillment-OPMFG-RECF+logistics-and-supply-chain-OPMFG-SCL+sales-planning-and-operations-OPMFG-SPO+procurement-OPMFG-PRC+manufacturing-and-operations-engineering-OPMFG-MFGE+quality-engineering-OPMFG-QE+supplier-responsibility-OPMFG-SR+program-management-OPMFG-PRMGMT+internships-STDNT-INTRN+corporate-STDNT-CORP+apple-store-STDNT-ASTR+apple-store-leader-program-STDNT-ASLP+apple-retail-partner-store-STDNT-ARPS+apple-support-college-program-STDNT-ACCP+apple-campus-leader-STDNT-ACR+business-development-SLDEV-BUSDEV+account-management-SLDEV-CC+apple-store-sales-SLDEV-ARS+retail-partner-sales-SLDEV-CRC+sales-planning-and-operations-SLDEV-SO+field-and-solutions-engineering-SLDEV-FSE+machine-learning-infrastructure-MLAI-MLI+deep-learning-and-reinforcement-learning-MLAI-DLRL+natural-language-processing-and-speech-technologies-MLAI-NLP+computer-vision-MLAI</a>

[CV+applied-research-MLAI-AR+online-support-CUST-ONSPT+technical-support-and-customer-support-CUST-ACCS+apple-store-support-CUST-ACRCC+applecare-business-development-CUST-SSBD+service-channel-management-and-operations-CUST-SCMO+services-marketing-MKTG-SVCM+product-marketing-MKTG-PM+marketing-communications-MKTG-MKTCM+corporate-communications-MKTG-CRPCM+industrial-design-DESIGN-ID+human-interface-design-DESIGN-HID+communications-design-DESIGN-CMD](#)

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/">https://support.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/?cid=gn-ols-home-hp-tab">https://support.apple.com/?cid=gn-ols-home-hp-tab</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/accessibility">https://support.apple.com/accessibility</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/accessibility/vpat">https://support.apple.com/accessibility/vpat</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/apple-card">https://support.apple.com/apple-card</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/applecare-enterprise-service">https://support.apple.com/applecare-enterprise-service</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/business">https://support.apple.com/business</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://support.apple.com/business/applecare-business-essentials-service">https://support.apple.com/business/applecare-business-essentials-service</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/education">https://support.apple.com/education</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-gb/HT201232">https://support.apple.com/en-gb/HT201232</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT201239">https://support.apple.com/en-us/HT201239</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT201287">https://support.apple.com/en-us/HT201287</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT201541">https://support.apple.com/en-us/HT201541</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202186">https://support.apple.com/en-us/HT202186</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202362">https://support.apple.com/en-us/HT202362</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202549">https://support.apple.com/en-us/HT202549</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202716">https://support.apple.com/en-us/HT202716</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202809">https://support.apple.com/en-us/HT202809</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT203027">https://support.apple.com/en-us/HT203027</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT203990">https://support.apple.com/en-us/HT203990</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204204">https://support.apple.com/en-us/HT204204</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204289">https://support.apple.com/en-us/HT204289</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204506">https://support.apple.com/en-us/HT204506</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204916">https://support.apple.com/en-us/HT204916</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://support.apple.com/en-us/HT207875">https://support.apple.com/en-us/HT207875</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT207882">https://support.apple.com/en-us/HT207882</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT207957">https://support.apple.com/en-us/HT207957</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT208525">https://support.apple.com/en-us/HT208525</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT208931">https://support.apple.com/en-us/HT208931</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT208955">https://support.apple.com/en-us/HT208955</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209218">https://support.apple.com/en-us/HT209218</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209230">https://support.apple.com/en-us/HT209230</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209489">https://support.apple.com/en-us/HT209489</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209513">https://support.apple.com/en-us/HT209513</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210386">https://support.apple.com/en-us/HT210386</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210414">https://support.apple.com/en-us/HT210414</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210563">https://support.apple.com/en-us/HT210563</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212020">https://support.apple.com/en-us/HT212020</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212182">https://support.apple.com/en-us/HT212182</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212271">https://support.apple.com/en-us/HT212271</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212780">https://support.apple.com/en-us/HT212780</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT213275">https://support.apple.com/en-us/HT213275</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT213406">https://support.apple.com/en-us/HT213406</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/classroom/welcome/ipados">https://support.apple.com/guide/classroom/welcome/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/classroom/welcome/mac">https://support.apple.com/guide/classroom/welcome/mac</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/deployment-education/apple-professional-services-edua5427f828/web">https://support.apple.com/guide/deployment-education/apple-professional-services-edua5427f828/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/deployment-education/welcome/web">https://support.apple.com/guide/deployment-education/welcome/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/deployment/professional-services-services/web">https://support.apple.com/guide/deployment/professional-services-services/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/rtt-ipad9ef850fd/ipados">https://support.apple.com/guide/ipad/rtt-ipad9ef850fd/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://support.apple.com/guide/ipad/spoken-content-ipad9a247097/ipados">https://support.apple.com/guide/ipad/spoken-content-ipad9a247097/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/spoken-content-iph96b214f0/ios">https://support.apple.com/guide/iphone/spoken-content-iph96b214f0/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/panel-editor-switch-control-accessibility-mh43606/mac">https://support.apple.com/guide/mac-help/panel-editor-switch-control-accessibility-mh43606/mac</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/sccc/welcome/web">https://support.apple.com/guide/sccc/welcome/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/schoolwork-teacher/welcome/ios">https://support.apple.com/guide/schoolwork-teacher/welcome/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/security/welcome/web">https://support.apple.com/guide/security/welcome/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tvplus/welcome/web">https://support.apple.com/guide/tvplus/welcome/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/send-messages-apd92a90f882/watchos">https://support.apple.com/guide/watch/send-messages-apd92a90f882/watchos</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/use-focus-apd6640937c4/watchos">https://support.apple.com/guide/watch/use-focus-apd6640937c4/watchos</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/ios/update">https://support.apple.com/ios/update</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/ipad?cid=gn-ols-ipad-psp-prodfl">https://support.apple.com/ipad?cid=gn-ols-ipad-psp-prodfl</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/mac?cid=gn-ols-mac-psp-prodfl">https://support.apple.com/mac?cid=gn-ols-mac-psp-prodfl</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/manuals">https://support.apple.com/manuals</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/my-support">https://support.apple.com/my-support</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/set-up-and-activate-new-iphone?cid=mc-ols-iphone-setuplp-store_buy-08152022">https://support.apple.com/set-up-and-activate-new-iphone?cid=mc-ols-iphone-setuplp-store_buy-08152022</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/ca/fr/leadership/">https://www.apple.com/ca/fr/leadership/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/ca/fr/newsroom/">https://www.apple.com/ca/fr/newsroom/</a>
Method	GET
Parameter	
Attack	

## Evidence

URL	<a href="https://www.apple.com/leadership/">https://www.apple.com/leadership/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/adrian-perica/">https://www.apple.com/leadership/adrian-perica/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/carl-surface/">https://www.apple.com/leadership/carl-surface/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/craig-federighi/">https://www.apple.com/leadership/craig-federighi/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/deirdre-obrien/">https://www.apple.com/leadership/deirdre-obrien/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/eddy-cue/">https://www.apple.com/leadership/eddy-cue/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/greg-joswiak/">https://www.apple.com/leadership/greg-joswiak/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/isabel-ge-mahe/">https://www.apple.com/leadership/isabel-ge-mahe/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/jeff-williams/">https://www.apple.com/leadership/jeff-williams/</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/john-giannandrea/">https://www.apple.com/leadership/john-giannandrea/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/john-ternus/">https://www.apple.com/leadership/john-ternus/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/johny-srouji/">https://www.apple.com/leadership/johny-srouji/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/katherine-adams/">https://www.apple.com/leadership/katherine-adams/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/kristin-huguet-quayle/">https://www.apple.com/leadership/kristin-huguet-quayle/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/lisa-jackson/">https://www.apple.com/leadership/lisa-jackson/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadershipluca-maestri/">https://www.apple.com/leadershipluca-maestri/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadershipmike-fenger/">https://www.apple.com/leadershipmike-fenger/</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/phil-schiller/">https://www.apple.com/leadership/phil-schiller/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/sabih-khan/">https://www.apple.com/leadership/sabih-khan/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/tim-cook/">https://www.apple.com/leadership/tim-cook/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/leadership/tor-myhren/">https://www.apple.com/leadership/tor-myhren/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/retail/instore-shopping-session/">https://www.apple.com/retail/instore-shopping-session/</a>
Method	GET
Parameter	
Attack	
Evidence	
Instances	96
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy">https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="http://www.w3.org/TR/CSP/">http://www.w3.org/TR/CSP/</a> <a href="http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html">http://w3c.github.io/webappsec/specs/content-security-policy/csp-specification.dev.html</a> <a href="http://www.html5rocks.com/en/tutorials/security/content-security-policy/">http://www.html5rocks.com/en/tutorials/security/content-security-policy/</a> <a href="http://caniuse.com/#feat=contentsecuritypolicy">http://caniuse.com/#feat=contentsecuritypolicy</a> <a href="http://content-security-policy.com/">http://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server
URL	<a href="https://apps.apple.com/us/genre/ios-business/id6000/">https://apps.apple.com/us/genre/ios-business/id6000/</a>
Method	GET
Parameter	

Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://artists.apple.com/">https://artists.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://authors.apple.com/">https://authors.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_asl_index-ktnaTcjUgzeMGMTaiatvJAZgtCVGqFUX.m3u8">https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_asl_index-ktnaTcjUgzeMGMTaiatvJAZgtCVGqFUX.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_index-dpyfrsVksFWjneFiptbXnAMYBtGYbXeZ.m3u8">https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_index-dpyfrsVksFWjneFiptbXnAMYBtGYbXeZ.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/1001azawzugclrwbvehhawhkerzwfetq/m3u8/vod_asl_index-ntpXkhyZHoyoFvtYtGeHdqjDhfiwLvgH.m3u8">https://events-delivery.apple.com/1001azawzugclrwbvehhawhkerzwfetq/m3u8/vod_asl_index-ntpXkhyZHoyoFvtYtGeHdqjDhfiwLvgH.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/1001azawzugclrwbvehhawhkerzwfetq/m3u8/vod_index-agCWsdckuFvVLyLxmYPmAmbyWchCtJQg.m3u8">https://events-delivery.apple.com/1001azawzugclrwbvehhawhkerzwfetq/m3u8/vod_index-agCWsdckuFvVLyLxmYPmAmbyWchCtJQg.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/1402uekefjejgldkvaqrqxgjmtehwhez/m3u8/vod_asl_index-YgZJCTRpKTEcdLaeJzpPKEwYFfcfWJts.m3u8">https://events-delivery.apple.com/1402uekefjejgldkvaqrqxgjmtehwhez/m3u8/vod_asl_index-YgZJCTRpKTEcdLaeJzpPKEwYFfcfWJts.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/1402uekefjejgldkvaqrqxgjmtehwhez/m3u8/vod_index-VEPhewQmQZLrgakajRXoUbKAmjjVXxZ.m3u8">https://events-delivery.apple.com/1402uekefjejgldkvaqrqxgjmtehwhez/m3u8/vod_index-VEPhewQmQZLrgakajRXoUbKAmjjVXxZ.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *

URL	<a href="https://events-delivery.apple.com/1608dybnfpdpxtjascmtyqexvyggavm/m3u8/vod_asl_index-tfgKYjRZmvaRoXMXEGZdmbAaufVYsdMJ.m3u8">https://events-delivery.apple.com/1608dybnfpdpxtjascmtyqexvyggavm/m3u8/vod_asl_index-tfgKYjRZmvaRoXMXEGZdmbAaufVYsdMJ.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/1805asrvgyurxcrkewleraugwqathmvg/m3u8/vod_index-YVvsDudyWzBdgmtcMPabYTdjWWmbLaA.m3u8">https://events-delivery.apple.com/1805asrvgyurxcrkewleraugwqathmvg/m3u8/vod_index-YVvsDudyWzBdgmtcMPabYTdjWWmbLaA.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_asl_index-qEsTVTiCzzFwCGwupBNVpgBNZJRatiU.m3u8">https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_asl_index-qEsTVTiCzzFwCGwupBNVpgBNZJRatiU.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_index-bHTtMFcgdqmJGoHoDBPadNWwGwrNevrj.m3u8">https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_index-bHTtMFcgdqmJGoHoDBPadNWwGwrNevrj.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://help.apple.com/voiceover/command-charts/">https://help.apple.com/voiceover/command-charts/</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://itunes.apple.com/us/app/apple-store/id375380948?mt=8">https://itunes.apple.com/us/app/apple-store/id375380948?mt=8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1">https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+404">https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+404</a>
Method	GET

Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_ipad">https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_ipad</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_iphone">https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_iphone</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_mac">https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_mac</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_watch">https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+home%2Fshop_watch</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+homepage">https://securemetrics.apple.com/b/ss/applestoreww/1/H.8--NS/0?pageName=No-Script:AOS%3A+homepage</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11236698141?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A37%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.036%2Cevent225%3D0.001%2Cevent226%3D0.822%2Cevent227%3D0.021%2Cevent228%3D0.227%2Cevent229%3D1.085%2Cevent230%3D0.009%2Cevent231%3D1.202%2Cevent232%2Cevent419%3D0.445%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11236698141?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A37%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.001%2Cevent226%3D0.822%2Cevent227%3D0.021%2Cevent228%3D0.227%2Cevent229%3D1.085%2Cevent230%3D0.009%2Cevent231%3D1.202%2Cevent232%2Cevent419%3D0.445%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET

	%20index%2Ftab%20%28us%29&v14=en-us&c17=9%3A9&c20=aos%3A%20us&c28=670&v54=D%3Dg&c57=www.us.homepage&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;pccr=true&amp;vidn=324B909E2EAA600F-60001678F3FF80E7&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;pccr=true&amp;vidn=324B909E2EAA600F-60001678F3FF80E7&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11755753761661?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A40%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.69%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.000%2Cevent225%3D0.080%2Cevent226%3D0.000%2Cevent227%3D0.569%2Cevent228%3D0.028%2Cevent229%3D0.143%2Cevent230%3D0.747%2Cevent231%3D0.000%2Cevent232%3D0.852%2Cevent233%2Cevent419%3D0.358%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20apple%20home&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.69&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20home%20-%20%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11755753761661?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A40%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.69%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.000%2Cevent225%3D0.080%2Cevent226%3D0.000%2Cevent227%3D0.569%2Cevent228%3D0.028%2Cevent229%3D0.143%2Cevent230%3D0.747%2Cevent231%3D0.000%2Cevent232%3D0.852%2Cevent233%2Cevent419%3D0.358%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.69&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20home%20-%20%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13478219094671?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A43%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.068%2Cevent225%3D0.001%2Cevent226%3D0.635%2Cevent227%3D0.039%2Cevent228%3D0.458%2Cevent229%3D1.139%2Cevent230%3D0.000%2Cevent231%3D1.216%2Cevent232%2Cevent419%3D0.520%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13478219094671?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A43%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.068%2Cevent225%3D0.001%2Cevent226%3D0.635%2Cevent227%3D0.039%2Cevent228%3D0.458%2Cevent229%3D1.139%2Cevent230%3D0.000%2Cevent231%3D1.216%2Cevent232%2Cevent419%3D0.520%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14139420928449?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A47%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fstore&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.02%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.056%2Cevent225%3D0.000%2Cevent226%3D0.696%2Cevent227%3D0.026%2Cevent228%3D0.230%2Cevent229%3D0.972%2Cevent230%3D0.006%2Cevent231%3D1.104%2Cevent232%2Cevent246%2Cevent419%3D0.704%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14139420928449?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A47%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fstore&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.02%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.056%2Cevent225%3D0.000%2Cevent226%3D0.696%2Cevent227%3D0.026%2Cevent228%3D0.230%2Cevent229%3D0.972%2Cevent230%3D0.006%2Cevent231%3D1.104%2Cevent232%2Cevent246%2Cevent419%3D0.704%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

		%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cstore&h1=aos%3Ashop&l1=D%3Das_xs&v3=AOS%3A%20US%20Consumer&l3=D%3das_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86_64&c8=AOS%3A%20home&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20=aos%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=2.02&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=store%20-%20%2Fus%2Fshop%2Fgoto%2Fstore%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.&a.c.&pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fstore&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1
Method	GET	
Parameter		
Attack		
Evidence	access-control-allow-origin: *	
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter		
Attack		
Evidence	access-control-allow-origin: *	
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;pccr=true&amp;vidn=324B909D0679D1FD-60001343A234FD3D&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;pccr=true&amp;vidn=324B909D0679D1FD-60001343A234FD3D&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter		
Attack		
Evidence	access-control-allow-origin: *	
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17001819459198?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A34%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.001%2Cevent221%3D0.005%2Cevent222%3D0.004%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.079%2Cevent226%3D0.572%2Cevent227%3D0.039%2Cevent228%3D0.463%2Cevent229%3D1.082%2Cevent230%3D0.000%2Cevent231%3D1.227%2Cevent232%2Cevent419%3D0.510%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17001819459198?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A34%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.001%2Cevent221%3D0.005%2Cevent222%3D0.004%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.079%2Cevent226%3D0.572%2Cevent227%3D0.039%2Cevent228%3D0.463%2Cevent229%3D1.082%2Cevent230%3D0.000%2Cevent231%3D1.227%2Cevent232%2Cevent419%3D0.510%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter		
Attack		
Evidence	access-control-allow-origin: *	
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18234407523172?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A46%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.006%2Cevent222%3D0.005%2Cevent223%3D0.001%2Cevent224%3D0.019%2Cevent225%3D0.106%2Cevent226%3D0.801%2Cevent227%3D0.044%2Cevent228%3D0.545%2Cevent229%3D1.414%2Cevent230%3D0.000%2Cevent231%3D1.569%2Cevent232%2Cevent419%3D0.819%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18234407523172?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A46%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.006%2Cevent222%3D0.005%2Cevent223%3D0.001%2Cevent224%3D0.019%2Cevent225%3D0.106%2Cevent226%3D0.801%2Cevent227%3D0.044%2Cevent228%3D0.545%2Cevent229%3D1.414%2Cevent230%3D0.000%2Cevent231%3D1.569%2Cevent232%2Cevent419%3D0.819%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter		

Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20-aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20-aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;pccr=true&amp;vidn=324B9097D9DF06FF-60000237D3077685&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20-aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;pccr=true&amp;vidn=324B9097D9DF06FF-60000237D3077685&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20-aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;pccr=true&amp;vidn=324B9098DF26CF5E-40001FF422168950&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;pccr=true&amp;vidn=324B9098DF26CF5E-40001FF422168950&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	
Attack	
Evidence	access-control-allow-origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-green-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-green-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000</a>
Method	GET
Parameter	
Attack	

Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-pink-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-pink-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-silver-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-silver-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-skyblue-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846875000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-skyblue-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846875000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-spacegray-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1604622935000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-spacegray-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1604622935000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-blue-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-blue-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-orange-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-orange-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-spacegray-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037004000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-spacegray-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037004000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-white-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037006000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-white-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037006000</a>
Method	GET

Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-yellow-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037005000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-yellow-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037005000</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-midnight-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382727">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-midnight-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382727</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-white-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382942">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-white-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382942</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/ipad-og-image-202108?.v=1626989824000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/ipad-og-image-202108?.v=1626989824000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/iphone-14-pro-og-202209?.v=1660877679990&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/iphone-14-pro-og-202209?.v=1660877679990&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-card-100-customize-202211_GEO_US?.v=1673554071683&amp;fmt=png-alpha&amp;hei=688&amp;wid=1960">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-card-100-customize-202211_GEO_US?.v=1673554071683&amp;fmt=png-alpha&amp;hei=688&amp;wid=1960</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-og-image-202108?.v=1626480758000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-og-image-202108?.v=1626480758000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLH3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466573">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLH3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466573</a>
Method	GET

Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLJ3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466523">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLJ3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466523</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLK3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682985972906">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLK3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682985972906</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU73_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU73_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU93_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU93_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/recycle-trade-in-201909?.v=1566405613280&amp;fmt=jpeg&amp;hei=88&amp;qlt=90&amp;wid=92">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/recycle-trade-in-201909?.v=1566405613280&amp;fmt=jpeg&amp;hei=88&amp;qlt=90&amp;wid=92</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/store-chat-specialist-icon-202305?wid=70&amp;hei=70&amp;fmt=jpeg&amp;qlt=90&amp;.v=1684947928869">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/store-chat-specialist-icon-202305?wid=70&amp;hei=70&amp;fmt=jpeg&amp;qlt=90&amp;.v=1684947928869</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-202209?.v=1663712447241&amp;fmt=png-alpha&amp;hei=540&amp;wid=372">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-202209?.v=1663712447241&amp;fmt=png-alpha&amp;hei=540&amp;wid=372</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-pro-202209?.v=1663712444791&amp;fmt=png-alpha&amp;hei=540&amp;wid=392">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-pro-202209?.v=1663712444791&amp;fmt=png-alpha&amp;hei=540&amp;wid=392</a>
Method	GET
Parameter	

Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/watch-og-image-202203?.v=1647460577628&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/watch-og-image-202203?.v=1647460577628&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-echo-3.12.0-0631d/dist/echo-nomodule.min.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-echo-3.12.0-0631d/dist/echo-nomodule.min.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-echo-3.12.0-0631d/dist/echo.min.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-echo-3.12.0-0631d/dist/echo.min.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-external-1.51.1-05513/rel/external.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-external-1.51.1-05513/rel/external.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-external-1.51.1-05513/rel/unsupportedBrowser.min.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-external-1.51.1-05513/rel/unsupportedBrowser.min.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-globalelements-2.3.1-9f176/dist/globalelements.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-globalelements-2.3.1-9f176/dist/globalelements.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/digitalmat-overlay.chunk.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/digitalmat-overlay.chunk.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/pagenotfound.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/pagenotfound.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *

URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/step0.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/step0.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/store-home.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-merch-3.20.7-c6d1b/dist/store-home.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/lodash@4.17.20/lodash.min.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/lodash@4.17.20/lodash.min.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/marcom-globalnav@7.2.2/dist/js/ac-globalnav.umd.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/marcom-globalnav@7.2.2/dist/js/ac-globalnav.umd.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/react-dom@17.0.1/umd/react-dom.production.min.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/react-dom@17.0.1/umd/react-dom.production.min.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/react@17.0.1/umd/react.production.min.js">https://store.storeimages.cdn-apple.com/4982/store.apple.com/static-resources/rs-vendor-1.14.1-a6faa/dist/react@17.0.1/umd/react.production.min.js</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://store.storevideos.cdn-apple.com/v1/store.apple.com/st/1673554026089/mac-card-100-customize-202211_GEO_US.mp4">https://store.storevideos.cdn-apple.com/v1/store.apple.com/st/1673554026089/mac-card-100-customize-202211_GEO_US.mp4</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-3rd-generation/2021/3c0b27aa-a5fe-4365-a9ae-83c28d10fa21/ar/airpods_magsafe_charging_ios15.usdz">https://www.apple.com/105/media/us/airpods-3rd-generation/2021/3c0b27aa-a5fe-4365-a9ae-83c28d10fa21/ar/airpods_magsafe_charging_ios15.usdz</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-3rd-generation/2022/d9ec8535-23a0-4f2c-bcb4-6b7e7ae55359/films/spatial-audio-harry-styles/airpods-3rd-generation-spatial-audio-harry-styles-tpl-us-2022_16x9.m3u8">https://www.apple.com/105/media/us/airpods-3rd-generation/2022/d9ec8535-23a0-4f2c-bcb4-6b7e7ae55359/films/spatial-audio-harry-styles/airpods-3rd-generation-spatial-audio-harry-styles-tpl-us-2022_16x9.m3u8</a>
Method	GET

Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/anim/crown/large.mp4">https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/anim/crown/large.mp4</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/anim/supercut/large.mp4">https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/anim/supercut/large.mp4</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/quick-look/airpods_max_green_ios12.usdz">https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/quick-look/airpods_max_green_ios12.usdz</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/quick-look/airpods_max_green_ios14_rev1.usdz">https://www.apple.com/105/media/us/airpods-max/2020/996b980b-3131-44f1-af6c-fe72f9b3fb5/quick-look/airpods_max_green_ios14_rev1.usdz</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-pro/2022/d2deeb8e-83eb-48ea-9721-f567cf0ffa8/ar/airpods_pro_with_magsafe_charging_case_ios15.usdz">https://www.apple.com/105/media/us/airpods-pro/2022/d2deeb8e-83eb-48ea-9721-f567cf0ffa8/ar/airpods_pro_with_magsafe_charging_case_ios15.usdz</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-pro/2022/d2deeb8e-83eb-48ea-9721-f567cf0ffa8/films/under-the-spell/airpods-pro-under-the-spell-tpl-us-2022_16x9.m3u8">https://www.apple.com/105/media/us/airpods-pro/2022/d2deeb8e-83eb-48ea-9721-f567cf0ffa8/films/under-the-spell/airpods-pro-under-the-spell-tpl-us-2022_16x9.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airpods-pro/2023/89a59879-6b56-4351-9a35-0bca514497a1/films/quiet-the-noise/airpods-pro-quiet-the-noise-tpl-us-2023_16x9.m3u8">https://www.apple.com/105/media/us/airpods-pro/2023/89a59879-6b56-4351-9a35-0bca514497a1/films/quiet-the-noise/airpods-pro-quiet-the-noise-tpl-us-2023_16x9.m3u8</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/105/media/us/airtag/2021/2b2438dc-8391-42b3-ab6d-1dbe2c2253ab/quick-look/airtag_ios14.usdz">https://www.apple.com/105/media/us/airtag/2021/2b2438dc-8391-42b3-ab6d-1dbe2c2253ab/quick-look/airtag_ios14.usdz</a>
Method	GET
Parameter	

Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/ca/fr/today/">https://www.apple.com/ca/fr/today/</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/today">https://www.apple.com/today</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
URL	<a href="https://www.apple.com/today/">https://www.apple.com/today/</a>
Method	GET
Parameter	
Attack	
Evidence	Access-Control-Allow-Origin: *
Instances	90
Solution	<p>Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance).</p> <p>Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.</p>
Reference	<a href="https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy">https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy</a>
CWE Id	<a href="#">264</a>
WASC Id	14
Plugin Id	<a href="#">10098</a>

Medium	Multiple X-Frame-Options Header Entries
Description	X-Frame-Options (XFO) headers were found, a response with multiple XFO header entries may not be predictably treated by all user-agents.
URL	<a href="https://contactretail.apple.com/?ag=FASTPASS&amp;ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare">https://contactretail.apple.com/?ag=FASTPASS&amp;ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone">https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone_storemain">https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone_storemain</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	

URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:/airpods/">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:/airpods/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_compare</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_specs</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_compare</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_specs</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_compare</a>
Method	GET

Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_specs</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_compare</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_specs</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airtag">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airtag</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-se">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-se</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-series-8">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-series-8</a>
Method	GET
Parameter	X-Frame-Options
Attack	

Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-ultra_why-apple-watch">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-ultra_why-apple-watch</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/">https://developer.apple.com/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/accessibility/">https://developer.apple.com/accessibility/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/app-store/review/guidelines/">https://developer.apple.com/app-store/review/guidelines/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/app-store/small-business-program/">https://developer.apple.com/app-store/small-business-program/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/apple-arcade/">https://developer.apple.com/apple-arcade/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/apple-pay/">https://developer.apple.com/apple-pay/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/apple-pay/marketing/">https://developer.apple.com/apple-pay/marketing/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/apple-pay/payment-platforms/">https://developer.apple.com/apple-pay/payment-platforms/</a>

Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/business/">https://developer.apple.com/business/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/business/create/">https://developer.apple.com/business/create/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/sap/">https://developer.apple.com/sap/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/support/forums/">https://developer.apple.com/support/forums/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/tap-to-pay/">https://developer.apple.com/tap-to-pay/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/tap-to-pay/regions/">https://developer.apple.com/tap-to-pay/regions/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/testflight/">https://developer.apple.com/testflight/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://developer.apple.com/videos/play/tech-talks/301/">https://developer.apple.com/videos/play/tech-talks/301/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	

Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Architecture-HRDWR-ARCH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Architecture-HRDWR-ARCH</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Battery-Engineering-HRDWR-BE">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Battery-Engineering-HRDWR-BE</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	

URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DRL">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DRL</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-HRDWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-HRDWR-EPM</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Environmental-Technologies-HRDWR-ENVT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Environmental-Technologies-HRDWR-ENVT</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Health-Technology-HRDWR-HT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Health-Technology-HRDWR-HT</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI</a>
Method	GET

Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://locate.apple.com/">https://locate.apple.com/</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT201239">https://support.apple.com/en-us/HT201239</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT201287">https://support.apple.com/en-us/HT201287</a>
Method	GET
Parameter	X-Frame-Options
Attack	

## Evidence

URL	<a href="https://support.apple.com/en-us/HT201541">https://support.apple.com/en-us/HT201541</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT202186">https://support.apple.com/en-us/HT202186</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT202362">https://support.apple.com/en-us/HT202362</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT202549">https://support.apple.com/en-us/HT202549</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT202716">https://support.apple.com/en-us/HT202716</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT202809">https://support.apple.com/en-us/HT202809</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT203027">https://support.apple.com/en-us/HT203027</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT203990">https://support.apple.com/en-us/HT203990</a>
-----	---

Method	GET
--------	-----

Parameter	X-Frame-Options
-----------	-----------------

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/en-us/HT204204">https://support.apple.com/en-us/HT204204</a>
-----	---

Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204289">https://support.apple.com/en-us/HT204289</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204506">https://support.apple.com/en-us/HT204506</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT204916">https://support.apple.com/en-us/HT204916</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT207875">https://support.apple.com/en-us/HT207875</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT207882">https://support.apple.com/en-us/HT207882</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT207957">https://support.apple.com/en-us/HT207957</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT208931">https://support.apple.com/en-us/HT208931</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT208955">https://support.apple.com/en-us/HT208955</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	

Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209218">https://support.apple.com/en-us/HT209218</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209230">https://support.apple.com/en-us/HT209230</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209489">https://support.apple.com/en-us/HT209489</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT209513">https://support.apple.com/en-us/HT209513</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210386">https://support.apple.com/en-us/HT210386</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210414">https://support.apple.com/en-us/HT210414</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210563">https://support.apple.com/en-us/HT210563</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212020">https://support.apple.com/en-us/HT212020</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	

URL	<a href="https://support.apple.com/en-us/HT212182">https://support.apple.com/en-us/HT212182</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212271">https://support.apple.com/en-us/HT212271</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT212780">https://support.apple.com/en-us/HT212780</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT213275">https://support.apple.com/en-us/HT213275</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT213406">https://support.apple.com/en-us/HT213406</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/deployment/professional-services-services/web">https://support.apple.com/guide/deployment/professional-services-services/web</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/rtt-ipad9ef850fd/ipados">https://support.apple.com/guide/ipad/rtt-ipad9ef850fd/ipados</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/spoken-content-ipad9a247097/ipados">https://support.apple.com/guide/ipad/spoken-content-ipad9a247097/ipados</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/spoken-content-iph96b214f0/ios">https://support.apple.com/guide/iphone/spoken-content-iph96b214f0/ios</a>
Method	GET

Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/panel-editor-switch-control-accessibility-mh43606/mac">https://support.apple.com/guide/mac-help/panel-editor-switch-control-accessibility-mh43606/mac</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/sccc/welcome/web">https://support.apple.com/guide/sccc/welcome/web</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/security/welcome/web">https://support.apple.com/guide/security/welcome/web</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tvplus/welcome/web">https://support.apple.com/guide/tvplus/welcome/web</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/send-messages-apd92a90f882/watchos">https://support.apple.com/guide/watch/send-messages-apd92a90f882/watchos</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/use-focus-apd6640937c4/watchos">https://support.apple.com/guide/watch/use-focus-apd6640937c4/watchos</a>
Method	GET
Parameter	X-Frame-Options
Attack	
Evidence	
Instances	102
Solution	Ensure only a single X-Frame-Options header is present in the response.
Reference	<a href="https://tools.ietf.org/html/rfc7034">https://tools.ietf.org/html/rfc7034</a>
CWE Id	<a href="#">1021</a>
WASC Id	15
Plugin Id	<a href="#">10020</a>

Medium	Vulnerable JS Library
Description	The identified library vue, version 2.6.10 is vulnerable.
URL	<a href="https://www.apple.com/ac/libs/vue/2.6.10/vue.min.js">https://www.apple.com/ac/libs/vue/2.6.10/vue.min.js</a>

Method	GET
Parameter	
Attack	
Evidence	/vue/2.6.10/vue.min.js
Instances	1
Solution	Please upgrade to the latest version of vue.
Reference	<a href="https://github.com/vuejs/vue/releases/tag/v2.6.11">https://github.com/vuejs/vue/releases/tag/v2.6.11</a>
CWE Id	<a href="#">829</a>
WASC Id	
Plugin Id	<a href="#">10003</a>

Low	Cookie No HttpOnly Flag
Description	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation</a>
Method	GET
Parameter	JSESSIONID
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	<a href="https://secure.store.apple.com/shop/account/home">https://secure.store.apple.com/shop/account/home</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com.cn/">https://www.apple.com.cn/</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/*search/">https://www.apple.com/*search/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/*WebObjects/">https://www.apple.com/*shop/*WebObjects/</a>
Method	GET
Parameter	as_dc
Attack	

Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/1-800-MY-APPLE/">https://www.apple.com/*shop/1-800-MY-APPLE/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/2322-consumer">https://www.apple.com/*shop/2322-consumer</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/account/setup">https://www.apple.com/*shop/account/setup</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/browse/campaigns/mobile_overlay">https://www.apple.com/*shop/browse/campaigns/mobile_overlay</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/browse/overlay">https://www.apple.com/*shop/browse/overlay</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/button_availability">https://www.apple.com/*shop/button_availability</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/change_password">https://www.apple.com/*shop/change_password</a>

Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/checkout">https://www.apple.com/*shop/checkout</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/create_account">https://www.apple.com/*shop/create_account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/favorites">https://www.apple.com/*shop/favorites</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/identify_user">https://www.apple.com/*shop/identify_user</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/mobile/checkout/start">https://www.apple.com/*shop/mobile/checkout/start</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/mobilex/">https://www.apple.com/*shop/mobilex/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/rs-mvt/rel/">https://www.apple.com/*shop/rs-mvt/rel/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentry">https://www.apple.com/*shop/sentry</a>
Method	GET
Parameter	as_dc

Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sentryx/change_password">https://www.apple.com/*/shop/sentryx/change_password</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sentryx/create_account">https://www.apple.com/*/shop/sentryx/create_account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sentryx/create_account_confirm">https://www.apple.com/*/shop/sentryx/create_account_confirm</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sentryx/identify_user">https://www.apple.com/*/shop/sentryx/identify_user</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sentryx/sign_in">https://www.apple.com/*/shop/sentryx/sign_in</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sign_in">https://www.apple.com/*/shop/sign_in</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/sign_out">https://www.apple.com/*/shop/sign_out</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/signed_in_account">https://www.apple.com/*/shop/signed_in_account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc

URL	<a href="https://www.apple.com/*shop/socialsharing/">https://www.apple.com/*shop/socialsharing/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/storeConfig">https://www.apple.com/*shop/storeConfig</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/variationSelection">https://www.apple.com/*shop/variationSelection</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/vieworder">https://www.apple.com/*shop/vieworder</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_adc_*/shop/">https://www.apple.com/*_adc_*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_aoc_*/shop/">https://www.apple.com/*_aoc_*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_enterprise*/shop/">https://www.apple.com/*_enterprise*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_internal-epp-discounted*/shop/">https://www.apple.com/*_internal-epp-discounted*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_k12nonbts*/shop/">https://www.apple.com/*_k12nonbts*/shop/</a>
Method	GET

Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_kiosk*/shop/">https://www.apple.com/*_kiosk*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_nonbts*/shop/">https://www.apple.com/*_nonbts*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_qpromo*/shop/">https://www.apple.com/*_qpromo*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_refurb-discounted*/shop/">https://www.apple.com/*_refurb-discounted*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/store/feeds/">https://www.apple.com/*shop/store/feeds/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/robots.txt">https://www.apple.com/robots.txt</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/shop/accessories/all">https://www.apple.com/shop/accessories/all</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/accessories/all-accessories/accessibility">https://www.apple.com/shop/accessories/all-accessories/accessibility</a>
Method	GET
Parameter	as_dc
Attack	

Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/bag">https://www.apple.com/shop/bag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/browse/finance/PaypalFinancingLandingPage">https://www.apple.com/shop/browse/finance/PaypalFinancingLandingPage</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/browse/finance/PaypalFinancingLandingPage">https://www.apple.com/shop/browse/finance/PaypalFinancingLandingPage</a>
Method	GET
Parameter	as_sfa
Attack	
Evidence	Set-Cookie: as_sfa
URL	<a href="https://www.apple.com/shop/browse/home/veterans_military">https://www.apple.com/shop/browse/home/veterans_military</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-ipad">https://www.apple.com/shop/buy-ipad</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-iphone/carrier-offers">https://www.apple.com/shop/buy-iphone/carrier-offers</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-watch">https://www.apple.com/shop/buy-watch</a>

Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/education-pricing">https://www.apple.com/shop/education-pricing</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/education-pricing">https://www.apple.com/shop/education-pricing</a>
Method	GET
Parameter	as_sfa
Attack	
Evidence	Set-Cookie: as_sfa
URL	<a href="https://www.apple.com/shop/gift-cards">https://www.apple.com/shop/gift-cards</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/goto/store">https://www.apple.com/shop/goto/store</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/refurbished">https://www.apple.com/shop/refurbished</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/trade-in">https://www.apple.com/shop/trade-in</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/sitemap.xml">https://www.apple.com/sitemap.xml</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
Method	GET
Parameter	as_dc

Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/search">https://www.apple.com/us/search</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/search?find=ZAP">https://www.apple.com/us/search?find=ZAP</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/back-to-school/terms-conditions">https://www.apple.com/us/shop/back-to-school/terms-conditions</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/accessories/airtag">https://www.apple.com/us/shop/goto/accessories/airtag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/account">https://www.apple.com/us/shop/goto/account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/bag">https://www.apple.com/us/shop/goto/bag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc

URL	<a href="https://www.apple.com/us/shop/goto/buy_accessories">https://www.apple.com/us/shop/goto/buy_accessories</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_airpods/airpods_max">https://www.apple.com/us/shop/goto/buy_airpods/airpods_max</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_aitag/airtag">https://www.apple.com/us/shop/goto/buy_aitag/airtag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers">https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/iphone_14">https://www.apple.com/us/shop/goto/buy_iphone/iphone_14</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/iphone_14_pro">https://www.apple.com/us/shop/goto/buy_iphone/iphone_14_pro</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2">https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_watch/apple_watch_series_8">https://www.apple.com/us/shop/goto/buy_watch/apple_watch_series_8</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/educationrouting">https://www.apple.com/us/shop/goto/educationrouting</a>
Method	GET

Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/engraving">https://www.apple.com/us/shop/goto/engraving</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/eppstore/veteransandmilitary">https://www.apple.com/us/shop/goto/eppstore/veteransandmilitary</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/giftcards">https://www.apple.com/us/shop/goto/giftcards</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/help">https://www.apple.com/us/shop/goto/help</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/help/sales_refunds">https://www.apple.com/us/shop/goto/help/sales_refunds</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/ipad_pro/select">https://www.apple.com/us/shop/goto/ipad_pro/select</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/order/list">https://www.apple.com/us/shop/goto/order/list</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/payment_plan">https://www.apple.com/us/shop/goto/payment_plan</a>
Method	GET
Parameter	as_dc
Attack	

Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/product/MME73">https://www.apple.com/us/shop/goto/product/MME73</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/product/MPNY3">https://www.apple.com/us/shop/goto/product/MPNY3</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/product/MQD83">https://www.apple.com/us/shop/goto/product/MQD83</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/product/MR8U2">https://www.apple.com/us/shop/goto/product/MR8U2</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/product/MV7N2">https://www.apple.com/us/shop/goto/product/MV7N2</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/select_airtag_hermes">https://www.apple.com/us/shop/goto/select_airtag_hermes</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/shipping_and_returns">https://www.apple.com/us/shop/goto/shipping_and_returns</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/special_deals">https://www.apple.com/us/shop/goto/special_deals</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/store">https://www.apple.com/us/shop/goto/store</a>

Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/trade_in">https://www.apple.com/us/shop/goto/trade_in</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/mcm/product-price">https://www.apple.com/us/shop/mcm/product-price</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/mcm/tradein-credit">https://www.apple.com/us/shop/mcm/tradein-credit</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
Instances	102
Solution	Ensure that the HttpOnly flag is set for all cookies.
Reference	<a href="https://owasp.org/www-community/HttpOnly">https://owasp.org/www-community/HttpOnly</a>
CWE Id	<a href="#">1004</a>
WASC Id	13
Plugin Id	<a href="#">10010</a>

Low	Cookie Without Secure Flag
Description	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
URL	<a href="https://jobs.apple.com/app/en-us/getdiscovered">https://jobs.apple.com/app/en-us/getdiscovered</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/app/en-us/getdiscovered">https://jobs.apple.com/app/en-us/getdiscovered</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/app/en-us/getdiscovered">https://jobs.apple.com/app/en-us/getdiscovered</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2

URL	<a href="https://jobs.apple.com/app/en-us/getdiscovered">https://jobs.apple.com/app/en-us/getdiscovered</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/app/en-us/getdiscovered">https://jobs.apple.com/app/en-us/getdiscovered</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/app/en-us/profile/info">https://jobs.apple.com/app/en-us/profile/info</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/app/en-us/profile/info">https://jobs.apple.com/app/en-us/profile/info</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/app/en-us/profile/info">https://jobs.apple.com/app/en-us/profile/info</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/app/en-us/profile/info">https://jobs.apple.com/app/en-us/profile/info</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/app/en-us/profile/info">https://jobs.apple.com/app/en-us/profile/info</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search">https://jobs.apple.com/en-us/search</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search">https://jobs.apple.com/en-us/search</a>
Method	GET

Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search">https://jobs.apple.com/en-us/search</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search">https://jobs.apple.com/en-us/search</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search">https://jobs.apple.com/en-us/search</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Acoustic-Technologies-HRDWR-ACT</a>
Method	GET
Parameter	jobs
Attack	

Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Analog-and-Digital-Design-HRDWR-ADD</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR</a>

Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=applied-research-MLAI-AR</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Apps-and-Frameworks-SFTWR-AF</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	

Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Cloud-and-Infrastructure-SFTWR-CLD</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=computer-vision-MLAI-CV</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs

URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Core-Operating-Systems-SFTWR-COS</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL</a>
Method	GET

Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=deep-learning-and-reinforcement-learning-MLAI-DLRL</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=DevOps-and-Site-Reliability-SFTWR-DSR</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	

Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Engineering-Project-Management-SFTWR-EPM</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Information-Systems-and-Technology-SFTWR-ISTECH</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI</a>

Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=machine-learning-infrastructure-MLAI-MLI</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN</a>
Method	GET
Parameter	AWSALBAPP-3

Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Machine-Learning-SFTWR-MCHLN</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP">https://jobs.apple.com/en-us/search?location=united-states-USA&amp;team=natural-language-processing-and-speech-technologies-MLAI-NLP</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1

URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Security-and-Privacy-SFTWR-SEC</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT</a>
Method	GET
Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Software-Quality-Automation-and-Tools-SFTWR-SQAT</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT</a>
Method	GET

Parameter	AWSALBAPP-0
Attack	
Evidence	Set-Cookie: AWSALBAPP-0
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT</a>
Method	GET
Parameter	AWSALBAPP-1
Attack	
Evidence	Set-Cookie: AWSALBAPP-1
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT</a>
Method	GET
Parameter	AWSALBAPP-2
Attack	
Evidence	Set-Cookie: AWSALBAPP-2
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT</a>
Method	GET
Parameter	AWSALBAPP-3
Attack	
Evidence	Set-Cookie: AWSALBAPP-3
URL	<a href="https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT">https://jobs.apple.com/en-us/search?location=United-States-USA&amp;team=Wireless-Software-SFTWR-WSFT</a>
Method	GET
Parameter	jobs
Attack	
Evidence	Set-Cookie: jobs
URL	<a href="https://support.apple.com/kb/PH26932?locale=en_US">https://support.apple.com/kb/PH26932?locale=en_US</a>
Method	GET
Parameter	JSESSIONID
Attack	
Evidence	Set-Cookie: JSESSIONID
URL	<a href="https://www.apple.com.cn/">https://www.apple.com.cn/</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/robots.txt">https://www.apple.com/robots.txt</a>
Method	GET
Parameter	geo
Attack	

Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/sitemap.xml">https://www.apple.com/sitemap.xml</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
Instances	105
Solution	Whenever a cookie contains sensitive information or is a session token, then it should always be passed using an encrypted channel. Ensure that the secure flag is set for cookies containing such sensitive information.
Reference	<a href="https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html">https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html</a>
CWE Id	<a href="#">614</a>
WASC Id	13
Plugin Id	<a href="#">10011</a>

Low	Cookie without SameSite Attribute
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	aidsp
Attack	
Evidence	Set-Cookie: aidsp
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	dslang
Attack	
Evidence	Set-Cookie: dslang
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	idclient
Attack	
Evidence	Set-Cookie: idclient
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	site
Attack	
Evidence	Set-Cookie: site
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/*search/">https://www.apple.com/*search/</a>

Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/*WebObjects/">https://www.apple.com/*shop/*WebObjects/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/1-800-MY-APPLE/">https://www.apple.com/*shop/1-800-MY-APPLE/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/2322-consumer">https://www.apple.com/*shop/2322-consumer</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/account/setup">https://www.apple.com/*shop/account/setup</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/browse/campaigns/mobile_overlay">https://www.apple.com/*shop/browse/campaigns/mobile_overlay</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/browse/overlay">https://www.apple.com/*shop/browse/overlay</a>
Method	GET
Parameter	as_dc

Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/button_availability">https://www.apple.com/*/shop/button_availability</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/change_password">https://www.apple.com/*/shop/change_password</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/checkout">https://www.apple.com/*/shop/checkout</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/create_account">https://www.apple.com/*/shop/create_account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/favorites">https://www.apple.com/*/shop/favorites</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/identify_user">https://www.apple.com/*/shop/identify_user</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/mobile/checkout/start">https://www.apple.com/*/shop/mobile/checkout/start</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*/shop/mobilex/">https://www.apple.com/*/shop/mobilex/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc

URL	<a href="https://www.apple.com/*shop/rs-mvt/rel/">https://www.apple.com/*shop/rs-mvt/rel/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentry">https://www.apple.com/*shop/sentry</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentryx/change_password">https://www.apple.com/*shop/sentryx/change_password</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentryx/create_account">https://www.apple.com/*shop/sentryx/create_account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentryx/create_account_confirm">https://www.apple.com/*shop/sentryx/create_account_confirm</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentryx/identify_user">https://www.apple.com/*shop/sentryx/identify_user</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sentryx/sign_in">https://www.apple.com/*shop/sentryx/sign_in</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sign_in">https://www.apple.com/*shop/sign_in</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/sign_out">https://www.apple.com/*shop/sign_out</a>
Method	GET

Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/signed_in_account">https://www.apple.com/*shop/signed_in_account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/socialsharing/">https://www.apple.com/*shop/socialsharing/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/storeConfig">https://www.apple.com/*shop/storeConfig</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/variationSelection">https://www.apple.com/*shop/variationSelection</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/vieworder">https://www.apple.com/*shop/vieworder</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_adc_*/shop/">https://www.apple.com/*_adc_*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_aoc_*/shop/">https://www.apple.com/*_aoc_*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_enterprise*/shop/">https://www.apple.com/*_enterprise*/shop/</a>
Method	GET
Parameter	as_dc
Attack	

Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_internal-epp-discounted*/shop/">https://www.apple.com/*_internal-epp-discounted*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_k12nonbts*/shop/">https://www.apple.com/*_k12nonbts*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_kiosk*/shop/">https://www.apple.com/*_kiosk*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_nonbts*/shop/">https://www.apple.com/*_nonbts*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_qpromo*/shop/">https://www.apple.com/*_qpromo*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*_refurb-discounted*/shop/">https://www.apple.com/*_refurb-discounted*/shop/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/*shop/store/feeds/">https://www.apple.com/*shop/store/feeds/</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/robots.txt">https://www.apple.com/robots.txt</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/shop/">https://www.apple.com/shop/</a>

Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/shop/">https://www.apple.com/shop/</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/shop/bag">https://www.apple.com/shop/bag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/bag">https://www.apple.com/shop/bag</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/shop/bag">https://www.apple.com/shop/bag</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/shop/buy-ipad">https://www.apple.com/shop/buy-ipad</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-ipad">https://www.apple.com/shop/buy-ipad</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/shop/buy-ipad">https://www.apple.com/shop/buy-ipad</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	as_dc

Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	as_pcts
Attack	
Evidence	Set-Cookie: as_pcts
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	as_pcts
Attack	
Evidence	Set-Cookie: as_pcts
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/shop/buy-watch">https://www.apple.com/shop/buy-watch</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc

URL	<a href="https://www.apple.com/shop/buy-watch">https://www.apple.com/shop/buy-watch</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/shop/buy-watch">https://www.apple.com/shop/buy-watch</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/sitemap.xml">https://www.apple.com/sitemap.xml</a>
Method	GET
Parameter	geo
Attack	
Evidence	Set-Cookie: geo
URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
Method	GET
Parameter	as_pcts
Attack	
Evidence	Set-Cookie: as_pcts
URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/search">https://www.apple.com/us/search</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/search">https://www.apple.com/us/search</a>
Method	GET

Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/search">https://www.apple.com/us/search</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/account">https://www.apple.com/us/shop/goto/account</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/account">https://www.apple.com/us/shop/goto/account</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/account">https://www.apple.com/us/shop/goto/account</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/bag">https://www.apple.com/us/shop/goto/bag</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/bag">https://www.apple.com/us/shop/goto/bag</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/bag">https://www.apple.com/us/shop/goto/bag</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/buy_accessories">https://www.apple.com/us/shop/goto/buy_accessories</a>
Method	GET
Parameter	as_dc
Attack	

Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_accessories">https://www.apple.com/us/shop/goto/buy_accessories</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/buy_accessories">https://www.apple.com/us/shop/goto/buy_accessories</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers">https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers">https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers">https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2">https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2">https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2">https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/educationrouting">https://www.apple.com/us/shop/goto/educationrouting</a>

Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/educationrouting">https://www.apple.com/us/shop/goto/educationrouting</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/educationrouting">https://www.apple.com/us/shop/goto/educationrouting</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/giftcards">https://www.apple.com/us/shop/goto/giftcards</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/giftcards">https://www.apple.com/us/shop/goto/giftcards</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/giftcards">https://www.apple.com/us/shop/goto/giftcards</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/order/list">https://www.apple.com/us/shop/goto/order/list</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/order/list">https://www.apple.com/us/shop/goto/order/list</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/order/list">https://www.apple.com/us/shop/goto/order/list</a>
Method	GET
Parameter	dssid2
Attack	

Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/payment_plan">https://www.apple.com/us/shop/goto/payment_plan</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/payment_plan">https://www.apple.com/us/shop/goto/payment_plan</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/payment_plan">https://www.apple.com/us/shop/goto/payment_plan</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
URL	<a href="https://www.apple.com/us/shop/goto/special_deals">https://www.apple.com/us/shop/goto/special_deals</a>
Method	GET
Parameter	as_dc
Attack	
Evidence	Set-Cookie: as_dc
URL	<a href="https://www.apple.com/us/shop/goto/special_deals">https://www.apple.com/us/shop/goto/special_deals</a>
Method	GET
Parameter	dssf
Attack	
Evidence	Set-Cookie: dssf
URL	<a href="https://www.apple.com/us/shop/goto/special_deals">https://www.apple.com/us/shop/goto/special_deals</a>
Method	GET
Parameter	dssid2
Attack	
Evidence	Set-Cookie: dssid2
Instances	104
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	<a href="https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site">https://tools.ietf.org/html/draft-ietf-httpbis-cookie-same-site</a>
CWE Id	<a href="#">1275</a>
WASC Id	13
Plugin Id	<a href="#">10054</a>

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	<a href="https://appleid.apple.com/">https://appleid.apple.com/</a>
Method	GET

Parameter	<a href="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js">https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js"></script>
URL	<a href="https://appleid.apple.com/">https://appleid.apple.com/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js">https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js" ></script>
URL	<a href="https://appleid.apple.com/">https://appleid.apple.com/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js">https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js</a>
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js"></script>
URL	<a href="https://appleid.apple.com/">https://appleid.apple.com/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js">https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js</a>
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js"></script>
URL	<a href="https://appleid.apple.com/">https://appleid.apple.com/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js">https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js</a>
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js"></script>
URL	<a href="https://appleid.apple.com/ca/fr/">https://appleid.apple.com/ca/fr/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js">https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js"></script>
URL	<a href="https://appleid.apple.com/ca/fr/">https://appleid.apple.com/ca/fr/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js">https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js" ></script>
URL	<a href="https://appleid.apple.com/ca/fr/">https://appleid.apple.com/ca/fr/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js">https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js</a>
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js"></script>
URL	<a href="https://appleid.apple.com/ca/fr/">https://appleid.apple.com/ca/fr/</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js">https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js</a>
Attack	

Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js"></script>
URL	<a href="https://appleid.apple.com/ca/fr/">https://appleid.apple.com/ca/fr/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js"></script>
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js"></script>
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/static/jsj/N1303632466/common-header.js" ></script>
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/home-df1854416c9814576c0e.js"></script>
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/react-redux-kit-f419813550d56f7578a0.js"></script>
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/static/module-assets/runtime-56b88cf852b5042b8c6b.js"></script>
URL	<a href="https://appleseed.apple.com/it/">https://appleseed.apple.com/it/</a>
Method	GET
Parameter	//www.apple.com/ac/globalnav/6/en_US/scripts/ac-globalnav.built.js
Attack	
Evidence	<script src="//www.apple.com/ac/globalnav/6/en_US/scripts/ac-globalnav.built.js"></script>
URL	<a href="https://artists.apple.com/">https://artists.apple.com/</a>
Method	GET
Parameter	//assets.adobedtm.com/4ce907bce6c6/792543ad701c/launch-9458fde828c6.min.js
Attack	
Evidence	<script async="async" src="//assets.adobedtm.com/4ce907bce6c6/792543ad701c/launch-9458fde828c6.min.js" nonce="6ef5bb0b804d42c7399fa7b3857f433d"> //<![CDATA[ //]]> </script>
URL	<a href="https://authors.apple.com/">https://authors.apple.com/</a>

Method	GET
Parameter	//assets.adobedtm.com/4ce907bce6c6/8852d5d523e1/launch-b2b41b21d50d.min.js
Attack	
Evidence	<script async="async" src="//assets.adobedtm.com/4ce907bce6c6/8852d5d523e1/launch-b2b41b21d50d.min.js" nonce="248edcd358db40f77f1a5c4581f99241">//<![CDATA[ //]]> </script>
URL	<a href="https://businessconnect.apple.com/">https://businessconnect.apple.com/</a>
Method	GET
Parameter	https://businessconnect.cdn-apple.com/static/js/main.e1dbec91.js
Attack	
Evidence	<script defer="defer" src="https://businessconnect.cdn-apple.com/static/js/main.e1dbec91.js"></script>
URL	<a href="https://education.apple.com/">https://education.apple.com/</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js"></script>
URL	<a href="https://education.apple.com/?cid=pm-enus-web-apple-edu-at-webfy23q1">https://education.apple.com/?cid=pm-enus-web-apple-edu-at-webfy23q1</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js"></script>
URL	<a href="https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest">https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/appleauth/static/jsj/1589184380/widget/auth/app.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsj/1589184380/widget/auth/app.js" ></script>
URL	<a href="https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest">https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/appleauth/static/jsj/1970480931/boot/initLocalizationStrings.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsj/1970480931/boot/initLocalizationStrings.js" ></script>
URL	<a href="https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest">https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest</a>
Method	GET
Parameter	https://appleid.cdn-apple.com/appleauth/static/jsj/431342789/boot/initBootData.js
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsj/431342789/boot/initBootData.js" ></script>
URL	<a href="https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-">https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeld=auth-puivorg3-jiui-dqv2-s7ph-</a>

	<a href="https://mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest">mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/appleauth/static/jsj/N1736034082/common-header.js">https://appleid.cdn-apple.com/appleauth/static/jsj/N1736034082/common-header.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://appleid.cdn-apple.com/appleauth/static/jsj/N1736034082/common-header.js"></script>
URL	<a href="https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeId=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest">https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeId=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/appleauth/static/module-assets/react-redux-kit-9f88b2cf7cafcbffad8.js">https://appleid.cdn-apple.com/appleauth/static/module-assets/react-redux-kit-9f88b2cf7cafcbffad8.js</a>
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/appleauth/static/module-assets/react-redux-kit-9f88b2cf7cafcbffad8.js"></script>
URL	<a href="https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeId=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest">https://idmsa.apple.com/appleauth/auth/authorize/signin?frame_id=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;language=en_US&amp;iframeId=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;client_id=a797929d224abb1cc663bb187bbcd02f7172ca3a84df470380522a7c6092118b&amp;redirect_uri=https://secure6.store.apple.com&amp;response_type=code&amp;response_mode=web_message&amp;state=auth-puivorg3-jiui-dqv2-s7ph-mojrcff0&amp;authVersion=latest</a>
Method	GET
Parameter	<a href="https://appleid.cdn-apple.com/appleauth/static/module-assets/runtime-029c984bfc3e3cd83ad6.js">https://appleid.cdn-apple.com/appleauth/static/module-assets/runtime-029c984bfc3e3cd83ad6.js</a>
Attack	
Evidence	<script src="https://appleid.cdn-apple.com/appleauth/static/module-assets/runtime-029c984bfc3e3cd83ad6.js"></script>
URL	<a href="https://locate.apple.com/">https://locate.apple.com/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://locate.apple.com/ca/fr/">https://locate.apple.com/ca/fr/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://nova.apple.com/business/">https://nova.apple.com/business/</a>
Method	GET
Parameter	<a href="https://www.apple.com/ac/globalfooter/8/en_US/scripts/ac-globalfooter.built.js">//www.apple.com/ac/globalfooter/8/en_US/scripts/ac-globalfooter.built.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://www.apple.com/ac/globalfooter/8/en_US/scripts/ac-globalfooter.built.js"></script>
URL	<a href="https://nova.apple.com/contactus/">https://nova.apple.com/contactus/</a>
Method	GET
Parameter	<a href="https://www.apple.com/ac/globalfooter/8/en_US/scripts/ac-globalfooter.built.js">//www.apple.com/ac/globalfooter/8/en_US/scripts/ac-globalfooter.built.js</a>
Attack	
Evidence	<script type="text/javascript" src="https://www.apple.com/ac/globalfooter/8/en_US/scripts/ac-globalfooter.built.js"></script>
URL	<a href="https://secure6.store.apple.com/shop/signIn/orders?ssi=1AAABiO5aTEUgoOxsjsb-00Fb2fyw33V_U2MDNRWMdSJu57MQUHOIpqYAAAAXaHR0cHM6Ly9zZWN1cmU2LnN0b3JILmFwcGxlLmNvbS9zaG9wL29yZGVyL2xpc3R8fAACATiL2Y7JaG81zlnAQN_2U6X-FomlzhAFQiX9D6nlXIMr">https://secure6.store.apple.com/shop/signIn/orders?ssi=1AAABiO5aTEUgoOxsjsb-00Fb2fyw33V_U2MDNRWMdSJu57MQUHOIpqYAAAAXaHR0cHM6Ly9zZWN1cmU2LnN0b3JILmFwcGxlLmNvbS9zaG9wL29yZGVyL2xpc3R8fAACATiL2Y7JaG81zlnAQN_2U6X-FomlzhAFQiX9D6nlXIMr</a>
Method	GET

Parameter	<a href="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js">https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js</a>
Attack	
Evidence	<script data-srs src="https://appleid.cdn-apple.com/appleauth/static/jsapi/authService.latest.min.js" ></script>
URL	<a href="https://www.apple.com/ca/fr/retail/">https://www.apple.com/ca/fr/retail/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://www.apple.com/retail/">https://www.apple.com/retail/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://www.apple.com/retail/downtownnashville/">https://www.apple.com/retail/downtownnashville/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://www.apple.com/retail/michiganavenue/">https://www.apple.com/retail/michiganavenue/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://www.apple.com/retail/storelist/">https://www.apple.com/retail/storelist/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
URL	<a href="https://www.apple.com/retail/towertheatre/">https://www.apple.com/retail/towertheatre/</a>
Method	GET
Parameter	<a href="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js">https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js</a>
Attack	
Evidence	<script src="https://cdn.apple-mapkit.com/mk/5.x.x/mapkit.js"></script>
Instances	38
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	<a href="#">829</a>
WASC Id	15
Plugin Id	<a href="#">10017</a>

Low	Secure Pages Include Mixed Content
Description	The page includes mixed content, that is content accessed via HTTP instead of HTTPS.
URL	<a href="https://www.apple.com.cn/shop/buy-mac">https://www.apple.com.cn/shop/buy-mac</a>

Method	GET
Parameter	
Attack	
Evidence	<a href="http://www.apple.com/qtactivex/qtplugin.cab#version=7,3,0,0">http://www.apple.com/qtactivex/qtplugin.cab#version=7,3,0,0</a>
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	
Attack	
Evidence	<a href="http://www.apple.com/qtactivex/qtplugin.cab#version=7,3,0,0">http://www.apple.com/qtactivex/qtplugin.cab#version=7,3,0,0</a>
URL	<a href="https://www.apple.com/us-edu/shop/back-to-school">https://www.apple.com/us-edu/shop/back-to-school</a>
Method	GET
Parameter	
Attack	
Evidence	<a href="http://www.apple.com/qtactivex/qtplugin.cab#version=7,3,0,0">http://www.apple.com/qtactivex/qtplugin.cab#version=7,3,0,0</a>
Instances	3
	A page that is available over SSL/TLS must be comprised completely of content which is transmitted over SSL/TLS.
Solution	The page must not contain any content that is transmitted over unencrypted HTTP.  This includes content from third party sites.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Protection_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Protection_Cheat_Sheet.html</a>
CWE Id	<a href="#">311</a>
WASC Id	4
Plugin Id	<a href="#">10040</a>

Low	Server Leaks Version Information via "Server" HTTP Response Header Field
Description	The web/application server is leaking version information via the "Server" HTTP response header. Access to such information may facilitate attackers identifying other vulnerabilities your web/application server is subject to.
URL	<a href="https://apps.apple.com/app/id1598433714?itscg=10000&amp;itsct=dotcom_classical_0323">https://apps.apple.com/app/id1598433714?itscg=10000&amp;itsct=dotcom_classical_0323</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/arcade">https://apps.apple.com/arcade</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/ca/app/apple-store/id375380948?l=fr">https://apps.apple.com/ca/app/apple-store/id375380948?l=fr</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/story/id1659529587/">https://apps.apple.com/story/id1659529587/</a>
Method	GET

Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/amazon-alexa/id944011620?mt=8">https://apps.apple.com/us/app/amazon-alexa/id944011620?mt=8</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/angry-birds-reloaded/id1539172625?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504">https://apps.apple.com/us/app/angry-birds-reloaded/id1539172625?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/apple-store/id375380948">https://apps.apple.com/us/app/apple-store/id375380948</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/classroom/id1358883623?mt=12/">https://apps.apple.com/us/app/classroom/id1358883623?mt=12/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/cooking-mama-cuisine/id1563901930?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504">https://apps.apple.com/us/app/cooking-mama-cuisine/id1563901930?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/google-home/id680819774">https://apps.apple.com/us/app/google-home/id680819774</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/jetpack-joyride-2/id1598096399?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504">https://apps.apple.com/us/app/jetpack-joyride-2/id1598096399?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/sneaky-sasquatch/id1465346522?itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504&amp;mt=12?itscg=10000">https://apps.apple.com/us/app/sneaky-sasquatch/id1465346522?itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504&amp;mt=12?itscg=10000</a>
Method	GET
Parameter	
Attack	

Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/sonos-controller/id293523031?ign-mpt=uo%3D4&amp;mt=8">https://apps.apple.com/us/app/sonos-controller/id293523031?ign-mpt=uo%3D4&amp;mt=8</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/tmnt-splintered-fate/id1625907876?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504">https://apps.apple.com/us/app/tmnt-splintered-fate/id1625907876?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/app/what-the-car/id1534708672?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504">https://apps.apple.com/us/app/what-the-car/id1534708672?itscg=10000&amp;itsct=arc-0-arc_ovp-feature_gal-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/genre/ios-business/id6000/">https://apps.apple.com/us/genre/ios-business/id6000/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/story/id1279063415/">https://apps.apple.com/us/story/id1279063415/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://apps.apple.com/us/story/id1463439480/">https://apps.apple.com/us/story/id1463439480/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://artists.apple.com/">https://artists.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://authors.apple.com/">https://authors.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://books.apple.com/?campaign_id=AB_dotcom_BOOK_dotcta&amp;itscg=80049&amp;itsct=AB_dotcomcta">https://books.apple.com/?campaign_id=AB_dotcom_BOOK_dotcta&amp;itscg=80049&amp;itsct=AB_dotcomcta</a>

Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://books.apple.com/book-series/id1469981073/">https://books.apple.com/book-series/id1469981073/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://books.apple.com/us/charts/audiobooks?campaign_id=AB_dotcom_BOOK_audio&amp;itscg=80049&amp;itsct=AB_TopAudio">https://books.apple.com/us/charts/audiobooks?campaign_id=AB_dotcom_BOOK_audio&amp;itscg=80049&amp;itsct=AB_TopAudio</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://books.apple.com/us/charts?campaign_id=AB_dotcom_BOOK_charts&amp;itscg=80049&amp;itsct=AB_Charts">https://books.apple.com/us/charts?campaign_id=AB_dotcom_BOOK_charts&amp;itscg=80049&amp;itsct=AB_Charts</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://card.apple.com/apply/application?referrer=cid%3Dapy-200-10000036&amp;start=false">https://card.apple.com/apply/application?referrer=cid%3Dapy-200-10000036&amp;start=false</a>
Method	GET
Parameter	
Attack	
Evidence	AppleHttpServer/3faf4ee9434b
URL	<a href="https://fitness.apple.com/ca/subscribe?itscg=10000&amp;itsct=fit-promo-hp_tile-apl-evg-201111&amp;l=fr">https://fitness.apple.com/ca/subscribe?itscg=10000&amp;itsct=fit-promo-hp_tile-apl-evg-201111&amp;l=fr</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/subscribe?itscg=10000&amp;itsct=fit-foot-fp_ovp_apl_avl-201111">https://fitness.apple.com/subscribe?itscg=10000&amp;itsct=fit-foot-fp_ovp_apl_avl-201111</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/subscribe?itscg=10000&amp;itsct=fit-localnav-fp_ovp_apl_avl-201111">https://fitness.apple.com/subscribe?itscg=10000&amp;itsct=fit-localnav-fp_ovp_apl_avl-201111</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/subscribe?itscg=10000&amp;itsct=fitlocalnavfp_wnpaplavl220404">https://fitness.apple.com/subscribe?itscg=10000&amp;itsct=fitlocalnavfp_wnpaplavl220404</a>
Method	GET
Parameter	

Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/trainer/Dice-Iida-Klein/1629745042">https://fitness.apple.com/trainer/Dice-Iida-Klein/1629745042</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/anja-garcia/1521917349">https://fitness.apple.com/us/trainer/anja-garcia/1521917349</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/bakari-williams/1521917669">https://fitness.apple.com/us/trainer/bakari-williams/1521917669</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/ben-allen/1521915828">https://fitness.apple.com/us/trainer/ben-allen/1521915828</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/Brian-Cochrane/1645591574">https://fitness.apple.com/us/trainer/Brian-Cochrane/1645591574</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/christian-howard/1570309463">https://fitness.apple.com/us/trainer/christian-howard/1570309463</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/cory-wharton-malcolm/1571234503">https://fitness.apple.com/us/trainer/cory-wharton-malcolm/1571234503</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/darryl-whiting/1573996108">https://fitness.apple.com/us/trainer/darryl-whiting/1573996108</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0

URL	<a href="https://fitness.apple.com/us/trainer/emily-fayette/1521916228">https://fitness.apple.com/us/trainer/emily-fayette/1521916228</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/gregg-cook/1521915512">https://fitness.apple.com/us/trainer/gregg-cook/1521915512</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/jamie-ray-hartshorne/1521916916">https://fitness.apple.com/us/trainer/jamie-ray-hartshorne/1521916916</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/Jenn-Lau/1645591306">https://fitness.apple.com/us/trainer/Jenn-Lau/1645591306</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/jessica-skye/1521917666">https://fitness.apple.com/us/trainer/jessica-skye/1521917666</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/jhon-gonzalez/1526201165">https://fitness.apple.com/us/trainer/jhon-gonzalez/1526201165</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/joanna-hardy/1570309453">https://fitness.apple.com/us/trainer/joanna-hardy/1570309453</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/jonelle-lewis/1521916981">https://fitness.apple.com/us/trainer/jonelle-lewis/1521916981</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/josh-crosby/1521915835">https://fitness.apple.com/us/trainer/josh-crosby/1521915835</a>
Method	GET

Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/kim-ngo/1521917365">https://fitness.apple.com/us/trainer/kim-ngo/1521917365</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/kyle-ardill/1521916218">https://fitness.apple.com/us/trainer/kyle-ardill/1521916218</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/kym-perfetto/1521917371">https://fitness.apple.com/us/trainer/kym-perfetto/1521917371</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/lashawn-jones/1521916046">https://fitness.apple.com/us/trainer/lashawn-jones/1521916046</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/marimba-gold-watts/1573996495">https://fitness.apple.com/us/trainer/marimba-gold-watts/1573996495</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/molly-fox/1526201371">https://fitness.apple.com/us/trainer/molly-fox/1526201371</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/Nez-Dally/1645591328">https://fitness.apple.com/us/trainer/Nez-Dally/1645591328</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/sam-sanchez/1521917648">https://fitness.apple.com/us/trainer/sam-sanchez/1521917648</a>
Method	GET
Parameter	
Attack	

Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/scott-carvin/1521916224">https://fitness.apple.com/us/trainer/scott-carvin/1521916224</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/sherica-holmon/1521916964">https://fitness.apple.com/us/trainer/sherica-holmon/1521916964</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://fitness.apple.com/us/trainer/tyrell-d%C3%A9Sean/1521917375">https://fitness.apple.com/us/trainer/tyrell-d%C3%A9Sean/1521917375</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://itunes.apple.com/us/app/apple-store/id375380948?mt=8">https://itunes.apple.com/us/app/apple-store/id375380948?mt=8</a>
Method	GET
Parameter	
Attack	
Evidence	4.0.0
URL	<a href="https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1">https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1</a>
Method	GET
Parameter	
Attack	
Evidence	4.0.0
URL	<a href="https://music.apple.com/">https://music.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/deeplink?app=music&amp;at=100014QJ&amp;ct=sub_airplay&amp;itscg=10000&amp;itsct=mus-0-try_it_free-airplay-apl-220405&amp;p=subscribe">https://music.apple.com/deeplink?app=music&amp;at=100014QJ&amp;ct=sub_airplay&amp;itscg=10000&amp;itsct=mus-0-try_it_free-airplay-apl-220405&amp;p=subscribe</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/deeplink?app=music&amp;itsct=mus-0-tv_ovp-try_mus-apl-200310&amp;p=subscribe-student?itscg=10000">https://music.apple.com/deeplink?app=music&amp;itsct=mus-0-tv_ovp-try_mus-apl-200310&amp;p=subscribe-student?itscg=10000</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/radio?itscg=10000&amp;itsct=mus-0-ovp-crd1-apl-200217">https://music.apple.com/radio?itscg=10000&amp;itsct=mus-0-ovp-crd1-apl-200217</a>
Method	GET
Parameter	
Attack	

Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=401&amp;itscg=10000&amp;itsct=401x">https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=401&amp;itscg=10000&amp;itsct=401x</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=402&amp;itscg=10000&amp;itsct=402x">https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=402&amp;itscg=10000&amp;itsct=402x</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=403&amp;itscg=10000&amp;itsct=403x">https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=403&amp;itscg=10000&amp;itsct=403x</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?at&amp;itscg=10000&amp;itsct=mus-0-fp-fp_ovp-apl-200617">https://music.apple.com/subscribe?at&amp;itscg=10000&amp;itsct=mus-0-fp-fp_ovp-apl-200617</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?at=1000l4QJ&amp;ct=405&amp;itscg=10000&amp;itsct=405x">https://music.apple.com/subscribe?at=1000l4QJ&amp;ct=405&amp;itscg=10000&amp;itsct=405x</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?at=1000l4QJ&amp;ct=406&amp;itscg=10000&amp;itsct=406x">https://music.apple.com/subscribe?at=1000l4QJ&amp;ct=406&amp;itscg=10000&amp;itsct=406x</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?at=1000l4QJ&amp;ct=407&amp;itscg=10000&amp;itsct=407x">https://music.apple.com/subscribe?at=1000l4QJ&amp;ct=407&amp;itscg=10000&amp;itsct=407x</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://music.apple.com/subscribe?itscg=10000&amp;itsct=sub_voice_launch">https://music.apple.com/subscribe?itscg=10000&amp;itsct=sub_voice_launch</a>
Method	GET
Parameter	

Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/arcade?itscg=10000&amp;itsct=one-0-arc_ovp-one_prop-apl-ref-230504">https://one.apple.com/us/arcade?itscg=10000&amp;itsct=one-0-arc_ovp-one_prop-apl-ref-230504</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/arcade?itscg=10000&amp;itsct=one-NA-arcade-bnr-apl-avl-102020">https://one.apple.com/us/arcade?itscg=10000&amp;itsct=one-NA-arcade-bnr-apl-avl-102020</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/fitness?itscg=10000&amp;itsct=one-bot-fp_ovp-apl-avl-200407">https://one.apple.com/us/fitness?itscg=10000&amp;itsct=one-bot-fp_ovp-apl-avl-200407</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/music?itscg=10000&amp;itsct=one-NA-music-bnr-apl-avl-102020">https://one.apple.com/us/music?itscg=10000&amp;itsct=one-NA-music-bnr-apl-avl-102020</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/news?itscg=10000&amp;itsct=one-NA-news-bnr-apl-avl-102020">https://one.apple.com/us/news?itscg=10000&amp;itsct=one-NA-news-bnr-apl-avl-102020</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/tv?itscg=10000&amp;itsct=one-NA-tv-bnr-apl-avl-102020">https://one.apple.com/us/tv?itscg=10000&amp;itsct=one-NA-tv-bnr-apl-avl-102020</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us/tv?itscg=10000&amp;itsct=one-NA-tvhro-bnr-apl-avl-102020">https://one.apple.com/us/tv?itscg=10000&amp;itsct=one-NA-tvhro-bnr-apl-avl-102020</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us?itscg=10000&amp;itsct=one-apl-avl-ctr-pct-032023">https://one.apple.com/us?itscg=10000&amp;itsct=one-apl-avl-ctr-pct-032023</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0

URL	<a href="https://one.apple.com/us?itscg=10000&amp;itsct=one-apl-avl-var-dol-032023">https://one.apple.com/us?itscg=10000&amp;itsct=one-apl-avl-var-dol-032023</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://one.apple.com/us?itscg=10000&amp;itsct=one-apl-avl-var-strk-032023">https://one.apple.com/us?itscg=10000&amp;itsct=one-apl-avl-var-strk-032023</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://podcasts.apple.com/us/channel/apple-events/id6442627105?hasPaidContent=false">https://podcasts.apple.com/us/channel/apple-events/id6442627105?hasPaidContent=false</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/">https://tv.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-0-tv_ovp-prc_elg-apl-avl-200306">https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-0-tv_ovp-prc_elg-apl-avl-200306</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-0-tv_ovp-prc_full-apl-avl-200306">https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-0-tv_ovp-prc_full-apl-avl-200306</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-0-tv_ovp-prc_tif-apl-avl-200306">https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-0-tv_ovp-prc_tif-apl-avl-200306</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-tv_op-nav_try-var-210111">https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-tv_op-nav_try-var-210111</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-tv_op-nav_wch-ctr-210111">https://tv.apple.com/channel/tvs.sbd.4000?itscg=10000&amp;itsct=atv-tv_op-nav_wch-ctr-210111</a>
Method	GET

Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/movie/umc.cmc.3eh9r5iz32ggdm4ccvw5igiir?itscg=10000&amp;itsct=atv-audio_tile-pmo_wch-CODA-220912">https://tv.apple.com/movie/umc.cmc.3eh9r5iz32ggdm4ccvw5igiir?itscg=10000&amp;itsct=atv-audio_tile-pmo_wch-CODA-220912</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
URL	<a href="https://tv.apple.com/showprehistoric-planet/umc.cmc.4lh4bmztauvkoogz400akxav?itscg=10000&amp;itsct=atv-0-airplay-stream-apl-221018">https://tv.apple.com/showprehistoric-planet/umc.cmc.4lh4bmztauvkoogz400akxav?itscg=10000&amp;itsct=atv-0-airplay-stream-apl-221018</a>
Method	GET
Parameter	
Attack	
Evidence	daiquiri/3.0.0
Instances	90
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress the "Server" header or provide generic details.
Reference	<a href="http://httpd.apache.org/docs/current/mod/core.html#servertokens">http://httpd.apache.org/docs/current/mod/core.html#servertokens</a> <a href="http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urllscan_007">http://msdn.microsoft.com/en-us/library/ff648552.aspx#ht_urllscan_007</a> <a href="http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx">http://blogs.msdn.com/b/varunm/archive/2013/04/23/remove-unwanted-http-response-headers.aspx</a> <a href="http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html">http://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html</a>
CWE Id	<a href="#">200</a>
WASC Id	13
Plugin Id	<a href="#">10036</a>

Low	<b>Strict-Transport-Security Header Not Set</b>
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	<a href="https://investor.apple.com/">https://investor.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
Instances	1
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html</a> <a href="https://owasp.org/www-community/Security_Headers">https://owasp.org/www-community/Security_Headers</a> <a href="http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security">http://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security</a> <a href="http://caniuse.com/stricttransportsecurity">http://caniuse.com/stricttransportsecurity</a> <a href="http://tools.ietf.org/html/rfc6797">http://tools.ietf.org/html/rfc6797</a>
CWE Id	<a href="#">319</a>
WASC Id	15
Plugin Id	<a href="#">10035</a>

Low	<b>Strict-Transport-Security Multiple Header Entries (Non-compliant with Spec)</b>
Description	HTTP Strict Transport Security (HSTS) headers were found, a response with multiple HSTS header entries is not compliant with the specification (RFC 6797) and only the first HSTS header will be processed others will be ignored by user agents or the HSTS policy may be incorrectly applied.  HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL).

URL	<a href="https://locate.apple.com/">https://locate.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT201287">https://support.apple.com/en-us/HT201287</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202186">https://support.apple.com/en-us/HT202186</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT202549">https://support.apple.com/en-us/HT202549</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT203990">https://support.apple.com/en-us/HT203990</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/en-us/HT210386">https://support.apple.com/en-us/HT210386</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/facetime/fctma327c98c">https://support.apple.com/guide/facetime/fctma327c98c</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/facetime/fctmcd23d9be">https://support.apple.com/guide/facetime/fctmcd23d9be</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/homepod/apd8085c1032">https://support.apple.com/guide/homepod/apd8085c1032</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/icloud/mmd17774d0a8/icloud">https://support.apple.com/guide/icloud/mmd17774d0a8/icloud</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad0669fc3c">https://support.apple.com/guide/ipad/ipad0669fc3c</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad0bbca12e">https://support.apple.com/guide/ipad/ipad0bbca12e</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad355ab2a7">https://support.apple.com/guide/ipad/ipad355ab2a7</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad3ae9be3c/ipados">https://support.apple.com/guide/ipad/ipad3ae9be3c/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad5117c441/ipados">https://support.apple.com/guide/ipad/ipad5117c441/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad6b71e29e">https://support.apple.com/guide/ipad/ipad6b71e29e</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad6c28ec42">https://support.apple.com/guide/ipad/ipad6c28ec42</a>
Method	GET
Parameter	
Attack	

## Evidence

URL	<a href="https://support.apple.com/guide/ipad/ipad723b5a33/15.0/ipados/15.0">https://support.apple.com/guide/ipad/ipad723b5a33/15.0/ipados/15.0</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad76fc561f">https://support.apple.com/guide/ipad/ipad76fc561f</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad85f8f503">https://support.apple.com/guide/ipad/ipad85f8f503</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad8c381980/ipados">https://support.apple.com/guide/ipad/ipad8c381980/ipados</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad9a245e3e">https://support.apple.com/guide/ipad/ipad9a245e3e</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad9a246013">https://support.apple.com/guide/ipad/ipad9a246013</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad9a246898">https://support.apple.com/guide/ipad/ipad9a246898</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad9a246b38">https://support.apple.com/guide/ipad/ipad9a246b38</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://support.apple.com/guide/ipad/ipad9a246ed2">https://support.apple.com/guide/ipad/ipad9a246ed2</a>
-----	---

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipad9a247097">https://support.apple.com/guide/ipad/ipad9a247097</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipada1053653/ipados">https://support.apple.com/guide/ipad/ipada1053653/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipada16d1374">https://support.apple.com/guide/ipad/ipada16d1374</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipada46ec3b1/ipados">https://support.apple.com/guide/ipad/ipada46ec3b1/ipados</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipadaf2aa9f2">https://support.apple.com/guide/ipad/ipadaf2aa9f2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipadd86f5027">https://support.apple.com/guide/ipad/ipadd86f5027</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/ipadf5e54b06">https://support.apple.com/guide/ipad/ipadf5e54b06</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/ipad/rtt-ipad9ef850fd/ipados">https://support.apple.com/guide/ipad/rtt-ipad9ef850fd/ipados</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph1f48544ab">https://support.apple.com/guide/iphone/iph1f48544ab</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph3e2e1fb0">https://support.apple.com/guide/iphone/iph3e2e1fb0</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph3e2e23d1">https://support.apple.com/guide/iphone/iph3e2e23d1</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph3e2e2cdc">https://support.apple.com/guide/iphone/iph3e2e2cdc</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph3e2e367e">https://support.apple.com/guide/iphone/iph3e2e367e</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph3e2e415f">https://support.apple.com/guide/iphone/iph3e2e415f</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph41bdfe6c7/15.0/ios/15.0">https://support.apple.com/guide/iphone/iph41bdfe6c7/15.0/ios/15.0</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph470b1833">https://support.apple.com/guide/iphone/iph470b1833</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://support.apple.com/guide/iphone/iph7801d5771">https://support.apple.com/guide/iphone/iph7801d5771</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph7fad0d10">https://support.apple.com/guide/iphone/iph7fad0d10</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph8bf9386f5">https://support.apple.com/guide/iphone/iph8bf9386f5</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph96b214f0">https://support.apple.com/guide/iphone/iph96b214f0</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iph9c7ee918c">https://support.apple.com/guide/iphone/iph9c7ee918c</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphaa57e7885/ios">https://support.apple.com/guide/iphone/iphaa57e7885/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphb2cfa052c/ios">https://support.apple.com/guide/iphone/iphb2cfa052c/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphb41156356/ios">https://support.apple.com/guide/iphone/iphb41156356/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphbfaf595995">https://support.apple.com/guide/iphone/iphbfaf595995</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphdc30e3b86">https://support.apple.com/guide/iphone/iphdc30e3b86</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphddbdc2ad1/ios">https://support.apple.com/guide/iphone/iphddbdc2ad1/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphc0990f7bb/ios">https://support.apple.com/guide/iphone/iphc0990f7bb/ios</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphc867dc99c">https://support.apple.com/guide/iphone/iphc867dc99c</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/iphone/iphf2dc33312">https://support.apple.com/guide/iphone/iphf2dc33312</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchl3061cdc6">https://support.apple.com/guide/mac-help/mchl3061cdc6</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchl3061cdc6/mac">https://support.apple.com/guide/mac-help/mchl3061cdc6/mac</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchl4652e4f1">https://support.apple.com/guide/mac-help/mchl4652e4f1</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchl5bb12e1e">https://support.apple.com/guide/mac-help/mchl5bb12e1e</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchl613dc43f/mac">https://support.apple.com/guide/mac-help/mchl613dc43f/mac</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchl6b029310">https://support.apple.com/guide/mac-help/mchl6b029310</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchlbc203bc78">https://support.apple.com/guide/mac-help/mchlbc203bc78</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchlc1cb8d54">https://support.apple.com/guide/mac-help/mchlc1cb8d54</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchldd11f4fd">https://support.apple.com/guide/mac-help/mchldd11f4fd</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchldd11f4fd/mac">https://support.apple.com/guide/mac-help/mchldd11f4fd/mac</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchlfb0b5864">https://support.apple.com/guide/mac-help/mchlfb0b5864</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchlfp2299">https://support.apple.com/guide/mac-help/mchlfp2299</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mchlp2975">https://support.apple.com/guide/mac-help/mchlp2975</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mh27448">https://support.apple.com/guide/mac-help/mh27448</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mh35715">https://support.apple.com/guide/mac-help/mh35715</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mh40579">https://support.apple.com/guide/mac-help/mh40579</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/mh40584">https://support.apple.com/guide/mac-help/mh40584</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/unac089">https://support.apple.com/guide/mac-help/unac089</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/mac-help/unac611">https://support.apple.com/guide/mac-help/unac611</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/photos/phtad9d981ab">https://support.apple.com/guide/photos/phtad9d981ab</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/safari/sfri32632">https://support.apple.com/guide/safari/sfri32632</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb1376e9d7/tvos">https://support.apple.com/guide/tv/atvb1376e9d7/tvos</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb21adcf9">https://support.apple.com/guide/tv/atvb21adcf9</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb372a82a4">https://support.apple.com/guide/tv/atvb372a82a4</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb4dc7fb7e/tvos">https://support.apple.com/guide/tv/atvb4dc7fb7e/tvos</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb6fda2a53">https://support.apple.com/guide/tv/atvb6fda2a53</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb8f832e2e">https://support.apple.com/guide/tv/atvb8f832e2e</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tv/atvb9f51de8d/tvos">https://support.apple.com/guide/tv/atvb9f51de8d/tvos</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://support.apple.com/guide/tv/atvbb6e80144">https://support.apple.com/guide/tv/atvbb6e80144</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tvbfa4ff6cd">https://support.apple.com/guide/tvbfa4ff6cd</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/tvapp/atvbb6e80144/web">https://support.apple.com/guide/tvapp/atvbb6e80144/web</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/voiceover/mchlp2687">https://support.apple.com/guide/voiceover/mchlp2687</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/voiceover/vo28017">https://support.apple.com/guide/voiceover/vo28017</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/voiceover/welcome">https://support.apple.com/guide/voiceover/welcome</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apd02f71f945">https://support.apple.com/guide/watch/apd02f71f945</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apd2c755c294">https://support.apple.com/guide/watch/apd2c755c294</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apd766b7bd85/watchos">https://support.apple.com/guide/watch/apd766b7bd85/watchos</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apd81334ff71/watchos">https://support.apple.com/guide/watch/apd81334ff71/watchos</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apd92a90f882">https://support.apple.com/guide/watch/apd92a90f882</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apd95f904443">https://support.apple.com/guide/watch/apd95f904443</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apdaabc79d3b">https://support.apple.com/guide/watch/apdaabc79d3b</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apdd4624131a">https://support.apple.com/guide/watch/apdd4624131a</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apde82d406d1">https://support.apple.com/guide/watch/apde82d406d1</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/apdec70bfd2d/watchos">https://support.apple.com/guide/watch/apdec70bfd2d/watchos</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://support.apple.com/guide/watch/send-messages-apd92a90f882/watchos">https://support.apple.com/guide/watch/send-messages-apd92a90f882/watchos</a>
Method	GET
Parameter	
Attack	

Evidence	
Instances	101
Solution	Ensure that only one component in your stack: code, web server, application server, load balancer, etc. is configured to set or add a HTTP Strict-Transport-Security (HSTS) header.
Reference	<a href="http://tools.ietf.org/html/rfc6797#section-8.1">http://tools.ietf.org/html/rfc6797#section-8.1</a>
CWE Id	<a href="#">319</a>
WASC Id	15
Plugin Id	<a href="#">10035</a>

<b>Low</b>	<b>X-Content-Type-Options Header Missing</b>
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	<a href="https://apps.apple.com/us/genre/ios-business/id6000/">https://apps.apple.com/us/genre/ios-business/id6000/</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_asl_index-ktnaTcjUgzeMGMTaiatvJAZgtCVGqFUX.m3u8">https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_asl_index-ktnaTcjUgzeMGMTaiatvJAZgtCVGqFUX.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_index-dpyfrsVksFWjneFiptbXnAMYBtGYbXeZ.m3u8">https://events-delivery.apple.com/0205eyyhwbbqexozkwmgccegwnjyrktg/m3u8/vod_index-dpyfrsVksFWjneFiptbXnAMYBtGYbXeZ.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1001azawzugclrbvbehawhkerzwfetq/m3u8/vod_asl_index-ntpXkhyZHoyoFvtYtGeHdqjDhfiwLvgH.m3u8">https://events-delivery.apple.com/1001azawzugclrbvbehawhkerzwfetq/m3u8/vod_asl_index-ntpXkhyZHoyoFvtYtGeHdqjDhfiwLvgH.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1001azawzugclrbvbehawhkerzwfetq/m3u8/vod_index-agCWsdckuFvVLyLxmYPmAmbyWchCtJQq.m3u8">https://events-delivery.apple.com/1001azawzugclrbvbehawhkerzwfetq/m3u8/vod_index-agCWsdckuFvVLyLxmYPmAmbyWchCtJQq.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1402uekefjejldkvraqrxgjmtehwhez/m3u8/vod_asl_index-YgZJCTRpKTEcdLaeJzpPKewYFfcfWJts.m3u8">https://events-delivery.apple.com/1402uekefjejldkvraqrxgjmtehwhez/m3u8/vod_asl_index-YgZJCTRpKTEcdLaeJzpPKewYFfcfWJts.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1402uekefjejldkvraqrxgjmtehwhez/m3u8/vod_index-VEPhewQmQZLrgakajRXoUbKAmmjVXxZ.m3u8">https://events-delivery.apple.com/1402uekefjejldkvraqrxgjmtehwhez/m3u8/vod_index-VEPhewQmQZLrgakajRXoUbKAmmjVXxZ.m3u8</a>

Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1608dybnfpdpxtjascmtvqexvyggavm/m3u8/vod_asl_index-tfgKYjRZmvaRoXMXEGZdmbAaufVYsdMJ.m3u8">https://events-delivery.apple.com/1608dybnfpdpxtjascmtvqexvyggavm/m3u8/vod_asl_index-tfgKYjRZmvaRoXMXEGZdmbAaufVYsdMJ.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1608dybnfpdpxtjascmtvqexvyggavm/m3u8/vod_index-sMoFLPWqoKYiqpMDonkKjMGsbqGnKWso.m3u8">https://events-delivery.apple.com/1608dybnfpdpxtjascmtvqexvyggavm/m3u8/vod_index-sMoFLPWqoKYiqpMDonkKjMGsbqGnKWso.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/1805asrvgyvurxcrkewleraugwqathmvg/m3u8/vod_index-YVvsDudyWzBdgmtcMPabYTdjaWWmbLaA.m3u8">https://events-delivery.apple.com/1805asrvgyvurxcrkewleraugwqathmvg/m3u8/vod_index-YVvsDudyWzBdgmtcMPabYTdjaWWmbLaA.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_asl_index-qEsTVTiCzzzFwCGwupBNVpgBNZJRatiU.m3u8">https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_asl_index-qEsTVTiCzzzFwCGwupBNVpgBNZJRatiU.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_index-bHTtMFcgdqmJGoHoDBPadNWwGwrNevrj.m3u8">https://events-delivery.apple.com/2807skttevpekgjkgcyolyxgkexyahqp/m3u8/vod_index-bHTtMFcgdqmJGoHoDBPadNWwGwrNevrj.m3u8</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1">https://itunes.apple.com/WebObjects/MZStore.woa/wa/viewGrouping?id=175853&amp;ls=1</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-green-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-green-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-pink-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-pink-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000</a>
Method	GET

Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-silver-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-silver-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846873000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-skyblue-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846875000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-skyblue-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1603846875000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-spacegray-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1604622935000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/airpods-max-select-spacegray-202011_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1604622935000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-blue-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-blue-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-orange-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-orange-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037003000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-spacegray-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037004000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-spacegray-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037004000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-white-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037006000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-white-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037006000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-yellow-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037007000">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-mini-select-yellow-202110_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1634037007000</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	

wid=64&hei=64&fmt=jpeg&qlt=95&.v=1634037005000

Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-midnight-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382727">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-midnight-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382727</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-white-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382942">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/homepod-select-white-202210_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1669944382942</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/ipad-og-image-202108?.v=1626989824000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/ipad-og-image-202108?.v=1626989824000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/iphone-14-pro-og-202209?.v=1660877679990&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/iphone-14-pro-og-202209?.v=1660877679990&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-card-100-customize-202211_GEO_US?.v=1673554071683&amp;fmt=png-alpha&amp;hei=688&amp;wid=1960">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-card-100-customize-202211_GEO_US?.v=1673554071683&amp;fmt=png-alpha&amp;hei=688&amp;wid=1960</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-og-image-202108?.v=1626480758000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/mac-og-image-202108?.v=1626480758000&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPG3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1662166846899">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPG3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1662166846899</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPH3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661296805217">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPH3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661296805217</a>

Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPJ3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1662166603191">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPJ3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1662166603191</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPK3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661298372835">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPK3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661298372835</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPL3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661298352804">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPPL3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661298352804</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPRV3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661294191431">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPRV3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661294191431</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPRX3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661294191730">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MPRX3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1661294191730</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQG23ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1660849297463">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQG23ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1660849297463</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQGF3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1660849297461">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQGF3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1660849297461</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLH3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466573">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLH3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466573</a>
Method	GET
Parameter	X-Content-Type-Options

Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLJ3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466523">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLJ3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682361466523</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLK3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682985972906">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQLK3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=95&amp;.v=1682985972906</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU73_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU73_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU83_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898600">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU83_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898600</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU93_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQU93_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQUA3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQUA3_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676663898630</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQW03ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425344218">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQW03ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425344218</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQWD3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425494101">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQWD3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425494101</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	

URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQWR3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425346249">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQWR3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425346249</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQX53ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425346246">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MQX53ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1676425346246</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MRTL3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1682890822205">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/MRTL3ref_SW_COLOR?wid=64&amp;hei=64&amp;fmt=jpeg&amp;qlt=90&amp;.v=1682890822205</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/recycle-trade-in-201909?.v=1566405613280&amp;fmt=jpeg&amp;hei=88&amp;qlt=90&amp;wid=92">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/recycle-trade-in-201909?.v=1566405613280&amp;fmt=jpeg&amp;hei=88&amp;qlt=90&amp;wid=92</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/store-chat-specialist-icon-202305?wid=70&amp;hei=70&amp;fmt=jpeg&amp;qlt=90&amp;.v=1684947928869">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/store-chat-specialist-icon-202305?wid=70&amp;hei=70&amp;fmt=jpeg&amp;qlt=90&amp;.v=1684947928869</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/store-chat-specialist-icon-202305_AV2?.wid=70&amp;hei=70&amp;fmt=jpeg&amp;qlt=90&amp;.v=1684947928853">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/store-chat-specialist-icon-202305_AV2?.wid=70&amp;hei=70&amp;fmt=jpeg&amp;qlt=90&amp;.v=1684947928853</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-202209?.v=1663712447241&amp;fmt=png-alpha&amp;hei=540&amp;wid=372">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-202209?.v=1663712447241&amp;fmt=png-alpha&amp;hei=540&amp;wid=372</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-pro-202209?.v=1663712444791&amp;fmt=png-alpha&amp;hei=540&amp;wid=392">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/trade-in-compare-iphone-14-pro-202209?.v=1663712444791&amp;fmt=png-alpha&amp;hei=540&amp;wid=392</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/watch-og-image-202203?.v=1647460577628&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400">https://store.storeimages.cdn-apple.com/4982/as-images.apple.com/is/watch-og-image-202203?.v=1647460577628&amp;fmt=jpeg&amp;hei=400&amp;qlt=90&amp;wid=400</a>

Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://store.storevideos.cdn-apple.com/v1/store.apple.com/st/1673554026089/mac-card-100-customize-202211_GEO_US.mp4">https://store.storevideos.cdn-apple.com/v1/store.apple.com/st/1673554026089/mac-card-100-customize-202211_GEO_US.mp4</a>
Method	GET
Parameter	X-Content-Type-Options
Attack	
Evidence	
URL	<a href="https://xp.apple.com/report/2/xp_aos_clientperf">https://xp.apple.com/report/2/xp_aos_clientperf</a>
Method	POST
Parameter	X-Content-Type-Options
Attack	
Evidence	
Instances	58
Solution	<p>Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages.</p> <p>If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.</p>
Reference	<a href="http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx">http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx</a> <a href="https://owasp.org/www-community/Security_Headers">https://owasp.org/www-community/Security_Headers</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10021</a>

Informational	Charset Mismatch (Header Versus Meta Content-Type Charset)
Description	<p>This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set.</p> <p>An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.</p>

URL	<a href="https://contactretail.apple.com/?ag=FASTPASS&amp;ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare">https://contactretail.apple.com/?ag=FASTPASS&amp;ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone">https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone_storemain">https://contactretail.apple.com/?ag=SWSOV&amp;ap=com&amp;c=us&amp;l=en&amp;pg=iphone_storemain</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:/airpods/">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:/airpods/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_compare</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-2nd-generation_specs</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_compare</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-3rd-generation_specs</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_compare</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-max_specs</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_compare</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_specs">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods-pro_specs</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airpods_compare</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airtag">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:airtag</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-se">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-se</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-series-8">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-series-8</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-ultra_why-apple-watch">https://contactretail.apple.com/?ap=COM&amp;c=us&amp;l=en&amp;pg=COM:apple-watch-ultra_why-apple-watch</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/aperture_trial1/index.html">https://www.apple.com/go/awards/aperture_trial1/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/campaign_getamac/index.html">https://www.apple.com/go/awards/campaign_getamac/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/campaign_valentine/index.html">https://www.apple.com/go/awards/campaign_valentine/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/campaign_wwdc/index.html">https://www.apple.com/go/awards/campaign_wwdc/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/getamac_movies/index.html">https://www.apple.com/go/awards/getamac_movies/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/getamac_office/index.html">https://www.apple.com/go/awards/getamac_office/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/getamac_viruses/index.html">https://www.apple.com/go/awards/getamac_viruses/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://www.apple.com/go/awards/macbookpro/index.html">https://www.apple.com/go/awards/macbookpro/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/macpro/index.html">https://www.apple.com/go/awards/macpro/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/shake/index.html">https://www.apple.com/go/awards/shake/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/u2/index.html">https://www.apple.com/go/awards/u2/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/valentine1/index.html">https://www.apple.com/go/awards/valentine1/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/valentine2/index.html">https://www.apple.com/go/awards/valentine2/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/valentine3/index.html">https://www.apple.com/go/awards/valentine3/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/wwdc1_shipley/index.html">https://www.apple.com/go/awards/wwdc1_shipley/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/wwdc2_craig/index.html">https://www.apple.com/go/awards/wwdc2_craig/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/go/awards/wwdc3_penn/index.html">https://www.apple.com/go/awards/wwdc3_penn/index.html</a>
Method	GET
Parameter	
Attack	
Evidence	
Instances	38
Solution	Force UTF-8 for all text content in both the HTTP header and meta tags in HTML or encoding declarations in XML.
Reference	<a href="http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection">http://code.google.com/p/browsersec/wiki/Part2#Character_set_handling_and_detection</a>
CWE Id	<a href="#">436</a>
WASC Id	15
Plugin Id	<a href="#">90011</a>

Informational	Content-Type Header Missing
Description	The Content-Type header was either missing or empty.
URL	<a href="https://support.apple.com/etc/designs/support/publish/commons-sk7/ac-assets/ac-toolkit/ac-video/json/localization/en-US.json">https://support.apple.com/etc/designs/support/publish/commons-sk7/ac-assets/ac-toolkit/ac-video/json/localization/en-US.json</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/retail">https://www.apple.com/retail</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/retail/availability">https://www.apple.com/retail/availability</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/retail/availabilitySearch">https://www.apple.com/retail/availabilitySearch</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/retail/pickupEligibility">https://www.apple.com/retail/pickupEligibility</a>
Method	GET
Parameter	
Attack	
Evidence	
Instances	5

Solution	Ensure each page is setting the specific and appropriate content-type value for the content being delivered.
Reference	<a href="http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx">http://msdn.microsoft.com/en-us/library/ie/gg622941%28v=vs.85%29.aspx</a>
CWE Id	<a href="#">345</a>
WASC Id	12
Plugin Id	<a href="#">10019</a>
Informational	Cookie Poisoning
Description	This check looks at user-supplied input in query string parameters and POST data to identify where cookie parameters might be controlled. This is called a cookie poisoning attack, and becomes exploitable when an attacker can manipulate the cookie in various ways. In some cases this will not be exploitable, however, allowing URL parameters to set cookie values is generally considered a bug.
URL	<a href="https://ecommerce.apple.com/asp2bstorefront/fys?country=US&amp;language=en">https://ecommerce.apple.com/asp2bstorefront/fys?country=US&amp;language=en</a>
Method	GET
Parameter	language
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/appleglobal.applestoreww/1/JS-2.23.0/s18125483778675?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A9%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=retail%20overview%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fretail%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.retailstore&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.16%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.170%2Cevent225%3D0.000%2Cevent226%3D0.592%2Cevent227%3D0.043%2Cevent228%3D0.283%2Cevent229%3D0.930%2Cevent230%3D0.001%2Cevent231%3D1.127%2Cevent232%2Cevent419%3D0.496%2Cevent420&amp;v1=apple%20-index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20quick%20links%20-store%20%7C%20find%20a%20store&amp;h1=www.us.retailstore&amp;v3=aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.16&amp;v97=s.t-p&amp;u=applestoreww&amp;c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=find%20a%20store%20-%20%2Fretail%2F%20-globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.&amp;pid=apple%20-index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fretail%2F&amp;ot=A&amp;u=0&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/appleglobal.applestoreww/1/JS-2.23.0/s18125483778675?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A9%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=retail%20overview%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fretail%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.retailstore&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.16%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.170%2Cevent225%3D0.000%2Cevent226%3D0.592%2Cevent227%3D0.043%2Cevent228%3D0.283%2Cevent229%3D0.930%2Cevent230%3D0.001%2Cevent231%3D1.127%2Cevent232%2Cevent419%3D0.496%2Cevent420&amp;v1=apple%20-index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20quick%20links%20-store%20%7C%20find%20a%20store&amp;h1=www.us.retailstore&amp;v3=aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.16&amp;v97=s.t-p&amp;u=applestoreww&amp;c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=find%20a%20store%20-%20%2Fretail%2F%20-globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.&amp;pid=apple%20-index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fretail%2F&amp;ot=A&amp;u=0&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11195412438125?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A23%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fback_to_school&amp;g=https%3A%2F%2Fwww.apple.com%2Fus-edu%2Fshop%2Fback-to-school&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.99%2Cevent220%3D0.004%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.022%2Cevent225%3D0.005%2Cevent226%3D0.903%2Cevent227%3D0.080%2Cevent228%3D0.129%2Cevent229%3D1.140%2Cevent230%3D0.001%2Cevent231%3D1.172%2Cevent232%2Cevent246%2Cevent419%3D0.596%2Cevent420&amp;v1=apple%20-index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20quick%20links%20-store%7Ccollege%20student%20offer&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20Student&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=806794&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.99&amp;v97=s.t-p&amp;c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=college%20student%20offer%20-%2Fus-hed%2Fshop%2Fback-to-school%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.&amp;pid=apple%20-index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus-hed%2Fshop%2Fback-to-school&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11195412438125?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A23%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fback_to_school&amp;g=https%3A%2F%2Fwww.apple.com%2Fus-edu%2Fshop%2Fback-to-school&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.99%2Cevent220%3D0.004%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.022%2Cevent225%3D0.005%2Cevent226%3D0.903%2Cevent227%3D0.080%2Cevent228%3D0.129%2Cevent229%3D1.140%2Cevent230%3D0.001%2Cevent231%3D1.172%2Cevent232%2Cevent246%2Cevent419%3D0.596%2Cevent420&amp;v1=apple%20-index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20quick%20links%20-store%7Ccollege%20student%20offer&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20Student&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=806794&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.99&amp;v97=s.t-p&amp;c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=college%20student%20offer%20-%2Fus-hed%2Fshop%2Fback-to-school%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.&amp;pid=apple%20-index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus-hed%2Fshop%2Fback-to-school&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11236698141?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A37%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11236698141?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A37%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8</a>

8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.036%2Cevent225%3D0.001%2Cevent226%3D0.822%2Cevent227%3D0.021%2Cevent228%3D0.227%2Cevent229%3D1.085%2Cevent230%3D0.009%2Cevent231%3D1.202%2Cevent232%2Cevent419%3D0.445%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=5%3A5&c20=aos%3A%20us&c28=670&v54=D%3Dg&c57=www.us.homepage&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11331121947664?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A6%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.006%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.074%2Cevent225%3D0.000%2Cevent226%3D0.483%2Cevent227%3D0.014%2Cevent228%3D0.017%2Cevent229%3D0.527%2Cevent230%3D0.001%2Cevent231%3D0.650%2Cevent232%2Cevent419%3D0.507%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20-%20mac-does-that%20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.mac.tab%2Bother&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11331121947664?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A6%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.006%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.074%2Cevent225%3D0.000%2Cevent226%3D0.483%2Cevent227%3D0.014%2Cevent228%3D0.017%2Cevent229%3D0.527%2Cevent230%3D0.001%2Cevent231%3D0.650%2Cevent232%2Cevent419%3D0.507%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20-%20mac-does-that%20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.mac.tab%2Bother&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11340725210476?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A59%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.247%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.131%2Cevent225%3D0.001%2Cevent226%3D0.525%2Cevent227%3D0.251%2Cevent228%3D0.401%2Cevent229%3D1.177%2Cevent230%3D0.001%2Cevent231%3D1.592%2Cevent419%3D0.525%2Cevent420&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=16%20%7C%20aos%3A%20home%2Fshop_ipad&amp;c14= aos%3A%20home%2Fshop_ipad&amp;v14=en-us&amp;c17=7%3A7&amp;c20= aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11340725210476?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A59%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.247%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.131%2Cevent225%3D0.001%2Cevent226%3D0.525%2Cevent227%3D0.251%2Cevent228%3D0.401%2Cevent229%3D1.177%2Cevent230%3D0.001%2Cevent231%3D1.592%2Cevent419%3D0.525%2Cevent420&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=16%20%7C%20aos%3A%20home%2Fshop_ipad&amp;c14= aos%3A%20home%2Fshop_ipad&amp;v14=en-us&amp;c17=7%3A7&amp;c20= aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11387942975233?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A12%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.149%2Cevent225%3D0.000%2Cevent226%3D1.063%2Cevent227%3D0.487%2Cevent228%3D0.442%2Cevent229%3D1.996%2Cevent230%3D0.000%2Cevent231%3D2.162%2Cevent232%2Cevent419%3D1.647%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=retail%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=6%3A6&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57= www.us.retailstore&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11387942975233?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A12%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.149%2Cevent225%3D0.000%2Cevent226%3D1.063%2Cevent227%3D0.487%2Cevent228%3D0.442%2Cevent229%3D1.996%2Cevent230%3D0.000%2Cevent231%3D2.162%2Cevent232%2Cevent419%3D1.647%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=retail%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=6%3A6&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57= www.us.retailstore&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11424817633900?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A34%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=icloud%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Ficloud%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.icloud&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.81%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%2Cevent419%3D1.647%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=icloud%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=6%3A6&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57= www.us.icloudstore&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11424817633900?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A34%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=icloud%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Ficloud%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.icloud&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.81%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%2Cevent419%3D1.647%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=icloud%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=6%3A6&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57= www.us.icloudstore&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

%3D0.014%2Cevent225%3D0.013%2Cevent226%3D0.469%2Cevent227%3D0.024%2Cevent228%3D0.247%2Cevent229%3D0.746%2Cevent230%3D0.001%2Cevent231%3D0.778%2Cevent232%2Cevent419%3D0.424%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20icloud&h1=www.us.icloud&v3-aos%3A%20us&l3=D%3Das\_text&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=12%3A11&c20=aos%3A%20us&c28=1600&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.81&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=icloud%20-%20%2Ficloud%2F%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Ficloud%2F&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11431489089339?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A0%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_iphone&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-iphone&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.84%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.066%2Cevent225%3D0.000%2Cevent226%3D0.536%2Cevent227%3D0.021%2Cevent228%3D0.129%2Cevent229%3D0.693%2Cevent230%3D0.001%2Cevent231%3D0.796%2Cevent232%2Cevent246%2Cevent419%3D0.333%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Ciphone&amp;h1-aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20iPhone&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.84&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=iphone%20-%20%2Fus%2Fshop%2Fgoto%2Fbuy_iphone%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy_iphone&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11431489089339?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A0%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_iphone&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-iphone&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.84%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.066%2Cevent225%3D0.000%2Cevent226%3D0.536%2Cevent227%3D0.021%2Cevent228%3D0.129%2Cevent229%3D0.693%2Cevent230%3D0.001%2Cevent231%3D0.796%2Cevent232%2Cevent246%2Cevent419%3D0.333%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Ciphone&amp;h1-aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20iPhone&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.84&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=iphone%20-%20%2Fus%2Fshop%2Fgoto%2Fbuy_iphone%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy_iphone&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;pccr=true&amp;vidn=324B909E2EAA600F-60001678F3FF80E7&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11479403729956?AQB=1&amp;pccr=true&amp;vidn=324B909E2EAA600F-60001678F3FF80E7&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A44%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.018%2Cevent222%3D0.001%2Cevent223%3D0.000%2Cevent224%3D0.001%2Cevent225%3D0.051%2Cevent226%3D0.885%2Cevent227%3D0.111%2Cevent228%3D0.598%2Cevent229%3D1.602%2Cevent230%3D0.012%2Cevent231%3D1.756%2Cevent232%2Cevent419%3D0.737%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	

Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11506965856789?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A24%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=final%20cut%20pro%20-%20overview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Ffinal-cut-pro%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.finalcutpro&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.02%2Cevent220%3D0.000%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.002%2Cevent225%3D0.014%2Cevent226%3D0.621%2Cevent227%3D0.044%2Cevent228%3D0.203%2Cevent229%3D0.876%2Cevent230%3D0.001%2Cevent231%3D0.898%2Cevent232%2Cevent419%3D0.520%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20final%20cut%20pro&amp;h1=www.us.finalcutpro&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.02&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=final%20cut%20pro%20-%20%2Ffinal-cut-pro%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Ffinal-cut-pro%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11506965856789?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A24%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=final%20cut%20pro%20-%20overview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Ffinal-cut-pro%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.finalcutpro&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.02%2Cevent220%3D0.000%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.002%2Cevent225%3D0.014%2Cevent226%3D0.621%2Cevent227%3D0.044%2Cevent228%3D0.203%2Cevent229%3D0.876%2Cevent230%3D0.001%2Cevent231%3D0.898%2Cevent232%2Cevent419%3D0.520%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20final%20cut%20pro&amp;h1=www.us.finalcutpro&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.02&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=final%20cut%20pro%20-%20%2Ffinal-cut-pro%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Ffinal-cut-pro%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1156638990674?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A5%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.261%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.134%2Cevent225%3D0.001%2Cevent226%3D0.576%2Cevent227%3D0.343%2Cevent228%3D0.228%2Cevent229%3D1.147%2Cevent230%3D0.001%2Cevent231%3D1.567&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Aweb%20apply%20%7C%20denied%20%7C%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=16%20%7C%20aos%3A%20home%2Fshop_watch&amp;c14= aos%3A%20home%2Fshop_watch&amp;v14=en-us&amp;c17=7%3A7&amp;c20= aos%3A%20us&amp;c28=680&amp;v35= web%20apply%20%7C%20denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1156638990674?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A5%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.261%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.134%2Cevent225%3D0.001%2Cevent226%3D0.576%2Cevent227%3D0.343%2Cevent228%3D0.228%2Cevent229%3D1.147%2Cevent230%3D0.001%2Cevent231%3D1.567&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Aweb%20apply%20%7C%20denied%20%7C%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=16%20%7C%20aos%3A%20home%2Fshop_watch&amp;c14= aos%3A%20home%2Fshop_watch&amp;v14=en-us&amp;c17=7%3A7&amp;c20= aos%3A%20us&amp;c28=680&amp;v35= web%20apply%20%7C%20denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11580851151956?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A9%206%200&fid=5779F7B54E18F1EF-28B779BA18437AAE&ce=UTF-8&cdp=2&cl=1800&pageName=AOS%3A%20home%2Fshop_mac%2Fmac_accessories&g=https%3A%2F%2Fwww.apple.com%2Fus-edu%2Fshop%2Fmac%2Faccessories&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D0.000%2Cevent231%3D0.699%2Cevent232%2Cevent246%2Cevent419%3D0.304%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.029%2Cevent226%3D0.492%2Cevent227%3D0.027%2Cevent228%3D0.120%2Cevent229%3D0.647%2Cevent230%3D

D1.070%2Cevent232%2Cevent246%2Cevent419%3D0.613%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20mac%7Ccollege%20student%20offer&h1=aos%3Ashop&l1=D%3Das\_xs&v3=AOS%3A%20Student&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86\_64&c8=AOS%3A%20home&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20=AOS%3A%20US%20Education&c25=other%20nav%20or%20none&c28=670&c40=806794&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=2&v97=s.t-p.c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=college%20student%20offer%20-%20%2Fus-hed%2Fshop%2Fback-to-school%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a.&c.pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus-hed%2Fshop%2Fback-to-school&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11749564282494?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A53%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.375%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.051%2Cevent225%3D0.000%2Cevent226%3D1.024%2Cevent227%3D0.455%2Cevent228%3D0.235%2Cevent229%3D1.714%2Cevent230%3D0.001%2Cevent231%3D2.205&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=22%20%7C%20aos%3A%20homepage&amp;c14-aos%3A%20homepage&amp;v14=en-us&amp;c17=4%3A4&amp;c20-aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57-aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11749564282494?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A53%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.375%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.051%2Cevent225%3D0.000%2Cevent226%3D1.024%2Cevent227%3D0.455%2Cevent228%3D0.235%2Cevent229%3D1.714%2Cevent230%3D0.001%2Cevent231%3D2.205&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=22%20%7C%20aos%3A%20homepage&amp;c14-aos%3A%20homepage&amp;v14=en-us&amp;c17=4%3A4&amp;c20-aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57-aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11755753761661?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A40%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.69%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.080%2Cevent225%3D0.000%2Cevent226%3D0.569%2Cevent227%3D0.028%2Cevent228%3D0.143%2Cevent229%3D0.747%2Cevent230%3D0.000%2Cevent231%3D0.852%2Cevent232%2Cevent419%3D0.358%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v20%7C%20global%20nav%20-%20apple%20home&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20-aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.69&amp;v97=s.t-p.c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20home%20-%20%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11755753761661?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A40%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.69%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.080%2Cevent225%3D0.000%2Cevent226%3D0.569%2Cevent227%3D0.028%2Cevent228%3D0.143%2Cevent229%3D0.747%2Cevent230%3D0.000%2Cevent231%3D0.852%2Cevent232%2Cevent419%3D0.358%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v20%7C%20global%20nav%20-%20apple%20home&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20-aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.69&amp;v97=s.t-p.c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20home%20-%20%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11860502731399?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A55%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.114%2Cevent225%3D0.000%2Cevent226%3D0.761%2Cevent227%3D0.030%2Cevent228%3D0.310%2Cevent229%3D1.112%2Cevent230%3D0.002%2Cevent231%3D1.237%2Cevent232%2Cevent419%3D0.735%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20mini%20-%20overview&amp;v20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20-aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macmini&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s11860502731399?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A55%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.114%2Cevent225%3D0.000%2Cevent226%3D0.761%2Cevent227%3D0.030%2Cevent228%3D0.310%2Cevent229%3D1.112%2Cevent230%3D0.002%2Cevent231%3D1.237%2Cevent232%2Cevent419%3D0.735%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20mini%20-%20overview&amp;v20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20-aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macmini&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	

URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12150594519475?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A2%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_watch&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Fbuy-watch&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.96%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.048%2Cevent225%3D0.000%2Cevent226%3D0.509%2Cevent227%3D0.063%2Cevent228%3D0.094%2Cevent229%3D0.685%2Cevent230%3D0.001%2Cevent231%3D0.747%2Cevent232%2Cevent246%2Cevent419%3D0.423%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Capple%20watch&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20Watch&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.96&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20watch%20-%20Fus%2Fshop%2Fgoto%2Fbuy_watch%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy_watch&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12150594519475?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A2%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_watch&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Fbuy-watch&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.96%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.048%2Cevent225%3D0.000%2Cevent226%3D0.509%2Cevent227%3D0.063%2Cevent228%3D0.094%2Cevent229%3D0.685%2Cevent230%3D0.001%2Cevent231%3D0.747%2Cevent232%2Cevent246%2Cevent419%3D0.423%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Capple%20watch&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20Watch&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.96&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20watch%20-%20Fus%2Fshop%2Fgoto%2Fbuy_watch%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy_watch&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12191942186559?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A12%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.371%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.179%2Cevent225%3D0.001%2Cevent226%3D0.869%2Cevent227%3D0.408%2Cevent228%3D1.673%2Cevent229%3D2.950%2Cevent230%3D0.001%2Cevent231%3D3.546&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=35%20%7C%20aos%3A%20home%2Fshop_accessories%2Fall_accessories&amp;c14=aos%3A%20home%2Fshop_accessories%2Fall_accessories&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12191942186559?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A12%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.371%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.179%2Cevent225%3D0.001%2Cevent226%3D0.869%2Cevent227%3D0.408%2Cevent228%3D1.673%2Cevent229%3D2.950%2Cevent230%3D0.001%2Cevent231%3D3.546&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=35%20%7C%20aos%3A%20home%2Fshop_accessories%2Fall_accessories&amp;c14=aos%3A%20home%2Fshop_accessories%2Fall_accessories&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12288358805243?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A58%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20pro%20-%20overview%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmac-pro&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macpro&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.82%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.007%2Cevent226%3D0.624%2Cevent227%3D0.026%2Cevent228%3D0.186%2Cevent229%3D0.851%2Cevent230%3D0.000%2Cevent231%3D0.877%2Cevent232%2Cevent419%3D0.511%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%29%7C%20global%20nav%20-%207C%20global%20nav%20-%20index%2Ftab%20%28us%29%29&amp;h1=www.us.macpro&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.82&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20pro%20-%20%2Fmac-pro%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fmac-pro%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12288358805243?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A58%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20pro%20-%20overview%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmac-pro&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macpro&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.82%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.007%2Cevent226%3D0.624%2Cevent227%3D0.026%2Cevent228%3D0.186%2Cevent229%3D0.851%2Cevent230%3D0.000%2Cevent231%3D0.877%2Cevent232%2Cevent419%3D0.511%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%29%7C%20global%20nav%20-%207C%20global%20nav%20-%20index%2Ftab%20%28us%29%29&amp;h1=www.us.macpro&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.82&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20pro%20-%20%2Fmac-pro%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fmac-pro%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12289349222632?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A35%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.071%2Cevent225%3D0.001%2Cevent226%3D0.357%2Cevent227%3D0.019%2Cevent228%3D0.000%2Cevent229%3D0.383%2Cevent230%3D0.000%2Cevent231%3D0.481%2Cevent232%2Cevent419%3D0.472%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=retail%20store%20-%20business&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.retailstore&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12289349222632?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A35%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.071%2Cevent225%3D0.001%2Cevent226%3D0.357%2Cevent227%3D0.019%2Cevent228%3D0.000%2Cevent229%3D0.383%2Cevent230%3D0.000%2Cevent231%3D0.481%2Cevent232%2Cevent419%3D0.472%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=retail%20store%20-%20business&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.retailstore&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12294861893975?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A0%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.440%2Cevent225%3D0.001%2Cevent226%3D0.551%2Cevent227%3D0.018%2Cevent228%3D0.036%2Cevent229%3D0.619%2Cevent230%3D0.000%2Cevent231%3D1.073%2Cevent232%2Cevent419%3D0.829%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20pro%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macpro&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12294861893975?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A0%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.440%2Cevent225%3D0.001%2Cevent226%3D0.551%2Cevent227%3D0.018%2Cevent228%3D0.036%2Cevent229%3D0.619%2Cevent230%3D0.000%2Cevent231%3D1.073%2Cevent232%2Cevent419%3D0.829%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20pro%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macpro&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12423569102257?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A30%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.322%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.235%2Cevent225%3D0.001%2Cevent226%3D0.365%2Cevent227%3D0.145%2Cevent228%3D0.213%2Cevent229%3D0.723%2Cevent230%3D0.001%2Cevent231%3D1.288%2Ch1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=13%20%7C%20aos%3A%20home%2Frefurbished&amp;c14=aos%3A%20home%2Frefurbished&amp;v14=en-us&amp;c17=6%3A6&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12423569102257?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A30%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.322%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.235%2Cevent225%3D0.001%2Cevent226%3D0.365%2Cevent227%3D0.145%2Cevent228%3D0.213%2Cevent229%3D0.723%2Cevent230%3D0.001%2Cevent231%3D1.288%2Ch1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=13%20%7C%20aos%3A%20home%2Frefurbished&amp;c14=aos%3A%20home%2Frefurbished&amp;v14=en-us&amp;c17=6%3A6&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12575334594311?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A34%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fveterans_military&amp;g=https%3A%2Fwww.apple.com%2Fus-edu%2Fshop%2Fbrowse%2Fhome%2Fveterans_military&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.93%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.012%2Cevent226%3D0.622%2Cevent227%3D0.021%2Cevent228%3D0.279%2Cevent229%3D0.940%2Cevent230%3D0.001%2Cevent231%3D0.969%2Cevent232%2Cevent246%2Cevent419%3D0.424%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20special%20stores%7Cveterans%20and%20military&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20student&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=806794&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.93&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=veterans%20and%20military%20-%20us%2Fshop%2Ffgoto%2Fppstore%2Fveteransandmilitary%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Ffgoto%2Fppstore%2Fveteransandmilitary&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12575334594311?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A34%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fveterans_military&amp;g=https%3A%2Fwww.apple.com%2Fus-edu%2Fshop%2Fbrowse%2Fhome%2Fveterans_military&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.93%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.012%2Cevent226%3D0.622%2Cevent227%3D0.021%2Cevent228%3D0.279%2Cevent229%3D0.940%2Cevent230%3D0.001%2Cevent231%3D0.969%2Cevent232%2Cevent246%2Cevent419%3D0.424%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20special%20stores%7Cveterans%20and%20military&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20student&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=806794&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.93&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=veterans%20and%20military%20-%20us%2Fshop%2Ffgoto%2Fppstore%2Fveteransandmilitary%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Ffgoto%2Fppstore%2Fveteransandmilitary&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12578009969669?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A7%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_accessories%2Fall_accessories&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Faccessories%2Fall_accessories&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.91%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.007%2Cevent226%3D0.806%2Cevent227%3D0.057%2Cevent228%3D0.101%2Cevent229%3D0.971%2Cevent230%3D0.000%2Cevent231%3D0.995%2Cevent232%2Cevent246%2Cevent419%3D0.357%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20accessories%2Fall_accessories&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20student&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=806794&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.93&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=shop%20accessories%2Fall_accessories&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Faccessories%2Fall_accessories&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12578009969669?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A7%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_accessories%2Fall_accessories&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Faccessories%2Fall_accessories&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.91%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.007%2Cevent226%3D0.806%2Cevent227%3D0.057%2Cevent228%3D0.101%2Cevent229%3D0.971%2Cevent230%3D0.000%2Cevent231%3D0.995%2Cevent232%2Cevent246%2Cevent419%3D0.357%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20accessories%2Fall_accessories&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20student&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=806794&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.93&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=shop%20accessories%2Fall_accessories&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.&amp;c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Faccessories%2Fall_accessories&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

%20explore%20shop%7Caccessories&h1=aos%3Ashop&l1=D%3Das\_xs&v3=AOS%3A%20US%20Consumer&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86\_64&c8=AOS%3A%20Accessory&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.91&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=accessories%20-%20%2Fus%2Fshop%2Fgoto%2Fbuy\_accessories%20-%20globalnav%20-%20%2302&region=globalnav&pageIDType=1&.activitymap&.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy\_accessories&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12654106781421?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A29%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macos%20-%20continuity%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fcontinuity%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macos&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.85%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.032%2Cevent225%3D0.037%2Cevent226%3D0.652%2Cevent227%3D0.030%2Cevent228%3D0.016%2Cevent229%3D0.706%2Cevent230%3D0.012%2Cevent231%3D0.820%2Cevent232%2Cevent419%3D0.383%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20continuity&amp;h1=www.us.macos&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.85&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=continuity%20-%20%2Fmacos%2Fcontinuity%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fcontinuity%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12654106781421?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A29%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macos%20-%20continuity%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fcontinuity%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macos&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.85%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.032%2Cevent225%3D0.037%2Cevent226%3D0.652%2Cevent227%3D0.030%2Cevent228%3D0.016%2Cevent229%3D0.706%2Cevent230%3D0.012%2Cevent231%3D0.820%2Cevent232%2Cevent419%3D0.383%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20continuity&amp;h1=www.us.macos&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.85&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=continuity%20-%20%2Fmacos%2Fcontinuity%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fcontinuity%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12793387592408?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A26%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.005%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.102%2Cevent225%3D0.027%2Cevent226%3D0.570%2Cevent227%3D0.017%2Cevent228%3D0.000%2Cevent229%3D0.614%2Cevent230%3D0.000%2Cevent231%3D0.762%2Cevent232%2Cevent419%3D0.703%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macos%20-%20sonoma%20preview%20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20= aos%3A%20us&amp;c28=680&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.macos&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12793387592408?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A26%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.005%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.102%2Cevent225%3D0.027%2Cevent226%3D0.570%2Cevent227%3D0.017%2Cevent228%3D0.000%2Cevent229%3D0.614%2Cevent230%3D0.000%2Cevent231%3D0.762%2Cevent232%2Cevent419%3D0.703%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macos%20-%20sonoma%20preview%20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20= aos%3A%20us&amp;c28=680&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.macos&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12891289887901?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A34%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=business%20-%20mac%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fbusiness%2Fmac%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.business&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.75%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.023%2Cevent225%3D0.023%2Cevent226%3D0.492%2Cevent227%3D0.041%2Cevent228%3D0.081%2Cevent229%3D0.621%2Cevent230%3D0.000%2Cevent231%3D0.658%2Cevent232%2Cevent419%3D0.295%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20mac%20for%20business&amp;h1=www.us.business&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.75&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20for%20business%20-%20%2Fbusiness%2Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fbusiness%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12891289887901?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A34%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=business%20-%20mac%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fbusiness%2Fmac%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.business&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.75%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.023%2Cevent225%3D0.023%2Cevent226%3D0.492%2Cevent227%3D0.041%2Cevent228%3D0.081%2Cevent229%3D0.621%2Cevent230%3D0.000%2Cevent231%3D0.658%2Cevent232%2Cevent419%3D0.295%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20mac%20for%20business&amp;h1=www.us.business&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.75&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20for%20business%20-%20%2Fbusiness%2Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fbusiness%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12901290887902?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A35%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=ios%20-%20ios&amp;g=https%3A%2F%2Fwww.apple.com%2Fios%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.ios&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.76%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.023%2Cevent225%3D0.023%2Cevent226%2Cevent419%3D0.295%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20ios%20%7C%20ios&amp;h1=www.us.ios&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=ios%20-%20ios&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.76&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=ios%20-%20ios%20%20%2Fios&amp;region=ios&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=ios%20-%20ios&amp;%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fios%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12901290887902?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A35%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=ios%20-%20ios&amp;g=https%3A%2F%2Fwww.apple.com%2Fios%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.ios&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.76%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.023%2Cevent225%3D0.023%2Cevent226%2Cevent419%3D0.295%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20ios%20%7C%20ios&amp;h1=www.us.ios&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=ios%20-%20ios&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.76&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=ios%20-%20ios%20%20%2Fios&amp;region=ios&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=ios%20-%20ios&amp;%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fios%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12911291887903?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A36%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=tv%20-%20tv&amp;g=https%3A%2F%2Fwww.apple.com%2Ftv%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.tv&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.77%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.023%2Cevent225%3D0.023%2Cevent226%2Cevent419%3D0.295%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20tv%20%7C%20tv&amp;h1=www.us.tv&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=tv%20-%20tv&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.77&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=tv%20-%20tv%20%20%2Ftv&amp;region=tv&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=tv%20-%20tv&amp;%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Ftv%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12911291887903?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A36%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=tv%20-%20tv&amp;g=https%3A%2F%2Fwww.apple.com%2Ftv%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.tv&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.77%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.023%2Cevent225%3D0.023%2Cevent226%2Cevent419%3D0.295%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20tv%20%7C%20tv&amp;h1=www.us.tv&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=tv%20-%20tv&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.77&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=tv%20-%20tv%20%20%2Ftv&amp;region=tv&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=tv%20-%20tv&amp;%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Ftv%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12956848352063?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A29%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fus-edu%2Fstore&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.85%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.020%2Cevent225%3D0.018%2Cevent226%3D0.760%2Cevent227%3D0.036%2Cevent228%3D0.211%2Cevent229%3D1.016%2Cevent230%3D0.002%2Cevent231%3D1.062%2Cevent232%2Cevent246%2Cevent419%3D0.568%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20special%20stores%7Ceducation&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20Student&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;e&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=direct%20entry&amp;c28=670&amp;c40=806794&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.85&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=education%20-%20%2Fus%2Fshop%2Fgoto%2Feducationrouting%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Feducationrouting&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s12956848352063?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A29%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fus-edu%2Fstore&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.85%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.020%2Cevent225%3D0.018%2Cevent226%3D0.760%2Cevent227%3D0.036%2Cevent228%3D0.211%2Cevent229%3D1.016%2Cevent230%3D0.002%2Cevent231%3D1.062%2Cevent232%2Cevent246%2Cevent419%3D0.568%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20special%20stores%7Ceducation&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20Student&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;e&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Education&amp;c25=direct%20entry&amp;c28=670&amp;c40=806794&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.85&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=education%20-%20%2Fus%2Fshop%2Fgoto%2Feducationrouting%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Feducationrouting&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13220303521733?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A4%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.378%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.176%2Cevent225%3D0.002%2Cevent226%3D0.462%2Cevent227%3D0.387%2Cevent228%3D0.358%2Cevent229%3D1.207%2Cevent230%3D0.001%2Cevent231%3D1.777%2Cevent232%3D0.002%2Cevent233%3D0.772%2Cevent227%3D0.002%2Cevent228%3D0.000%2Cevent229%3D0.774%2Cevent230%3D0.000%2Cevent231%3D0.904%2Cevent232%2Cevent419%3D0.467%2Cevent420&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=18%20%7C%20aos%3A%20home%2Fshop_iphone&amp;c14-aos%3A%20home%2Fshop_iphone&amp;v14=en-us&amp;c17=5%3A5&amp;c20-aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57-aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13220303521733?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A4%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.378%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.176%2Cevent225%3D0.002%2Cevent226%3D0.462%2Cevent227%3D0.387%2Cevent228%3D0.358%2Cevent229%3D1.207%2Cevent230%3D0.001%2Cevent231%3D1.777%2Cevent232%3D0.002%2Cevent233%3D0.772%2Cevent227%3D0.002%2Cevent228%3D0.000%2Cevent229%3D0.774%2Cevent230%3D0.000%2Cevent231%3D0.904%2Cevent232%2Cevent419%3D0.467%2Cevent420&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=18%20%7C%20aos%3A%20home%2Fshop_iphone&amp;c14-aos%3A%20home%2Fshop_iphone&amp;v14=en-us&amp;c17=5%3A5&amp;c20-aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57-aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13445882321461?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A31%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.069%2Cevent225%3D0.000%2Cevent226%3D0.772%2Cevent227%3D0.002%2Cevent228%3D0.000%2Cevent229%3D0.774%2Cevent230%3D0.000%2Cevent231%3D0.904%2Cevent232%2Cevent419%3D0.467%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=18%20%7C%20aos%3A%20us&amp;l2=D%3Dc14%2B%22%3A%3Alogic%20pro%20-overview%20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20-aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.logicstudio&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13445882321461?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A31%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.069%2Cevent225%3D0.000%2Cevent226%3D0.772%2Cevent227%3D0.002%2Cevent228%3D0.000%2Cevent229%3D0.774%2Cevent230%3D0.000%2Cevent231%3D0.904%2Cevent232%2Cevent419%3D0.467%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=18%20%7C%20aos%3A%20us&amp;l2=D%3Dc14%2B%22%3A%3Alogic%20pro%20-overview%20%28us%29&amp;v14=en-us&amp;c17=4%3A4&amp;c20-aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.logicstudio&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13460964630573?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A27%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.030%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.056%2Cevent225%3D0.001%2Cevent226%3D0.536%2Cevent227%3D0.015%2Cevent228%3D0.003%2Cevent229%3D0.562%2Cevent230%3D0.003%2Cevent231%3D0.661%2Cevent232%2Cevent419%3D0.416%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=final%20cut%20-overview%20%28us%29&amp;v14=en-us&amp;c17=7%3A7&amp;c20-aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.finalcutpro&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13460964630573?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A27%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.030%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.056%2Cevent225%3D0.001%2Cevent226%3D0.536%2Cevent227%3D0.015%2Cevent228%3D0.003%2Cevent229%3D0.562%2Cevent230%3D0.003%2Cevent231%3D0.661%2Cevent232%2Cevent419%3D0.416%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=final%20cut%20-overview%20%28us%29&amp;v14=en-us&amp;c17=7%3A7&amp;c20-aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.finalcutpro&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13478219094671?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A43%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.068%2Cevent225%3D0.001%2Cevent226%3D0.635%2Cevent227%3D0.039%2Cevent228%3D0.458%2Cevent229%3D1.139%2Cevent230%3D0.000%2Cevent231%3D1.216%2Cevent232%2Cevent419%3D0.520%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13478219094671?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A43%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.068%2Cevent225%3D0.001%2Cevent226%3D0.635%2Cevent227%3D0.039%2Cevent228%3D0.458%2Cevent229%3D1.139%2Cevent230%3D0.000%2Cevent231%3D1.216%2Cevent232%2Cevent419%3D0.520%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13478653873491?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A47%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.011%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.095%2Cevent225%3D0.000%2Cevent226%3D0.486%2Cevent227%3D0.038%2Cevent228%3D0.010%2Cevent229%3D0.554%2Cevent230%3D0.000%2Cevent231%3D0.668%2Cevent232%2Cevent419%3D0.611%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macbook%20air%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=7%3A7&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macbookair.family&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13478653873491?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A47%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.011%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.095%2Cevent225%3D0.000%2Cevent226%3D0.486%2Cevent227%3D0.038%2Cevent228%3D0.010%2Cevent229%3D0.554%2Cevent230%3D0.000%2Cevent231%3D0.668%2Cevent232%2Cevent419%3D0.611%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macbook%20air%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=7%3A7&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macbookair.family&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13501722809871?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A39%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=education%20-%20overview%20-%28us%29&amp;g=https%3A%2Fwww.apple.com%2Feducation%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.education&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.83%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.055%2Cevent226%3D0.605%2Cevent227%3D0.020%2Cevent228%3D0.298%2Cevent229%3D0.932%2Cevent230%3D0.000%2Cevent231%3D1.009%2Cevent232%2Cevent419%3D0.493%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20-%28us%29%20-%207C%20global%20nav%20-%207C%20global%20nav%20-%20more%20from%20mac%20-%207C%20education&amp;h1=www.us.education&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20-%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.83&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20-%28us%29&amp;link=education%20-%20-%2Feducation%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20-%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Feducation%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13501722809871?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A39%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=education%20-%20overview%20-%28us%29&amp;g=https%3A%2Fwww.apple.com%2Feducation%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.education&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.83%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.055%2Cevent226%3D0.605%2Cevent227%3D0.020%2Cevent228%3D0.298%2Cevent229%3D0.932%2Cevent230%3D0.000%2Cevent231%3D1.009%2Cevent232%2Cevent419%3D0.493%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20-%28us%29%20-%207C%20global%20nav%20-%207C%20global%20nav%20-%20more%20from%20mac%20-%207C%20education&amp;h1=www.us.education&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20-%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.83&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20-%28us%29&amp;link=education%20-%20-%2Feducation%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20-%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Feducation%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13683155325027?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A50%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=imac%2024%20-%20overview%20-%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fimac-24%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.imac&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.77%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.015%2Cevent225%3D0.008%2Cevent226%3D0.616%2Cevent227%3D0.042%2Cevent228%3D0.057%2Cevent229%3D0.722%2Cevent230%3D0.000%2Cevent231%3D0.749%2Cevent232%2Cevent419%3D0.354%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20-%28us%29%20-%207C%20global%20nav%20-%207C%20global%20nav%20-%20more%20from%20imac%20-%207C%20overview%20-%28us%29&amp;h1=www.us.imac&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20-%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.83&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20-%20index%2Ftab%20-%28us%29&amp;link=imac%20-%20-%2Fimac-24%2F&amp;%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20-%20index%2Ftab%20-%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fimac-24%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13683155325027?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A50%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=imac%2024%20-%20overview%20-%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fimac-24%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.imac&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.77%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.015%2Cevent225%3D0.008%2Cevent226%3D0.616%2Cevent227%3D0.042%2Cevent228%3D0.057%2Cevent229%3D0.722%2Cevent230%3D0.000%2Cevent231%3D0.749%2Cevent232%2Cevent419%3D0.354%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20-%28us%29%20-%207C%20global%20nav%20-%207C%20global%20nav%20-%20more%20from%20imac%20-%207C%20overview%20-%28us%29&amp;h1=www.us.imac&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20-%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3R&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.83&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20-%20index%2Ftab%20-%28us%29&amp;link=imac%20-%20-%2Fimac-24%2F&amp;%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20-%20index%2Ftab%20-%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fimac-24%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>

Method	GET			
Parameter	cl			
Attack				
Evidence				
URL				%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20imac&h1=www.us.imac&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20=aos%3A%20us&c28=670&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.77&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=imac%20-%20%2Fimac-24%2F%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&pid=1&oid=https%3A%2F%2Fwww.apple.com%2Fimac-24%2F&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1
Method	GET			
Parameter	cl			
Attack				
Evidence				<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13697442362961?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A36%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.583%2Cevent225%3D0.000%2Cevent226%3D0.548%2Cevent227%3D0.024%2Cevent228%3D0.047%2Cevent229%3D0.627%2Cevent230%3D0.001%2Cevent231%3D1.266%2Cevent232%2Cevent419%3D0.928%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=icloud%20-%20index%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.icloud&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13697442362961?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A36%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.583%2Cevent225%3D0.000%2Cevent226%3D0.548%2Cevent227%3D0.024%2Cevent228%3D0.047%2Cevent229%3D0.627%2Cevent230%3D0.001%2Cevent231%3D1.266%2Cevent232%2Cevent419%3D0.928%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=icloud%20-%20index%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.icloud&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET			
Parameter	cl			
Attack				
Evidence				<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13827776627413?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A16%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.149%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.007%2Cevent225%3D0.009%2Cevent226%3D0.311%2Cevent227%3D0.375%2Cevent228%3D0.173%2Cevent229%3D0.859%2Cevent230%3D0.000%2Cevent231%3D1.031&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=10%20%7C%20aos%3A%20home%2Ftradein&amp;c14=aos%3A%20home%2Ftradein&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13827776627413?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A16%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.149%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.007%2Cevent225%3D0.009%2Cevent226%3D0.311%2Cevent227%3D0.375%2Cevent228%3D0.173%2Cevent229%3D0.859%2Cevent230%3D0.000%2Cevent231%3D1.031&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=10%20%7C%20aos%3A%20home%2Ftradein&amp;c14=aos%3A%20home%2Ftradein&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET			
Parameter	cl			
Attack				
Evidence				<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14139420928449?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A47%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fstore&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.02%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.056%2Cevent225%3D0.000%2Cevent226%3D0.696%2Cevent227%3D0.026%2Cevent228%3D0.230%2Cevent229%3D0.972%2Cevent230%3D0.006%2Cevent231%3D1.104%2Cevent232%2Cevent246%2Cevent419%3D0.704%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cstore&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.02&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=store%20-%20%2Fus%2Fshop%2Fgot%2Fstore%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pid=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgot%2Fstore&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14139420928449?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A47%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fstore&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.02%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.056%2Cevent225%3D0.000%2Cevent226%3D0.696%2Cevent227%3D0.026%2Cevent228%3D0.230%2Cevent229%3D0.972%2Cevent230%3D0.006%2Cevent231%3D1.104%2Cevent232%2Cevent246%2Cevent419%3D0.704%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cstore&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.02&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=store%20-%20%2Fus%2Fshop%2Fgot%2Fstore%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pid=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgot%2Fstore&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET			
Parameter	cl			
Attack				
Evidence				

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14521809461259?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A42%206%200&fid=5779F7B54E18F1EF-28B779BA18437AAE&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event220%3D0.041%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.074%2Cevent225%3D0.001%2Cevent226%3D0.651%2Cevent227%3D0.057%2Cevent228%3D0.249%2Cevent229%3D0.976%2Cevent230%3D0.000%2Cevent231%3D1.113%2Cevent232%2Cevent419%3D0.660%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&c14=mac%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=3%3A3&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=www.us.mac.tab%2Bother&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14521809461259?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A42%206%200&fid=5779F7B54E18F1EF-28B779BA18437AAE&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event220%3D0.041%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.074%2Cevent225%3D0.001%2Cevent226%3D0.651%2Cevent227%3D0.057%2Cevent228%3D0.249%2Cevent229%3D0.976%2Cevent230%3D0.000%2Cevent231%3D1.113%2Cevent232%2Cevent419%3D0.660%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&c14=mac%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=3%3A3&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=www.us.mac.tab%2Bother&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

Method	GET
Parameter	cl
Attack	
Evidence	

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14549127001972?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A28%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=AOS%3A%20home%2Frefurbished&g=https%3A%2F%2Fwww.apple.com%2Fshop%2Frefurbished&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D2.13%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.043%2Cevent225%3D0.032%2Cevent226%3D0.461%2Cevent227%3D0.034%2Cevent228%3D0.549%2Cevent229%3D1.053%2Cevent230%3D0.001%2Cevent231%3D1.138%2Cevent232%2Cevent246%2Cevent419%3D0.477%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20special%20stores%7Ccertified%20refurbished&h1=aos%3Ashop&l1=D%3Das\\_xs&v3=AOS%3A%20US%20Consumer&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86\\_64&c8=AOS%3A%20home&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=2.13&v97=s.t-p&c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=certified%20refurbished%20-%20Fus%2Fshop%2Fgoto%2Fspecial\\_deals%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.&a.&c.&pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fspecial\\_deals&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14549127001972?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A28%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=AOS%3A%20home%2Frefurbished&g=https%3A%2F%2Fwww.apple.com%2Fshop%2Frefurbished&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D2.13%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.043%2Cevent225%3D0.032%2Cevent226%3D0.461%2Cevent227%3D0.034%2Cevent228%3D0.549%2Cevent229%3D1.053%2Cevent230%3D0.001%2Cevent231%3D1.138%2Cevent232%2Cevent246%2Cevent419%3D0.477%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20special%20stores%7Ccertified%20refurbished&h1=aos%3Ashop&l1=D%3Das_xs&v3=AOS%3A%20US%20Consumer&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86_64&c8=AOS%3A%20home&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=2.13&v97=s.t-p&c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=certified%20refurbished%20-%20Fus%2Fshop%2Fgoto%2Fspecial_deals%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.&a.&c.&pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fspecial_deals&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

Method	GET
Parameter	cl
Attack	
Evidence	

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14604996357496?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A0%3A54%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=AOS%3A%20home%2Fshop\\_mac&g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-mac&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D2.14%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.081%2Cevent225%3D0.001%2Cevent226%3D0.740%2Cevent227%3D0.028%2Cevent228%3D0.283%2Cevent229%3D1.059%2Cevent230%3D0.001%2Cevent231%3D1.164%2Cevent232%2Cevent246%2Cevent419%3D0.561%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Cmac&h1=aos%3Ashop&l1=D%3Das\\_xs&v3=AOS%3A%20US%20Consumer&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86\\_64&c8=AOS%3A%20Mac&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&link=mac%20-%20us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=2.14&v97=s.t-p&c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=mac%20-%20Fus%2Fshop%2Fbuy\\_mac%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.&a.&c.&pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fbuy\\_mac&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14604996357496?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A0%3A54%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=AOS%3A%20home%2Fshop_mac&g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-mac&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-19.13.2&events=event210%3D2.14%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.081%2Cevent225%3D0.001%2Cevent226%3D0.740%2Cevent227%3D0.028%2Cevent228%3D0.283%2Cevent229%3D1.059%2Cevent230%3D0.001%2Cevent231%3D1.164%2Cevent232%2Cevent246%2Cevent419%3D0.561%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Cmac&h1=aos%3Ashop&l1=D%3Das_xs&v3=AOS%3A%20US%20Consumer&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86_64&c8=AOS%3A%20Mac&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&link=mac%20-%20us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=2.14&v97=s.t-p&c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=mac%20-%20Fus%2Fshop%2Fbuy_mac%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.&a.&c.&pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fbuy_mac&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

Method	GET
Parameter	cl
Attack	
Evidence	

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14630204830450?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A6%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.070%2Cevent225%3D0.002%2Cevent226%3D0.329%2Cevent227%3D0.002%2Cevent228%3D0.000%2Cevent229%3D0.331%2Cevent230%3D0.000%2Cevent231%3D0.414%2Cevent232%2Cevent419%3D0.359%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&c14=mac%20-%20index%2Ftab%20%28us%29&link=mac%20-%20us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.mac.tab%2Bother&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14630204830450?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A6%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.070%2Cevent225%3D0.002%2Cevent226%3D0.329%2Cevent227%3D0.002%2Cevent228%3D0.000%2Cevent229%3D0.331%2Cevent230%3D0.000%2Cevent231%3D0.414%2Cevent232%2Cevent419%3D0.359%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&c14=mac%20-%20index%2Ftab%20%28us%29&link=mac%20-%20us&c17=9%3A9&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.mac.tab%2Bother&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

		%20compare%20%28us%29&v14=en-us&c17=5%3A5&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=www.us.mac.tab%2Bother&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14707958386219?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A26%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.095%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.206%2Cevent225%3D0.000%2Cevent226%3D0.469%2Cevent227%3D0.184%2Cevent228%3D0.266%2Cevent229%3D0.919%2Cevent230%3D0.000%2Cevent231%3D1.230%h1=www.us.homepage&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=12%20%7C%20aos%3A%20home%2Fback_to_school&amp;c4=aos%3A%20home%2Fback_to_school&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14707958386219?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A26%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.095%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.206%2Cevent225%3D0.000%2Cevent226%3D0.469%2Cevent227%3D0.184%2Cevent228%3D0.266%2Cevent229%3D0.919%2Cevent230%3D0.000%2Cevent231%3D1.230%h1=www.us.homepage&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=12%20%7C%20aos%3A%20home%2Fback_to_school&amp;c4=aos%3A%20home%2Fback_to_school&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14801915747203?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A15%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Ftradein&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Ftrade-in&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.05%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.007%2Cevent226%3D0.536%2Cevent227%3D0.020%2Cevent228%3D0.275%2Cevent229%3D0.839%2Cevent230%3D0.001%2Cevent231%3D0.874%2Cevent232%2Cevent246%2Cevent419%3D0.498%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20quick%20links%20-%20store%7Cappe%20trade%20in&amp;h1=aos%3Ashop&amp;i1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.ho mepage&amp;v93=1&amp;v94=2.05&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20trade%20in%20-%20Fus%2Fshop%2Fgoto%2Ftrade_in%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Ftrade_in&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14801915747203?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A15%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Ftradein&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Ftrade-in&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.05%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.007%2Cevent226%3D0.536%2Cevent227%3D0.020%2Cevent228%3D0.275%2Cevent229%3D0.839%2Cevent230%3D0.001%2Cevent231%3D0.874%2Cevent232%2Cevent246%2Cevent419%3D0.498%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20quick%20links%20-%20store%7Cappe%20trade%20in&amp;h1=aos%3Ashop&amp;i1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.ho mepage&amp;v93=1&amp;v94=2.05&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20trade%20in%20-%20Fus%2Fshop%2Fgoto%2Ftrade_in%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Ftrade_in&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14881701336752?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A51%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.594%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.180%2Cevent225%3D0.000%2Cevent226%3D1.010%2Cevent227%3D0.324%2Cevent228%3D0.185%2Cevent229%3D1.519%2Cevent230%3D0.000%2Cevent231%3D2.320%h1=www.us.homepage&amp;i2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20-%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=23%20-%207C%20aos%3A%20homepage&amp;c14=aos%3A%20homepage&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v35=denied%20-%207C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14881701336752?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A51%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.594%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.180%2Cevent225%3D0.000%2Cevent226%3D1.010%2Cevent227%3D0.324%2Cevent228%3D0.185%2Cevent229%3D1.519%2Cevent230%3D0.000%2Cevent231%3D2.320%h1=www.us.homepage&amp;i2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20-%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=23%20-%207C%20aos%3A%20homepage&amp;c14=aos%3A%20homepage&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v35=denied%20-%207C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15072193142216?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A53%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20mini%20-%20overview%20-%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmac-mini%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macmini&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.8%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%h1=www.us.homepage&amp;i2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20-%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=23%20-%207C%20aos%3A%20homepage&amp;c14=aos%3A%20homepage&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v35=denied%20-%207C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15072193142216?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A53%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20mini%20-%20overview%20-%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmac-mini%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macmini&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.8%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%h1=www.us.homepage&amp;i2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20-%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=23%20-%207C%20aos%3A%20homepage&amp;c14=aos%3A%20homepage&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v35=denied%20-%207C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

%3D0.010%2Cevent225%3D0.008%2Cevent226%3D0.541%2Cevent227%3D0.027%2Cevent228%3D0.127%2Cevent229%3D0.703%2Cevent230%3D0.001%2Cevent231%3D0.737%2Cevent232%2Cevent419%3D0.421%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20mac%20mini&h1=www.us.macmini&v3-aos%3A%20us&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20-aos%3A%20us&c28=670&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.8&v97=s.t-p&c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=mac%20mini%20-%20%2Fmac-mini%2F%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap.&a.&c&pid=apple%20-%20index%2Ftab%20%28us%29&pdt=1&oid=https%3A%2F%2Fwww.apple.com%2Fmac-mini%2F&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/J_S-2.23.0/s15072600084603?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A58%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-index%2Ftab%20%28us%29&amp;q=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.305%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.286%2Cevent225%3D0.000%2Cevent226%3D0.449%2Cevent227%3D0.573%2Cevent228%3D0.770%2Cevent229%3D1.792%2Cevent230%3D0.001%2Cevent231%3D2.410&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=24%20%7C%20aos%3A%20home%2Fshop_mac&amp;c14= aos%3A%20home%2Fshop_mac&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s-type&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AOE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/J_S-2.23.0/s15072600084603?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A58%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-index%2Ftab%20%28us%29&amp;q=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.305%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.286%2Cevent225%3D0.000%2Cevent226%3D0.449%2Cevent227%3D0.573%2Cevent228%3D0.770%2Cevent229%3D1.792%2Cevent230%3D0.001%2Cevent231%3D2.410&amp;h1=www.us.homepage&amp;l2=D%3Dc14%2B%22%3A%3AappleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&amp;v3=aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=24%20%7C%20aos%3A%20home%2Fshop_mac&amp;c14= aos%3A%20home%2Fshop_mac&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=680&amp;v35=denied%20%7C%20pre%3Anot%20safari&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s-type&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AOE=1</a>

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15078864768348?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A40%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.mac.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.97%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.015%2Cevent225%3D0.015%2Cevent226%3D0.626%2Cevent227%3D0.041%2Cevent228%3D0.349%2Cevent229%3D1.027%2Cevent230%3D0.000%2Cevent231%3D1.083%2Cevent232%2Cevent419%3D0.569%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20mac&amp;h1=www.us.mac.tab%2Bother&amp;v3=aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.97&amp;v97=s.t-p&amp;c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20-%20%2Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.a.&amp;c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AOE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15078864768348?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A40%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.mac.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.97%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.015%2Cevent225%3D0.015%2Cevent226%3D0.626%2Cevent227%3D0.041%2Cevent228%3D0.349%2Cevent229%3D1.027%2Cevent230%3D0.000%2Cevent231%3D1.083%2Cevent232%2Cevent419%3D0.569%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20mac&amp;h1=www.us.mac.tab%2Bother&amp;v3=aos%3A%20us&amp;l3=D%3Das_text&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.97&amp;v97=s.t-p&amp;c.&amp;a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20-%20%2Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.a.&amp;c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AOE=1</a></p>

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/J_S-2.23.0/s15205044292379?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A44%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;q=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.015%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.076%2Cevent225%3D0.003%2Cevent226%3D0.664%2Cevent227%3D0.061%2Cevent228%3D0.465%2Cevent229%3D1.224%2Cevent230%3D0.000%2Cevent231%3D1.364%2Cevent232%2Cevent419%3D0.607%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=3%3A3&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.mac.tab%2Bother&amp;v97=s-t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/J_S-2.23.0/s15205044292379?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A44%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;q=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.015%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.076%2Cevent225%3D0.003%2Cevent226%3D0.664%2Cevent227%3D0.061%2Cevent228%3D0.465%2Cevent229%3D1.224%2Cevent230%3D0.000%2Cevent231%3D1.364%2Cevent232%2Cevent419%3D0.607%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=mac%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=3%3A3&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.mac.tab%2Bother&amp;v97=s-t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

Method	GET
Parameter	cl

Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15364347017195?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A1%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.020%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.505%2Cevent225%3D0.000%2Cevent226%3D0.345%2Cevent227%3D0.031%2Cevent228%3D0.012%2Cevent229%3D0.401%2Cevent230%3D0.000%2Cevent231%3D0.932%2Cevent232%2Cevent419%3D0.901%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=displays%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.displays.family&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15364347017195?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A1%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.020%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.505%2Cevent225%3D0.000%2Cevent226%3D0.345%2Cevent227%3D0.031%2Cevent228%3D0.012%2Cevent229%3D0.401%2Cevent230%3D0.000%2Cevent231%3D0.932%2Cevent232%2Cevent419%3D0.901%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=displays%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.displays.family&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15586169813482?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A4%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20-%20compare%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmac%2Fcompare%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.mac.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.87%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.025%2Cevent225%3D0.009%2Cevent226%3D0.607%2Cevent227%3D0.054%2Cevent228%3D0.249%2Cevent229%3D0.923%2Cevent230%3D0.000%2Cevent231%3D0.971%2Cevent232%2Cevent419%3D0.473%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20compare%20mac&amp;h1=www.us.mac.tab%2Bother&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.87&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=compare%20mac%20-%20%2Fmac%2Fcompare%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fmac%2Fcompare%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15586169813482?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A4%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20-%20compare%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmac%2Fcompare%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.mac.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.87%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.025%2Cevent225%3D0.009%2Cevent226%3D0.607%2Cevent227%3D0.054%2Cevent228%3D0.249%2Cevent229%3D0.923%2Cevent230%3D0.000%2Cevent231%3D0.971%2Cevent232%2Cevent419%3D0.473%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20compare%20mac&amp;h1=www.us.mac.tab%2Bother&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.87&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=compare%20mac%20-%20%2Fmac%2Fcompare%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fmac%2Fcompare%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15681024962855?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A59%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=displays%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fdisplays%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.displays.family&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.89%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.016%2Cevent225%3D0.007%2Cevent226%3D0.337%2Cevent227%3D0.039%2Cevent228%3D0.039%2Cevent229%3D0.426%2Cevent230%3D0.000%2Cevent231%3D0.455%2Cevent232%2Cevent419%3D0.253%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20displays&amp;h1=www.us.displays.family&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.89&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=displays%20-%20%2Fdisplays%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fdisplays%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15681024962855?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A59%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=displays%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fdisplays%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.displays.family&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.89%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.016%2Cevent225%3D0.007%2Cevent226%3D0.337%2Cevent227%3D0.039%2Cevent228%3D0.039%2Cevent229%3D0.426%2Cevent230%3D0.000%2Cevent231%3D0.455%2Cevent232%2Cevent419%3D0.253%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20displays&amp;h1=www.us.displays.family&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.89&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=displays%20-%20%2Fdisplays%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fdisplays%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15760686813857?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A45%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macbook%20air%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmacbook-air%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macbookair.family&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.82%2Cevent220%3D0.004%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%2Cevent419%3D0.253%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;h1=www.us.macbookair.family&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=12%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.82&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=macbookair%20-%20%2Fmacbookair%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fmacbook-air%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15760686813857?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A45%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macbook%20air%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fmacbook-air%2F&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macbookair.family&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.82%2Cevent220%3D0.004%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%2Cevent419%3D0.253%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;h1=www.us.macbookair.family&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=12%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.82&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=macbookair%20-%20%2Fmacbookair%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2Fwww.apple.com%2Fmacbook-air%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	

%3D0.023%2Cevent225%3D0.005%2Cevent226%3D0.616%2Cevent227%3D0.075%2Cevent228%3D0.099%2Cevent229%3D0.797%2Cevent230%3D0.001%2Cevent231%3D0.855%2Cevent232%2Cevent419%3D0.380%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20macbook%20air&h1=www.us.macbookair.family&v3=aos%3A%20us&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20=aos%3A%20us&c28=670&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.82&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=macbook%20air%20-%20%2Fmacbook-air%2F%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fmacbook-air%2F&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15805597599030?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A36%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.006%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.061%2Cevent225%3D0.000%2Cevent226%3D0.514%2Cevent227%3D0.047%2Cevent228%3D0.217%2Cevent229%3D0.808%2Cevent230%3D0.000%2Cevent231%3D0.887%2Cevent232%2Cevent419%3D0.451%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=business%20-%20mac%20%28us%29&amp;v14=en-us&amp;c17=8%3A8&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.business&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s15805597599030?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A36%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.006%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.061%2Cevent225%3D0.000%2Cevent226%3D0.514%2Cevent227%3D0.047%2Cevent228%3D0.217%2Cevent229%3D0.808%2Cevent230%3D0.000%2Cevent231%3D0.887%2Cevent232%2Cevent419%3D0.451%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=business%20-%20mac%20%28us%29&amp;v14=en-us&amp;c17=8%3A8&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.business&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16015927169737?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A8%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_mac&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-mac&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.86%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.016%2Cevent225%3D0.008%2Cevent226%3D0.519%2Cevent227%3D0.027%2Cevent228%3D0.106%2Cevent229%3D0.660%2Cevent230%3D0.000%2Cevent231%3D0.686%2Cevent232%2Cevent246%2Cevent419%3D0.338%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20mac%7Cshop%20mac&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20Mac&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.86&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=shop%20mac%20-%20%2Fus%2Fshop%2Fbuy_mac%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fbuy_mac&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16015927169737?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A8%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_mac&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-mac&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.86%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.016%2Cevent225%3D0.008%2Cevent226%3D0.519%2Cevent227%3D0.027%2Cevent228%3D0.106%2Cevent229%3D0.660%2Cevent230%3D0.000%2Cevent231%3D0.686%2Cevent232%2Cevent246%2Cevent419%3D0.338%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;7Cglobal%20nav%7Cglobal%20nav%20-%20shop%20mac%7Cshop%20mac&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20Mac&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.86&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=shop%20mac%20-%20%2Fus%2Fshop%2Fbuy_mac%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fbuy_mac&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16154145785816?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A52%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.016%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.085%2Cevent225%3D0.000%2Cevent226%3D0.641%2Cevent227%3D0.022%2Cevent228%3D0.200%2Cevent229%3D0.884%2Cevent230%3D0.000%2Cevent231%3D1.004%2Cevent232%2Cevent419%3D0.336%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=imac%2024%20-%20overview%20-%28us%29&amp;v14=en-us&amp;c17=3%3A3&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.imac&amp;v70=page%20-%20base%20-%3A%20height-range%20-%7C%20imac%2024%20-%20overview&amp;v97=s.t-p&amp;v100=dp-s0&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16154145785816?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A52%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.016%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.085%2Cevent225%3D0.000%2Cevent226%3D0.641%2Cevent227%3D0.022%2Cevent228%3D0.200%2Cevent229%3D0.884%2Cevent230%3D0.000%2Cevent231%3D1.004%2Cevent232%2Cevent419%3D0.336%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=imac%2024%20-%20overview%20-%28us%29&amp;v14=en-us&amp;c17=3%3A3&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.imac&amp;v70=page%20-%20base%20-%3A%20height-range%20-%7C%20imac%2024%20-%20overview&amp;v97=s.t-p&amp;v100=dp-s0&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl

Attack	
Evidence	
URL	<p><a 1="" applestoreww="" b="" href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1625596381201?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A30%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=logic%20pro%20-%20overview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Flogic-pro%2F&amp;r=https%3A%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.logicstudio&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.74%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.013%2Cevent226%3D0.730%2Cevent227%3D0.020%2Cevent228%3D0.154%2Cevent229%3D0.912%2Cevent230%3D0.001%2Cevent231%3D0.957%2Cevent232%2Cevent419%3D0.300%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20logic%20pro&amp;h1=www.us.logicstudio&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.74&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=logic%20pro%20-%20%2Flogic-pro%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Flogic-pro%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1&lt;/a&gt;&lt;/p&gt; &lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Method&lt;/td&gt;&lt;td&gt;GET&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Parameter&lt;/td&gt;&lt;td&gt;cl&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Attack&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Evidence&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;URL&lt;/td&gt;&lt;td&gt; &lt;p&gt;&lt;a href=" https:="" js-2.23.0="" s16288756461767?aqb='1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A22%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20mac%20support&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1"' securemetrics.apple.com="" ss="">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16288756461767?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A22%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20mac%20support&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;pccr=true&amp;vidn=324B909D0679D1FD-60001343A234FD3D&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1641679813463?AQB=1&amp;pccr=true&amp;vidn=324B909D0679D1FD-60001343A234FD3D&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A42%206%200&amp;fid=4FB704324B803420-098D28E5BDDFD27C&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20=aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a></p>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<p><a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16430157210167?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A13%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Ftradein&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Ftrade-">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16430157210167?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A13%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Ftradein&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Ftrade-</a></p>

in&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=D%3Dh1&server=as-  
 19.13.2&events=event210%3D1.88%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.015%  
 2Cevent225%3D0.014%2Cevent226%3D0.492%2Cevent227%3D0.017%2Cevent228%3D0.202%2Cevent229%3D0.719%2Cevent230%3D0.001%2Cevent231%  
 %3D0.756%2Cevent232%2Cevent246%2Cevent419%3D0.445%2Cevent420&v1=apple%20-%  
 %20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%  
 %20shop%20mac%7Capple%20trade%20in&h1=aos%3Ashop&l1=D%3Das\_xs&v3=AOS%3A%20US%20Consumer&l3=D%3Das\_tx&c4=D%3Dg&v4=D%3Dp  
 ageName&c5=linux%20x6\_64&c8=AOS%3A%20home&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-  
 us&c17=11%3A11&c20=AOS%3A%20US%20Consumer&c25=other%20nav%20or%20none&c28=670&c40=10078&v49=D%3Dr&v54=D%3Dg&c57=www.us.ho  
 mepage&v93=1&v94=1.88&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=apple%20trade%20in%20-%  
 %20Fus%2Fshop%2Fgoto%2Ftrade\_in%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a.c.pid=apple%20-%  
 %20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Ftrade\_in&ot=A&s=1366x768&c=24&j=1.6&v=N&k  
 =Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16562791862458?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A56%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.027%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.086%2Cevent225%3D0.001%2Cevent226%3D0.568%2Cevent227%3D0.013%2Cevent228%3D0.001%2Cevent229%3D0.592%2Cevent230%3D0.001%2Cevent231%3D0.733%2Cevent232%2Cevent419%3D0.663%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tx&amp;c4=D%3Dg&amp;v4=D%3Dp&amp;pageName=c14=mac%20studio%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=2%3A2&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macstudio&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16562791862458?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A56%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.027%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.086%2Cevent225%3D0.001%2Cevent226%3D0.568%2Cevent227%3D0.013%2Cevent228%3D0.001%2Cevent229%3D0.592%2Cevent230%3D0.001%2Cevent231%3D0.733%2Cevent232%2Cevent419%3D0.663%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tx&amp;c4=D%3Dg&amp;v4=D%3Dp&amp;pageName=c14=mac%20studio%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=2%3A2&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macstudio&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16606235432510?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A25%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.17%2Cevent220%3D0.520%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.388%2Cevent225%3D0.000%2Cevent226%3D1.082%2Cevent227%3D0.122%2Cevent228%3D0.249%2Cevent229%3D1.453%2Cevent230%3D0.000%2Cevent231%3D2.379&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v9=24%20-%20%7C%20global%20nav%20-%20quick%20links%20-%20store%20-%20financing&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tx&amp;c4=D%3Dg&amp;v4=D%3Dp&amp;pageName=v9=24%20-%20%7C%20undefined&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=financing%20-%20%2Fus%2Fshop%2Fgoto%2Fpayment_plan%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fpayment_plan&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16606235432510?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A25%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.17%2Cevent220%3D0.520%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.388%2Cevent225%3D0.000%2Cevent226%3D1.082%2Cevent227%3D0.122%2Cevent228%3D0.249%2Cevent229%3D1.453%2Cevent230%3D0.000%2Cevent231%3D2.379&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v9=24%20-%20%7C%20global%20nav%20-%20quick%20links%20-%20store%20-%20financing&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tx&amp;c4=D%3Dg&amp;v4=D%3Dp&amp;pageName=v9=24%20-%20%7C%20undefined&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=financing%20-%20%2Fus%2Fshop%2Fgoto%2Fpayment_plan%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fpayment_plan&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16762402396138?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A54%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20studio%20-%20overview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmac-studio%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macstudio&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.74%2Cevent220%3D0.004%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.054%2Cevent225%3D0.016%2Cevent226%3D0.765%2Cevent227%3D0.025%2Cevent228%3D0.093%2Cevent229%3D0.894%2Cevent230%3D0.001%2Cevent231%3D0.979%2Cevent232%2Cevent419%3D0.654%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v9=24%20-%20%7C%20global%20nav%20-%20nav%20-%20explore%20-%20mac%20-%20mac%20-%20studio&amp;h1=www.us.macstudio&amp;v3=aos%3A%20us&amp;l3=D%3Das_tx&amp;c4=D%3Dg&amp;v4=D%3Dp&amp;pageName=c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.74&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20studio%20-%20%2Fmac-studio%2F&amp;%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fmac-studio%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16762402396138?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A54%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20studio%20-%20overview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmac-studio%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macstudio&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.74%2Cevent220%3D0.004%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.054%2Cevent225%3D0.016%2Cevent226%3D0.765%2Cevent227%3D0.025%2Cevent228%3D0.093%2Cevent229%3D0.894%2Cevent230%3D0.001%2Cevent231%3D0.979%2Cevent232%2Cevent419%3D0.654%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v9=24%20-%20%7C%20global%20nav%20-%20nav%20-%20explore%20-%20mac%20-%20mac%20-%20studio&amp;h1=www.us.macstudio&amp;v3=aos%3A%20us&amp;l3=D%3Das_tx&amp;c4=D%3Dg&amp;v4=D%3Dp&amp;pageName=c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.74&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=mac%20studio%20-%20%2Fmac-studio%2F&amp;%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fmac-studio%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

		%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2Fwww.apple.com%2Fmac-studio%2F&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16798530064809?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A18%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20orders%2Forder_signin&amp;g=https%3A%2Ffsecure6.store.apple.com%2Fshop%2FsignIn%2Forders&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;server=as-19.13.2&amp;events=event415&amp;h1-aos%3Aaccount&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20sign_in%2Forders&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c20=AOS%3A%20US%20Consumer&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;v97=s.tl-o-api&amp;pe=lnk_o&amp;pev2=signin&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;lrt=208&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16798530064809?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A18%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20orders%2Forder_signin&amp;g=https%3A%2Ffsecure6.store.apple.com%2Fshop%2FsignIn%2Forders&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;server=as-19.13.2&amp;events=event415&amp;h1-aos%3Aaccount&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20sign_in%2Forders&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c20=AOS%3A%20US%20Consumer&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;v97=s.tl-o-api&amp;pe=lnk_o&amp;pev2=signin&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;lrt=208&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16854546040339?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A20%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.07%2Cevent220%3D0.001%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.098%2Cevent225%3D0.000%2Cevent226%3D0.599%2Cevent227%3D0.043%2Cevent228%3D0.410%2Cevent229%3D1.060%2Cevent230%3D0.000%2Cevent231%3D1.167%2Cevent232%2Cevent419%3D0.482%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20quick%20links%20-%20store%20%7C%20order%20status&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14-aos%3A%20orders%2Forder_signin&amp;v14=en-us&amp;c17=%93A9&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57-aos%3Aaccount&amp;v93=1&amp;v94=2.07&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s16854546040339?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A20%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.07%2Cevent220%3D0.001%2Cevent221%3D0.005%2Cevent222%3D0.004%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.079%2Cevent226%3D0.572%2Cevent227%3D0.039%2Cevent228%3D0.463%2Cevent229%3D1.082%2Cevent230%3D0.000%2Cevent231%3D1.227%2Cevent232%2Cevent419%3D0.510%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%93A9&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17001819459198?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A34%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.001%2Cevent221%3D0.005%2Cevent222%3D0.004%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.079%2Cevent226%3D0.572%2Cevent227%3D0.039%2Cevent228%3D0.463%2Cevent229%3D1.082%2Cevent230%3D0.000%2Cevent231%3D1.227%2Cevent232%2Cevent419%3D0.510%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%93A9&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17001819459198?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A34%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.001%2Cevent221%3D0.005%2Cevent222%3D0.004%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.079%2Cevent226%3D0.572%2Cevent227%3D0.039%2Cevent228%3D0.463%2Cevent229%3D1.082%2Cevent230%3D0.000%2Cevent231%3D1.227%2Cevent232%2Cevent419%3D0.510%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%93A9&amp;c20-aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1701219286141?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A16%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20orders%2Forder_signin&amp;g=https%3A%2Ffsecure6.store.apple.com%2Fshop%2FsignIn%2Forders&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event22%2Cevent210%3D2.07%2Cevent220%3D0.001%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.098%2Cevent225%3D0.000%2Cevent226%3D0.599%2Cevent227%3D0.043%2Cevent246&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1701219286141?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A16%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20orders%2Forder_signin&amp;g=https%3A%2Ffsecure6.store.apple.com%2Fshop%2FsignIn%2Forders&amp;r=https%3A%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event22%2Cevent210%3D2.07%2Cevent220%3D0.001%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.098%2Cevent225%3D0.000%2Cevent226%3D0.599%2Cevent227%3D0.043%2Cevent246&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		

%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a&.c&pid=apple%20-  
%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Forder%2Flist&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17097011317809?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A41%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.018%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.083%2Cevent225%3D0.000%2Cevent226%3D0.474%2Cevent227%3D0.035%2Cevent228%3D0.166%2Cevent229%3D0.708%2Cevent230%3D0.000%2Cevent231%3D0.819%2Cevent232%2Cevent419%3D0.486%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=ipad%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.ipad.tab%2Bother&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17097011317809?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A41%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.018%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.083%2Cevent225%3D0.000%2Cevent226%3D0.474%2Cevent227%3D0.035%2Cevent228%3D0.166%2Cevent229%3D0.708%2Cevent230%3D0.000%2Cevent231%3D0.819%2Cevent232%2Cevent419%3D0.486%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=ipad%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.ipad.tab%2Bother&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17195744821179?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A50%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.007%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.040%2Cevent225%3D0.000%2Cevent226%3D0.449%2Cevent227%3D0.038%2Cevent228%3D0.004%2Cevent229%3D0.501%2Cevent230%3D0.001%2Cevent231%3D0.605%2Cevent232%2Cevent419%3D0.580%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macbook%20pro%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%3A8&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macbookpro.family&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17195744821179?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A50%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.007%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.040%2Cevent225%3D0.000%2Cevent226%3D0.449%2Cevent227%3D0.038%2Cevent228%3D0.004%2Cevent229%3D0.501%2Cevent230%3D0.001%2Cevent231%3D0.605%2Cevent232%2Cevent419%3D0.580%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macbook%20pro%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=%3A8&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macbookpro.family&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17257981437232?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A49%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fstore&amp;r=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.17%2Cevent220%3D0.016%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.083%2Cevent225%3D0.000%2Cevent226%3D0.624%2Cevent227%3D0.027%2Cevent228%3D0.333%2Cevent229%3D0.991%2Cevent230%3D0.001%2Cevent231%3D1.154%2Cevent232%2Cevent246%2Cevent419%3D0.701%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Cshop%20the%20latest&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.17&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=shop%20the%20latest%20-%20Fus%2Fshop%2Fgoto%2Fstore%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fstore&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17257981437232?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A49%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20homepage&amp;g=https%3A%2F%2Fwww.apple.com%2Fstore&amp;r=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.17%2Cevent220%3D0.016%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.083%2Cevent225%3D0.000%2Cevent226%3D0.624%2Cevent227%3D0.027%2Cevent228%3D0.333%2Cevent229%3D0.991%2Cevent230%3D0.001%2Cevent231%3D1.154%2Cevent232%2Cevent246%2Cevent419%3D0.701%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Cshop%20the%20latest&amp;h1=aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.17&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=shop%20the%20latest%20-%20Fus%2Fshop%2Fgoto%2Fstore%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fstore&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17313994725578?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A33%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=retail%20store%20-%20business%20-%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fretail%2Fbusiness%2F&amp;r=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17313994725578?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A33%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=retail%20store%20-%20business%20-%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fretail%2Fbusiness%2F&amp;r=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us</a>

.retailstore&server=ac-  
 2.18.0&events=event246%2Cevent210%3D1.85%2Cevent220%3D0.001%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.013%2Cevent225%3D0.023%2Cevent226%3D0.697%2Cevent227%3D0.035%2Cevent228%3D0.121%2Cevent229%3D0.865%2Cevent230%3D0.000%2Cevent231%3D0.904%2Cevent232%2Cevent419%3D0.388%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20shop%20special%20stores%20%7C%20business&h1=www.us.retailstore&v3=aos%3A%20us&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20= aos%3A%20us&c28=670&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.85&v97=s.t-p&c.a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=business%20-%20%2Fretail%2Fbusiness%2F%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fretail%2Fbusiness%2F&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17320137705831?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A37%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20store%20-%20government%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F%2Fstore%2Fgovernment%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.govstore&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.17%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.009%2Cevent226%3D0.626%2Cevent227%3D0.031%2Cevent228%3D0.401%2Cevent229%3D1.067%2Cevent230%3D0.000%2Cevent231%3D1.104%2Cevent232%2Cevent419%3D0.508%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.17&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=government%20-%20%2Fr%2Fstore%2Fgovernment%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fr%2Fstore%2Fgovernment%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17320137705831?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A37%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20store%20-%20government%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F%2Fstore%2Fgovernment%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.govstore&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.17%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.019%2Cevent225%3D0.009%2Cevent226%3D0.626%2Cevent227%3D0.031%2Cevent228%3D0.401%2Cevent229%3D1.067%2Cevent230%3D0.000%2Cevent231%3D1.104%2Cevent232%2Cevent419%3D0.508%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.17&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=government%20-%20%2Fr%2Fstore%2Fgovernment%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fr%2Fstore%2Fgovernment%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17398107135317?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A39%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=ipad%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fipad%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.ipad.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.14%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.063%2Cevent225%3D0.040%2Cevent226%3D0.655%2Cevent227%3D0.022%2Cevent228%3D0.510%2Cevent229%3D1.216%2Cevent230%3D0.001%2Cevent231%3D1.338%2Cevent232%2Cevent419%3D0.644%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.14&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=ipad%20-%20%2Fipad%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fipad%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s17398107135317?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A39%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=ipad%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fipad%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.ipad.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.14%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.063%2Cevent225%3D0.040%2Cevent226%3D0.655%2Cevent227%3D0.022%2Cevent228%3D0.510%2Cevent229%3D1.216%2Cevent230%3D0.001%2Cevent231%3D1.338%2Cevent232%2Cevent419%3D0.644%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.14&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=ipad%20-%20%2Fipad%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fipad%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18234407523172?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A46%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.006%2Cevent222%3D0.005%2Cevent223%3D0.001%2Cevent224%3D0.019%2Cevent225%3D0.106%2Cevent226%3D0.040%2Cevent227%3D0.022%2Cevent228%3D0.510%2Cevent229%3D1.216%2Cevent230%3D0.001%2Cevent231%3D1.338%2Cevent232%2Cevent419%3D0.644%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.14&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20-%20%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Ftab%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18234407523172?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A46%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.006%2Cevent222%3D0.005%2Cevent223%3D0.001%2Cevent224%3D0.019%2Cevent225%3D0.106%2Cevent226%3D0.040%2Cevent227%3D0.022%2Cevent228%3D0.510%2Cevent229%3D1.216%2Cevent230%3D0.001%2Cevent231%3D1.338%2Cevent232%2Cevent419%3D0.644%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.14&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=apple%20-%20%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Ftab%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

2Cevent226%3D0.801%2Cevent227%3D0.044%2Cevent228%3D0.545%2Cevent229%3D1.414%2Cevent230%3D0.000%2Cevent231%3D1.569%2Cevent232%2Cevent419%3D0.819%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=9%3A9&c20=aos%3A%20us&c28=670&v54=D%3Dg&c57=www.us.homepage&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18459796656210?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A56%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_ipad&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-ipad&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.21%2Cevent220%3D0.005%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.054%2Cevent225%3D0.001%2Cevent226%3D0.733%2Cevent227%3D0.051%2Cevent228%3D0.308%2Cevent229%3D1.101%2Cevent230%3D0.001%2Cevent231%3D1.194%2Cevent232%2Cevent246%2Cevent419%3D0.490%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Cipad&amp;h1-aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20iPad&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.21&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=ipad%20-%20Fus%2Fshop%2Fgoto%2Fbuy_ipad%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy_ipad&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18459796656210?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A56%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Fshop_ipad&amp;g=https%3A%2F%2Fwww.apple.com%2Fshop%2Fbuy-ipad&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D2.21%2Cevent220%3D0.005%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.054%2Cevent225%3D0.001%2Cevent226%3D0.733%2Cevent227%3D0.051%2Cevent228%3D0.308%2Cevent229%3D1.101%2Cevent230%3D0.001%2Cevent231%3D1.194%2Cevent232%2Cevent246%2Cevent419%3D0.490%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%7Cglobal%20nav%7Cglobal%20nav%20-%20explore%20shop%7Cipad&amp;h1-aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20iPad&amp;c9=mac%20unknown%20or%20non-safari&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=9%3A9&amp;c20=AOS%3A%20US%20Consumer&amp;c25=other%20nav%20or%20none&amp;c28=670&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.21&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=ipad%20-%20Fus%2Fshop%2Fgoto%2Fbuy_ipad%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fbuy_ipad&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18480993489975?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A31%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.005%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.146%2Cevent225%3D0.000%2Cevent226%3D0.599%2Cevent227%3D0.010%2Cevent228%3D0.001%2Cevent229%3D0.629%2Cevent230%3D0.001%2Cevent231%3D0.795%2Cevent232%2Cevent419%3D0.618%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macos%20-%20continuity%20-%28us%29&amp;v14=en-us&amp;c17=12%3A12&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macos&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18480993489975?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A31%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.005%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.146%2Cevent225%3D0.000%2Cevent226%3D0.599%2Cevent227%3D0.010%2Cevent228%3D0.001%2Cevent229%3D0.629%2Cevent230%3D0.001%2Cevent231%3D0.795%2Cevent232%2Cevent419%3D0.618%2Cevent420&amp;h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=macos%20-%20continuity%20-%28us%29&amp;v14=en-us&amp;c17=12%3A12&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.macos&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18572512138659?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A22%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.137%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.221%2Cevent225%3D0.009%2Cevent226%3D0.435%2Cevent227%3D0.151%2Cevent228%3D0.619%2Cevent229%3D1.205%2Cevent230%3D0.000%2Cevent231%3D1.613%h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=16%20-%207C%20aos%3A%20home%2Fback_to_school&amp;c14-aos%3A%20home%2Fback_to_school&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18572512138659?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A22%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.137%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.221%2Cevent225%3D0.009%2Cevent226%3D0.435%2Cevent227%3D0.151%2Cevent228%3D0.619%2Cevent229%3D1.205%2Cevent230%3D0.000%2Cevent231%3D1.613%h1=www.us.homepage&amp;v3-aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=16%20-%207C%20aos%3A%20home%2Fback_to_school&amp;c14-aos%3A%20home%2Fback_to_school&amp;v14=en-us&amp;c17=5%3A5&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-</a>

		<a href="https://www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20= aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20= aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;pccr=true&amp;vidn=324B9097D9DF06FF-60000237D3077685&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20= aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18603285244107?AQB=1&amp;pccr=true&amp;vidn=324B9097D9DF06FF-60000237D3077685&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A29%206%200&amp;fid=3E0122A0E08A28EC-006B1638F18D7F29&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v14=en-us&amp;c20= aos%3A%20us&amp;v54=D%3Dg&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18626877455925?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A37%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.224%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.248%2Cevent225%3D0.000%2Cevent226%3D0.370%2Cevent227%3D0.214%2Cevent228%3D0.137%2Cevent229%3D0.721%2Cevent230%3D0.000%2Cevent231%3D1.232&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=12%20%7C%20aos%3A%20home%2Fveterans_military&amp;c14=aos%3A%20home%2Fveterans_military&amp;v14=en-us&amp;c17=15%3A15&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18626877455925?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A37%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.224%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.248%2Cevent225%3D0.000%2Cevent226%3D0.370%2Cevent227%3D0.214%2Cevent228%3D0.137%2Cevent229%3D0.721%2Cevent230%3D0.000%2Cevent231%3D1.232&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=12%20%7C%20aos%3A%20home%2Fveterans_military&amp;c14=aos%3A%20home%2Fveterans_military&amp;v14=en-us&amp;c17=15%3A15&amp;c20= aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18725878746378?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A42%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.mac.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.012%2Cevent225%3D0.028%2Cevent226%3D0.483%2Cevent227%3D0.051%2Cevent228%3D0.076%2Cevent229%3D0.620%2Cevent230%3D0.000%2Cevent231%3D0.642%2Cevent232%2Cevent419%3D0.394%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v2=20%7C%20global%20nav%20%20%7C%20global%20nav%20%20explore%20mac%20%7C%20explore%20all%20mac&amp;h1=www.us.mac.tab%2Bother&amp;v3= aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;e&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57= www.us.homepage&amp;v93=1&amp;v94=1.78&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=explore%20all%20mac%20-%20Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18725878746378?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A42%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=mac%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.mac.tab%2Bother&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.78%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.012%2Cevent225%3D0.028%2Cevent226%3D0.483%2Cevent227%3D0.051%2Cevent228%3D0.076%2Cevent229%3D0.620%2Cevent230%3D0.000%2Cevent231%3D0.642%2Cevent232%2Cevent419%3D0.394%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v2=20%7C%20global%20nav%20%20explore%20mac%20%7C%20explore%20all%20mac&amp;h1=www.us.mac.tab%2Bother&amp;v3= aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;e&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57= www.us.homepage&amp;v93=1&amp;v94=1.78&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=explore%20all%20mac%20-%20Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18728754369668?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A14%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20404&amp;g=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fbrowse%2Feducation_payment_plan&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.85%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.010%2Cevent226%3D0.443%2Cevent227%3D0.023%2Cevent228%3D0.061%2Cevent229%3D0.536%2Cevent230%3D0.001%2Cevent231%3D0.562%2Cevent232%2Cevent246%2Cevent419%3D0.348%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v2=7Cglobal%20nav%20%20%7Cglobal%20nav%20%20explore%20all%20mac%20-%20Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18728754369668?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A14%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20404&amp;g=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fbrowse%2Feducation_payment_plan&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=D%3Dh1&amp;server=as-19.13.2&amp;events=event210%3D1.85%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.011%2Cevent225%3D0.010%2Cevent226%3D0.443%2Cevent227%3D0.023%2Cevent228%3D0.061%2Cevent229%3D0.536%2Cevent230%3D0.001%2Cevent231%3D0.562%2Cevent232%2Cevent246%2Cevent419%3D0.348%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29&amp;v2=7Cglobal%20nav%20%20%7Cglobal%20nav%20%20explore%20all%20mac%20-%20Fmac%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap.&amp;a.c.pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmac%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>

		%20shop%20mac%7Cfinancing&h1=aos%3Ashop&l1=D%3Das_xs&v3=AOS%3A%20Student&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&c5=linux%20x86_64&c8=AOS%3A%20404&c9=mac%20unknown%20or%20non-safari&c14=apple%20-%20index%2Ftab%20%28us%29&v14=en-us&c17=11%3A11&c20=AOS%3A%20US%20Education&c25=other%20nav%20or%20none&c28=670&c40=806794&v49=D%3Dr&v54=D%3Dg&c57=www.us.homepage&v93=1&v94=1.85&v97=s.t-p&c.&a.&activitymap.&page=apple%20-%20index%2Ftab%20%28us%29&link=financing%20-%20Fus%2Fshop%2Fgoto%2Fpayment_plan%20-%20globalnav&region=globalnav&pageIDType=1&.activitymap&.a.&c.pid=apple%20-%20index%2Ftab%20%28us%29&pidt=1&oid=https%3A%2F%2Fwww.apple.com%2Fus%2Fshop%2Fgoto%2Fpayment_plan&ot=A&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18922029759913?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A40%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.064%2Cevent225%3D0.001%2Cevent226%3D0.417%2Cevent227%3D0.008%2Cevent228%3D0.000%2Cevent229%3D0.431%2Cevent230%3D0.001%2Cevent231%3D0.523%2Cevent232%2Cevent419%3D0.292%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=education%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=16%3A16&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.education&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s18922029759913?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A40%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.064%2Cevent225%3D0.001%2Cevent226%3D0.417%2Cevent227%3D0.008%2Cevent228%3D0.000%2Cevent229%3D0.431%2Cevent230%3D0.001%2Cevent231%3D0.523%2Cevent232%2Cevent419%3D0.292%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=education%20-%20overview%20%28us%29&amp;v14=en-us&amp;c17=16%3A16&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=www.us.education&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19065759642024?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A24%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macos%20-%20sonoma%20preview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fsonoma-preview%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macos&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.68%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.012%2Cevent225%3D0.009%2Cevent226%3D0.595%2Cevent227%3D0.065%2Cevent228%3D0.015%2Cevent229%3D0.691%2Cevent230%3D0.001%2Cevent231%3D0.721%2Cevent232%2Cevent419%3D0.474%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20macos%20sonoma%20preview&amp;h1=www.us.macos&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.68&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=macos%20sonoma%20preview%20-%20%2Fmacos%2Fsonoma-preview%2F&amp;r=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fsonoma-preview%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19065759642024?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A24%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macos%20-%20sonoma%20preview%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fsonoma-preview%2F&amp;r=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macos&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D1.68%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.064%2Cevent225%3D0.012%2Cevent226%3D0.009%2Cevent227%3D0.595%2Cevent228%3D0.065%2Cevent229%3D0.015%2Cevent230%3D0.691%2Cevent231%3D0.001%2Cevent232%2Cevent419%3D0.474%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20macos%20sonoma%20preview&amp;h1=www.us.macos&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=11%3A11&amp;c20=aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=1.68&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=macos%20sonoma%20preview%20-%20%2Fmacos%2Fsonoma-preview%2F&amp;r=https%3A%2F%2Fwww.apple.com%2Fmacos%2Fsonoma-preview%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19217826321119?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A12%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.289%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.840%2Cevent225%3D0.001%2Cevent226%3D0.639%2Cevent227%3D0.096%2Cevent228%3D0.599%2Cevent229%3D1.334%2Cevent230%3D0.000%2Cevent231%3D2.475%2Cevent419%3D0.721%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20macos%20sonoma%20preview&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=25%20%7C%20aos%3A%20home%2Fshop_mac%2Fmac_accessories&amp;c14=aos%3A%20home%2Fshop_mac%2Fmac_accessories&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19217826321119?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A12%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.289%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.840%2Cevent225%3D0.001%2Cevent226%3D0.639%2Cevent227%3D0.096%2Cevent228%3D0.599%2Cevent229%3D1.334%2Cevent230%3D0.000%2Cevent231%3D2.475%2Cevent419%3D0.721%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20more%20from%20mac%20%7C%20macos%20sonoma%20preview&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=25%20%7C%20aos%3A%20home%2Fshop_mac%2Fmac_accessories&amp;c14=aos%3A%20home%2Fshop_mac%2Fmac_accessories&amp;v14=en-us&amp;c17=4%3A4&amp;c20=aos%3A%20us&amp;c28=680&amp;v54=D%3Dg&amp;c57=aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET	
Parameter	cl	
Attack		
Evidence		
URL		<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1930237823426?">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s1930237823426?</a>

AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A39%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.053%2Cevent225%3D0.000%2Cevent226%3D0.401%2Cevent227%3D0.017%2Cevent228%3D0.001%2Cevent229%3D0.431%2Cevent230%3D0.001%2Cevent231%3D0.531%2Cevent232%2Cevent419%3D0.481%2Cevent420&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\_tex&c4=D%3Dg&v4=D%3DpageName&c14=apple%20store%20-%20government%20%28us%29&v14=en-us&c17=18%3A18&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=www.us.govstore&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1

Method	GET
Parameter	cl
Attack	
Evidence	

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19357880227916?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A18%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.293%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.161%2Cevent225%3D0.001%2Cevent226%3D0.601%2Cevent227%3D0.489%2Cevent228%3D0.272%2Cevent229%3D1.362%2Cevent230%3D0.001%2Cevent231%3D1.834&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&v9=18%20%7C%20aos%3A%20home%2Ftradein&c14=aos%3A%20home%2Ftradein&v14=en-us&c17=5%3A5&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19357880227916?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A18%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.293%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.161%2Cevent225%3D0.001%2Cevent226%3D0.601%2Cevent227%3D0.489%2Cevent228%3D0.272%2Cevent229%3D1.362%2Cevent230%3D0.001%2Cevent231%3D1.834&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&v9=18%20%7C%20aos%3A%20home%2Ftradein&c14=aos%3A%20home%2Ftradein&v14=en-us&c17=5%3A5&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19357880227916?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A18%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.293%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.161%2Cevent225%3D0.001%2Cevent226%3D0.601%2Cevent227%3D0.489%2Cevent228%3D0.272%2Cevent229%3D1.362%2Cevent230%3D0.001%2Cevent231%3D1.834&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&v9=18%20%7C%20aos%3A%20home%2Ftradein&c14=aos%3A%20home%2Ftradein&v14=en-us&c17=5%3A5&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19357880227916?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A18%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.293%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.161%2Cevent225%3D0.001%2Cevent226%3D0.601%2Cevent227%3D0.489%2Cevent228%3D0.272%2Cevent229%3D1.362%2Cevent230%3D0.001%2Cevent231%3D1.834&h1=www.us.homepage&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&v9=18%20%7C%20aos%3A%20home%2Ftradein&c14=aos%3A%20home%2Ftradein&v14=en-us&c17=5%3A5&c20=aos%3A%20us&c28=680&v54=D%3Dg&c57=aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

Method	GET
Parameter	cl
Attack	
Evidence	

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19392135825500?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A11%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.180%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.004%2Cevent225%3D0.014%2Cevent226%3D0.344%2Cevent227%3D0.320%2Cevent228%3D0.220%2Cevent229%3D0.884%2Cevent230%3D0.000%2Cevent231%3D1.078&h1=www.us.homepage&l2=D%3Dc14%2B%22%3A%3AppleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&v3=aos%3A%20us&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&v9=11%20%7C%20aos%3A%20home%2Fshop\\_mac&c14= aos%3A%20home%2Fshop\\_mac&v14=en-us&c17=7%3A7&c20= aos%3A%20us&c28=680&v35=denied%20%7C%20pre%3Anot%20safari&v54=D%3Dg&c57= aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19392135825500?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A11%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.180%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.004%2Cevent225%3D0.014%2Cevent226%3D0.344%2Cevent227%3D0.320%2Cevent228%3D0.220%2Cevent229%3D0.884%2Cevent230%3D0.000%2Cevent231%3D1.078&h1=www.us.homepage&l2=D%3Dc14%2B%22%3A%3AppleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&v9=11%20%7C%20aos%3A%20home%2Fshop_mac&c14= aos%3A%20home%2Fshop_mac&v14=en-us&c17=7%3A7&c20= aos%3A%20us&c28=680&v35=denied%20%7C%20pre%3Anot%20safari&v54=D%3Dg&c57= aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

Method	GET
Parameter	cl
Attack	
Evidence	

[https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19392135825500?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A11%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.180%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.004%2Cevent225%3D0.014%2Cevent226%3D0.344%2Cevent227%3D0.320%2Cevent228%3D0.220%2Cevent229%3D0.884%2Cevent230%3D0.000%2Cevent231%3D1.078&h1=www.us.homepage&l2=D%3Dc14%2B%22%3A%3AppleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&v3=aos%3A%20us&l3=D%3Das\\_tex&c4=D%3Dg&v4=D%3DpageName&v9=11%20%7C%20aos%3A%20home%2Fshop\\_mac&c14= aos%3A%20home%2Fshop\\_mac&v14=en-us&c17=7%3A7&c20= aos%3A%20us&c28=680&v35=denied%20%7C%20pre%3Anot%20safari&v54=D%3Dg&c57= aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1](https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19392135825500?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A11%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.homepage&server=ac-2.18.0&events=event232%2Cevent220%3D0.180%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.004%2Cevent225%3D0.014%2Cevent226%3D0.344%2Cevent227%3D0.320%2Cevent228%3D0.220%2Cevent229%3D0.884%2Cevent230%3D0.000%2Cevent231%3D1.078&h1=www.us.homepage&l2=D%3Dc14%2B%22%3A%3AppleCard%3A%3Adenied%20%7C%20pre%3Anot%20safari%22&v3=aos%3A%20us&l3=D%3Das_tex&c4=D%3Dg&v4=D%3DpageName&v9=11%20%7C%20aos%3A%20home%2Fshop_mac&c14= aos%3A%20home%2Fshop_mac&v14=en-us&c17=7%3A7&c20= aos%3A%20us&c28=680&v35=denied%20%7C%20pre%3Anot%20safari&v54=D%3Dg&c57= aos%3Ashop&v97=s.t-p&s=1366x768&c=24&j=1.6&v=N&k=Y&bw=1366&bh=683&AQE=1)

Method	GET
Parameter	cl
Attack	
Evidence	

<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19487839263950?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A2%3A4%206%200&fid=5779F7B54E18F1EF-28B779BA18437AAE&ce=UTF-8&cdp=2&cl=1800&pageName=mac%20-%20mac-does-that%20-%20global%20nav&g=https%3A%2F%2Fwww.apple.com%2Fmac%2Fmac-does-that%2F&r=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent227%3D0.033%2Cevent228%3D0.221%2Cevent229%3D0.786%2Cevent230%3D0.000%2Cevent231%3D0.810%2Cevent232%2Cevent419%3D0.426%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent227%3D0.033%2Cevent228%3D0.221%2Cevent229%3D0.786%2Cevent230%3D0.000%2Cevent231%3D0.810%2Cevent232%2Cevent419%3D0.426%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent227%3D0.033%2Cevent228%3D0.221%2Cevent229%3D0.786%2Cevent230%3D0.000%2Cevent231%3D0.810%2Cevent232%2Cevent419%3D0.426%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent227%3D0.033%2Cevent228%3D0.221%2Cevent229%3D0.786%2Cevent230%3D0.000%2Cevent231%3D0.810%2Cevent232%2Cevent419%3D0.426%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent227%3D0.033%2Cevent228%3D0.221%2Cevent229%3D0.786%2Cevent230%3D0.000%2Cevent231%3D0.810%2Cevent232%2Cevent419%3D0.426%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent227%3D0.033%2Cevent228%3D0.221%2Cevent229%3D0.786%2Cevent230%3D0.000%2Cevent231%3D0.810%2Cevent232%2Cevent419%3D0.426%2Cevent420&v1=apple%20-%20index%2Ftab%20%28us%29&g=https%3A%2F%2Fwww.apple.com%2F&cc=USD&ch=www.us.mac.tab%2Bother&server=ac-2.18.0&events=event246%2Cevent210%3D1.95%2Cevent220%3D0.002%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.010%2Cevent225%3D0.006%2Cevent226%3D0.508%2Cevent22

URL	<a 1="" aos%3a%20us&amp;c28='670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.65&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1"' applestoreww="" b="" href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19542818206874?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A48%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=macbook%20pro%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.macbookpro.family&amp;server=ac-2.18.0&amp;events=event246%2Cevent210%3D2.65%2Cevent220%3D0.003%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.008%2Cevent225%3D0.006%2Cevent226%3D0.614%2Cevent227%3D0.044%2Cevent228%3D0.764%2Cevent229%3D1.450%2Cevent230%3D0.001%2Cevent231%3D1.470%2Cevent232%2Cevent419%3D0.477%2Cevent420&amp;v1=apple%20-%20index%2Ftab%20%28us%29%20%7C%20global%20nav%20%7C%20global%20nav%20-%20explore%20mac%20%7C%20macbook%20pro&amp;h1=www.us.macbookpro.family&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.65&amp;v97=s.t-p&amp;c.a.&amp;activitymap.&amp;page=apple%20-%20index%2Ftab%20%28us%29&amp;link=macbook%20pro%20-%20%2Fmacbook-pro%2F%20-%20globalnav&amp;region=globalnav&amp;pageIDType=1&amp;.activitymap&amp;.a.c.&amp;pid=apple%20-%20index%2Ftab%20%28us%29&amp;pidt=1&amp;oid=https%3A%2F%2Fwww.apple.com%2Fmacbook-pro%2F&amp;ot=A&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1&lt;/a&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Method&lt;/td&gt;&lt;td&gt;GET&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Parameter&lt;/td&gt;&lt;td&gt;cl&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Attack&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;Evidence&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt; &lt;tr&gt; &lt;td&gt;URL&lt;/td&gt;&lt;td&gt;&lt;a href=" https:="" js-2.23.0="" s19609254670846?aqb="1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20=" securemetrics.apple.com="" ss="">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.65&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;pccr=true&amp;vidn=324B9098DF26CF5E-40001FF422168950&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.65&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19609254670846?AQB=1&amp;pccr=true&amp;vidn=324B9098DF26CF5E-40001FF422168950&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A0%3A32%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event220%3D0.000%2Cevent221%3D0.003%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.014%2Cevent225%3D0.241%2Cevent226%3D1.087%2Cevent227%3D0.073%2Cevent228%3D2.113%2Cevent229%3D3.289%2Cevent230%3D0.001%2Cevent231%3D3.611%2Cevent232%2Cevent419%3D1.020%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=670&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57=www.us.homepage&amp;v93=1&amp;v94=2.65&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19906747886083?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A17%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.199%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.181%2Cevent225%3D0.001%2Cevent226%3D0.359%2Cevent227%3D0.075%2Cevent228%3D0.129%2Cevent229%3D0.563%2Cevent230%3D0.001%2Cevent231%3D0.977%2Cevent232%2Cevent419%3D1.3%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=10%20%7C%20aos%3A%20404&amp;c14=aos%3A%20404&amp;v14=en-us&amp;c17=13%3A13&amp;c20= aos%3A%20us&amp;c28=680&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19906747886083?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A17%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2F%2Fwww.apple.com%2F&amp;cc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event232%2Cevent220%3D0.199%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.181%2Cevent225%3D0.001%2Cevent226%3D0.359%2Cevent227%3D0.075%2Cevent228%3D0.129%2Cevent229%3D0.563%2Cevent230%3D0.001%2Cevent231%3D0.977%2Cevent232%2Cevent419%3D1.3%2Cevent420&amp;h1=www.us.homepage&amp;v3=aos%3A%20us&amp;l3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=10%20%7C%20aos%3A%20404&amp;c14=aos%3A%20404&amp;v14=en-us&amp;c17=13%3A13&amp;c20= aos%3A%20us&amp;c28=680&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	

	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19962635350963?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A32%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event23%2Cevent220%3D0.991%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.101%2Cevent225%3D0.001%2Cevent226%3D0.613%2Cevent227%3D0.162%2Cevent228%3D0.200%2Cevent229%3D0.975%2Cevent230%3D0.001%2Cevent231%3D2.093%h1=www.us.homepage&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=21%20%7C%20aos%3A%20homepage&amp;c14= aos%3A%20homepage&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s19962635350963?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A32%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=apple%20-%20index%2Ftab%20%28us%29&amp;g=https%3A%2Fwww.apple.com%2Fcc=USD&amp;ch=www.us.homepage&amp;server=ac-2.18.0&amp;events=event23%2Cevent220%3D0.991%2Cevent221%3D0.000%2Cevent222%3D0.000%2Cevent223%3D0.000%2Cevent224%3D0.101%2Cevent225%3D0.001%2Cevent226%3D0.613%2Cevent227%3D0.162%2Cevent228%3D0.200%2Cevent229%3D0.975%2Cevent230%3D0.001%2Cevent231%3D2.093%h1=www.us.homepage&amp;v3=aos%3A%20us&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;v9=21%20%7C%20aos%3A%20homepage&amp;c14= aos%3A%20homepage&amp;v14=en-us&amp;c17=5%3A5&amp;c20= aos%3A%20us&amp;c28=670&amp;v54=D%3Dg&amp;c57= aos%3Ashop&amp;v97=s.t-p&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	GET
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13434713444782?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A28%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Frefurbished&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Frefurbished&amp;r=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;server=as-19.13.2&amp;events=event4&amp;products=%3BFGHC3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D1%2F9%2C%3BGLR3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D2%2F9%2C%3BFGCH3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D3%2F9%2C%3BFK2K3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D4%2F9%2C%3BFK7P3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D5%2F9%2C%3BFHQR3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D6%2F9%2C%3BFPHF3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D7%2F9%2C%3BFYD92%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D8%2F9%2C%3BFNW83%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D9%2F9&amp;h1= aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c20= AOS%3A%20US%20Consumer&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;v97=s.tlo&amp;pe=lnk_o&amp;pev2=impressions%20controller&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;Irt=187&amp;AQE=1">https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s13434713444782?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A1%3A28%206%200&amp;fid=229A7D629BF9F480-11EED56F02193F68&amp;ce=UTF-8&amp;cdp=2&amp;cl=1800&amp;pageName=AOS%3A%20home%2Frefurbished&amp;g=https%3A%2Fwww.apple.com%2Fshop%2Frefurbished&amp;r=https%3A%2F%2Fwww.apple.com%2Fcc=USD&amp;server=as-19.13.2&amp;events=event4&amp;products=%3BFGHC3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D1%2F9%2C%3BGLR3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D2%2F9%2C%3BFGCH3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D3%2F9%2C%3BFK2K3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D4%2F9%2C%3BFK7P3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D5%2F9%2C%3BFHQR3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D6%2F9%2C%3BFPHF3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D7%2F9%2C%3BFYD92%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D8%2F9%2C%3BFNW83%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar65%3D9%2F9&amp;h1= aos%3Ashop&amp;l1=D%3Das_xs&amp;v3=AOS%3A%20US%20Consumer&amp;i3=D%3Das_tex&amp;c4=D%3Dg&amp;v4=D%3DpageName&amp;c5=linux%20x86_64&amp;c8=AOS%3A%20home&amp;c14=apple%20-%20index%2Ftab%20%28us%29&amp;v14=en-us&amp;c20= AOS%3A%20US%20Consumer&amp;c40=10078&amp;v49=D%3Dr&amp;v54=D%3Dg&amp;v97=s.tlo&amp;pe=lnk_o&amp;pev2=impressions%20controller&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;Irt=187&amp;AQE=1</a>
Method	POST
Parameter	cl
Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applestoreww/1/JS-2.23.0/s14671265839440?AQB=1&ndh=1&pf=1&t=24%2F5%2F2023%2017%3A1%3A9%206%200&fid=229A7D629BF9F480-11EED56F02193F68&ce=UTF-8&cdp=2&cl=1800&pageName=AOS%3A%20home%2Fshop_accessories%2Fall_accessories&g=https%3A%2Fwww.apple.com%2Fshop%2Faccessories%2Fall&r=https%3A%2Fwww.apple.com%2Fcc=USD&server=as-19.13.2&events=event4&products=%3BMQU73%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D1%2F10%2C%3BMHXH3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D2%2F10%2C%3BMPPP3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D3%2F10%2C%3BMPPT3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D4%2F10%2C%3BMHJA3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D5%2F10%2C%3BMXF3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D6%2F10%2C%3BMPUD3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D7%2F10%2C%3BMPU63%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D8%2F10%2C%3BHQ4V2%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D9%2F10%2C%3BQ512%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D10%2F10%2C%3BMPQDP3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D11%2F10%2C%3BMPQLY3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D12%2F10%2C%3BMPQDT3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D13%2F10%2C%3BMP863%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D14%2F10%2C%3BMM6G3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D15%2F10%2C%3BMR373%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D16%2F10%2C%3BMPDV3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D17%2F10%2C%3BMPUD3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D18%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D19%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D20%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D21%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D22%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D23%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D24%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D25%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D26%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D27%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D28%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D29%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D30%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D31%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D32%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D33%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D34%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D35%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D36%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D37%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D38%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D39%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D40%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D41%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D42%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D43%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D44%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D45%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D46%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D47%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D48%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D49%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D50%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D51%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D52%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D53%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D54%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D55%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D56%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D57%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D58%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D59%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D60%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D61%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D62%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D63%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D64%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D65%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D66%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D67%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D68%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D69%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D70%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D71%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D72%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D73%2F10%2C%3BMPQJ3%3B%3B%3B%3BeVar60%3Dpinwheel%7CeVar61%3DPW14_Carousel%7CeVar65%3D74%2F10%2C%3BMP



Attack	
Evidence	
URL	<a href="https://securemetrics.apple.com/b/ss/applesupportglobalprod/1/JS-2.20.0-LCXS/s15860540653876?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A20%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cl=1800&amp;pageName=acs%3A%3Afamily%3A%3Amac%3A%3Alanding%20%28en-us%29&amp;q=https%3A%2F%2Fsupport.apple.com%2Fmac%3Fcid%3Dgn-ols-mac-psp-prod&amp;events=event27&amp;c1=acs%3A%3Afamily%3A%3Amac&amp;h1=www.us.support&amp;l1=www.apple.com%3B%2Fmac&amp;c2=support&amp;c4=D%3Dg&amp;c5=linux%20x86_64&amp;c6=D%3DpageName&amp;c9=mac%20unknown%20or%20non-safari&amp;v14=en-us&amp;c17=0%3A0&amp;c20=non-store%20kiosk&amp;c25=third%20party&amp;v49=https%3A%2F%2Fwww.apple.com%2F&amp;v54=D%3Dg&amp;v101=o%3Dfalse&amp;v103=learn%20how%20to%20set%20up%20and%20use%20your%20mac%20computer.%20find%20all%20the%20topics%2C%20resources%2C%20and%20contact%20options%20you%20need%20for%20mac.&amp;v104=%7Bpf%3A1687626%2Cto%3A1687626138866%2Cnv%3A%7Ba%3A0%2Cb%3A0%7D%2Ctiming%3A%7Ba%3A138918%2Cb%3A138917%2Cc%3A0%2Cd%3A0%2Ce%3A140196%2Cf%3A140195%2Cg%3A139390%2Ch%3A138917%2Ci%3A138917%2Cj%3A138875%2Ck%3A0%2Cl%3A0%2Cm%3A138866%2Cn%3A0%2Co%3A0%2Cp%3A138918%2Cq%3A139351%2Cr%3A138920%2Ct%3A0%2Cu%3A0%2Cs%3A138917%7D%7D&amp;v105=support.apple.com%2Fmac&amp;v106=17%20gmt-0&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1">https://securemetrics.apple.com/b/ss/applesupportglobalprod/1/JS-2.20.0-LCXS/s15860540653876?AQB=1&amp;ndh=1&amp;pf=1&amp;t=24%2F5%2F2023%2017%3A2%3A20%206%200&amp;fid=5779F7B54E18F1EF-28B779BA18437AAE&amp;ce=UTF-8&amp;cl=1800&amp;pageName=acs%3A%3Afamily%3A%3Amac%3A%3Alanding%20%28en-us%29&amp;q=https%3A%2F%2Fsupport.apple.com%2Fmac%3Fcid%3Dgn-ols-mac-psp-prod&amp;events=event27&amp;c1=acs%3A%3Afamily%3A%3Amac&amp;h1=www.us.support&amp;l1=www.apple.com%3B%2Fmac&amp;c2=support&amp;c4=D%3Dg&amp;c5=linux%20x86_64&amp;c6=D%3DpageName&amp;c9=mac%20unknown%20or%20non-safari&amp;v14=en-us&amp;c17=0%3A0&amp;c20=non-store%20kiosk&amp;c25=third%20party&amp;v49=https%3A%2F%2Fwww.apple.com%2F&amp;v54=D%3Dg&amp;v101=o%3Dfalse&amp;v103=learn%20how%20to%20set%20up%20and%20use%20your%20mac%20computer.%20find%20all%20the%20topics%2C%20resources%2C%20and%20contact%20options%20you%20need%20for%20mac.&amp;v104=%7Bpf%3A1687626%2Cto%3A1687626138866%2Cnv%3A%7Ba%3A0%2Cb%3A0%7D%2Ctiming%3A%7Ba%3A138918%2Cb%3A138917%2Cc%3A0%2Cd%3A0%2Ce%3A140196%2Cf%3A140195%2Cg%3A139390%2Ch%3A138917%2Ci%3A138917%2Cj%3A138875%2Ck%3A0%2Cl%3A0%2Cm%3A138866%2Cn%3A0%2Co%3A0%2Cp%3A138918%2Cq%3A139351%2Cr%3A138920%2Ct%3A0%2Cu%3A0%2Cs%3A138917%7D%7D&amp;v105=support.apple.com%2Fmac&amp;v106=17%20gmt-0&amp;s=1366x768&amp;c=24&amp;j=1.6&amp;v=N&amp;k=Y&amp;bw=1366&amp;bh=683&amp;AQE=1</a>
Method	POST
Parameter	cl
Attack	
Evidence	
Instances	102
Solution	Do not allow user input to control cookie names and values. If some query string parameters must be set in cookie values, be sure to filter out semicolon's that can serve as name/value pair delimiters.
Reference	<a href="http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-cookie">http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-cookie</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10029</a>

Informational	Loosely Scoped Cookie
Description	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
URL	<a href="https://appleid.apple.com/">https://appleid.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://appleid.apple.com/us/">https://appleid.apple.com/us/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://secure.store.apple.com/shop/account/home">https://secure.store.apple.com/shop/account/home</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/">https://www.apple.com/</a>
Method	GET

Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*search/">https://www.apple.com/*search/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/*WebObjects/">https://www.apple.com/*shop/*WebObjects/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/1-800-MY-APPLE/">https://www.apple.com/*shop/1-800-MY-APPLE/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/2322-consumer">https://www.apple.com/*shop/2322-consumer</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/account/setup">https://www.apple.com/*shop/account/setup</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/answer/vote">https://www.apple.com/*shop/answer/vote</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/bag">https://www.apple.com/*shop/bag</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/browse/campaigns/mobile_overlay">https://www.apple.com/*shop/browse/campaigns/mobile_overlay</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://www.apple.com/*shop/browse/overlay">https://www.apple.com/*shop/browse/overlay</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/button_availability">https://www.apple.com/*shop/button_availability</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/change_password">https://www.apple.com/*shop/change_password</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/checkout">https://www.apple.com/*shop/checkout</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/create_account">https://www.apple.com/*shop/create_account</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/favorites">https://www.apple.com/*shop/favorites</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/identify_user">https://www.apple.com/*shop/identify_user</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/mobile/checkout/start">https://www.apple.com/*shop/mobile/checkout/start</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/mobilex/">https://www.apple.com/*shop/mobilex/</a>

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/rs-mvt/rel/">https://www.apple.com/*shop/rs-mvt/rel/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sentry">https://www.apple.com/*shop/sentry</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sentryx/change_password">https://www.apple.com/*shop/sentryx/change_password</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sentryx/create_account">https://www.apple.com/*shop/sentryx/create_account</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sentryx/create_account_confirm">https://www.apple.com/*shop/sentryx/create_account_confirm</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sentryx/identify_user">https://www.apple.com/*shop/sentryx/identify_user</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sentryx/sign_in">https://www.apple.com/*shop/sentryx/sign_in</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/sign_in">https://www.apple.com/*shop/sign_in</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://www.apple.com/*/shop/sign_out">https://www.apple.com/*/shop/sign_out</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*/shop/signed_in_account">https://www.apple.com/*/shop/signed_in_account</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*/shop/socialsharing/">https://www.apple.com/*/shop/socialsharing/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*/shop/storeConfig">https://www.apple.com/*/shop/storeConfig</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*/shop/variationSelection">https://www.apple.com/*/shop/variationSelection</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*/shop/vieworder">https://www.apple.com/*/shop/vieworder</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_adc_*/shop/">https://www.apple.com/*_adc_*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_aoc_*/shop/">https://www.apple.com/*_aoc_*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://www.apple.com/*_enterprise*/shop/">https://www.apple.com/*_enterprise*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_internal-epp-discounted*/shop/">https://www.apple.com/*_internal-epp-discounted*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_k12nonbts*/shop/">https://www.apple.com/*_k12nonbts*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_kiosk*/shop/">https://www.apple.com/*_kiosk*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_nonbts*/shop/">https://www.apple.com/*_nonbts*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_qpromo*/shop/">https://www.apple.com/*_qpromo*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*_refurb-discounted*/shop/">https://www.apple.com/*_refurb-discounted*/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/*shop/store/feeds/">https://www.apple.com/*shop/store/feeds/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/robots.txt">https://www.apple.com/robots.txt</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/">https://www.apple.com/shop/</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/accessories/all">https://www.apple.com/shop/accessories/all</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/accessories/all-accessories/accessibility">https://www.apple.com/shop/accessories/all-accessories/accessibility</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/bag">https://www.apple.com/shop/bag</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/browse/finance/PaypalFinancingLandingPage">https://www.apple.com/shop/browse/finance/PaypalFinancingLandingPage</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/buy-ipad">https://www.apple.com/shop/buy-ipad</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/shop/buy-iphone/carrier-offers">https://www.apple.com/shop/buy-iphone/carrier-offers</a>
Method	GET
Parameter	
Attack	

## Evidence

URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/shop/buy-watch">https://www.apple.com/shop/buy-watch</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/shop/education-pricing">https://www.apple.com/shop/education-pricing</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/shop/gift-cards">https://www.apple.com/shop/gift-cards</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/shop/goto/store">https://www.apple.com/shop/goto/store</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/shop/refurbished">https://www.apple.com/shop/refurbished</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/shop/trade-in">https://www.apple.com/shop/trade-in</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/sitemap.xml">https://www.apple.com/sitemap.xml</a>
-----	---

Method	GET
--------	-----

Parameter	
-----------	--

Attack	
--------	--

Evidence	
----------	--

URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
-----	---

Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us-hed/shop/back-to-school">https://www.apple.com/us-hed/shop/back-to-school</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us-hed/shop/mcm/product-price">https://www.apple.com/us-hed/shop/mcm/product-price</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search">https://www.apple.com/us/search</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?find=ZAP">https://www.apple.com/us/search?find=ZAP</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/back-to-school/terms-conditions">https://www.apple.com/us/shop/back-to-school/terms-conditions</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/accessories/airtag">https://www.apple.com/us/shop/goto/accessories/airtag</a>
Method	GET
Parameter	

Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/account">https://www.apple.com/us/shop/goto/account</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/bag">https://www.apple.com/us/shop/goto/bag</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_accessories">https://www.apple.com/us/shop/goto/buy_accessories</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_airpods/airpods_max">https://www.apple.com/us/shop/goto/buy_airpods/airpods_max</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_aitag/aitag">https://www.apple.com/us/shop/goto/buy_aitag/aitag</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers">https://www.apple.com/us/shop/goto/buy_iphone/carrier_offers</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/iphone_14">https://www.apple.com/us/shop/goto/buy_iphone/iphone_14</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_iphone/iphone_14_pro">https://www.apple.com/us/shop/goto/buy_iphone/iphone_14_pro</a>
Method	GET
Parameter	
Attack	
Evidence	

URL	<a href="https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2">https://www.apple.com/us/shop/goto/buy_mac/macbook_air/15_inch_m2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/buy_watch/apple_watch_series_8">https://www.apple.com/us/shop/goto/buy_watch/apple_watch_series_8</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/educationrouting">https://www.apple.com/us/shop/goto/educationrouting</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/engraving">https://www.apple.com/us/shop/goto/engraving</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/eppstore/veteransandmilitary">https://www.apple.com/us/shop/goto/eppstore/veteransandmilitary</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/giftcards">https://www.apple.com/us/shop/goto/giftcards</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/help">https://www.apple.com/us/shop/goto/help</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/help/sales_refunds">https://www.apple.com/us/shop/goto/help/sales_refunds</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/ipad_pro/select">https://www.apple.com/us/shop/goto/ipad_pro/select</a>
Method	GET
Parameter	
Attack	
Evidence	

Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/order/list">https://www.apple.com/us/shop/goto/order/list</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/payment_plan">https://www.apple.com/us/shop/goto/payment_plan</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/product/MME73">https://www.apple.com/us/shop/goto/product/MME73</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/product/MPNY3">https://www.apple.com/us/shop/goto/product/MPNY3</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/product/MQD83">https://www.apple.com/us/shop/goto/product/MQD83</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/product/MR8U2">https://www.apple.com/us/shop/goto/product/MR8U2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/product/MV7N2">https://www.apple.com/us/shop/goto/product/MV7N2</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/select_airtag_hermes">https://www.apple.com/us/shop/goto/select_airtag_hermes</a>
Method	GET
Parameter	
Attack	

Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/shipping_and_returns">https://www.apple.com/us/shop/goto/shipping_and_returns</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/special_deals">https://www.apple.com/us/shop/goto/special_deals</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/store">https://www.apple.com/us/shop/goto/store</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/goto/trade_in">https://www.apple.com/us/shop/goto/trade_in</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/mcm/product-price">https://www.apple.com/us/shop/mcm/product-price</a>
Method	GET
Parameter	
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/shop/mcm/tradein-credit">https://www.apple.com/us/shop/mcm/tradein-credit</a>
Method	GET
Parameter	
Attack	
Evidence	
Instances	102
Solution	Always scope cookies to a FQDN (Fully Qualified Domain Name).
Reference	<a href="https://tools.ietf.org/html/rfc6265#section-4.1">https://tools.ietf.org/html/rfc6265#section-4.1</a> <a href="https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html">https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html</a> <a href="http://code.google.com/p/browsersec/wiki/Part2#Same-origin_policy_for_cookies">http://code.google.com/p/browsersec/wiki/Part2#Same-origin_policy_for_cookies</a>
CWE Id	<a href="#">565</a>
WASC Id	15
Plugin Id	<a href="#">90033</a>

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
	<a href="https://www.apple.com/">https://www.apple.com/</a>

URL	
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=72
URL	<a href="https://www.apple.com/accessibility/">https://www.apple.com/accessibility/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=212
URL	<a href="https://www.apple.com/accessibility/cognitive/">https://www.apple.com/accessibility/cognitive/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=245
URL	<a href="https://www.apple.com/accessibility/hearing/">https://www.apple.com/accessibility/hearing/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/accessibility/mobility/">https://www.apple.com/accessibility/mobility/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=253
URL	<a href="https://www.apple.com/accessibility/vision/">https://www.apple.com/accessibility/vision/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/airplay/">https://www.apple.com/airplay/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/airpods-2nd-generation/">https://www.apple.com/airpods-2nd-generation/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=203
URL	<a href="https://www.apple.com/airpods-2nd-generation/compare/">https://www.apple.com/airpods-2nd-generation/compare/</a>
Method	GET

Parameter	Cache-Control
Attack	
Evidence	max-age=600
URL	<a href="https://www.apple.com/airpods-2nd-generation/specs/">https://www.apple.com/airpods-2nd-generation/specs/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=232
URL	<a href="https://www.apple.com/airpods-3rd-generation/">https://www.apple.com/airpods-3rd-generation/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/airpods-3rd-generation/compare/">https://www.apple.com/airpods-3rd-generation/compare/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=553
URL	<a href="https://www.apple.com/airpods-3rd-generation/specs/">https://www.apple.com/airpods-3rd-generation/specs/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=209
URL	<a href="https://www.apple.com/airpods-max/">https://www.apple.com/airpods-max/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=225
URL	<a href="https://www.apple.com/airpods-max/compare/">https://www.apple.com/airpods-max/compare/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=580
URL	<a href="https://www.apple.com/airpods-max/specs/">https://www.apple.com/airpods-max/specs/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=273
URL	<a href="https://www.apple.com/airpods-pro/">https://www.apple.com/airpods-pro/</a>
Method	GET
Parameter	Cache-Control
Attack	

Evidence	max-age=0
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=289
URL	<a href="https://www.apple.com/airpods-pro/compare/">https://www.apple.com/airpods-pro/compare/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=590
URL	<a href="https://www.apple.com/airpods-pro/specs/">https://www.apple.com/airpods-pro/specs/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=103
URL	<a href="https://www.apple.com/airpods/">https://www.apple.com/airpods/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/airpods/compare/">https://www.apple.com/airpods/compare/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=161
URL	<a href="https://www.apple.com/airtag/">https://www.apple.com/airtag/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=172
URL	<a href="https://www.apple.com/app-store/">https://www.apple.com/app-store/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/app-store/developing-for-the-app-store/">https://www.apple.com/app-store/developing-for-the-app-store/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=278
URL	<a href="https://www.apple.com/apple-arcade/">https://www.apple.com/apple-arcade/</a>

Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=266
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-cook_learn-apl-ref-220617">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-cook_learn-apl-ref-220617</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=299
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Disney_learn-apl-ref-211217">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Disney_learn-apl-ref-211217</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-epxoxo_learn-apl-ref-220106">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-epxoxo_learn-apl-ref-220106</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=237
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Gear_learn-apl-ref-220408">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Gear_learn-apl-ref-220408</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hero_lrn-apl-ref-230504">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hero_lrn-apl-ref-230504</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=243
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-211025">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-211025</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-220305">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-hw_bundle-apl-ref-220305</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=242
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-jj2_learn-apl-ref-220819">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-jj2_learn-apl-ref-220819</a>
Method	GET
Parameter	Cache-Control

Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-LEGOSW_learn-apl-ref-211119">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-LEGOSW_learn-apl-ref-211119</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=272
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210416">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210416</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210430">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210430</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210507">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210507</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210709">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210709</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=253
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210820">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-lrn_tle-apl-ref-210820</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=290
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-nba_learn-apl-ref-230309">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-nba_learn-apl-ref-230309</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=290
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-NickTennis_learn-apl-ref-220121">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-NickTennis_learn-apl-ref-220121</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=299

URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-pony_learn-apl-ref-111216">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-pony_learn-apl-ref-111216</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=292
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-sst_learn-apl-ref-220717">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-sst_learn-apl-ref-220717</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=251
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Warp_learn-apl-ref-220521">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Warp_learn-apl-ref-220521</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-who_learn-apl-ref-230407">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-who_learn-apl-ref-230407</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=210
URL	<a href="https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Wylde_learn-apl-ref-220218">https://www.apple.com/apple-arcade/?itscg=10000&amp;itsct=arc-0-apl_hp-Wylde_learn-apl-ref-220218</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=292
URL	<a href="https://www.apple.com/apple-arcade/how-to/">https://www.apple.com/apple-arcade/how-to/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-books/">https://www.apple.com/apple-books/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-card/">https://www.apple.com/apple-card/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=104
URL	<a href="https://www.apple.com/apple-card/family/">https://www.apple.com/apple-card/family/</a>
Method	GET

Parameter	Cache-Control
Attack	
Evidence	max-age=256
URL	<a href="https://www.apple.com/apple-card/features/">https://www.apple.com/apple-card/features/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-card/financial-health/">https://www.apple.com/apple-card/financial-health/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=272
URL	<a href="https://www.apple.com/apple-card/how-to/">https://www.apple.com/apple-card/how-to/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=165
URL	<a href="https://www.apple.com/apple-card/monthly-installments/">https://www.apple.com/apple-card/monthly-installments/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-cash/">https://www.apple.com/apple-cash/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=250
URL	<a href="https://www.apple.com/apple-events/">https://www.apple.com/apple-events/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=55
URL	<a href="https://www.apple.com/apple-events/?useASL=true">https://www.apple.com/apple-events/?useASL=true</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=240
URL	<a href="https://www.apple.com/apple-fitness-plus/">https://www.apple.com/apple-fitness-plus/</a>
Method	GET
Parameter	Cache-Control
Attack	

Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-fitness-plus/whats-new/">https://www.apple.com/apple-fitness-plus/whats-new/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=274
URL	<a href="https://www.apple.com/apple-music/">https://www.apple.com/apple-music/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=191
URL	<a href="https://www.apple.com/apple-news/">https://www.apple.com/apple-news/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-news/publications/">https://www.apple.com/apple-news/publications/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-one/">https://www.apple.com/apple-one/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=286
URL	<a href="https://www.apple.com/apple-pay/">https://www.apple.com/apple-pay/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-pencil/">https://www.apple.com/apple-pencil/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=89
URL	<a href="https://www.apple.com/apple-podcasts/">https://www.apple.com/apple-podcasts/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-tv-4k/">https://www.apple.com/apple-tv-4k/</a>

Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-tv-4k/specs/">https://www.apple.com/apple-tv-4k/specs/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/apple-tv-app/">https://www.apple.com/apple-tv-app/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=171
URL	<a href="https://www.apple.com/apple-tv-plus/">https://www.apple.com/apple-tv-plus/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-tv-plus/?itscg=10000&amp;itsct=atv-0-apl_hp-pmo_lrn-apl-avl-210916">https://www.apple.com/apple-tv-plus/?itscg=10000&amp;itsct=atv-0-apl_hp-pmo_lrn-apl-avl-210916</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-vision-pro/">https://www.apple.com/apple-vision-pro/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=43
URL	<a href="https://www.apple.com/apple-watch-hermes/">https://www.apple.com/apple-watch-hermes/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-watch-nike/">https://www.apple.com/apple-watch-nike/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=177
URL	<a href="https://www.apple.com/apple-watch-se/">https://www.apple.com/apple-watch-se/</a>
Method	GET
Parameter	Cache-Control

Attack	
Evidence	max-age=216
URL	<a href="https://www.apple.com/apple-watch-se/why-apple-watch/">https://www.apple.com/apple-watch-se/why-apple-watch/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=192
URL	<a href="https://www.apple.com/apple-watch-series-8/">https://www.apple.com/apple-watch-series-8/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-watch-series-8/why-apple-watch/">https://www.apple.com/apple-watch-series-8/why-apple-watch/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=137
URL	<a href="https://www.apple.com/apple-watch-ultra/">https://www.apple.com/apple-watch-ultra/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/apple-watch-ultra/why-apple-watch/">https://www.apple.com/apple-watch-ultra/why-apple-watch/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/augmented-reality/">https://www.apple.com/augmented-reality/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/batteries/">https://www.apple.com/batteries/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=190
URL	<a href="https://www.apple.com/batteries/maximizing-performance/">https://www.apple.com/batteries/maximizing-performance/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0

URL	<a href="https://www.apple.com/batteries/service-and-recycling/">https://www.apple.com/batteries/service-and-recycling/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/batteries/why-lithium-ion/">https://www.apple.com/batteries/why-lithium-ion/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=242
URL	<a href="https://www.apple.com/business/">https://www.apple.com/business/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=0
URL	<a href="https://www.apple.com/business/connect/">https://www.apple.com/business/connect/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/business/enterprise/">https://www.apple.com/business/enterprise/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/business/enterprise/apps/">https://www.apple.com/business/enterprise/apps/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/business/enterprise/choice/">https://www.apple.com/business/enterprise/choice/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=300
URL	<a href="https://www.apple.com/business/enterprise/how-to-buy/">https://www.apple.com/business/enterprise/how-to-buy/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=262
URL	<a href="https://www.apple.com/business/enterprise/it/">https://www.apple.com/business/enterprise/it/</a>
Method	GET

Parameter	Cache-Control
Attack	
Evidence	max-age=262
URL	<a href="https://www.apple.com/business/enterprise/partners/">https://www.apple.com/business/enterprise/partners/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=262
URL	<a href="https://www.apple.com/go/awards/">https://www.apple.com/go/awards/</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=295
URL	<a href="https://www.apple.com/robots.txt">https://www.apple.com/robots.txt</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	max-age=152
URL	<a href="https://www.apple.com/shop/buy-ipad">https://www.apple.com/shop/buy-ipad</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	private, max-age=120
URL	<a href="https://www.apple.com/shop/buy-iphone">https://www.apple.com/shop/buy-iphone</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	private, max-age=120
URL	<a href="https://www.apple.com/shop/buy-mac">https://www.apple.com/shop/buy-mac</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	private, max-age=113
URL	<a href="https://www.apple.com/shop/buy-watch">https://www.apple.com/shop/buy-watch</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	private, max-age=120
URL	<a href="https://www.apple.com/sitemap.xml">https://www.apple.com/sitemap.xml</a>
Method	GET
Parameter	Cache-Control
Attack	

Evidence	max-age=577
URL	<a href="https://www.apple.com/store">https://www.apple.com/store</a>
Method	GET
Parameter	Cache-Control
Attack	
Evidence	private, max-age=120
Instances	102
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching">https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching</a> <a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control">https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control</a> <a href="https://grayduck.mn/2021/09/13/cache-control-recommendations/">https://grayduck.mn/2021/09/13/cache-control-recommendations/</a>
CWE Id	<a href="#">525</a>
WASC Id	13
Plugin Id	<a href="#">10015</a>

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	<a href="http://developer.apple.com/contact/">http://developer.apple.com/contact/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 2
URL	<a href="https://developer.apple.com/">https://developer.apple.com/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/accessibility/">https://developer.apple.com/accessibility/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 2
URL	<a href="https://developer.apple.com/app-store/review/guidelines/">https://developer.apple.com/app-store/review/guidelines/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/app-store/small-business-program/">https://developer.apple.com/app-store/small-business-program/</a>
Method	GET
Parameter	
Attack	

Evidence	Age: 0
URL	<a href="https://developer.apple.com/apple-arcade/">https://developer.apple.com/apple-arcade/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/apple-pay/">https://developer.apple.com/apple-pay/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/apple-pay/marketing/">https://developer.apple.com/apple-pay/marketing/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/apple-pay/marketing/Apple-Pay-Mark.zip">https://developer.apple.com/apple-pay/marketing/Apple-Pay-Mark.zip</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 2
URL	<a href="https://developer.apple.com/apple-pay/payment-platforms/">https://developer.apple.com/apple-pay/payment-platforms/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/business/">https://developer.apple.com/business/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/business/create/">https://developer.apple.com/business/create/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 2
URL	<a href="https://developer.apple.com/programs/enroll/">https://developer.apple.com/programs/enroll/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/sap/">https://developer.apple.com/sap/</a>

Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/support/forums/">https://developer.apple.com/support/forums/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/swift/">https://developer.apple.com/swift/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/swift/resources/">https://developer.apple.com/swift/resources/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/tap-to-pay/">https://developer.apple.com/tap-to-pay/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/tap-to-pay/regions/">https://developer.apple.com/tap-to-pay/regions/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 1
URL	<a href="https://developer.apple.com/testflight/">https://developer.apple.com/testflight/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/videos/play/tech-talks/301/">https://developer.apple.com/videos/play/tech-talks/301/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/wwdc23/swift-student-challenge/">https://developer.apple.com/wwdc23/swift-student-challenge/</a>
Method	GET
Parameter	

Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/xcode/">https://developer.apple.com/xcode/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
URL	<a href="https://developer.apple.com/xcode/resources/">https://developer.apple.com/xcode/resources/</a>
Method	GET
Parameter	
Attack	
Evidence	Age: 0
Instances	24
Solution	<p>Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user:</p> <p>Cache-Control: no-cache, no-store, must-revalidate, private  Pragma: no-cache  Expires: 0</p> <p>This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.</p>
Reference	<a href="https://tools.ietf.org/html/rfc7234">https://tools.ietf.org/html/rfc7234</a> <a href="https://tools.ietf.org/html/rfc7231">https://tools.ietf.org/html/rfc7231</a> <a href="http://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html (obsoleted by rfc7234)">http://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html (obsoleted by rfc7234)</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10050</a>

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	<a href="https://music.apple.com/deeplink?app=music&amp;at=1000l4QJ&amp;ct=sub_airplay&amp;itscg=10000&amp;itsct=mus-0-try_it_free-airplay-apl-220405&amp;p=subscribe">https://music.apple.com/deeplink?app=music&amp;at=1000l4QJ&amp;ct=sub_airplay&amp;itscg=10000&amp;itsct=mus-0-try_it_free-airplay-apl-220405&amp;p=subscribe</a>
Method	GET
Parameter	app
Attack	
Evidence	
URL	<a href="https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=401&amp;itscg=10000&amp;itsct=401x">https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=401&amp;itscg=10000&amp;itsct=401x</a>
Method	GET
Parameter	app
Attack	
Evidence	
URL	<a href="https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=402&amp;itscg=10000&amp;itsct=402x">https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=402&amp;itscg=10000&amp;itsct=402x</a>
Method	GET
Parameter	app
Attack	

Evidence	
URL	<a href="https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=403&amp;itscg=10000&amp;itsct=403x">https://music.apple.com/subscribe?app=music&amp;at=1000l4QJ&amp;ct=403&amp;itscg=10000&amp;itsct=403x</a>
Method	GET
Parameter	app
Attack	
Evidence	
URL	<a href="https://podcasts.apple.com/us/channel/apple-events/id6442627105?hasPaidContent=false">https://podcasts.apple.com/us/channel/apple-events/id6442627105?hasPaidContent=false</a>
Method	GET
Parameter	hasPaidContent
Attack	
Evidence	
URL	<a href="https://podcasts.apple.com/us/channel/apple-events/id6442627105?hasPaidContent=false">https://podcasts.apple.com/us/channel/apple-events/id6442627105?hasPaidContent=false</a>
Method	GET
Parameter	hasPaidContent
Attack	
Evidence	
URL	<a href="https://www.apple.com/?useASL=true">https://www.apple.com/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/?useASL=true">https://www.apple.com/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/?useASL=true">https://www.apple.com/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/?useASL=true">https://www.apple.com/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/?useASL=true">https://www.apple.com/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/?useASL=true">https://www.apple.com/?useASL=true</a>

Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/airpods-pro/?campaign=true">https://www.apple.com/airpods-pro/?campaign=true</a>
Method	GET
Parameter	campaign
Attack	
Evidence	
URL	<a href="https://www.apple.com/apple-events/?useASL=true">https://www.apple.com/apple-events/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	

Attack	
Evidence	
URL	<a href="https://www.apple.com/apple-events/?useASL=true">https://www.apple.com/apple-events/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/apple-events/?useASL=true">https://www.apple.com/apple-events/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/apple-events/?useASL=true">https://www.apple.com/apple-events/?useASL=true</a>
Method	GET
Parameter	useASL
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	

URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search/product-red?sel=accessories">https://www.apple.com/us/search/product-red?sel=accessories</a>
Method	GET
Parameter	sel
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	

Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	
Evidence	
URL	<a href="https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type">https://www.apple.com/us/search?locale=en&amp;page&amp;src&amp;type</a>
Method	GET
Parameter	locale
Attack	

Evidence	
Instances	45
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	<a href="http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-html-attribute">http://websecuritytool.codeplex.com/wikipage?title=Checks#user-controlled-html-attribute</a>
CWE Id	<a href="#">20</a>
WASC Id	20
Plugin Id	<a href="#">10031</a>