





CCTV, VIDEO INTERCOM AND ACCESS CONTROL SOI UTIONS

THE POWER OF A WORLD-RENOWNED BRAND

HYUNDAI CORPORATION is one of the most important business groups in Korea and a benchmark in the digital era of the 21st century, offering multiple commercial and international distribution services for a wide range of highly prestigious products, including steel, heavy machinery, ships, automobiles, and electric equipment.

HYUNDAI CORPORATION is leading the electronic security market by developing and manufacturing CCTV and Video Intercom.

The best cameras and recorders in the world are combined with other systems to offer a unique and powerful management platform, which improves the experience for all types of users (end customer, installers and ARCs) to a new level and through the "HYU-CONNECT" Software / App.

Its commitment to excellence has a hallmark under the name HYUNDAI NEXTGEN.



CCTV

HDTVI CAMERAS	5
4 IN 1 CAMERAS	8
Bullets and domes	
Bullets and domes with motorized zoom	
Bullet cameras with positioner	
PTZ domes	17
5 IN 1 DVR	40
ZVR H.264	
ZVR H.265	
ZVR PoC	
ZVR Ai-Sense	
ZVR with CCTV HDD	22
ZVII WILLI GOT V TIDD	20
WIFI IP SYSTEMS	24
WiFi NVR	25
WiFi cameras	25
IP CAMERAS	27
Bullet and domes	28
NEXTGEN bullet and domes	
Ai-Sense bullet and domes	
NEXTGEN fisheye / panoramic domes	36
NEXTGEN mini cameras and compact	36
Bullet cameras with positioner	
PTZ domes	38
NEXTGEN LPR cameras	
People counter	40
IP THERMAL CAMERAS	/11
Thermal Line cameras	
Thormal Line damendo	
IP NVR	44
NEXTGEN IP NVR	
Ai-Sense IP NVR	46
NEXTGEN controllers	47
LED MONITORS	48
Monitors	49
Professional monitors	49
Videowall panels	
Accessories	51
IP SWITCH	50
CCTV for switch	
GOTV-101 SWILCH	53
VIDEO DOORPHONES	54
2 wire video doorphones	55
IP video doorphones	55
Video doorphones kits.	58 58
Doorbell	

NIGHT VISION	59
IR spotlight	60
Spotlight power supply ACCESSORIES	60
	61
CCTV tester	62
Storage	62
Ethernet injector/extensor	62
Video transmission by twisted loop	63
Connectors	64
Accessories for recorders	65
Mount brackets for cameras	65

HYUNDAI

HDTVICAMERAS

HDTVI CAMERAS BULLETS AND DOMES

HDTV

HDTVI BULLET ULTRAPRO 8MP, 2.8MM. SMART IR 40M

- 8MP@12,5fps, 0,003 lux
- · Dual video output (TVI/CVBS)
- 2.8 mm lens
- 3D-DNR, WDR 120dB, IP67









HYU-437

HDTVI BULLET PRO 2MP.

5~50MM MOTOR, SMART IR 110M

- 2MP@25fps, 0.01 lux





HDTVI BULLET ULTRAPRO 8MP. 2,8~12MM MOTOR, SMART IR 80M

• 8MP@12,5fps, 0,003 lux

- · Dual video output (TVI/CVBS)
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67










HYU-435

HDTVI DOME ULTRAPRO 2MP, 2.8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- · TVI Video output
- 2.8~12 mm motor lens













HYU-530

HYU-509

HDTVI DOME ULTRAPRO 2MP, 2.8~12MM MOTOR, SMART IR 20M

- 2MP@25fps, 0,005 lux
- · TVI Video output
- 2.8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP50 (indoor)











HYU-547

HDTVI DOME ULTRAPRO 2MP, 2.8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- TVI Video output
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67

















HDTVI DOME ULTRAPRO 2MP, 2.8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- · TVI Video output
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67















HDTVI DOME ULTRAPRO 8MP, 2,8MM, SMART IR 60M

- 8MP@12.5fps, 0.003 lux
- Dual video output (TVI/CVBS)
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67















HYU-438

HDTVI DOME ULTRAPRO 8MP, 2,8~12MM MOTOR, SMART IR 80M

- 8MP@12.5fps, 0.003 lux
- Dual video output (TVI/CVBS)
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67











HYU-436



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.



HDTVI BULLET PoC 2MP, 2.8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- HDTVI Video output
- 2.8 mm lens
- ATW, AGC, DNR, IP66











HDTVI BULLET PoC 5MP, 2,8MM, SMART IR 20M

- 5MP@20fps, 0,01 lux
- · HDTVI Video output
- 2.8 mm lens
- 2D-DNR, D-WDR, IP67











HDTVI BULLET PoC 2MP. 2,7~12MM VF, SMART IR 40M

- 2MP@25fps, 0,01 lux
- · HDTVI Video output
- 2,7~12 mm varifocal lens
- · ATW. AGC. DNR. IP66











HDTVI BULLET PoC 2MP, 2,7~13,5MM MOTOR, SMART IR 80M

- 2MP@25fps, 0,003 lux
- TVI Video output
- 2,7~13,5 mm motor lens
- 3D-DNR, WDR 130dB, IP67














- 5MP@20fps, 0,01 lux
- · HDTVI Video output
- 2.7~13.5 mm motor lens
- · 2D-DNR, D-WDR, IP67











HDTVI DOME PoC 2MP. 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- · HDTVI Video output
- 2.8 mm lens
- · ATW, AGC, DNR, IP66











HYU-389

HDTVI DOME PoC 2MP, 2.7~12MM VF. SMART IR 40M

- 2MP@25fps, 0,01 lux
- · HDTVI Video output
- 2,7~12 mm varifocal lens
- ATW, AGC, DNR, IP66

















HDTVI DOME PoC 5MP, 2.8MM, SMART IR 20M

- 5MP@20fps, 0,01 lux · HDTVI Video output
- 2.8 mm lens
- 2D-DNR, D-WDR, IP67













HDTVI DOME PoC 5MP. 2,7~13,5MM MOTOR, SMART IR 40M

- 5MP@20fps, 0,01 lux
- · HDTVI Video output
- 2,7~13,5 mm motor lens
- 2D-DNR, D-WDR, IP67















HDTVI DOME PoC 2MP. 2,8~12MM MOTOR, SMART IR 40M

- 2MP@25fps. 0.005 lux
- · TVI Video output
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67









Exclusive sale for professionals.









RRP, VAT is not included Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

HDTVI VANDAL DOME PoC 2MP. 2,7~13,5MM MOTOR, SMART IR 60M

- 2MP@25fps, 0,003 lux
- · TVI Video output
- 2.7~13.5 mm motor lens
- 3D-DNR, WDR 130dB, IP67, IK10











HDTVI COMPACT CAMERA 2MP WITH PIR, SMART IR 20M, 2,8MM

- 2MP@25fps, 0,005 lux
- 2.8 mm lens
- WDR 120dB. 2 way audio
- PIR 11m /110°, not suitable for outdoors







HYU-483

HDTVI BULLET 2MP WITH PIR. SMART IR 20M, 2,8MM

- 2MP@25fps
- 2.8 mm lens
- · BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC







HYU-565

HDTVI BULLET 5MP WITH PIR. SMART IR 20M, 2,8MM

- 5MP/4MP@20fps/25fps
- 2.8 mm lens
- · BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC







HYU-567

HDTVI BULLET 2MP WITH PIR. SMART IR 20M, 2,8MM

- 2MP@25fps, 0,005 lux
- 2.8 mm lens
- · WDR 120dB, white led on alarm
- PIR 11m /110°, IP67, 12V DC









HYU-481

HDTVI DOME 2MP WITH PIR. SMART IR 20M, 2,8MM

- 2MP@25fps
- 2.8 mm lens
- . BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC







M EXIR**2.0**



HYU-566

HDTVI DOME 2MP WITH PIR, SMART IR 20M, 2,8MM

- 2MP@25fps, 0,005 lux
- 2.8 mm lens
- · WDR 120dB, white led on alarm
- PIR 11m /110°, IP67, 12V DC











HYU-482

HDTVI DOME 5MP WITH PIR, SMART IR 20M, 2.8MM

- 5MP/4MP@20fps/25fps
- 2.8 mm lens
- · BLC, DNR, white led on alarm
- PIR 11m /110°, IP67, 12V DC











HYU-568

HDTVI CAMERAS PTZ DOME

HDTVI

HDTVI PTZ DOME 2MP, 23X ZOOM, IR 150M

- 2MP CMOS, 0.05/0.005 lux
- TVI Video output/CVBS
- 4~92 mm motor lens
- 360°@400°/s (H), -15°~90°@200°/s (V)
- 2/1 I/O relay, 3D-DNR, D-WDR, IP66
- Bracket and power supply is not included









HYU-242



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hvundai-securitv.tech | www.hvundai-securitv.tech

HDTVI CAMERAS

HYUNDAI

4 IN 1 CAMERAS

4 IN 1 CAMERAS BULLETS AND DOMES



4 IN 1 BULLET LITE-ECO 1MP, 2,8MM, SMART IR 20M

- 720P@25fps, 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- IP66











4 IN 1 BULLET LITE-ECO 2MP, 2,8MM, SMART IR 40M

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2.8 mm lens





HYU-249

4 IN 1 BULLET LITE-ECO 5MP, 2,8MM, SMART IR 40M

- 5MP@20fps (TVI/AHD), 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- DNR. IP66











4 IN 1 BULLET LITE-ECO 1MP. 2,8~12MM VF, SMART IR 40M

- 720P@25fps, 0,01 lux
- · 4 in 1 video output
- 2.8~12 mm varifocal lens
- · Sin OSD, AWB, AGC, IP66







HYU-150N

4 IN 1 BULLET PRO 2MP. 2,8MM, SMART IR 20~30M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- 2D/3D-DNR, D-WDR, IP66











HYU-698

4 IN 1 BULLET PRO 2MP, 2.8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output • 2,8 mm lens
- · BLC, D-WDR, IP66















4 IN 1 BULLET PRO 2MP, 2.8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66















4 IN 1 BULLET ULTRAPRO 2MP 2,8MM, SMART IR 30M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67

















4 IN 1 BULLET PRO 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,02 lux
- · 4 in 1 video output
- 2,8 mm lens
- 2D/3D-DNR, D-WDR, IP66















Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.



4 IN 1 BULLET PRO 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- · D-WDR, IP66













4 IN 1 BULLET PRO 3MP,

2,8MM, SMART IR 20M

- 3MP@18fps (TVI/AHD), 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- DNR. D-WDR. IP66













4 IN 1 BULLET PRO 5MP, 3,6MM, SMART IR 30M

- 5MP@20fps (TVI/AHD), 0,02 lux
- · 4 in 1 video output
- 3.6 mm lens
- 2D/3D-DNR, D-WDR, IP66















4 IN 1 BULLET PRO 5MP. 2,8MM, SMART IR 20M

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- 2D-DNR, D-WDR, IP67













4 IN 1 BULLET PRO 8MP. 2,8MM, SMART IR 30M

- 8MP/5MP@12fps/20fps, 0,01 lux
- · 4 in 1 video output
- 2.8 mm lens
- D-WDR, IP67



















4 IN 1 BULLET PRO 2MP.

2,8~12MM VF, SMART IR 30~40M 2MP@25fps, 0,01 lux

- · 4 in 1 video output
- 2.8~12 mm varifocal lens
- 2D/3D-DNR, D-WDR, IP66













HYU-705

4 IN 1 BULLET PRO 2MP, 2.8~12MM VF. SMART IR 40M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2,8~12 mm varifocal lens
- D-WDR, IP66

















HVII-517

4 IN 1 BULLET PRO 2MP, 2.8~12MM VF. SMART IR 40M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2,8~12 mm varifocal lens
- 2D/3D-DNR, D-WDR, IP66













HYU-335

4 IN 1 BULLET PRO 3MP, 2,8~12MM VF, SMART IR 40M

- 3MP@18fps (TVI/AHD), 0,01 lux
- 4 in 1 video output
- 2,8~12 mm varifocal lens
- 2D-DNR, WDR 120dB, IP66



10















4 IN 1 BULLET PRO 5MP, 3,3~12MM VF, SMART IR 40M

- 5MP@20fps (TVI/AHD), 0,02 lux
- · 4 in 1 video output
- 3,3~12 mm varifocal lens
- 2D/3D-DNR, D-WDR, IP66







Exclusive sale for professionals.





HYU-471



RRP, VAT is not included Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech









HYU-587







4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 15~20M

- 2MP@25fps, 0,02 lux
- · 4 in 1 video output





4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 15~20M

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2.8 mm lens
- 2D-DNR, D-WDR, IP65













4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 15~20M

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP65













HYU-697

4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP66













HYU-502

4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2.8 mm lens
- D-WDR, IP66



















4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output 2.8 mm lens
- D-WDR, IP66













4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 20~30M

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8 mm lens
- 2D-DNR, D-WDR, IP65

















HYU-704

4 IN 1 DOME ULTRAPRO 2MP, 2.8MM, SMART IR 30M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,8 mm lens
- · 3D-DNR, WDR 120dB, indoor













HYU-669

4 IN 1 DOME PRO 2MP, 2,8MM, SMART IR 20M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2,8 mm lens
- · D-WDR, IP66



















4 IN 1 DOME ULTRAPRO 2MP, 2,8MM, SMART IR 30M

- 2MP@25fps, 0,005 lux
- · 4 in 1 video output
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67















Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2.8 mm lens
- · D-WDR, IP66















HYUNDAL

4 IN 1 DOME ULTRAPRO 2MP,

- 2,8MM, SMART IR 50M • 2MP@25fps, 0,005 lux
- · 4 in 1 video output
- 2.8 mm lens
- 3D-DNR, WDR 120dB, IP67

















4 IN 1 DOME ULTRAPRO 2MP, 2,8MM. **SMART IR 30M, VANDAL PROTECTION**

- 2MP@25fps, 0,005 lux
- · 4 in 1 video output
- 2.8 mm lens
- WDR 120dB, IP67, IK10















HYU-675

4 IN 1 DOME PRO 3MP, 2,8MM, SMART IR 40M

- 3MP@18fps, 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- D-WDR 120dB, IP66















HYU-507

4 IN 1 DOME PRO 5MP, 3,6MM, SMART IR 20M

- 5MP@20fps (TVI/AHD), 0,02 lux
- · 4 in 1 video output
- 3.6 mm lens
- 2D/3D-DNR, D-WDR, IP66





















HYU-464

4 IN 1 DOME PRO 5MP,

- 2,8MM, SMART IR 20M • 5MP/4MP@20fps/25fps, 0,01 lux
- · 4 in 1 video output
- 2.8 mm lens
- · D-WDR, indoor













HYU-487

4 IN 1 DOME PRO 5MP, 2,8MM, **SMART IR 20M. VANDAL PROTECTION**

- 5MP/4MP@20fps/25fps, 0,01 lux
- · 4 in 1 video output
- 2,8 mm lens
- D-WDR, IP67, IK10

















4 IN 1 DOME PRO 5MP. 2.8MM, SMART IR 20M

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- · D-WDR, IP67















4 IN 1 DOME PRO 5MP, 2,8MM, SMART IR 20M

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,8 mm lens
- · D-WDR, IP67



















4 IN 1 DOME PRO 8MP. 2,8MM, SMART IR 30M

- 8MP/5MP@12fps/20fps, 0,01 lux
- · 4 in 1 video output
- 2,8 mm lens · D-WDR, IP67





Exclusive sale for professionals.





















4 IN 1 DOME PRO 8MP, 2.8MM, SMART IR 30M

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- 2.8 mm lens
- D-WDR, IP67, IK10













HYU-588

4 IN 1 DOME PRO 2MP,

- 2,8~12MM VF, SMART IR 20~30M
- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2.8~12 mm varifocal lens
- 2D-DNR, D-WDR, IP65













HYU-701

4 IN 1 DOME PRO 2MP, 2,8~12MM VF, SMART IR 20~30M

- 2MP@25fps, 0,02 lux
- 4 in 1 video output
- 2,8~12 mm varifocal lens
- 2D-DNR, D-WDR, IP65













HYU-702

4 IN 1 DOME PRO 2MP.

2,8~12MM VF, SMART IR 20~30M

- 2MP@25fps, 0,02 lux
- · 4 in 1 video output
- 2,8~12 mm varifocal lens
- 2D-DNR, D-WDR, IP65













HYU-703

4 IN 1 DOME PRO 2MP. 2,8~12MM VF, SMART IR 40M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2.8~12 mm varifocal lens
- D-WDR, IP66













HYU-512

4 IN 1 DOME PRO 2MP. 2,8~12MM VF, SMART IR 40M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2.8~12 mm varifocal lens
- D-WDR, IP66











HYU-515

4 IN 1 DOME PRO 2MP, 2.8~12MM VF. SMART IR 40M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 2,8~12 mm varifocal lens
- D-WDR, IP66















HYU-516

4 IN 1 DOME PRO 2MP, 2,8~12MM VF, SMART IR 40M

- 2MP@25fps, 0,01 lux
- 4 in 1 video output
- 2,8~12 mm varifocal lens
- DNR, D-WDR, IP66













4 IN 1 DOME PRO 3MP, 2,7~13MM VF, SMART IR 30M

- 3MP@18fps (TVI/AHD), 0,01 lux
- · 4 in 1 video output
- 2,7~13 mm varifocal lens
- 2D-DNR, WDR 120dB, IP66

















4 IN 1 BULLET ULTRAPRO DE 2MP, 2,7~13,5MM VF

- 2MP@25fps, 0,001 lux
- · 4 in 1 video output
- 2,7~13,5 mm varifocal lens
- 2D/3D-DNR, D-WDR, IP66









HYU-55N



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.



4 IN 1 BULLET ULTRAPRO 2MP, 24H COLOR MODE, 3.6MM

- 2MP@25fps, 0,0005 lux
- 4 in 1 video output
- 3.6 mm lens
- WDR 120dB, IP67











HYU-585

4 IN 1 DOME ULTRAPRO 2MP,

- VF 2,7~13,5MM 2MP@25fps, 0,001 lux
 - · 4 in 1 video output
- 2.7~13.5 mm varifocal lens
- 2D/3D-DNR, D-WDR, IP65











HYU-57N

4 IN 1 DOME ULTRAPRO 2MP,

24H COLOR MODE, 3,6MM

- 2MP@25fps, 0,0005 lux
- · 4 in 1 video output
- 3.6 mm lens
- 3D-DNR, WDR 120dB, IP67













HYU-586

4 IN 1 CAMERAS **BULLETS AND DOMES** WITH MOTORIZED ZOOM



4 IN 1 BULLET PRO 2MP. 2,8~12MM MOTOR, SMART IR 50M

- 2MP@25fps
- · 4 in 1 video output
- 2.8~12 mm motor lens
- · 2D-DNR, D-WDR, IP66





















4 IN 1 BULLET PRO 2MP.

2.8~12MM MOTOR, SMART IR 60M

- 2MP@25fps, 0,02 lux · 4 in 1 video output
- 2.8~12 mm motor lens
- 2D/3D-DNR, WDR 120dB, IP66













HYU-250

4 IN 1 BULLET PRO 2MP, 5~50MM MOTOR, SMART IR 60~80M

- 2MP@25fps, 0,01 lux
- · 4 in 1 video output
- 5~50 mm motor lens
- 2D/3D-DNR, D-WDR, IP66





















HYIJ-399

4 IN 1 BULLET PRO 5MP. 2.7~13.5MM MOTOR, SMART IR 40M

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,7~13,5 mm motor lens
- D-WDR, IP67













HYU-489

4 IN 1 BULLET PRO 5MP, 2,7~13,5MM MOTOR, SMART IR 60M

- 5MP@20fps (TVI/AHD), 0,01 lux · 4 in 1 video output
- 2,7~13,5 mm motor lens
- DNR, IP66

















4 IN 1 BULLET PRO 5MP, 2,7~13,5MM MOTOR, SMART IR 60M



- · 4 in 1 video output
- 2,7~13,5 mm motor lens
- 2D/3D-DNR, D-WDR, IP67









Exclusive sale for professionals.





HYU-655



RRP, VAT is not included Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech





4 IN 1 BULLET PRO 5MP, 5~50MM MOTOR, SMART IR 60~80M

- 5MP@20fps, 0,01 lux
- 4 in 1 video output





4 IN 1 BULLET PRO 8MP, 2,7~13,5MM MOTOR, SMART IR 80M

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- 2.7~13.5 mm motor lens
- · D-WDR, DNR, IP67













4 IN 1 DOME ULTRAPRO 2MP, 2,7~13,5MM MOTOR, SMART IR 70M

- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2,7~13,5 mm motor lens





HYU-541

4 IN 1 DOME **PRO** 2MP, 2,7~13,5MM MOTOR, **SMART IR 60M, VANDAL PROTECTION**

• 2MP@25fps, 0,005 lux

- 4 in 1 video output
- 2,7~13,5 mm motor lens
- 3D-DNR, WDR 120dB, IP67, IK10













HYU-604

4 IN 1 DOME PRO 5MP.

2,7~13,5MM MOTOR, SMART IR 40M

- · 4 in 1 video output
- 2,7~13,5 mm motor lens
- 2D-DNR, D-WDR, IP67



4 IN 1 DOME PRO 5MP.

2,7~13,5MM MOTOR, SMART IR 40M

- 5MP/4MP@20fps/25fps, 0,01 lux
- · 4 in 1 video output
- 2.7~13.5 mm motor lens
- 2D-DNR, D-WDR, IP67













4 IN 1 DOME PRO 5MP, 2,7~13,5MM MOTOR, SMART IR 40M, VANDAL PROTECTION

- 5MP/4MP@20fps/25fps, 0,01 lux
- 4 in 1 video output
- 2,7~13,5 mm motor lens
- 2D-DNR, D-WDR, IP67, IK10















HYU-490

4 IN 1 DOME PRO 8MP. 2.7~13.5MM MOTOR, SMART IR 60M

- 8MP/5MP@12fps/20fps, 0,01 lux
- 4 in 1 video output
- 2,7~13,5 mm motor lens
- DNR, D-WDR, IP67















4 IN 1 DOME PRO 8MP, SMART IR 60M, MOTOR 2,7~13,5MM

- 8MP/5MP@12fps/20fps, 0.01 lux
- · 4 in 1 video output
- 2,7~13,5 mm motor lens
- DNR, D-WDR, IP67






















4 IN 1 BULLET ULTRAPRO 2MP, 2,8~12MM MOTOR, SMART IR 30~40M



- · 4 in 1 video output
- 2,8~12 mm motor lens
- 2D/3D-DNR, D-WDR, IP66















Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



- 2MP@25fps, 0,005 lux
- 4 in 1 video output
- 2.7~13.5 mm motor lens
- 3D-DNR, WDR 120dB, IP67













HYU-674

4 IN 1 DOME ULTRAPRO 2MP, 2.8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,001 lux
- 4 in 1 video output
- 2.8~12 mm motor lens
- 2D/3D-DNR, D-WDR, IP66















4 IN 1 DOME ULTRAPRO 2MP. 2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,001 lux
- · 4 in 1 video output
- 2.8~12 mm motor lens
- 2D/3D-DNR, D-WDR, IP66

















4 IN 1 BULLET ULTRAPRO 2MP, 2,8~12MM MOTOR, SMART IR 40M

- 2MP@25fps, 0,005 lux
- · 4 in 1 video output
- 2.8~12 mm motor lens
- 3D-DNR, WDR 120dB, IP67













HYU-508

4 IN 1 CAMERAS BULLET CAMERAS WITH POSITIONER



- 2MP@25fps, 0,1/0,01 lux
- 4 in 1 video output
- 2.8~12 mm motor lens
- 0°~180°@20°/s (H)
- 0°~55°@10°/s (V)











- · Auto and manual exposure
- · Automatic white balance
- · Mirror mode, image adjustment
- AGC, 2D/3D-DNR, IP65



HYU-454

4 IN 1 BULLET PRO 2MP, 4x ZOOM, SMART IR 40M





- 4 in 1 video output
- 2.8~12 mm motor lens
- 0°~250°@15°/s (H),-10°~55°@10°/s (V)
- 255 presets, 8 rounds, 4 patterns
- BLC, ROI, WDR 120dB, IP66
- Power supply is not included



HYU-113N

3 IN 1 PTZ BULLET LITE-ECO 2MP, 10X ZOOM, SMART IR 80M







- 2MP@25fps
- 3 in 1 video output (CVI/TVI/AHD)
- 5.1~51 mm motor lens
- 0°~250°@15°/s (H), -10°~55°@10°/s (V)
- 255 presets,8 rounds, 4 patterns
- AGC, 2D/3D-DNR, IP66
- Power supply is not included

HYU-112N





Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.



4 IN 1 PTZ DOME 2MP. 15x Z00M, SMART IR 100M



- 2MP@25fps, 0,005/0,001 lux
- · 4 in 1 video output
- 5~75 mm motor lens
- 360°@80°/s (H): -15°~90°@80°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included
 HYU-689



4 IN 1 PTZ DOME 2MP, **Z00M 25X, SMART IR 100M**



- 2MP@25fps, 0.005/0.001 lux
- · 4 in 1 video output
- 4,8~120 mm motor lens
- 360°@80°/s (H): -15°~90°@80°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included HYU-430

4 IN 1 PTZ DOME 2MP. **ZOOM 10X, IR 100M**











- 2MP@25fps, 0.05/0.01 lux
- · 4 in 1 video output
- 5.1~51 mm motor lens
- 360°@180°/s (H); 0°~90°@30°/s (V)
- 256 presets, 4 round groups, 4 autoscan groups
- 2D/3D-DNR, D-WDR, IP66
- Bracket and power supply included

HYU-456

4 IN 1 PTZ DOME 2MP. 20X Z00M, IR 150M







- 2MP@25fps, 0.1 lux
- · 4 in 1 video output
- 5~100 mm motor lens
- 360°@350°/s (H); -10°~90°@120°/s (V)
- 80 presets multiprotocol, 8 rounds, 4 patterns
- · AWB, AGC, IP66, lens-cleaner
- Bracket and power supply included

HYU-82

4 IN 1 PTZ DOME 2MP, **Z00M 25X, SMART IR 150M**









- 2MP@25fps, 0,005/0,001 lux
- 4 in 1 video output
- 4.8~120 mm motor lens
- 360°@120°/s (H); -15°~90°@120°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 2/1 I/O relay, 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included HYU-431N














- 4 in 1 video output
- 4.8~153 mm motorized lens
- 360°@160°/s (H); -15°~90°@120°/s (V)
- 256 presets (Pelco-D/P), 10 rounds, 5 patterns
- 3D-DNR, WDR 120dB, IP66
- Bracket and power supply is not included
 HYUL-692



Exclusive sale for professionals. RRP, VAT is not included Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

4 IN 1 CAMERAS

HYUNDAI

5 IN 1 DVR



5 IN 1 DVR H.264 ZVR



4CH 5 IN 1 ZVR 2M-N

- 4ch CVI/TVI/AHD/CVBS+1 IP ch
- H.264+, dual stream
- 720P (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio
- 1 HDD, 2 USB









(ZVR4104P-2MLITE)

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.264+, dual stream

8CH 5 IN 1 7VR 2M-N

- 720P (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio
- 1 HDD, 2 USB









HYU-235

(ZVR4108P-2MLITE)

16CH 5 IN 1 7VR 2M-N

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- H.264+, dual stream
- 720P (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio
- 1 HDD, 2 USB









HYU-236

(ZVR4116P-2MLITE)

4CH 5 IN 1 ZVR 2M-N


- 4ch CVI/TVI/AHD/CVBS+1 IP ch
- H.264+, dual stream
- 1,3MP (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio, 4/1 I/O alarm
- · VCA, 1 HDD, 2 USB











8CH 5 IN 1 ZVR 2M-N

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.264+, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio, 4/1 I/O alarm
- · VCA, 1 HDD, 2 USB









(ZVR4108M-A-2MLITE)

16CH 5 IN 1 ZVR 2M-N

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- · H.264+, dual stream
- 2MP (IP), 2M-N@25fps (TVI/CVI)
- 2 way audio, 4/1 I/O alarm
- VCA, 1 HDD, 2 USB















4CH 5 IN 1 ZVR 5MP

- 4ch CVI/TVI/AHD/CVBS+2 IP ch
- · H.264+, dual stream
- 4MP (IP), 5MP@10fps (TVI/AHD)
- 4/1 I/O audio, 4/1 I/O alarm
- 1 HDD, 2 USB, 1 RS485











16CH 5 IN 1 ZVR 3MP

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- H.264+, dual stream, HDMI (4K)
- 4MP (IP), 3MP@15fps (TVI) • 4/1 I/O audio, 16/4 I/O alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485













HYU-231 (ZVR7216-A-3M)

5 IN 1 DVR **ZVR H.265**





Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.



4CH 5 IN 1 ZVR 4M-N

- 4ch CVI/TVI/AHD/CVBS+1 IP ch
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- · 2 way audio
- 1 HDD, 2 USB











HYU-383 (ZVR5104P-4MLITE)

8CH 5 IN 1 ZVR 4M-N

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- · 2 way audio
- 1 HDD, 2 USB









HYU-384 (ZVR5108P-4MLITE)

16CH 5 IN 1 7VR 4M-N

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB












HYU-385 (ZVR5116P-4MLITE)

4CH 5 IN 1 7VR 4M-N

4ch CVI/TVI/AHD/CVBS+1 IP ch



- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB, 1 RS485









H.265+

HYU-370 (ZVR5104M-4MLITE)

8CH 5 IN 1 ZVR 4M-N

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, 2 USB, 1 RS485









H.265+

HYU-371 (ZVR5108M-4MLITE)

16CH 5 IN 1 ZVR 4M-N

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream, HDMI (4K)
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio
- 1 HDD, RJ45 GB, 2 USB, 1 RS485









HYU-372

(ZVR5116M-4MLITE)

4CH 5 IN 1 ZVR 4M-N

- 4ch CVI/TVI/AHD/CVBS+1 IP ch
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio, 4/1 I/O alarm
- 1 HDD, 2 USB, 1 RS485















HYU-373 (ZVR5104M-A-4MLITE)

8CH 5 IN 1 ZVR 4M-N

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio, 8/1 I/O alarm
- 1 HDD, 2 USB, 1 RS485











(ZVR5108M-A-4MLITE)

HYU-374

16CH 5 IN 1 ZVR 4M-N

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream, HDMI (4K)
- 4MP (IP), 4M-N/3MP@15fps (TVI)
- 2 way audio, 4/1 I/0 alarm





32CH 5 IN 1 ZVR 4M-N

- 32ch CVI/TVI/AHD/CVBS+8ch IP
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 4M-N@15fps (TVI) • 4/1 I/O audio, 16/4 I/O alarm
- 4 HDD, eSATA, RJ45 GB, 3 USB, 1 RS485











HYU-446 (ZVR5432-A-4MLITE)



















RRP, VAT is not included

Contact your supplier for further information.

4CH 5 IN 1 ZVR 5MP

- 4ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream
- 6MP (IP), 5MP@12fps (TVI)
- 2 way audio. 4/1 I/0 alarm
- 1 HDD, 2 USB, 1 RS485









HYU-376 (ZVR7104-A-5M)

8CH 5 IN 1 ZVR 8MP

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 8MP@7fps (TVI)
- 4/1 I/O audio. 8/4 I/O alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485









HYU-377

(ZVR7208-A-4KLITE)

16CH 5 IN 1 7VR/8CH 5MP/8MP

- 16ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 8MP@7fps (TVI)
- 4/1 I/O audio, 16/4 I/O alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485









HYU-378 (ZVR7216-A-4KLITE)

4CH 5 IN 1 7VR 8MP

- 4ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream, HDMI (4K)
- 8MP (IP), 8MP@10fps (TVI)
- Audio: 4 in / 1 out
- 2 HDD, RJ45 GB, 2 USB, 1 RS485









HYU-379 (ZVR8104-A-4K)

8CH 5 IN 1 ZVR 8MP

- 8ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream, HDMI (4K)
- 8MP (IP), 8MP@10fps (TVI)
- 8/1 I/O audio, 8/1 I/O alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485











HYU-380 (ZVR8208-A-4K)

5 IN 1 DVR **ZVR PoC**

H.265+



NEW PoC CONNECTIVITY: POWER SUPPLY OVER COAX

Power Over Coaxial "PoC", is the result of supplying power to cameras from a PoC DVR directly, operating through a single point; eliminating the need to connect the camera to a power supply.

This technology allows video signal in high definition and energy required by the device to be routed through a single coaxial cable. This property saves time and resources in the camera installation, since PoC can connect the device directly, eliminating the processes of electrical preparation.

This innovation will mean a saving of time and investment in projects, by making the installation much simpler and more profitable.

4 CH 5 IN 1 POC ZVR 3MP

- 4ch CVI/TVI/AHD/CVBS+1 IP ch
- H.265+, dual stream
- 4MP (IP), 3MP@15fps (TVI)
- · 2 way audio
- 2 HDD, 2 USB, 1 RS485, PoC











HYU-391 (ZVR5104M-POC)

8 CH 5 IN 1 POC ZVR 3MP





- 4MP (IP), 3MP@15fps (TVI)
- · 2 way audio
- 2 HDD, 2 USB, 1 RS485, PoC









HYU-392 (ZVR5208M-POC)



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.



16 CH 5 IN 1 POC ZVR 3MP

- 16ch CVI/TVI/AHD/CVBS + 2 IP ch
- H.265+, dual stream, HDMI (4K)
- 4MP (IP), 3MP@15fps (TVI)
- 2 way audio. HDMI (4K)
- 2 HDD, RJ45 GB, 2 USB, 1 RS485, PoC











HYU-393 (ZVR5216M-POC)

שכנ.

4 CH 5 IN 1 POC ZVR 5MP

- 4ch CVI/TVI/AHD/CVBS+2 IP ch
- H.265+, dual stream
- 6MP (IP), 5MP@12fps (TVI/AHD)
- 2 way audio. 4/1 I/0 alarm
- 2 HDD, 2 USB, 1 RS485, PoC











HYU-562 (ZVR7104-A-POC)

8 CH 5 IN 1 POC 7VR 5MP

- 8ch CVI/TVI/AHD/CVBS+4ch IP
- . H.265+, dual stream
- 6MP (IP), 5MP@12fps (TVI/AHD)
- 2 way audio, 8/4 I/O alarm
- 2 HDD, 2 USB, 1 RS485, PoC













HYU-563 (ZVR7208-A-POC)

16CH 5 IN 1 POC ZVR (5MP) 8MP

- 16ch CVI/TVI/AHD/CVBS+8ch IP
- H.265+, dual stream, HDMI (4K)
- 6MP (IP), 8MP@8fps (TVI)
- 4/1 I/O audio, 4/1 I/O alarm
- 2 HDD, RJ45 GB, 2 USB, 1 RS485, PoC











HYU-564

HYUNDAI





5 IN 1 DVR **ZVR AISENSE**

ZR

aisense

ZVR SERIE AISENSE DE HYUNDAI

Aisense is able to differentiate, with great precision, a human body and a vehicle on a stage with a large number of objects. Not only can detect human and vehicle intrusion, it also can filter out false alarms that could have been triggered by moving objects that are not a threat.



4 CH 5 IN 1 AISENSE ZVR 4M-N

- 4ch CVI/TVI/AHD/CVBS+6 IP ch
- H.265+, dual stream
- 6MP (IP), 4M-N@15fps (TVI/AHD)
- 2 way audio, 1 HDMI, 1 VGA, 1 BNC
- 2 CH (IA), 1 HDD, 2 USB, 1 RS485












HYU-580 (AI-ZVR5104M-4MLITE)

8 CH 5 IN 1 AISENSE ZVR 4M-N





- 6MP (IP), 4M-N@15fps (TVI/AHD)
- 2 way audio, 1 HDMI, 1 VGA, 1 BNC
- 4 CH (IA), 1 HDD, 2 USB, 1 RS485









HYU-581 (AI-ZVR5108M-4MLITE)

aisense



Exclusive sale for professionals.

RRP, VAT is not included Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

5 IN 1

16 CH 5 IN 1 AISENSE ZVR 4M-N

- 16 ch CVI/TVI/AHD/CVBS/IP + 8 IP ch
- H.265+, H.264+, dual stream
- 6MP (IP), 4M-N@15fps (TVI/AHD)
- Output: HDMI 1080p, VGA 1080p, BNC
- 2 way audio, 4 ch (Al)
- 1 HDD capacity, RJ45 Gigabit, 2 USB, 1 RS485











HYU-582 (AI-ZVR5116M-4MLITE)

4 CH 5 IN 1 AISENSE ZVR 5 MP

- 4 ch CVI/TVI/AHD/CVBS/IP + 8 IP ch
- H.265+, H.264+, dual stream
- 8MP (IP), 5MP@12fps (TVI/AHD)
- Output: HDMI 1080p, VGA 1080p, BNC
- 4/1 I/O audio, 4/1 I/O alarm, 4 ch (Al)
- 1 HDD capacity, RJ45 Fast, 2 USB, 1 RS485













HYU-583 (AI-ZVR7104-5M)

8 CH 5 IN 1 AISENSE ZVR 5 MP

- 8 ch CVI/TVI/AHD/CVBS/IP + 16 ch IP
- H.265+, H.264+, dual stream
- 8MP (IP), 5MP@8fps (TVI/AHD)
- Output: HDMI 4K, VGA 1080P and BNC
- 4/1 I/O audio, 8/4 I/O alarm, 4 ch (Al)
- 1 HDD capacity, RJ45 Gigabit, 2 USB, 1 RS485













HYU-584

(AI-ZVR7108-5M)



5 IN 1 DVR **ZVR WITH HDD CCTV**

HYU-383 + 1 HDD 1TB



HYU-383-1TB

HYU-384 + 1 HDD 1TB



HYU-384-1TB

HYU-385 + 1 HDD 2TB



HYU-385-2TB

HYU-370 + 1 HDD 1TB



HYU-370-1TB

HYU-371 + 1 HDD 1TB



HYU-371-1TB

HYU-372 + 1 HDD 2TB



HYU-372-2TB

HYU-373 + 1 HDD 1TB



HYU-373-1TB

HYU-376 + 1 HDD 1TB



HYU-376-1TB

HYU-377 + 1 HDD 1TB



HYU-377-1TB

HYU-378 + 1 HDD 2TB



HYU-378-2TB

HYUNDAI

Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech 5 IN 1 **DVR**

HYUNDAI

WIFI IP SYSTEMS



WIFI IP SYSTEMS WIFI NVR



4CH WIFI NVR, 4MP@50MB/S

- H.265+/H.264+, dual stream
- . HDMI and VGA output
- 50/40Mbps input/output
- 1ch@4MP
- Up to 1 HDD, RJ45, 2 USB











HYU-707

8CH WIFI NVR. 4MP@50MB/S

- H.265+/H.264+, dual stream
- . HDMI and VGA output
- 50/40Mbps input/output
- 1ch@4MP
- Up to 1 HDD, RJ45, 2 USB







HYU-708

WIFI IP SYSTEMS WIFI CAMERAS



WIFI IP CAMERA 2MP. 2.8MM. IR 5M, 2 WAY AUDIO

- 2MP@25fps, 0,01 lux
- · H.264, dual stream
- 2.8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR



















HYU-432

WIFI IP CAMERA 1MP. 2.8MM. IR 5M. PAN/TILT

- 720P@25fps, 0,01 lux
- · H.264/MJPEG, dual stream
- 2.8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR











WIFI IP CAMERA 2MP, 2,8MM, IR 5M. PAN/TILT

- 2MP@25fps, 0,01 lux
- · H.264, dual stream
- 2,8 mm lens
- 2 way audio, MicroSD, 3D-NR, D-WDR

















HYU-605

WIFI IP CAMERA 2MP, 2,8MM, IR 10M. PIR 8M

- 2MP@25fps, 0,01 lux
- H.264/H.264+/MJPEG, dual stream
- 2,8 mm lens, 2 way audio
- 1/1 I/O alarm, MicroSD, WDR 120dB, PoE













HYU-420

WIFI IP CAMERA 2MP, 2,8MM, IR 10M

- 2MP@25fps, 0,028 lux
- H.265+/H.265, triple stream
- 2.8 mm lens
- · 2 way audio
- · MicroSD, WDR 120dB, IVS, PoE

















WIFI IP CAMERA 4MP, 2,8MM, IR 10M

- 4MP/3MP/2MP@25fps, 0,018 lux
- H.265+/H.265, triple stream
- 2.8 mm lens
- 2 way audio
- · MicroSD, WDR 120dB, IVS, PoE

















Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.



WIFI IP CAMERA 6MP, 2,8MM, IR 10M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2.8 mm lens
- · 2 way audio
- · MicroSD, WDR 120dB, IVS, PoE















2MP WIFI IP BULLET, 2,8MM, IR 30M

- · 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- · MicroSD, reset button, microphone
- 3D-DNR, D-WDR, ROI, IP66















4MP WIFI IP BULLET, 2,8MM, IR 30M

- 4MP/3MP@20fps/25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- · MicroSD, reset button, microphone
- 3D-DNR, D-WDR, ROI, IP66













HYU-663

2MP WIFI IP DOME, 2,8MM, IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- MicroSD, reset button, microphone
- 3D-DNR, D-WDR, ROI, IP66, 2AXIS













HYU-649

4MP WIFI IP DOME, 2.8MM, IR 30M

- 4MP/3MP@20fps/25fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- MicroSD, reset button, microphone
- 3D-DNR, D-WDR, ROI, IP66















HYU-664

2MP WIFI IP DOME, 2,8MM, IR 10M, FOR INDOORS

- 2MP@25fps, 0,01 lux
- H.264+/H.264/MJPEG.Dual stream
- 2.8 mm lens. -90°~+90° (H)
- 3D-DNR, WDR 120dB, ROI
- · MicroSD, reset button. For indoors













HYU-356

4MP WIFI IP DOME, 2,8MM, IR 10M, VANDAL PROTECTION

- 4MP@20fps, 0.01 lux
- H.264/H.264+/MJPEG
- Dual stream
- 2.8 mm lens
- 3D-NR, WDR 120dB, ROI



• IVS



· MicroSD, IP67, IK08

Privacv masks

Metal case

PoE supported













HYU-394

6MP WIFI IP DOME, 2.8MM, IR 10M, VANDAL PROTECTION

- 6MP/5MP@20fps, 0.028 lux
- H.265+/H.265/H.264+/H.264
- 2.8 mm lens
- 3D-DNR, WDR 120dB, ROI













HYU-498

Triple stream

• IVS

- Facial detection
- · MicroSD, IP66, IK08
- Metal case
- PoE supported





Exclusive sale for professionals. RRP, VAT is not included Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

HYUNDAI

IP CAMERAS



IP CAMERAS BULLETS AND DOMES

2MP IP BULLET, 2,8MM, **SMART IR 20M. 2 WAY AUDIO**

- 2MP@25fps, 0,1/0,01 lux
- . H.265+/MJPEG. dual stream
- 2.8 mm lens
- · D-WDR, IP66, PoE, reset button













HYU-305N

5MP IP BULLET, 2,8MM, SMART IR 25M, WAY AUDIO

- 5MP@10fps, 3MP/2MP@25fps
- H.265+, dual stream
- 2.8 mm lens
- . D-WDR, IP66, PoE, reset button













2MP IP BULLET, 2,7~13MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 2MP@25fps, 0,1/0,01 lux
- H.264/MJPEG, dual stream
- 2,7~13 mm motor lens
- . D-WDR, IP66, PoE, reset button













HYU-300

2MP IP BULLET, 2.8~12MM MOTOR. SMART IR 40M, 2 WAY AUDIO

- 2MP@20fps
- H.265/H.264, dual stream
- 2.8~12 mm motor lens
- · WDR 120dB, IP66, PoE, reset button













HYU-748

4MP IP BULLET, 2.7~13.5MM MOTOR. **SMART IR 40M**

- 4MP@25fps, 0,01 lux
- H.265/H.264, dual stream
- 2.7~13.5 mm motor lens
- 2D/3D-DNR, D-WDR, IP66, PoE







H.265

HYU-333

4MP IP BULLET, 2,8~12MM MOTOR, SMART IR 60M, 2 WAY AUDIO

- 4MP@15fps
- H.265/H.264, dual stream
- 2,8~12 mm motor lens
- · WDR 120dB, IP66, PoE, reset button















HYU-256

4MP IP BULLET, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 4MP@15fps, 0,1/0,01 lux
- · H.265/MJPEG, dual stream
- 2,8~12 mm motor lens
- · WDR 120dB, IP66, PoE, reset button













HYU-307

8MP IP BULLET, 3,6~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 8MP@25fps, 0.01 lux
- . H.265/MJPEG, dual stream
- 3,6~12 mm motor lens
- · WDR 120dB, IP66, PoE, reset button

















HYIJ-339

2MP IP DOME, 2,8MM, SMART IR 30M, 2 WAY AUDIO

- 2MP@20fps
- H.265/H.264, dual stream
- 2,8 mm lens
- · WDR 120dB, IP66, PoE, reset button

















Exclusive sale for professionals. RRP, VAT is not included Contact your supplier for further information. info@hvundai-securitv.tech | www.hvundai-securitv.tech

5MP IP DOME, 2,8MM, SMART IR 30M, 2 WAY AUDIO

- 5MP@10fps, 3MP/2MP@25fps
- H.265+, dual stream
- 2.8 mm lens
- · D-WDR, IP66, PoE, reset button









HYU-751

2MP IP DOME, 2,7~13,5MM MOTOR, SMART IR 40M. 2 WAY AUDIO

- 2MP@25fps, 0,1/0,01 lux
- H.265/H.264. dual stream
- 2.7~13.5 mm motor lens
- · D-WDR, IP66, PoE, reset button













HYU-302N

4MP IP DOME, 2,8~12MM MOTOR, SMART IR 40M, 2 WAY AUDIO

- 4MP@25fps
- H.265/H.264, dual stream
- 2,8~12 mm motor lens
- WDR 120dB, IP66, PoE, reset button













HYU-255

4MP IP VANDAL DOME, 2,7~13MM MOTOR, SMART IR 30M, 2 WAY AUDIO

- 4MP@25fps
- H.265/H.264, dual stream
- 2,7~13 mm motor lens
- WDR 120dB, IP66, PoE, reset button













HYU-257

8MP IP DOME, 3.6~12MM MOTOR. SMART IR 40M, 2 WAY AUDIO

- 8MP@25fps, 0,01 lux
- · H.265/MJPEG, dual stream
- 3.6~12 mm motor lens
- WDR 120dB, IP66, PoE, reset button













HYU-338

IP CAMERAS BULLETS AND DOMES NEXTGEN



HYUNDAI

Performance Line & Value Line



2MP IP BULLET, 2,8MM, **SMART IR 30M**

- 2MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE














HYU-414

4MP IP BULLET, 2.8MM. **SMART IR 30M**





- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE













Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



5MP IP BULLET, 2,8MM, **SMART IR 30M**

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- 3D-DNR, WDR 120dB, ROI, IP67, PoE











HYU-615

2MP IP BULLET, 2,8~12MM MOTOR, **SMART IR 30M**

- 2MP@25fps, 0,018 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- · MicroSD, 3D-DNR, D-WDR, IP67, PoE









HYU-417

4MP IP BULLET, 2,8~12MM MOTOR, **SMART IR 30M**

- 4MP@20fps, 0,018 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- · MicroSD, 3D-DNR, WDR 120dB, IP67, PoE













HYU-411

5MP IP BULLET, 2,8~12MM MOTOR, **SMART IR 30M**

- 5MP@12fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- MicroSD, 3D-DNR, WDR 120dB, IP67, PoE













HYU-618

2MP IP DOME, 2.8MM. **SMART IR 30M**

- 2MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE













HYU-416

2MP IP VANDAL DOME. 2,8MM, SMART IR 30M

- 1080P@25fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2.8 mm lens
- D-WDR, ROI, IP67, IK10, PoE













HYU-415

2MP IP DOME, 2,8MM, **SMART IR 30M**

- 4MP@20fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, D-WDR, ROI, IP67, PoE

















HYU-410

4MP IP VANDAL DOME, 2.8MM, SMART IR 30M

- 4MP@20fps, 0,01/0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- D-WDR, ROI, IP67, IK10, PoE















5MP IP DOME, 2,8MM, **SMART IR 30M**

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE















HYU-617

5MP IP DOME, 2,8MM, **SMART IR 30M**

- 5MP@12fps, 0,028 lux
- H.265+/H.264+, dual stream
- 2,8 mm lens
- 3D-DNR, WDR 120dB, IP67, PoE







Exclusive sale for professionals.











RRP, VAT is not included Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

2MP IP DOME, 2,8~12MM MOTOR, SMART IR 20~30M

- 2MP@25fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- 3D-DNR, D-WDR, ROI, IP67, PoE









HYU-418

2MP IP VANDAL DOME,

2,8~12MM MOTOR, SMART IR 30M

- 2MP@25fps, 0,01/0,018 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- D-WDR, ROI, IP67, IK10, PoE















4MP IP DOME, 2,8~12MM MOTOR, SMART IR 20~30M

- 4MP@20fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- 3D-DNR, D-WDR, ROI, IP67, PoE











HYU-412

4MP IP VANDAL DOME. 2,8~12MM MOTOR, SMART IR 30M

- 4MP@20fps, 0,018 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- · MicroSD, WDR 120dB, IP67, IK10, PoE













5MP IP DOME, 2.8~12MM MOTOR. **SMART IR 30M**

- 5MP/4MP@12fps/20fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- · MicroSD, WDR 120dB, ROI, IP67, PoE















HYU-620

5MP IP VANDAL DOME. 2,8~12MM MOTOR, SMART IR 30M

- 5MP/4MP@12fps/20fps, 0,02 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- · MicroSD, WDR 120dB, IP67, IK10, PoE











HYU-619

HYUNDAI

Professional Line



IP BULLET 2MP, 2,8MM, **SMART IR 30M**

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE

















4MP IP BULLET, 2,8MM, **SMART IR 30M**

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE

















Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



6MP IP BULLET, 2,8MM, **SMART IR 30M**

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2.8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE













HYU-492

8MP IP BULLET, 2,8MM, **SMART IR 30M**

- 8MP@12fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2.8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE













HYU-424

8MP IP BULLET, 2,8MM, **SMART IR 30M**

- 8MP@20fps, 0,01 lux
- H.265/H.264/MJPEG, triple stream
- 2.8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE















HYU-284

2MP IP BULLET, SMART IR 50M

- 2MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE+











HYU-739

4MP IP BULLET, 2.8~12MM MOTOR, **SMART IR 30M**

- 4MP@20fps, 0,014 lux
- H.264+/MJPEG, dual stream
- 2.8~12 mm motor lens
- · MicroSD, 3D-DNR, WDR 120dB, IVS, IP67, PoE

















HYU-203

4MP IP BULLET, SMART IR 50M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE+











H.265+

HYU-740

6MP IP BULLET, 2,8~12MM MOTOR, **SMART IR 50M**

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 3D-DNR, WDR 120dB, IVS, IP67, IK10, PoE













HYIJ-499

8MP IP BULLET, 2,8~12MM MOTOR, IR 50M

- 8MP@20fps, 0.01 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE+













HYU-405

2MP IP VANDAL DOME 2,8MM, SMART IR 30M

- 2MP@25fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



32













HYU-741

4MP IP VANDAL DOME. 2,8MM, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2,8 mm lens
- MicroSD, WDR 120dB, IVS, IP67, IK10, PoE













HYU-742





Exclusive sale for professionals. RRP, VAT is not included Contact your supplier for further information.



6MP IP DOME, 2,8MM, **SMART IR 30M**

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2.8 mm lens
- 3D-DNR, WDR 120dB, IVS, IP67, PoE













6MP IP VANDAL DOME. 2.8MM, SMART IR 30M

- 6MP/5MP@20fps, 0,028 lux
- H.265+/H.264+, triple stream
- 2.8 mm lens
- WDR 120dB, IVS, IP67, IK10, PoE













HYU-493

HYUNDAI

8MP IP DOME, 2.8MM. **SMART IR 40M**

- 8MP@20fps, 0,01 lux
- H.265/H.264, triple stream
- 2.8 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE













HYU-285

HYUNDA

8MP IP DOME, 2,8MM, **SMART IR 30M**

- 8MP@12fps, 0,028 lux
- H.265/H.264, triple stream
- 2.8 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE















8MP IP VANDAL DOME. 2,8MM, SMART IR 30M

- 8MP@12fps, 0,028 lux
- H.265/H.264, triple stream
- 2.8 mm lens
- WDR 120dB, IVS, IP67, IK10, PoE

















• 8MP@20fps, 0,01 lux

• H.265/H.264, triple stream

8MP IP VANDAL DOME.

2.8MM, SMART IR 30M

- 2.8 mm lens
- MicroSD, WDR 120dB, IP67, IK10, PoE













2MP IP VANDAL DOME, 2.8~12MM VARIFOCAL, IR 30M

- 2MP@25fps, 0,014 lux
- H.264/MJPEG, dual stream
- 2,8~12 mm varifocal lens
- · MicroSD, D-WDR, IVS, IP67, IK10, PoE













HYU-241

2MP IP DOME, SMART IR 30M

- 2MP@25fps, 0.018 lux
- H.265+/H.264+, triple stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- · MicroSD, WDR 120dB, IVS, IP67, IK10, PoE















4MP IP DOME, SMART IR 30M

- 4MP/3MP@25fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- · MicroSD, WDR 120dB, IVS, IP67, IK10, PoE



















6MP IP VANDAL DOME

- 6MP/5MP@20fps, 0,018 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE















Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hvundai-securitv.tech | www.hvundai-securitv.tech

8MP IP VANDAL DOME

- 8MP@20fps, 0.014 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE













Night Fighter 6

HYU-396

8MP IP VANDAL DOME

- 8MP@20fps, 0.014 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS, IP67, IK10, PoE















NightFighter 6

IP VANADAL DOME 8MP

- 8MP@20fps, 0.014 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio. Alarm: 1/1 I/O, MicroSD
- WDR 120dB, IVS, IP66, IK10, PoE















HYU-706

IP VANADAL DOME 8MP

- 8MP@20fps, 0.01 lux
- H.265+/H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio. Alarm: 1/1 I/0
- . MicroSD slot 3D-DNR, WDR 120dB
- IVS IP67, IK10, PoE+











HYU-406

HYUNDAI

Solutions Line



2MP IP BULLET COLORVIEW, 24H COLOR, WHITE LED, 4MM

- 2MP@25fps, 0,0035 lux
- H.265+/H.264+, triple stream 4 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE

















HYU-679

4MP IP BULLET COLORVIEW, 24H COLOR, WHITE LED, 4MM

- 4MP@25fps, 0,0014 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE













HYU-678

2MP IP DOME COLORVIEW. 24H COLOR, WHITE LED, 4MM

- 2MP@25fps, 0,0035 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- MicroSD, WDR 120dB, IVS, IP67, PoE



















HYU-677

4MP IP DOME COLORVIEW. 24H COLOR, WHITE LED, 4MM

- 4MP@25fps, 0,0014 lux
- H.265+/H.264+, triple stream
- 4 mm lens
- · MicroSD, WDR 120dB, IVS, IP67, PoE













HYU-676





Exclusive sale for professionals. RRP, VAT is not included Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

IP CAMERAS BULLETS AND DOMES AISENSE



2MP IP BULLET AISENSE 2.8MM, SMART IR 50M

- 2MP@25fps, 0,009 lux
- H.265/H.264, dual stream
- 2.8 mm lens. MicroSD
- WDR 120dB, IVS/IA, IP67, PoE



















HYU-612

4MP BULLET IP AISENSE. 2,8MM, SMART IR 50M

- 4MP@25fps, 0,012 lux
- H.265/H.264, dual stream
- · 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, PoE







2MP IP BULLET AISENSE SMART IR 50M

- 2MP@25fps, 0,007 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- · MicroSD, WDR 120dB, IVS/IA, IP67, IK10, PoE+











HYU-666













HYU-611

4MP BULLET IP AISENSE, SMART IR 50M

- 4MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm
- · MicroSD, WDR 120dB, IVS/IA, IP67, IK10, PoE+











HYU-668

2MP IP DOME AISENSE, 2.8MM. **SMART IR 50M**

- 2MP@25fps, 0,009 lux
- · H.265/H.264, dual stream
- 2.8 mm lens
- · MicroSD, WDR 120dB, IVS/IA, IP67, PoE













2MP IP VANDAL DOME AISENSE, 2.8MM, SMART IR 30M

- 2MP@25fps, 0,009 lux
- · H.265/H.264, dual stream
- 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE

















4MP IP DOME AISENSE, 2,8MM, **SMART IR 50M**

- 4MP@25fps, 0,012 lux
- · H.265/H.264, dual stream
- 2,8 mm lens
- · MicroSD, WDR 120dB, IVS/IA, IP67, PoE















2MP IP DOME AISENSE, SMART IR 30M

- 2MP@25fps, 0,007 lux
- H.265+/H.264+, dual stream
- 2.8~12 mm motor lens
- · Audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE















HYU-665

4MP IP VANDAL DOME AISENSE. 2,8MM, SMART IR 30M

- 4MP@25fps, 0,012 lux
- H.265/H.264. dual stream
- 2,8 mm lens, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE













HYU-613



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

4MP IP DOME AISENSE, SMART IR 30M

- 4MP@25fps, 0,01 lux
- H.265+/H.264+, dual stream
- 2,8~12 mm motor lens
- · Audio, 1/1 I/O alarm, MicroSD
- WDR 120dB, IVS/IA, IP67, IK10, PoE













HYU-667

IP CAMERAS FISHEYE/PANORAMIC **NEXTGEN DOMES**



5MP FISHEYE IP DOME FOR INDOORS, 1,05MM 180°, IR 8M













- · 2MP@25fps,
- 0.01 lux
- H.264/MJPEG.
- Dewarping
- 1,05 mm fisheye lens (180°)
- · WDR 120dB, IVS
- · MicroSD. PoE

HYU-353

12MP FISHEYE IP VANDAL DOME, 1,98MM 360°, IR 15M











- 12MP@20fps
- 0.01/0.04 lux
- H.264/MJPEG
- 1,98 mm (360°) fisheye lens
- D-WDR, IVS,
- IP66, IK10
- · MicroSD, PoE

HYU-544

2MP PTZ IP PANORAMIC DOME, 4x ZOOM, IR Ø20M















- 2MP@25fps, 0,05/0,01 lux
- 3 pano-cameras+1 PTZ
- H.265/H.264/MJPEG
- 2mm lens (pano-cameras)
- Viewing angle: 128,5°x3
- 2.8~12 mm motor lens
- IR range of 10 m (radio)

- 350°@30°/s (H); 90°@30°/s (V)
- · 300 presets
- 3D-DNR, D-WDR, IVS
- 4x3 privacy mask (pano-cameras)
- 8 privacy mask (PTZ)
- 2 way audio, MicroSD, PoE+



HYU-484

IP CAMERAS MINI AND COMPACT **NEXTGEN CAMERAS**



1MP IP MINI CAMERA, 2,8MM

- 720P@30fps, 0,028 lux
- · H.264/MJPEG, dual stream
- 2.8 mm lens
- 3D-DNR, D-WDR, IVS
- · Lira stand









7202

HYU-401





Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.

2MP IP MINI CAMERA, 3,7MM

- 2MP@25fps, 0,109/0,022 lux
- H.265+/H.264+, triple stream
- 3.7 mm lens
- 3D-DNR, D-WDR, IVS
- · Lira stand









HYU-404

2MP IP CAMERA, 2,8MM, **IR 10M, PIR 10M**

- 2MP@25fps, 0,01 lux
- H.264/MJPEG, dual stream
- 2.8 mm lens. 2 way audio
- 1/1 I/O alarm, MicroSD, D-WDR, PoE














HYU-429

IP CAMERAS BULLET CAMERAS WITH POSITIONER















- 5MP@18fps, 4MP/3MP/2MP@25fps, 0,01 lux
- H.265/H.264. dual stream
- 2,7~13,5 mm motor lens
- 0°~180°@20°/s (H); 0°~55°@10°/s (V)
- 1 preset point
- 2D/3D-DNR, D-WDR, IP65

HYU-453

2MP IP BULLET, PAN/TILT AND 4x ZOOM, IR 40M



40M AUTO WDR IP65 HIK





- 2MP@30fps, 0,01 lux
- H.265/H.264, dual stream
- 2.8~12 mm motor lens
- 0°~180°@20°/s (H); 0°~60°@10°/s (V)
- 1 preset point
- 2D/3D-DNR, D-WDR, IP65

HYU-542

2MP IP BULLET, 4x Z00M, IR 80M

- 2MP@25fps
- 2.8~12 mm motor lens
- 0°~250°@15°/s (H)
- -10°~55°@10°/s (V)
- · 255 presets











- PAN/TILT low speed
- · 8 rounds, 4 patterns
- · BLC, ROI, WDR 120dB, defog
- IP66. Lightning-proof
- · Power supply is not included



HYU-111

2MP IP BULLET, ZOOM 10X, IR 80M

- 2MP@25fps
- 5,1~51 mm motor lens
- 0°~250°@15°/s (H)
- -10°~55°@10°/s (V)
- 255 presets















- · 8 rounds, 4 patterns
- BLC, ROI, WDR 120dB, defog
- IP66, Lightning-proof
- · Power supply is not included



HYU-110



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



4MP IP BULLET, PAN/TILT **AND ZOOM 10X. IR 80M**

└//// **H.265**









- 4MP@25fps, H.265/H.264
- 4,7~47 mm motor lens
- 0°~250°@15°/s (H): -10°~55°@10°/s (V)
- 256 presets, PAN/TILT low speed
- 2D/3D-DNR, WDR 120dB, IP66, PoE

HYU-261

BULLET IP 3MP. PAN/TILT AND 20X ZOOM, IR 100M

*≡M***?** H.265



- 3MP@25fps, H.265/H.264
- 4,9~98 mm motor lens
- 360°@80°/s (H): -40°~55°@15°/s (V)
- 256 presets, 8 rounds, 4 patterns
- 3D-DNR, WDR 120dB, IP66

HYU-259

IP CAMERAS PTZ DOME

2MP IP PTZ DOME. 4x ZOOM, SMART IR 20M









- 2MP@25fps, 0.005/0.001 lux
- 2,8~12 mm motor lens
- 0°~330°@100°/s (H): 0°~90°@100°/s (V)
- 300 presets, proportional zoom
- 2 way audio
- MicroSD, 3D-DNR, WDR 120dB, IVS
- IP66, IK10, PoE, ultra compact

HYU-625

4MP IP PTZ DOME. 4x ZOOM, SMART IR 20M

₩ STARLIGHT H.265+











- 4MP@25fps, 0.005/0.001 lux
- 2,8~12 mm motor lens
- 0°~330°@100°/s (H): 0°~90°@100°/s (V)
- 300 presets, proportional zoom
- 2 way audio
- MicroSD, 3D-DNR, WDR 120dB, IVS
- IP66, IK10, PoE, ultra compact

HYU-626


2MP IP PTZ DOME, 4x Z00M, IR 30M, INDOOR











- H.264+/MJPEG, triple stream
- 2.8~12 mm motor lens
- 0°~350°@60°/s (H); 0°~90°@50°/s (V)
- 300 presets, 8 rounds
- 2 way audio, 1/1 I/O alarm
- MicroSD, D-WDR, ROI, PoE

HYU-237

2MP IP PTZ DOME, ZOOM 25X, SMART IR 100M, POE+

-M-H.265+














- H.265+/H.264+, triple stream
- 4.8~120 mm motor lens
- 360°@80°/s (H); -15°~90°@80°/s (V)
- 300 presets, 8 rounds, 4 patterns
- MicroSD, WDR 120dB, IVS, IP66, PoE+
- Bracket and power supply included

HYU-428N







4MP IP PTZ DOME, 15x ZOOM, SMART IR 100M, POE+

- 4MP@25fps, 0,005/0,001 lux
- H.265+/H.264+/MJPEG
- Triple stream
- 5~75 mm motor lens
- 2 way audio



- 360°@80°/s (H)
- -15°~90°@80°/s (V)
- 300 presets, 8 rounds, 4 patterns
- WDR 120dB, IVS
- MicroSD, IP66, PoE+





HYU-688

4MP IP PTZ DOME, ZOOM 25X. SMART IR 100M, POE+

- 4MP@25fps, 0,005/0,001 lux
- H.265+/H.264+/MJPEG
- Triple stream
- 4.8~120 mm motor lens
- · 2 way audio











- 360°@80°/s (H)
- -15°~90°@80°/s (V)
- 300 presets, 8 rounds, 4 patterns
- WDR 120dB, IVS
- MicroSD, IP66, PoE+





HYU-687

2MP IP PTZ DOME, ZOOM 25X, SMART IR 150M, HI-POE

- 2MP@25fps. 0.005/0.001 lux
- H.265+/H.264+/MJPEG
- Triple stream
- 4.8~120 mm motor lens
- 2 way audio











- 360°@120°/s (H)
- -15°~90°@80°/s (V)
- 300 presets, 8 rounds, 4 patterns
- WDR 120dB, IVS
- MicroSD, IP66, Hi-PoE





H.265 +

HYU-386

3MP PTZ IP DOME, 20X ZOOM, SMART IR 150M, HI-POE

- 2MP@25fps, 0.02/0.002 lux
- H.264+/MJPEG
- Triple stream
- 4,7~94 mm motor lens
- · 2 way audio













- -15°~90°@200°/s (V)
- 300 presets, 8 rounds, 4 patterns
- 2/1 I/O alarm, WDR 120dB
- · MicroSD, IP66, Hi-PoE





HYU-297

2MP IP PTZ DOME, 40X ZOOM, **IR 150M**

- 2MP@25fps, 0.05/0.01 lux
- H.265/H.264, dual stream
- 40X optical zoom
- -10°~90°@120°/s (V)















HYU-455

• 360°@350°/s (H)



· 2 way audio

Bracket and lens cleaner included

256 presets, 8 rounds, 4 patterns

• 3D-DNR, WDR 120dB, IP66,



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



2MP IP PTZ DOME, 32X ZOOM, SMART IR 150M, HI-POE

H.265+







- 2MP@50fps, 0.005/0.001 lux
- H.265+/H.264+, triple stream
- 4,8~153 mm motorized lens
- 360°@160°/s (H): -15°~90°@160°/s (V)
- 300 presets, 8 rounds, 4 patterns
- · MicroSD, WDR 120dB, IVS, IP66, Hi-PoE
- 2 way audio, 2/1 I/O alarm

HYU-690

4MP IP PTZ DOME, 30X ZOOM, SMART IR 150M, HI-POE

└////── H.265+









- 4MP@25fps, 0.005/0.002 lux
- H.265+/H.264+, triple stream
- 5,9~177 mm motor lens
- 360°@160°/s (H): -15°~90°@120°/s (V)
- 300 presets, 8 rounds, 4 patterns
- · MicroSD, D-WDR, IVS, IP66, Hi-PoE
- 2 way audio, 2/1 I/O alarm

HYU-691

IP CAMERAS LPR NEXTGEN CAMERAS



2MP IP BULLET, 2.8~12MM MOTOR, SMART IR 50M, LPR, POE+

- 2MP@50fps, 0,0027 lux, H.264+, triple stream
- 2.8~12 mm motor lens
- 2 way audio, 1/1 I/O alarm, 1 BNC, MicroSD, reset button
- Embedded LPR, WDR 120dB, IVS, IP67, junction box, PoE+

















NightFighter

HYU-444

2MP IP BULLET, 8~32MM MOTOR, SMART IR 50M, LPR, POE+

- 2MP@50fps, 0,0027 lux, H.264+, triple stream
- 8~32 mm motor lens
- 2 way audio, 1/1 I/O alarm, 1 BNC, MicroSD, reset button
- Embedded LPR, WDR 120dB, IVS, IP67, junction box, PoE+























HYU-652

IP CAMERAS PEOPLE COUNTER



IP CAMERA FOR PEOPLE **COUNTER WITH DOUBLE LENS**

- 640x480@25fps on stream 1
- 640x960@25fps on stream 2
- 2 mm + 2,8 mm lens
- · Distinguish people who enter, leave or pass



- 3D-NR, 1 ROI per stream
- 1/1 I/O alarm
- · Not suitable for outdoors, PoE

HYU-519





THERMAL IP CAMERAS



IP DUAL THERMAL 7MM. 2MP VISIBLE, IR 30M

Thermal Line

- Thermal resolution 160x120
- Lens: 7 mm (33,9°x25°)
- People detection up to 140m
- Vehicle detection up to 429m
- Temperature detection
- PoE+ • 2 way audio, 2/2 I/O ALARM, D-WDR
- · MicroSD, IP66, heater, PoE+

HYU-555

WDR

IP DUAL THERMAL 10MM. 2MP VISIBLE, IR 30M

Thermal Line

- Thermal resolution 160x120
- Lens: 10 mm (23,3°x17,6°)
- People detection up to 200m
- Vehicle detection up to 613m
- · Temperature detection
- 2 way audio, 2/2 I/O ALARM, D-WDR
- · MicroSD, IP66, heater, PoE+







H.265+

H.265 +

HYU-556

THERMAL IP CAMERA 7MM, AUDIO, ALARM, POE+

Thermal Line

- Thermal resolution 384x288
- Lens: 7 mm (60°x43,8°)
- · People detection up to 206m
- · Vehicle detection up to 631m
- · Temperature detection
- 2 way audio, 2/2 I/O ALARM
- · MicroSD, IP66, PoE+, base and bracket

H.265 +







HYU-439

THERMAL IP CAMERA 10MM, AUDIO, ALARM, POE+

Thermal Line

- Thermal resolution 384x288
- Lens: 10 mm (36°x27°)
- People detection up to 294m
- Vehicle detection up to 902m
- · Temperature detection
- 2 way audio, 2/2 I/O ALARM
- · MicroSD, IP66, PoE+, base and bracket

HYU-440

THERMAL IP CAMERA 15MM. AUDIO, ALARM, POE+

- People detection up to 441m
- Vehicle detection up to 1353m
- 2 way audio, 2/2 I/O ALARM

H.265+







HYU-441

THERMAL IP CAMERA 25MM. AUDIO, ALARM, POE+

Thermal I ine

- Thermal resolution 384x288
- Lens: 25 mm (14.88°x11.19°)
- People detection up to 735m
- Vehicle detection up to 2255m
- · Temperature detection
- 2 way audio, 2/2 I/O ALARM
- · MicroSD, IP66, PoE+, base and bracket

HYU-442

Thermal I ine Thermal resolution 384x288 • Lens: 15 mm (24.55°x18.54°)







· MicroSD, IP66, PoE+, base and bracket

THERMAL IP CAMERA 35MM. AUDIO, ALARM, POE+

Thermal Line

- Thermal resolution 384x288
- Lens: 35 mm (10.66°x8°)
- People detection up to 1029m
- Vehicle detection up to 3157m
- Temperature detection
- 2 way audio, 2/2 I/O ALARM
- . MicroSD, IP66, PoE+, base and bracket



HYIJ-443

IP DUAL THERMAL 15MM. 2MP VISIBLE, IR 30M

Thermal Line

- Thermal resolution 384x288
- Lens: 15 mm (24.2°x18.4°)
- People detection up to 441m
- · Vehicle detection up to 1,3km
- Temperature detection
- 2 way audio, 2/2 I/O ALARM, D-WDR
- MicroSD, IP67, PoE+







HYU-747





Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.

IP THERMAL BULLET 3,1MM, AUDIO, ALARM, POE

- Thermal resolution 160x120
- Lens: 3,1 mm (50°x37,2°)
- People detection up to 53m
- Vehicle detection up to 162m
- Temperature detection



- 2 way audio
- · Alarm: 2 in / 2 out
- 15 adjustable color palette
- · MicroSD, 3D-DNR, IP66, PoE
- · Bracket and tube base included



IP THERMAL BULLET 6,2MM, AUDIO, ALARM, POE

- Thermal resolution 160x120
- Lens: 6.2 mm (25°x18.7°)
- People detection up to 182m
- Vehicle detection up to 559m
- Temperature detection



· Alarm: 2 in / 2 out



• 15 adjustable color palette

• MicroSD, 3D-DNR, IP66, PoE

Bracket and tube base included.































HYU-661

IP DUAL THERMAL BULLET

- 3MM, 2MP VISIBLE, IR 40M • Thermal resolution 160x120
- Lens: 3 mm (50°x37.2°)
- People detection up to 91m
- Vehicle detection up to 280m
- Temperature detection



· Alarm: 2 in / 2 out

• 15 adjustable color palette

• MicroSD, D-WDR, IP66, PoE

· Bracket and tube base included

• 2 way audio

























HYU-745

IP DUAL THERMAL BULLET 6MM, 2MP VISIBLE, IR 40M

- Thermal resolution 160x120
- People detection up to 182m
- Vehicle detection up to 559m • Temperature detection
- Lens: 6 mm (25°x18,7°)
- · Alarm: 2 in / 2 out • 15 adjustable color palette

· 2 wav audio

- MicroSD, D-WDR, IP66, PoE
- · Bracket and tube base included



IP DUAL THERMAL DOME 1,8MM, 2MP VISIBLE, IR 15M

- Thermal resolution 160x120
- Lens: 1,8 mm (90°x66,4°)
- People detection up to 53m • Vehicle detection up to 162m
- Temperature detection





• 2 way audio

Visible lens: 2.1 mm

Alarm: 1 in / 1 out



• 15 adjustable color palette

· MicroSD, WDR 120dB, IP66, PoE

















HYU-659



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

THERMAL IP CAMERAS

IP **NVR**



IP NVR IP NVR NEXTGEN



4CH NVR, 4MP@40MB/S

- H.265+, H.264+, dual stream
- HDMI and VGA output
- 40/60Mbps input/output
- 1ch@4MP
- Up to 1 HDD, 2 USB





HYU-525 (NVR3104P)

8CH NVR, 4MP@60MB/S

- H.265+, H.264+, dual stream
- . HDMI and VGA output
- 60/60Mbps input/output
- 1ch@4MP
- Up to 1 HDD, 2 USB





HYU-526 (NVR3108P)

4CH NVR, 4MP@40MB/S, 4 POE+

- H.265+, H.264+, dual stream
- . HDMI and VGA output
- 40/60Mbps of input/output
- 1ch@4MP
- Up to 1 HDD, 2 USB, 4 PoE/PoE+







HYU-523 (NVR3104P-4P)

8CH NVR. 4MP@60MB/S. 8 P0E+

- H.265+, H.264+, dual stream
- HDMI and VGA output
- 60/60Mbps input/output
- 1ch@4MP
- Up to 1 HDD, 2 USB, 8 PoE/PoE+





H.265+



HYU-524 (NVR3108P-8P)

32CH NVR. 6MP@160MB/S

- H.264+/MPEG4, dual stream
- HDMI and VGA output
- 160/80Mbps input/output
- 12ch@720P, 4/1 I/O alarm, intelligent search
- Up to 2 HDD, RJ45 GB, 2 USB







HYU-733 (NVR4232M-4K)

4CH NVR, 8MP@40MB/S, 4 POE+

- H.265+/H.264+, dual stream
- . HDMI (4K) and VGA output
- 40/80Mbps input/output
- 1ch@8MP
- Up to 1 HDD, RJ45 GB, 2 USB, 4 PoE/PoE+









HYU-445 (NVR3104M-4P-4KLITE)

4CH NVR, 8MP@40MB/S, 4 POE+



- . HDMI (4K) and VGA output
- 40/80Mbps input/output
- 1ch@8MP
- 1 HDD (1TB), RJ45 GB, 2 USB, 4 PoE/PoE+









HYU-445-1TB (NVR3104M-4P-4KLITE-1TB)

4CH NVR, 8MP@40MB/S, 4 POE+

- H.265/H.264, dual stream
- . HDMI (4K) and VGA output
- 40/80Mbps input/output
- 1ch@8MP
- Up to 1 HDD, 2 USB, 4 PoE/PoE+












HYU-280 (NVR4104M-4P-4K)

8CH NVR, 8MP@80MB/S, 8 P0E+



- . HDMI (4K) and VGA output
- 80/160Mbps input/output
- 2ch@8MP, 4/1 I/O alarm
- Up to 2HDD, RJ45 GB, 2 USB, 8 PoE/PoE+











(NVR4208M-8P-4K)



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech



HYU-281

16CH NVR, 8MP@160MB/S, 16 POE+

- H.265/H.264+, dual stream
- HDMI (4K) and VGA output
- 160/160Mbps input/output
- 2ch@8MP, 4/1 I/O alarm
- Up to 2HDD, RJ45 GB, 2 USB, 16 PoE/PoE+











HYU-282 (NVR4216M-16P-4K)

8CH NVR, 12MP@80MB/S, 8 P0E+

- H.265/H.264+, POS functions
- . HDMI (4K) and VGA output
- 80/256Mbps input/output
- 4ch@8MP, 4/1 I/O alarm
- Up to 2HDD, RJ45 GB, 2 USB, 8 PoE/PoE+









HYU-473

8CH NVR, 8MP@80MB/S

- H.265+/H.264+, dual stream
- . Output: HDMI (4K) and VGA
- 80/160Mbps input/output
- 2ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB











16CH NVR. 8MP@160MB/S

- H.265+/H.264+, dual stream . Output: HDMI (4K) and VGA
- 160/160Mbps input/output
- 2ch@8MP, 4/1 I/O alarm
- Up to 2 HDD, RJ45 GB, 2 USB









HYU-734 (NVR4216M)

- 16CH NVR. 12MP@160MB/S. 16 POE+ • H.265/H.264, dual stream
- Output: HDMI (4K) and VGA • 160/256Mbps input/output
- 4ch@8MP, 4/1 I/O alarm
- 4 TPV, Up to 2 HDD, RJ45 GB, 2 USB, 16 PoE+















HYU-520 (NVR5216-16P-4K/POS)

32CH NVR. 12MP@256MB/S. 16 P0E+

- H.265+/H.264+, dual stream
- . Output: HDMI (4K) and VGA • 256/160Mbps input/output
- 4ch@8MP, 16/4 I/O alarm
- Dewarping, up to 4 HDD, RJ45 GB, 3 USB, RS485 16 PoE+









HYU-382

(NVR5432-16P-4K/IVS)

64CH NVR, 12MP@320MB/S

- H.265+/H.264+/MPEG4, dual stream
- 2 HDMI output (1 at 4K) and 2 VGA output (1 at 2K)
- 320/256Mbps input/output
- · 2ch@12MP, 1/2 I/O audio
- Up to 8HDD (RAIDO/1/5/6/10), 1 eSATA
- 16/4 I/O alarm, POS, 2 RJ45 GB, 3 USB, RS485

















HYU-736 (NVR7864-4K)

IP NVR IP NVR AISENSE



HYUNDAI AISENSE NVR SERIES

Aisense is able to differentiate, with great precision, a human body and a vehicle on a stage with a large number of objects. Not only can it detect human and vehicle intrusion, it can also filter out false alarms that could have been triggered by moving objects that pose no threat.







Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.





8CH AIRSENSE NVR. 12MP@80MB/S. 8 POE+

- H.265/H.265+/H.264/H.264+, dual stream
- Video output: HDMI (4K), VGA and BNC
- 80/256Mbps input/output
- 8ch@8MP
- 4/1 I/O alarm, 4 ch (Al)
- Up to 2HDD, RJ45 GB, 2 USB, 8 PoE/PoE+





16CH AISENSE NVR, 12MP@160MB/S, 16 P0E+

- H.265/H.265+/H.264/H.264+, dual stream
- · Video output: HDMI (4K), VGA and BNC
- 160/256Mbps input/output
- 12ch@8MP
- 4/1 I/O alarm, 4 ch (Al)
- Up to 2HDD, RJ45 GB, 2 USB, 16 PoE/PoE+





IP NVR NEXTGEN CONTROLLERS



4 AXIS KEYBOARD CONTROLLER RS485

- · For analog dome control
- 4AXIS joystick
- LED display
- Pelco P/D protocol
- RS485 direct interface
- · Power supply included



HYU-195

4 AXIS IP KEYBOARD CONTROLLER

- · For DVR/DVS, NVR, matrix, IP cameras
- · PTZ control and screenshot from keyboard
- Up to 1000 devices
- 128x64 LCD display
- 4AXIS joystick
- RJ45, USB 2.0, RS485, RS232, RS422



HYU-354

4 AXIS IP KEYBOARD, WIFI

- · For DVR/NVR, matrix, IP cameras
- Up to 2000 devices
- H.265, display up to 16ch
- 10" LCD touchscreen, HDMI, way audio
- 1 RJ45, 2 USB, 1 RS485, 1 RS232, 1 RS422, PoE









HYU-579



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.

info@hyundai-security.tech | www.hyundai-security.tech

IΡ **NVR**

LED **MONITORS**

LED MONITORS MONITORS

19,5" LED MONITOR

- 1600x900 (16:9)
- 200 cd/m2
- Contrast 1000:1 • 16.7 million colors
- · Response time of 5ms
- 1 HDMI, 1 DVI, 1 VGA VESA 75x75 mount



HYU-268

19.5" LED MONITOR

- 1600x900 (16:9)
- 200 cd/m2
- Contrast 1000:1
- 16.7 million colors
- · Response time of 5ms
- 1 HDMI, 1 DVI, 1 VGA



HYU-268-NV

21.5" LED MONITOR

- 1920x1080 (16:9)
- 220 cd/m2
- Contrast 700:1
- 16.7 million colors
- Response time of 5ms
- 1 HDMI, 1 VGA
- VESA 75x75 mount



HYU-269

24" LED MONITOR

- 1920x1080 (16:9)
- 220 cd/m2
- Contrast 700:1
- 16.7 million colors
- · Response time of 5ms
- 1 HDMI. 1 VGA
- VESA 75x75 mount



HYU-270

24" LED MONITOR

- 1920x1080 (16:9)
- 220 cd/m2
- Contrast 700:1
- 16.7 million colors
- Response time of 5ms
- 1 HDMI. 1 VGA



HYU-270-NV

LED MONITORS PROFESSIONAL MONITORS

15" LED MONITOR

- 1024x768 (4:3)
- 350 cd/m2
- Contrast 700:1 • 16,7 million colors
- Response time of 5ms
- 1 HDMI, 2 BNC, 1 VGA
- MTBF: 50.000h



21,5" LED MONITOR

- 1920x1080 (16:9)
- 250 cd/m2
- Contrast 1000:1
- 16,7 million colors
- · Response time of 5ms

• 1 HDMI, 1 VGA, audio input

VESA 75x75



HYU-685

22" LED MONITOR

- 1920x1080 (16:9)
- 350 cd/m2
- Contrast 1000:1
- 16.7 million colors
- · Response time of 5ms
- 1 HDMI, 1 VGA
- 2x3W speaker, VESA 75x75



HYU-532



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



24" LED MONITOR

- 1920x1080 (16:9)
- 200 cd/m2
- Contrast 1000:1
- 16.7 million colors
- · Response time of 5ms
- 1 HDMI, 1 VGA
- 2x3W speaker, VESA 75x75



HYU-686

BNC

10,4" LED MONITOR

- 800x600 (4:3)
- 350 cd/m2
- · Contrast 500:1
- Angle 70°(H) y 60°(V)
- · Response time of 10ms
- 1 HDMI, 2/1 I/O BNC, 1 VGA

• 2x3W speaker, VESA 75x75

10.5" LED MONITOR

- 1280x800 (16:9)
- 300 cd/m2
- Contrast 800:1
- 16.7 million colors
- · Response time of 8ms
- 1 HDMI, 2 BNC (E/S), 1 VGA, Audio

• 1W speakers, VESA 75x75

HYU-273

21.5" LED MONITOR

- 1920x1080 (16:9)
- 250 cd/m2
- Contrast 1000:1
- · 16.7 million colors
- · Response time of 5ms
- 1 HDMI, 1 BNC, 1 VGA
- VESA





HYU-537



HYU-460

22" LED MONITOR

- 350 cd/m2
- Contrast 1000:1
- · Response time 5ms
- 1 HDMI, 2/1 I/O BNC, 1 VGA



HYU-533

• 1920x1080 (16:9)

- 16.7 million colors
- 2x3W speaker, VESA 75x75

23,6" LED MONITOR

- 1920x1080 (16:9)
- 250 cd/m2
- Contrast 1000:1 • 16,7 million colors
- · Response time 5ms 1 HDMI, 1/1 I/O BNC, 1 VGA
- 2x2W speaker, VESA 100x100

HYU-621

22" LED MONITOR











- 350 cd/m2, contrast 1000:1
- 16,7 million colors
- Response time of 5ms
- · Can connect HD cameras:
 - CVI: 4MP/1080P, up to 500m
 - TVI: 5MP/4MP. up to 300m
 - AHD: 5MP/4MP, up to 500m
- 1 HDMI, 1 BNC, 1 VGA
- BNC output interface
- MTBF: 50.000h

HYU-459

28" 4K LED MONITOR

- 3840x2160 (16:9/4:3)
- 250 cd/m2
- Contrast 1000:1
- 1.073 million colors
- · Response time 5ms
- 1 DP, 2 HDMI, 1/1 I/O BNC, 1 VGA
- 5W speakers, VESA 100x100



BNC



HYU-534N

28" LED MONITOR

- 3840x2160 (16:9)
- 300 cd/m2
- Contrast 1000:1
- 1.073 million colors
- · Response time 3,5ms
- 1 CVBS, 1 DP, 1 HDMI, 1 DVI, 1 VGA
- VESA 100x100

HYU-684

HDCVI™

HDTVI

AHD





Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information.

32" LED MONITOR

- 1920x1080 (16:9)
- 300 cd/m2
- Contrast 3000:1
- 16.7 million colors
- · Response time 20ms
- 1 HDMI, 3/2 I/O BNC, 1 VGA, 1 DVI

BNC

FULL HD

Video components, VESA 200x200

HYU-534N

43" LED MONITOR

- 1920x1080 (16:9)
- 350 cd/m2
- Contrast 1200:1
- 16.7 million colors
- · Response time 8ms
- 1 HDMI, 5/1 I/O BNC, 1 VGA, 1 DVI

• Video components, VESA 200x200



BNC

HYU-536N

43" 4K LED MONITOR

- 3840x2160 (16:9)
- 350 cd/m2
- Contrast 5000:1
- · Color depth 1,073G
- · Response time 5ms
- 1 HDMI, 1 Display Port, 1 DVI, 1 VGA
- 2x3W speaker, VESA 200x200



HYU-535

55" 4K LFD MONITOR

- 3840x2160 (16:9)
- 350 cd/m2
- Contrast 5000:1
- · Color depth 1,073G
- · Response time 5ms
- 1 HDMI, 1 Display Port, 1 DVI, 1 VGA
- 2x3W speaker, VESA 400x200

HYU-538

MONITORS VIDEOWALL PANELS

46" 4K LED UNIT

- 1920x1080 (16:9)
- 500 cd/m2
- Contrast 4000:1
- 16.7 million colors
- · Response time 5ms
- 1 HDMI, 1 Display Port, 1/1 I/O BNC, 1 VGA

BNC

VESA 500x400

HYU-539

55" 4K LED UNIT FOR **VIDEOWALL**

- · D-LED DID panel
- Native resolution 1920x1080
- Aspect ratio 16:9
- 500 cd/m2
- Contrast 4000:1









- 16.7 million colors
- · Response time 5ms
- 1 HDMI, 1 Display Port, 1 BNC I/O. 1 VGA
- VESA 500x400



HYU-540

LED MONITORS ACCESSORIES

1 CHANNEL PASSIVE EXTENDER

- VGA transmitter + VGA receiver
- VGA cable (male-female)
- Up to 1024x768
- · Power supply is not required
- Up to 35 meters using CAT5/5E/6E cable
- · Plug&Play, easy installation
- MTBF: >10.000h

HYU-447



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.



IP SWITCH

IP SWITCH SWITCH FOR CCTV

4xPOE UNMANAGED SWITCH + 1 UPLINK



- 4 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 15,4W per port, 30W total
- 1Gbps capacity
- · MAC address: 2K
- Transmission up to 100 m

HYU-262

4xPOE UNMANAGED SWITCH + 1 UPLINK







- 4 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 15,4W per port, 30W total
- 1Gbps capacity
- · MAC address: 1K
- Transmission up to 250 m

HYU-623

8xP0E UNMANAGED SWITCH + 1 LIPLINK











- 8 PoE RJ45 10/100M
- 1 Uplink RJ45 10/100M
- 30W per port, 58W total
- 1.8Gbps capacity
- · MAC address: 4K
- Transmission up to 250 m


HYU-624

8xPOE UNMANAGED SWITCH + 1 UPLINK









- 1 Uplink RJ45 10/100M
- . 30W per port, 96W total
- 1.8Gbps capacity
- · MAC address: 2K
- Transmission up to 250 m

HYU-263

8xPOE UNMANAGED SWITCH GIGABIT









- 8 PoF BJ45 10/100/1000M
- 30W per port, 96W total
- 16Gbps capacity
- MAC address: 8K
- Transmission up to 250 m
- · CAT5 or superior cable

HYU-400

16xPOE UNMANAGED SWITCH

+ 2 RJ45 GIGABIT









- 16 PoF RJ45 10/100M
- 2 BJ45 10/100/1000M
- 30W per port, 150W total
- 7,2Gbps capacity
- · MAC address: 4K

HYU-264



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

VIDEO **DOOR PHONES**

VIDEO DOORPHONES 2 WIRE VDP







7" 2 WIRE IP MONITOR FOR INDOORS

- 7" touchscreen (1024x600)
- Touch buttons
- · Microphone and speaker
- · 2 wire interface
- · Not suitable for outdoors
- 1 relay output, RS485 Half-Duplex



VDP KIT THAT INCLUDES:

1X 2 WIRE STATION

• 2 wire video doorphone station

1X 2 WIRE MONITOR FOR INDOORS

• 7" touchscreen for indoors at 2 wires

1X POWER SUPPLY AT 2 WIRES

· Power supply with 9 ch interface

HYU-629

VIDEO DOORPHONES IP VDP

IP VIDEO DOORPHONE STATION FOR OUTDOORS

CMOS HD camera

HYU-631

- Call button
- Mifare proximity reader
- · Microphone and speaker
- 4/1 I/O alarm
- RS485 Half Duplex, IP65, PonC



HYU-558

7" IP MONITOR FOR INDOOR

- 7" capacitive touchscreen
- IP videosurveillance
- · Alarm integration
- Emergency calls (VTMS)
- · Not suitable for outdoors
- · Requires dedicated VDP switch



HYU-135

7" IP MONITOR FOR INDOOR

- 7" capacitive touchscreen
- Touch buttons
- Emergency call
- · Microphone and speaker
- 2/2 I/O alarm, PonC
- · Not suitable for outdoors



VIDEO DOORPHONE BOX FOR EMBED

- · Protective Shield with cap
- · Made with stainless steel
- Compatible with HYU-558 VDP
- Compatible with HYU-557 video doorphone kit



HYU-653

SWITCH NETWORK DISTRIBUTOR AND POWER

- Switch for device interconnection
- 8x RJ45 100Mbps
- · Supports up to 6 channels PonC
- Can connect up to 8 x HYU-560





HYU-560



Exclusive sale for professionals. **RRP, VAT is not included**

Contact your supplier for further information.

VIDEO DOORPHONE STATION FOR OUTDOORS



- Video intercom
- Access control function
- 2MP CMOS of high performance
- 155° fisheye lens
- IR supplement
- · 2 way audio
- 1 RJ45, 1 RS485, IP65, 24V DC



HYU-632

IP65

2MP HD camera

FOR OUTDOORS

- Call button
- · Microphone and speaker
- · Alarm: 4 in / 2 out
- TCP/IP. RTSP
- WDR, IP65



HYU-709

7" IP MONITOR FOR **INDOORS**

- 7" touchscreen
- Touch buttons
- · Microphone and speaker
- 8/2 I/O alarm
- SD slot, 1 RS485
- 1 RJ45, WiFi, PoE standard
- · Not suitable for outdoors



VIDEO DOORPHONE DISPLAY MODULE FOR OUTDOORS

- 3.5" LCD touchscreen
- · Backlight, 4 keys
- · Contact list and number on display
- · Unlock code
- · Connection band RS485, IP65
- Power supply from other module



HYU-710

HYU-723

PUSH MODULE FOR OUTDOORS WITH 6 BUTTONS

- · Simple module for modular IP video door phones
- Customizable labels
- · Requires mount frame
- · Connection band RS485, IP65
- Power from HYU-709



HYU-711

INDICATOR MODULE FOR OUTDOORS

- · Status indicator module for video doorphones
- · Call indicator, door aperture and 2 way audio
- · Backlight compensation
- · Connection band RS485, IP65
- · Power supply from other module



HYU-712

KEYBOARD MODULE FOR OUTDOORS WITH 12 BUTTONS

- · Kevboard module
- · Unlock by password
- Call supported with door number
- · Requires mount frame
- · Connection band RS485, IP65, IK07
- Power supply from other module



HYU-713

MIFARE READER MODULE FOR OUTDOORS

- · Mifare reader module for video doorphone
- · Unlock by 13,56MHz card
- · Requires mount frame
- · Connection band RS485, IP65
- Power supply from other module



HYU-714





EM READER MODULE FOR OUTDOORS

- Em reader module for video doorphone
- · Unlock by 125KHz card
- · Requires mount frame
- · Connection band RS485, IP65
- · Power supply from other module



HYU-715

BLIND MODULE FOR OUTDOORS

- Blind module for fill empty grids during installation
- · Replaceable by other modules



HYU-716

SURFACE INSTALLATION FRAME FOR 1 VIDEO DOORPHONE MODULE

- · Contains frame, lid, screws, etc.
- · Adapts to 1 module surface mount
- Made of aviation aluminium



HYU-717

SURFACE INSTALLATION FRAME 2 VIDEO DOORPHONE MODULES

- · Contains frame, lid, screws, etc.
- Adapts to 2 module surface mount
- · Made of aviation aluminium



HYU-718

SURFACE INSTALLATION FRAME 3 VIDEO DOORPHONE MODULES

- · Contains frame, lid, screws, etc.
- · Adapts to 3 module surface mount
- Made of aviation aluminium



HYU-719

EMBED INSTALLATION FRAME FOR 1 VIDEO DOORPHONE MODULE

- · Contains frame, lid, screws, etc.
- · Adapts to 1 module surface mount
- · Made of aviation aluminium



HYU-720

EMBED INSTALLATION FRAME FOR 2 VIDEO DOORPHONE MODULE

- · Contains frame, lid, screws, etc.
- · Adapts to 2 module surface mount
- Made of aviation aluminium



HYU-721

EMBED INSTALLATION FRAME FOR 3 VIDEO DOORPHONE MODULE

- · Contains frame, lid, screws, etc.
- Adapts to 3 module surface mount
- Made of aviation aluminium



HYU-722

POWER SUPPLY AT 2 WIRES WITH 9 CHANNEL INTERFACE

- Supports 9 stations of 2 wires
- Transmission up to 100 meters
- · External switch supported
- Network interface: 10/100M
- Powers 1 VDP and 1 monitor
- DIN rail mount supported
- 24V DC



HYU-637



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



VIDEO DOORPHONES VIDEO DOORPHONE IP KITS





VDP KIT THAT INCLUDES:

1X IP STATION FOR OUTDOORS

• IP video doorphone station

1X IP MONITOR FOR INDOOR

7" touchscreen IP monitor for indoors

HYU-557



VDP KIT THAT INCLUDES:

1X IP STATION FOR OUTDOORS

· IP video doorphone station

1X IP MONITOR FOR INDOOR

• 7" touchscreen IP monitor for indoors

HYU-725



VDP KIT THAT INCLUDES:

1X IP STATION FOR OUTDOORS

· IP video doorphone station

1X IP MONITOR FOR INDOOR

• 7" touchscreen IP monitor for indoors

HYU-726

VIDEO DOORPHONES VIDEO DOORBELL

VIDEO DOORBELL WIFI FOR OUTDOORS

- 1080p CMOS incorporated
- IR led
- 1,96 mm lens (180°)
- 2 way audio
- MicroSD slot
- · Reset button, IP54



HYU-561

IP VIDEO DOORPHONE STATION VANDAL PROTECTION FOR OUTDOORS

- · Video intercom
- 720P@25fps HD CMOS
- Access control function
- IR illumination up to 5m
- · Motion detection and WDR
- · Remote web access supported
- · Magnetic alarm supported
- Noise suppression
- Echo cancellation
- IP66, IK0











HYU-724





Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

NIGHT **VISION**

NIGHT VISION IR SPOTLIGHT

IR SPOTLIGHT, IR 40M

- 6 leds (high power)
- · Wavelenght 850nM
- Up to 40 meters, 45°
- Anti-vandalism polycarbonate panel
- · Adjustable lira bracket included





HYU-475

IR SPOTLIGHT, IR 50M

- 12 leds (high power)



HYU-476

IR SPOTLIGHT, IR 100M

- 12 leds (high power)
- · Wavelenght 850nM
- Up to 100 meters, 30°
- · Anti-vandalism polycarbonate panel
- · Adjustable lira bracket included





HYU-650N

IR SPOTLIGHT, IR 40M











- 6 leds (high power)
- · Wavelenght 850nM
- Up to 40 meters, 45°
- · Anti-vandalism polycarbonate panel
- · Adjustable lira bracket included
- PoF



IR SPOTLIGHT, IR 50M











- Wavelenght 850nM
- Up to 50 meters, 30°
- Anti-vandalism polycarbonate panel
- · Adjustable lira bracket included
- PoF

HYU-478

NIGHT VISION SPOTLIGHT POWER SUPPLY

POWER SUPPLY 12V DC/1A

- · Circuit with professional technology
- · Constant current stable output
- · Supports a wide voltage input
- · Suitable for outdoor use, resists dust
- · Aluminium case





HYU-479

POWER SUPPLY 12V DC/2A

- · Circuit with professional technology
- · Constant current stable output
- · Supports a wide voltage input
- · Suitable for outdoor use, resists dust
- · Aluminium case



HYU-480









ACCESSORIES

ACCESSORIES CCTV TESTER

MULTIFUNCTION CCTV TESTER. TVI/CVI/AHD/CVBS/IP

- 7" touchscreen
- CVI@4MP, TVI@3MP, AHD@2MP
- · CVBS loop test
- IP cameras H.265@8MP/4K
- · 2 way audio







- PTZ control, UTP function, TDR function
- HDMI 1080P IN/OUT
- Android OS
- Output: 12V and 5V. PoE 48V
- · WiFi incorporated



HYU-274

MULTIFUNCTION CCTV TESTER. TVI/CVI/AHD/SDI/CVRS/IP

- 7" touchscreen
- CVI@4MP, TVI/AHD@5MP
- SDI@1080P, CVBS loop test
- IP cameras H.265@8MP/4K
- · WiFi, 2 way audio
















- HDMI 1080P IN/OUT
- Android OS
- Output: 12V and 5V, PoE 48V
- · Multimeter and fiber meter



HYU-403

MULTIFUNCTION CCTV TESTER. TVI/CVI/AHD/CVBS/IP

- CVI@8MP/4K, TVI/AHD@5MP
- IP cameras H.265@8MP/4K
- · 2 way audio















7" retina display

- CVBS loop test

Android OS

• HDMI input / HDMI 4K output

· Output: 12V and 5V, PoE 48V

· WiFi (creates access point)

- PTZ control, UTP function, TDR function

HYU-501

ACCESSORIES STORAGE

16GB MICRO SDHC™

- Special for videosurveillance
- · High speed of read/write
- · Class 10 TLC



HYU-433

ETHERNET INJECTOR / EXTENDER

PASSIVE IP EXTENSOR

ACCESSORIES

- · Extensor composed by transmitter and receiver
- Up to 100 meters
- · Power supply is not required



HYU-452

POE INJECTOR IP68 • IEEE 802.3af



- Input 44V~57V
- Output 12V DC /1A
- · Short circuit protection



HYU-170



Exclusive sale for professionals.

RRP, VAT is not included

Contact your supplier for further information.

ACCESSORIES VIDEO TRANSMISSION BY TWISTED PAIR

HD VIDEO PASSIVE BALUN

- CVI: 250m@1080P
- TVI: 250m@1080P
- AHD: 200m @1080P
- Water resistant



HYU-451

HD VIDEO PASSIVE BALUN

- 1 video channelCVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P
- AHD: 220m @1080P



HYU-2834

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P/720P
- AHD: 200m @1080P



HYU-159

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P/720P
- AHD: 200m @1080P



HYU-155

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 200m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H





HYU-157

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 200m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-157N

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 200m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-158

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 250m@1080P/720P
- AHD: 200m @1080P



HYU-156

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 250m@1080P
- TVI: 200m@1080P
- AHD: 200m @720P/960H



HYU-160

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 200m@8MP/5MP/4MP
- TVI: 150m@8MP, 200m@5MPAHD: 180m@8MP, 200m@5MP





HYU-635

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 200m@8MP/6MP/4MP
- Admite 4K (CVI), 6MP (CVI), 5MP, 4MP, 1080P, 720P



HYU-596

2X HD PASSIVE TRANSCEIVERS

- 1 video channelCVI/TVI/AHD
- CVI: 200m@8MP/6MP/4MP
- Supports: 4K (CVI), 6MP (CVI), 5MP, 4MP, 1080P, 720P



HYU-597

2X HD VIDEO TRANSCEIVERS + POWER

- 1 video channelCVI/TVI/AHD and power
- CVI: 200m@4MP. 250m@1080P
- TVI: 200m@4MP, 250m@1080P
- AHD: 200m@4MP, 200m@1080P
- Power output 12V DC / 24V AC
- Power supply transmission up to 100m
- Plug&Play, easy installation



HYU-402



Exclusive sale for professionals

RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

2X TVI PASSIVE TRANSCEIVERS

- Compression terminal
- · Color transmission up to 200m with CAT5 or CAT6 cable
- · Power supply is not required



HYU-594

8CH HD VIDEO RECEIVER + POWER



- 8 ch CVI/TVI/AHD and power
- CVI: 400m@1080P. 250m@720P
- TVI: 250m@1080P/720P
- AHD: 200m@1080P. 350m@720P
- · Power output: 24V AC
- Power supply transmission up to 300m
- Plug&Play, easy installation

HYU-449

ACCESSORIES CONNECTORS

DC CONNECTOR

- · DC connector (male)
- Screw terminal



BNC CONNECTOR

- BNC connector (female)
- Screw terminal





DC CONNECTOR

- · Female DC connector
- Screw terminal



4CH HD VIDEO RECEIVER + POWER

• 4 ch CVI/TVI/AHD and power CVI: 400m@1080P. 250m@720P

• Power supply transmission up to 300m

16CH HD VIDEO RECEIVER+POWER

CVI: 400m@1080P. 250m@720P

• Power supply transmission up to 300m

• 16 ch CVI/TVI/AHD and power

 TVI: 250m@1080P/720P • AHD: 200m@1080P. 350m@720P

• Plug&Play, easy installation

• Power output 36V AC

• TVI: 250m@1080P/720P AHD: 200m@1080P. 350m@720P

· Plug&Play, easy installation

• Power output: 24V AC

DC CONNECTOR

- DC connector (female)
- Insertion terminal



HYU-450

HYU-448

BNC CONNECTOR

- · BNC connector (male)
- · Screw terminal



DC CONNECTOR

- DC connector (male)
- Insertion terminal



RCA CONNECTOR

- RCA connector (female)
- Insertion terminal



HYU-351

RCA CONNECTOR

- RCA connector (male)
- Insertion terminal



HYUNDAI

BNC CONNECTOR

- BNC connector (female)
- Insertion terminal



HYU-350

BNC CONNECTOR

- · BNC connector (male)
- · Insertion terminal



ACCESSORIES ACCESSORIES FOR RECORDERS

RACK MOUNT KIT

· Bracket for Nexgen DVR 1U rack mount



REMOTE CONTROL

· Remote control for ZVR and NVR NextGen



ACCESSORIES MOUNT BRACKET FOR CAMERAS

JUNCTION BOX



HYU-172

COMPATIBLE CAMERA



HYU-55N

WALL MOUNT



HYU-574 (DS-2102ZJ)

WALL MOUNT



HYU-693 (DS-2102ZJ-W)

CEILING BRACKET



HYU-575 (DS-1227ZJ-P1)

COMPATIBLE CAMERA



HYU-519

JUNCTION BOX



HYU-251

COMPATIBLE CAMERA



HYU-244 HYU-339

HYU-246

JUNCTION BOX



HYU-152

COMPATIBLE CAMERA



HYU-696 HYU-703

JUNCTION BOX



HYU-153

COMPATIBLE CAMERA



HYU-700

JUNCTION BOX



HYU-27

COMPATIBLE CAMERA



HYU-699



Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech **ACCESSORIES**

JUNCTION BOX



COMPATIBLE CAMERA









HYU-200N (DS-1260ZJ)

HYU-203

HYU-618

HYU-611 HYU-612

HYU-666 HYU-668

HYU-678 HYU-679

JUNCTION BOX



HYU-200 (DS-1260ZJ)

COMPATIBLE CAMERA



HYU-203



HYU-244 HYU-339



HYU-411 HYU-417

JUNCTION BOX



HYU-197N (DS-1280ZJ-DM18)

BASE



HYU-359 (DS-1259ZJ)

WALL MOUNT



HYU-212 (DS-1258ZJ)

WALL MOUNT



HYU-357 (DS-1272ZJ-110)

CEILING BRACKET



HYU-360 (DS-1271ZJ-110)

COMPATIBLE CAMERA



HYU-286 HYU-426 HYU-493



HYU-409 HYU-415 HYU-616



HYU-486



HYU-588



JUNCTION BOX



HYU-543

COMPATIBLE CAMERA



HYU-453 HYU-454 HYU-542

JUNCTION BOX



HYU-607

COMPATIBLE CAMERA



HYU-544



JUNCTION BOX



COMPATIBLE CAMERA



HYU-55N





HYU-332

HYU-249 HYU-340N

HYU-694

HYU-698

JUNCTION BOX



COMPATIBLE CAMERA











HYU-284 HYU-424 HYU-492



HYU-408 HYU-414 HYU-615

HYU-481 HYU-565

HYU-567



HYU-488

HYU-576

HYU-502



HYU-513

HYU-514



HYU-506

HYU-504

HYU-487

HYU-248N (DS-1280ZJ-XS)

JUNCTION BOX



COMPATIBLE CAMERA



HYU-388















HYU-656



(DS-1280ZJ-S)





HYU-666 HYU-668



HYU-663



HYU-505 HYU-507



HYU-568

HYU-410 HYU-566 HYU-416





HYU-438



HYU-570




Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech

ACCESSORIES

JUNCTION BOX



HYU-355

COMPATIBLE CAMERA



HYU-333 HYU-335 HYU-471



HYU-337



HYU-469

JUNCTION BOX



HYU-199N (DS-1280ZJ-M)

COMPATIBLE CAMERA



HYU-512



HYU-509 HYU-657



HYU-573



HYU-412 HYU-418 HYU-620



HYU-672



BASE



HYU-363 (DS-1281ZJ-M)



HYU-285 HYU-425 HYU-494

HYU-515

HYU-518



HYU-390

HYU-516



HYU-436



HYU-491 HYU-591



HYU-572 HYU-672

JUNCTION BOX



HYU-198 (DS-1280ZJ-DM21)

BASE



HYU-365 (DS-1281ZJ-DM23)

WALL MOUNT



HYU-204 (DS-1273ZJ-135)

CEILING BRACKET



HYU-364 (DS-1271ZJ-135)

EMBED BRACKET



HYU-202 (DS-1272ZJ)

COMPATIBLE CAMERA



HYU-241



HYU-419 HYU-619



HYU-500





HYU-252

COMPATIBLE CAMERA



HYU-250 HYU-256 HYU-342N

JUNCTION BOX



HYU-601 (DS-1280ZJ-DM45)

COMPATIBLE CAMERA



HYU-658

JUNCTION BOX



COMPATIBLE CAMERA



HYU-284

HYU-424

HYU-492



HYU-511





HYU-414

HYU-615



HYU-565

HYU-567



HYU-510 HYU-513













HYU-502

HYU-437



HYU-506





HYU-487

(DS-1280ZJ-XS)

BASE



HYU-521 (DS-1281ZJ-S)

HYU-248

COMPATIBLE CAMERA







HYU-568





HYU-416







JUNCTION BOX



HYU-522 (DS-1280ZJ-DM22)

COMPATIBLE CAMERA



HYU-498

WALL MOUNT



HYU-253

COMPATIBLE CAMERA





Exclusive sale for professionals. RRP, VAT is not included

Contact your supplier for further information. info@hyundai-security.tech | www.hyundai-security.tech



WALL MOUNT



COMPATIBLE CAMERA









HYU-30

COMPATIBLE CAMERA



HYU-213N (DS-1273-130-TRL)



HYU-285 HYU-425 HYU-494



HYU-509 HYU-657



HYU-515 HYU-518



HYU-516



HYU-573

HYU-491 HYU-591

WALL MOUNT

WALL MOUNT



HYU-595

COMPATIBLE CAMERA



HYU-586



HYU-589



HYU-617







HYU-671

(DS-1272ZJ-110-TRS)



HYU-389 HYU-505 HYU-507



HYU-566 HYU-568



HYU-487



HYU-438



HYU-410 HYU-416



HYU-502



HYU-503



HYU-488





HYU-506



HYU-504



WALL MOUNT



COMPATIBLE CAMERA



WALL MOUNT



(DS-1273ZJ-140)

COMPATIBLE CAMERA











WALL MOUNT



HYU-213 (DS-1273ZJ-130-TRL)

COMPATIBLE CAMERA



HYU-285 HYU-425 HYU-494







HYU-418 HYU-620

HYU-591

HYU-577



HYU-512

HYU-509

HYU-657 HYU-518

HYU-515

HYU-572 HYU-672



HYU-573

HYU-548

WALL MOUNT



HYU-600 (DS-1273ZJ-140-DM45)

COMPATIBLE CAMERA



HYU-490



HYU-658

WALL MOUNT



HYU-608

COMPATIBLE CAMERA



HYU-544

WALL MOUNT



HYU-434 (DS-1294ZJ-TRL)

COMPATIBLE CAMERA



HYU-484

CEILING BRACKET



HYU-362 (DS-1271ZJ-130-TRL)

COMPATIBLE CAMERA







HYU-418 HYU-620

WALL MOUNT



HYU-366 (DS-1294ZJ)

CEILING BRACKET



HYU-367 (DS-1297ZJ)

COMPATIBLE CAMERA



HYU-353





HYU-599 (DS-1271ZJ-130)

COMPATIBLE CAMERA



RAIN COVER



HYU-361 (DS-1250ZJ)



HYU-426 HYU-493



COMPATIBLE CAMERA

HYU-409 HYU-415 HYU-616

JUNCTION BOX



HYU-601 (DS-1280ZJ-DM45)

WALL MOUNT



HYU-600 (DS-1273ZJ-140-DM45)

COLUMN BRACKET



HYU-214 (DS-1275ZJ)



CEILING BRACKET



(DS-1271ZJ-140-DM45)

COMPATIBLE CAMERA



HYU-490 HYU-658

CORNER BRACKET



HYU-358 (DS-1276ZJ)



WALL MOUNT



(DS-1602)

WALL MOUNT



HYU-215 (DS-1602ZJ)

CEILING BRACKET



HYU-221 (DS-1663ZJ)

CEILING BRACKET



HYU-218N (DS-1661ZJ)

CEILING BRACKET



HYU-219N (DS-1662)

CEILING BRACKET



HYU-219 (DS-1662ZJ)

COMPATIBLE CAMERA



HYU-297 HYU-431N



HYU-386




HYU-687, HYU-688 HYU-689



HYU-691 HYU-692





COLUMN BRACKET



HYU-208 (DS-1602ZJ-POLE)

CORNER BRACKET



HYU-216 (DS-1602ZJ-CORNER)

WALL MOUNT + JUNCTION BOX



HYU-217 (DS-1602ZJ-B0X)

PARAPET BRACKET



SWAN NECK BRACKET



HYU-578 (DS-1619ZJ)

JUNCTION BOX



HYU-545 (DS-1273ZJ)

COMPATIBLE CAMERA



HYU-297 HYU-431N



JUNCTION BOX



(DS-1602ZJ-B0X)



HYU-428N. HYU-430 HYU-687, HYU-688 HYU-689



HYU-691 HYU-692

CEILING BRACKET



HYU-54

COLUMN BRACKET



HYU-56

COMPATIBLE CAMERA



HYU-82 HYU-455

CORNER BRACKET



HYU-59



www.hyundai-security.tech



Distributed by: