



Gemini


Gemini Plays Final Fantasy

Practical lessons in creating Agentic Harness

Artur Skowroński







I decided to go the next step

OTHER PEOPLE WHEN THERE IS
HYPE ON THE MARKET:



LET'S EARN A SH*TLOAD OF
MONEY

ME:



imgflip.com

Artur Skowronski

Head of Application Development



SCALA 3.7.0 RELEASED!

Wednesday 7 May 2025

Wojciech Mazur, VirtusLab

RELEASE





"Optimizing the GC when Migrating Cloud Workloads to Arm" with Kieran Hejma...

Today, we have a guest post from Kieran Hejmadi, an Software and Academic Ecosystem Manager in Arm.

MAY 1 • ARTUR SKOWRONSKI AND KIERAN HEJMADI

[Latest](#) [Top](#) [Discussions](#)

April - The Rest of the Story - JVM Weekly vol. 127

I know there is a lot of April left, not my fault, calendar is working against my publishing schedule this month...

APR 24 • ARTUR SKOWRONSKI



Java in AWS with Wojtek Gawroński - JVM Weekly vol. 126

I'm experimental mood recently, so today, we have the interview!

APR 17 • ARTUR SKOWRONSKI AND WOJTEK GAWROŃSKI



Make Final Mean Final... and the other JEPs - JVM Weekly vol. 125

It's been a while since we've seen JEPs! But you know, not the fully baked ones, not the ones that have advanced far i...



JVM Weekly

From the latest updates in JVM languages like Java, Kotlin, and Scala to emerging technologies like GraalVM and Quarkus, this newsletter covers a wide range of topics that are of interest to developers and tech enthusiasts.

✓ [Subscribed](#)

Recommendations

[MANAGE](#)



Tales from the jar side

Ken Kousen



Architecture Weekly

Oskar Dudycz




Engineering Primer

Bartek Antoniak



Tech Talks Weekly





Vibe Engineering

Best practices, mistakes, and tradeoffs

★★★★★ 1 review

Tomasz Lelek and Artur Skowroński

MEAP began December 2025 · Last updated May 2026 · Publication in Fall 2026 *(estimated)*

ISBN 9781633434363 · 275 pages *(estimated)*

Included with a Manning Online subscription

printed in black & white

[catalog](#) / [Data Science](#) / [AI](#)

eBook

pdf, ePub, online

print

includes eBook

with subscription

free or 50% off

Master vibe engineering—an end-to-end process to navigate the costs, benefits, and tradeoffs of AI-augmented development.

Generating code with AI can feel effortless, but it's only one part of software engineering. A production-grade development pipeline includes testing, validation, refactoring, optimization, and deployment. This book shows you how to go from AI-assisted coding to a AI-infused full-spectrum process author **Tomasz Lelek** and **Artur Skowroński** call vibe engineering.

In *Vibe Engineering: Best practices, mistakes, and tradeoffs* you'll learn:

- A mental model for vibe engineering
- Agentic coding best practices
- Accelerating the modernization of legacy applications

Manning Early Access Program (MEAP)

Read chapters as they are written, get the finished eBook as soon as it's ready, and receive the pBook long before it's in bookstores.

6 of 10 chapters available



resources

[source code](#)



[book forum](#)



eBook

~~\$55.99~~ **\$39.19**

you save \$16.80 (30%)

Only \$30.79 when you buy this and
2 or more items!

add to cart

free with subscription



Gemini Plays Final Fantasy (on kNES)



It will be about Agentic Harness



It will be about Agentic Harness

Twitch Plays *Pokémon* (TPP) is a [social experiment](#) and channel on the [video game live streaming](#) website [Twitch](#), consisting of a [crowdsourced](#) attempt to play [Game Freak's](#) and [Nintendo's *Pokémon* video games](#) by parsing commands sent by users through the channel's [chat room](#). It holds the [Guinness World Record](#) for having "the most users to input a command to play a live streamed videogame" with 1,165,140 participants.^[1]

The concept was developed by an anonymous Australian programmer and launched on 12 February 2014, starting with the game [Pokémon Red](#). The stream became unexpectedly popular, reaching an average concurrent viewership of over 80,000 viewers (with at least 10% participating). On 1 March 2014, the game was completed after more than 16 continuous days of gameplay; Twitch estimated that over 1.16 million people participated, with peak simultaneous participation at 121,000, and with a total of 55 million views during the experiment.^[2] On 5 December 2014, Twitch Plays *Pokémon* received a [Game Award](#) in the "Best Fan Creation" category.^[3]

The experiment was met with attention by media outlets and staff members of Twitch for its interactivity, its erratic and chaotic nature, the unique challenges faced by players due to the mechanics of its system, and the community and [memes](#) developed by participants. Twitch as a company used the experiment to explore how they could make streaming more interactive for viewers and expand their offerings. Following the completion of *Red*, the broadcaster continued the channel with many other games in the *Pokémon* series along with unofficial [ROM hacks](#). The broadcaster has plans to continue with other *Pokémon* games as long as there remains interest in the channel. The success of the experiment led to a number of similar Twitch-based streams for other games, and led Twitch to promote more streams with similar interactivity with watchers.



Commands identified by the [game engine](#) shown on-screen (right of image) are applied to the [player character](#) in *Pokémon Red* (left).

Twitch Plays Pokémon

Twitch Plays *Pokémon* (TPP) is a [social experiment](#) and channel on the [video game live](#)

[stream](#)

[Nintendo](#)

[chat room](#)

[command](#)

The co

Februa

popula

particip

days o

simulta

Plays /

The ex

the uni

particip

expand

Pokémon

remain

led Twitch to promote more streams with similar interactivity with watchers.



Twitch PI **LIVE**
Pokémon

8d 12h 8m 5s

Anarchy ☐ Democracy

Robssn	democracy
096521	←
Winfeng	anarchy
Brunal	democracy
Yoemitch	democracy
Radwab	democracy
Fantast1omrscot	democracy
Lionheart6988	↓
Sujus	democracy
Senororunch	→
Kevinar42	democracy
Fifteenfifty	democracy
Judgedead53	democracy
Thebaddestass	↑
Swi2	b
Tekamon	↓
Derpmoherpson	b

Twitch Plays Pokémon

Claude Plays Pokémon



Claude

<thinking>

I'm now at coordinates (14, 31) on Route 1. I need to continue south to reach Pallet Town, but I can see there's a boundary at row 32 with coordinates marked in red. I need to use the use_emulator function to move down and cross this boundary:

</thinking>

Using tool: use_emulator - Buttons: ['down']

<thinking>

It seems I haven't moved. My coordinates still show (14, 31). Let me try moving down one more time using use_emulator since the navigator can't cross the boundary:

</thinking>

Using tool: use_emulator - Buttons: ['down']

Critique provided for knowledge base.

Cleaning up my knowledge base



toinewx is now following!


Current Team

SHELL
SQUIRTLE
HP: 10/23

Lv. 7
WATER




Claude Plays Pokémon



Claude Plays Pokémon

Claude models playing Pokémon*

Milestone progress over time



* Pokémon is a registered trademark of Nintendo of America Inc. This chart references Pokémon terminology solely to identify game milestones reached by Claude models. No affiliation, sponsorship, or endorsement by Nintendo of America Inc. is implied or intended.

Claude Plays Pokémon

ACTIONS
106,505

GG: T-20 Summary: T-14








BADGES 8/8



GAME STATUS 813h 15m 39s MONEY: ¥49,054

A B Cauto B Cauto

AGI



LOG #106,505

GOALS

PRIMARY GOAL

Defeat the Pokemon League Champion (BLUE).

SECONDARY GOAL

Defeat BLUE Venusaur.

LOG


106,504 24,861 tokens used

106,504 The Full Restore was definitely the right play. Blastoise took the Solar Beam and is still standing at 216 HP, and the Defense drop: Venusaur's health is in the red. Time to finish this. My water move depleted, leaving Strength (4 PP) and Bite (6 PP). Strength hits harder, so I'll use that. The cursor is on FIGHT, so I'll select it.



106,505 24,724 tokens used

106,505 Venusaur's Solar Beam hit, but Blastoise took it well thanks to the Full Restore. HP is at 216, which is fine. Venusaur's health is quite low now, in the red. My Hydro Pump and Surf are depleted, but Strength has 4 PP left and Bite has 6. Strength hits harder, so I'll use that. The cursor is already on Strength, so I just need to confirm. This should hopefully win the battle.

Champions Room



(5, 4)



BLASTOISE
186

HP: 216/298

BLUE defeated
RED!

Gemini Plays Pokémon (May 2025)

ACTIONS
106,505

GG: T-20 Summary: T-14

BADGES

8/8

GAME STATUS: 813h 15m 39s MONEY: \$49

A B Cautio B Cautio

AGI

LOG

106,504 24,861 tokens used

106,504 The Full Restore was definitely the right p
Solar Beam and is still standing at 216 HP, and the
Venusaur's health is in the red. Time to finish this
depleted, leaving Strength (4 PP) and Bite (6 PP).
use that. The cursor is on FIGHT, so I'll select it.


106,505 24,724 tokens used

106,505 Venusaur's Solar Beam hit, but Blastoise t
Full Restore. HP is at 216, which is fine. Venusaur
In the red. My Hydro Pump and Surf are depleted,
and Bite has 6. Strength hits harder, so I'll use that. T
Strength, so I just need to confirm. This should hope

GEMINI PLAYS POKÉMON



Sundar Pichai
@sundarpichai



What a finish! Gemini 2.5 Pro just completed Pokémon Blue! Special thanks to @TheCodeOfJoel for creating and running the livestream, and to everyone who cheered Gem on along the way.



Champions Room




(5, 4)


Gemini Plays Pokémon (May 2025)

Gemini Plays Pokémon has made it through Rock Tunnel in only about 12 days of playtime

AI



Gemini Plays Pokémon (May 2025)



However, we are playing Final Fantasy I

kNES Emulator

[Stop Emulator](#)[Monitor](#)[API Server](#)[Load ROM](#)

The world is veiled in
darkness. The wind stops,
the sea is wild,
and the earth begins to rot.
The people wait,
their only hope, a prophecy....
'When the world is in darkness
Four Warriors will come....'
After a long journey, four
young warriors arrive,
each holding an ORB.



 JVM Weekly



Final Fantasy is... harder to play

Why Is Pokémon Easier for Agents to Play than Final Fantasy?

A comparison from the perspective of control, navigation, and planning.



AREA

POKÉMON

FINAL FANTASY



1. Action space



4 simple battle commands;
small, clear choice set



More decisions at once: 4-person party,
spells, equipment, shops



2. Short-term goal



Clear: catch, win the battle,
earn a badge



Less obvious: talk to NPCs, remember
clues, search for the next objective



3. Navigation



Clear routes and towns;
easier to keep moving forward



Easy to get lost on the world map
and in dungeons



4. Feedback



Strong feedback: HP, status,
move effectiveness, catching progress



Weaker feedback; you more often
have to predict consequences



5. Penalty for mistakes



Lower: frequent saving
and easier retreat



Higher: long expeditions and
loss of resources hurt more



6. Resource management



Simpler: mainly HP, PP,
and Poké Balls



Harder: gold, equipment,
healing, spells, supplies



7. Planning horizon



Shorter; local decisions and
quick correction



Longer; you must plan the whole
journey and dungeon run



8. Agent stability



Higher: simpler interface
+ better feedback



Lower: greater complexity
+ more hidden information

kNES - Kotlin NES Emulator



kNES is a Nintendo Entertainment System (NES) emulator written in Kotlin, forked from the vNES Java emulator. This project was created primarily for fun and educational purposes, allowing developers to learn about emulation techniques and NES hardware while enjoying classic games.




About This Project

kNES is a reimplementation and extension of the vNES emulator (originally developed by Brian F. R.) in Kotlin. The project aims to:

- Provide a modern, Kotlin-based NES emulator
- Serve as an educational resource for those interested in emulation
- Demonstrate different UI implementation approaches in the JVM ecosystem
- Have fun with retro gaming and programming!

This project is distributed under the GNU General Public License v3.0 (GPL-3.0), ensuring it remains free and open source.








Infrastructure



kNES - Kotlin NES Emulator



kNES is a Nintendo Entertainment System (NES) emulator written in Kotlin, forked from the vNES Java emulator. This project was created primarily for fun and educational purposes, allowing developers to learn about emulation techniques and NES hardware while enjoying classic games.



About This Project


kNES is a reimplementation and extension of the vNES emulator (originally developed by Brian F. R.) in Kotlin. The project aims to:

- Provide a modern, Kotlin-based NES emulator
- Serve as an educational resource for those interested in emulation
- Demonstrate different UI implementation approaches in the JVM ecosystem
- Have fun with retro gaming and programming!

This project is distributed under the GNU General Public License v3.0 (GPL-3.0), ensuring it remains free and open source.



 knes-agent-tools	feat(spec5): savestate dump/load to skip nav for dev iterat...	yesterday
 knes-agent	feat(nav): vision-exit recent-moves history to break LEFT-...	yesterday
 knes-api	feat(agent-tools): annotate EmulatorToolset as Koog ToolSet	last week
 knes-applet-ui	Decouple controller logic from UI #32	8 months ago
 knes-compose-ui	feat(agent-tools): annotate EmulatorToolset as Koog ToolSet	last week
 knes-controllers	Chores: fix Gradle deprecations, consolidate build config, ...	last month
 knes-debug	feat(spec5): vision-advisor-driven shop purchase (replace...	2 days ago
 knes-emulator-session	feat(agent): V5.2 — savestate infra, OverworldMemory, go...	last week
 knes-emulator	fix(emulator): NameTable.stateSave wrote 0 bytes, corrupt...	yesterday
 knes-mcp	feat(agent-tools): annotate EmulatorToolset as Koog ToolSet	last week
 knes-skiko-ui	Remove unnecessary non-null assertions and fix paramete...	last month
 knes-terminal-ui	Fix module separation: use interface over concrete class, r...	last month



kNES Emulator

Stop Emulator


Monitor

API :6502 ON

Load ROM




kNES Emulator

[Start Emulator](#)[Hide Monitor](#)[API Server](#)[Load ROM](#)

Profile Monitor — Final Fantasy

Profile: [Final Fantasy](#)

Variable	Value	Hex	Address
char2_agi	10	0x0A	0x6151
char2_int	5	0x05	0x6152
char2_vit	5	0x05	0x6153
char2_luck	15	0x0F	0x6154
char2_level	0	0x00	0x6166
char3_status	0	0x00	0x6181
char3_xpLow	0	0x00	0x6187
char3_xpHigh	0	0x00	0x6188
char3_hpLow	33	0x21	0x618A
char3_hpHigh	0	0x00	0x618B
char3_maxHpLow	33	0x21	0x618C
char3_maxHpHigh	0	0x00	0x618D
char3_str	5	0x05	0x6190
char3_agi	5	0x05	0x6191
char3_int	5	0x05	0x6192
char3_vit	20	0x14	0x6193
char3_luck	5	0x05	0x6194




Headless Mode



Example: Screen Provider is available through

<http://localhost:6502/screen>



kNES REST API 1.0.0 OAS 3.0

/openapi.yaml

HTTP control surface for the kNES emulator. Backs the MCP server, the agent runtime, the Compose/Skiko/Applet UIs and the test suite.

All routes live under the Ktor `routing` block in `knes-api/src/main/kotlin/knes/api/ApiServer.kt`. The same routes are served by `knes.api.Main` (standalone, blocking) and `EmbeddedApiServer` (in-process, started by the UIs in shared mode).

ROM gate — most endpoints return `400 Bad Request` with `{"status":"no ROM loaded"}` until a ROM is loaded via `POST /rom` or by the host UI in shared mode.

Shared mode — when the API is embedded in a UI process, `POST /rom` is disabled (the UI controls ROM loading) and returns 400.

Servers

http://localhost:8502 - Default standalone (port from 'KNES_PORT' env, default 6502)

Filter by tag

lifecycle

Health, ROM load, reset

GET `/health` Liveness + ROM loaded flag

POST `/rom` Load a ROM from a filesystem path

POST `/reset` Hard-reset the CPU (frame counter resets to 0)

stepping

Frame advance and input

POST `/step` Advance frames while holding a button set

POST `/tap` Tap a single button N times with press/gap framing

observation

Screen and state read-back

GET `/screen` PNG of the current frame buffer (256x240)

GET `/screen/base64` Base64-encoded PNG of the current frame buffer

GET `/state` Full state snapshot (watched RAM + CPU regs + held buttons)

http://localhost:8082/swagger.html

Claude Plays Final Fantasy just before KotlinConf 2026 - JVM Weekly vol. 172

From JoyCons through REST and MCP to an autonomous agent - plus five Munich talks worth your time



ARTUR SKOWRONSKI

APR 23, 2026



2



Share






Agentic Harness: What it is?

Progress Over Time


Interactive timeline showing model performance evolution on SWE-Bench Verified



SWE-Bench Verified


Progress Over Time



Interactive timeline showing model performance evolution on SWE-Bench Verified



SWE-Bench Verified


Agent = Model + Harness. If you're not the model, you're the harness.





Which part has bigger impact?

Better harness gives model better tools and stronger world model.




Kinda Both

Model gains are compounding




MODEL
reasoning engine

Kinda Both



$$1.02 \times 1.02 \times 1.02 \times \dots =$$

BIG DIFFERENCE



Especially crucial in long running tasks



JRPG is extremely long running task



MODEL
reasoning engine

Model is something you take out of the shelf



You need to improve harness

Koog

◀ beta maven-central v0.8.0 JetBrains incubator ▶ kotlin 2.2 checks pending license Apache-2.0

Build status:

🔄 Checks passing 🔄 Heavy Tests passing 🔄 Ollama Tests failing

Useful links:

- [Documentation](#)
- [API reference](#)
- [Slack channel](#)
- [Issue tracker](#)

Overview


Koog is a Kotlin-based framework designed to build and run AI agents entirely in idiomatic Kotlin and Java API. It lets you create agents that can interact with tools, handle complex workflows, and communicate with users.



AI Harness Engineering Interview Preparation Handbook

Runtime, Control Layer, Guardrails, MCP,
Evals, and Observability for Production AI Agents

A practitioner's guide to the second half of every AI agent





First Try: Claude Code Plays Pokemon



ff1-system-prompt.md

kNES Emulator

kNES Emulator

Stop Emulator

Monitor

API :6502 ON

Load ROM



JVM Weekly



AAAA
HP
35

AAAA
HP
30

AAAA
HP
33

AAAA
HP
30

IMP

FIGHT
MAGIC
DRINK
ITEM

RUN

```
{ "buttons": [1, "frames": 10},  
{ "buttons": ["DOWN"], "frames": 5},  
{ "buttons": [1, "frames": 10},  
{ "buttons": ["A"], "frames": 5},  
{ "buttons": [1, "frames": 20},  
1, screenshot: true)
```

Claude Code

./gradlew :knes-compute:write

Claude Code

Ready (kNES)

Today

Party (all level 1, full HP):

- FIGHTER: 35 HP, STR 20
- THIEF: 30 HP, AGI 10, LUCK 15
- BL.BELT: 33 HP, VIT 20
- RedMAGE: 30 HP, balanced stats
- Gold: 400

Now let me walk around on the grass to trigger a random battle so we can test combat!

```
knes - sequence (MCP)(steps: [{ "buttons": ["RIGHT"], "frames": 64}, { "buttons": ["DOWN"], "frames": 64}, { "buttons": ["LEFT"], "frames": 64}, { "b  
uttons": ["UP"], "frames": 64}, { "buttons": ["RIGHT"], "frames": 64}, { "buttons": ["DOWN"], "frames": 64}], screenshot:  
true)
```

Walked around the overworld - encounter counter is at 4 but no battle yet. Let me keep walking to trigger one.

```
knes - sequence (MCP)(steps: [{ "buttons": ["LEFT"], "frames": 48}, { "buttons": ["UP"], "frames": 96}, { "buttons": ["RIGHT"], "frames": 96}, { "but  
tons": ["DOWN"], "frames": 96}, { "buttons": ["LEFT"], "frames": 96}], screenshot: true)
```

Encounter counter at 12 but no battle yet. Let me keep wandering to trigger one.

```
knes - sequence (MCP)(steps: [{ "buttons": ["UP"], "frames": 96}, { "buttons": ["RIGHT"], "frames": 96}, { "buttons": ["DOWN"], "frames": 96}, { "but  
tons": ["LEFT"], "frames": 96}, { "buttons": ["UP"], "frames": 96}, { "buttons": ["LEFT"], "frames": 96}, { "buttons": ["DOWN"],  
"frames": 96}, { "buttons": ["RIGHT"], "frames": 96}], screenshot: true)
```

BATTLE! We're fighting IMPs! I can see:

- 5 IMPs on the left (enemy1 HP: 8, enemy2 HP: 8, enemyCount: 5)
- Our party on the right: all 4 characters with full HP
- Battle menu: FIGHT, RUN, MAGIC, DRINK, ITEM
- `screenState` = 104 (battle), `battleTurn` = 2

The battle menu is showing. Let me wait for `battleTurn` = 8x85 (85 decimal = player input time), then have all 4 characters FIGHT. I'll press A 8 times (FIGHT confirm + target select for each of 4 characters).

```
knes - step (MCP)(buttons: [], frames: 60, screenshot: true)
```

+ Forming. (2m 12s - 1.1k tokens)

Tip: Use /agents to optimize specific tasks. Eg. Software Architect, Code Writer, Code Reviewer.

↑ /gsd:update | View 3.4 (2M context) | 38%

high - /errors

LESSON 0: CLAUDE CODE IS EXTREMELY GOOD GENERAL-USE HARNESS.





explore
Conrenrialnn

You navigate a party in Final Fantasy 1 (NES) inside a town, castle, or dungeon.

The party stands at the centre of the screen (around tile column 8, row 7).

Pick ONE direction (N/S/E/W) that moves the party CLOSER TO THE EXIT (the world map).

Interior types and how to read them:

(1) TOWN – open OUTDOOR area with shops/houses, dirt or stone PATHS between buildings, NPCs (red/blue/green sprites) standing on paths. The path-network IS walkable. NPCs are minor obstacles you walk AROUND. The exit is the south edge of the visible map – walk SOUTH along visible paths until the screen scrolls off the town.

(2) CASTLE – stone-floored corridors and rooms, walls, columns, sometimes a throne or king. The way OUT is the southern pillar-corridor (the way the party came in).

(3) DUNGEON – dark rooms, staircases (``>` icon), warps (``*` icon). Stairs/warps are transitions to other sub-maps; head toward them or toward the south edge.

Walkable terrain: dirt paths, stone floors, bridges, open doorways, staircase tiles.

Impassable: SOLID walls, water tiles (~), impassable bushes.

Decorative / interactive (NOT exits): thrones, kings/NPCs in chairs, treasure chests, dais platforms, fountains, shop counters, ornate doors with rings – do NOT mistake these for the way out.

If the screen clearly shows the overworld (top-down terrain map: grass, mountains, water, party visible on terrain) return EXIT.

Return STUCK ONLY if the party is fully surrounded by walls/water on all four cardinal tiles – i.e. there is genuinely no walkable adjacent tile. If even ONE direction shows walkable terrain, pick that direction even if the path looks long or winding.

FORCED EXPLORATION (V5.11): when the user message says reachable tiles are still unvisited, treat covering the map as your TOP priority – even above seeking the exit. Pick the suggested explore direction (or any direction toward unvisited area) and return EXIT only when no unvisited tiles remain or the party is genuinely on the overworld.

POST-SHOP TOWN EXIT (when the screen shows a town interior with shops/houses): after buying weapons your goal is to leave the town to the overworld. Building doorways on LEFT/RIGHT lead INTO other shops and trap you in a dialog – avoid them unless SOUTH is genuinely blocked. Trees in the town overlay block movement; trees on the overworld do NOT – they're walkable encounter terrain.

USE RECENT MOVES (when listed in the user message): each entry shows the dir you picked plus smPre→smPost and moved=true|false. If the SAME direction repeats with moved=false 2+ times in a row, the party is blocked there – pick a PERPENDICULAR cardinal next (LEFT/RIGHT blocked → try DOWN or UP; DOWN blocked → try LEFT or RIGHT). If recent moves show party drifting WEST or NORTH without progress to overworld, force SOUTH or EAST. Treat RECENT MOVES as STRONGER evidence than what the still image suggests – the image cannot show that the last 5 cardinals were no-ops.


Output ONLY JSON:
{ "direction": "N|S|E|W|EXIT|STUCK", "reason": "<=80 chars" }

Example of Prompt - Town Navigator

Trees in the town overlay block movement; trees on the
overworld do NOT - they're walkable encounter terrain.



You need to understand your problem very well



LIVE FEED

AI Engineering Radar

What shipped in the AI engineering world today? New tools, releases, and projects - automatically discovered, classified by maturity level, and mapped to the areas that matter.

1656

signals tracked

42

days indexed

17

areas covered

L1-L5

maturity mapping

<> DEVELOPMENT 12

DISCOVERED + 153 bidah/skill-set coding-agent-usage

Collection of Claude Code skills

Engineering teams are transitioning Claude Code from general-purpose chat to specialized automation by deploying modular extensions via the `~/.claude/skills/` or `~/.claude/skills/`

DISCOVERED L4 + 61 prasenjeet-symon/ogcode coding-agent-usage

A web UI coding agent that handles the full development loop: understand your codebase, plan features collaboratively, spin up isolated branch agents, write the

Ogcode is a Go-based agentic platform transitioning engineering teams from individual AI assistance to parallelized autonomous operations. It features a dual-mode workflow: 'Build

DISCOVERED + 48 Infatoshi/tau coding-agent-usage

τ (Tau) introduces a minimal Rust-based harness for coding agents, shifting from ad-hoc usage to systematic file-driven orchestration via AGENTS.md. The framework formalizes local

DISCOVERED L3 + 36 NitroRCr/gread context-engineering

One Skill for all repos. Give your agent access to the source code and docs of all open-source libraries

Gread implements a unified Model Context Protocol (MCP) and "Skill" interface to provide AI agents—including Cursor, GitHub Copilot, OpenCode, and Codex—with live access to source

DISCOVERED + 42 DenisSergeevitch/chatgpt-portal context-engineering

Local browser bridge for exposing sanitized authenticated page snapshots to ChatGPT via Cloudflare Tunnel.

This TypeScript-based bridge automates context injection for ChatGPT Pro-series agents by exposing sanitized, authenticated browser snapshots via Chrome DevTools Protocol (CDP) and

That's one reason why we are having so many Dev Agents


KNES Emulator

Stop Emulator

Monitor

API :6502 ON

Load ROM



JVM Weekly

```
68 +         lastWorldY = worldY
69 +
70 +         val direction = DIRECTIONS[directionIndex % DIRECTIONS.size]
```

```
62 -         stepsInSegment++
63 -         if (stepsInSegment >= segmentLength) {
64 -             stepsInSegment = 0
65 -             patternIndex++
66 -         }
67 -
```

• Bash(/gradlew :knes-debug:build :knes-api:build --console=plain -q 2>&1 | tail -5)

└─ (No output)

└─ (timeout 3m)

• Key change: stuck detection. After each step, it compares `worldX/worldY` to the previous step. If unchanged for 3 consecutive steps, it switches direction. This handles:

- Hitting walls/water/trees - rotates to try another direction
- Entering a town - `worldX/worldY` freezes inside towns, so it'll keep turning until it walks back out

Back to 500 max steps (should be plenty if the character is actually moving on grass). Direction priority: DOWN first (away from castle), then LEFT, RIGHT, UP.

Restart the Compose UI and we can test.

• Cooked for 34s

└─ restarted

• Bash(curl -s -X POST http://localhost:6502/profiles/ff1/apply 2>&1)

```
{
  "status": "ok",
  "romLoaded": true,
  ...+2 lines (ctrl+o to expand)
```

• Bash(curl -s http://localhost:6502/state 2>&1 | python3 -c "import sys,json; d=json.load(sys.stdin); ran=d.get('ran',{}); print(f'screen={ran.get(\"screenState\")},...)

```
└─ screen=0, wx=0, wy=0, hp1=0
```

• Title screen - let me blast through intro and character creation first.

• knes - tap (MCP)(button: "A", count: 30, gap_frames: 30, screenshot: true)

• On the overworld with full party (HP: 35/30/33/30, Gold: 400, worldX=146, worldY=158). Now let's test the fixed `walk_until_encounter`.

• Bash(curl -s -X POST http://localhost:6502/profiles/ff1/actions/walk_until_encounter 2>&1 | python3 -c "import sys,json; d=json.load(sys.stdin); print(f'success={d[\"...)

```
└─ success=False, message=No encounter after 500 steps
   screen=0, wx=146, wy=152
```


└─ (timeout 5m)

• Still failing. worldY moved 158+152 (6 tiles) from 500 steps - the character is barely moving, probably bouncing between castle and coast in a narrow corridor. Let me check the full state.

• Bash(curl -s http://localhost:6502/state 2>&1 | python3 -c "import sys,json; d=json.load(sys.stdin); ran=d.get('ran',{}); print(f'screen={ran.get(\"screenState\")},...)

```
└─ screen=0, wx=146, wy=152, lx=5, ly=28, enc=1, locType=0
```

• Ruminating... (4m 9s • 7 463 tokens • thought for 27s)



There is a consensus that RAM is more consistent than graphic

Tool	Purpose
loadRom(path)	Load a ROM. Requires the UI with the embedded API server enabled.
reset()	Reset the NES.
step(buttons, frames, screenshot)	Advance the emulator by <i>N</i> frames while holding selected buttons.
tap(button, count, pressFrames, gapFrames)	Perform <i>N</i> button taps with configurable press and gap timing.
sequence(steps)	Execute a sequence of StepEntry actions in a single call.
press(buttons) / release(buttons)	Hold or release selected buttons.
getState()	Return the current frame, watched RAM, CPU registers, and held buttons.
getScreen()	Return the current screenshot as base64-encoded PNG.
applyProfile(id) / listProfiles()	Activate or list watched-RAM profiles for a game, for example ff1.
listActions(profileId) / executeAction(profileId, actionId)	List or run predefined “play like a human” scripts, for example ff1/ battle_fight_all.

Low-Level Tools - for Emulator Control

Tool	Purpose
pressStartUntilOverworld(maxAttempts)	Starts from the title screen and progresses through NEW GAME , class selection, and naming until the overworld is reached.
findPath(x, y)	Pathfinding query that does not move the character. Returns <code>PATH</code> , <code>PARTIAL</code> , or <code>BLOCKED</code> .
exploreOverworldFrontier(x, y)	Perform <i>N</i> button taps with configurable press and gap timing.
exitInterior(maxSteps)	Uses BFS with a ROM decoder to find the nearest exit from interiors. Reliable for castles and dungeons; for town overlays it succeeds only about 13% 🙄
walkInteriorVision	Hold or release selected buttons.
walkUntilEncounter	Deprecated random-walk encounter search. Removed from <code>@Tool</code> in V5.26 because it ignored fog and warps.
DiscoverShop	Vision-based shop classifier that identifies the type of shop, such as weapon or armor, and saves the <code>NPC_SHOPKEEPER</code> landmark.
BuyAtShop	Shop purchase flow. V5.45 moved to a vision-advisor-driven step-by-step flow. Returns a map of <code>charSlot</code> $\rightarrow$ <code>wasBought</code> .
EquipWeapon	Opens the field menu and equips a weapon for a chosen character and slot by toggling the equipped flag. Idempotent.

High-Level Ones - just some examples



- **ExitInterior** needed to track multi levels and warps were not always useful

Deterministic tools got complex pretty quick




- NPCs move... and can block the path

Deterministic tools got complex pretty quick

LESSON 2: MULTIAGENTS (SMART WAY)






The advisor strategy: Give agents an intelligence boost

Pair Opus as an advisor with Sonnet or Haiku as an executor, and get near Opus-level intelligence in your agents at a fraction of the cost.



The advisor strategy



Advisor reads the same context as Executor

→ per-turn (fast)

- -> strategic (on demand)

- -> cross-session (slow)

CARTOGRAPHER

Phase 1 Explorer · between sessions

HAIKU · deterministic out

- reads ROM + raw screen
- builds the map offline
- pixels per turn → Advisor



writes world map

preloaded hint

audit + correct

REVIEWER

every N turns · audits memory

HAIKU · read + correct

- audits stale entries
- detects inconsistencies
- writes corrections back



MEMORY STORE

~/knes/*.json · append-only · cross-session

- landmarks.json
- warps.json + failedWarpTiles
- blockages.json
- terrain.json
- interior.json

ADVISOR

long plan · on stuck / timer

GEMINI · read-only

- screenshot + map context
- produces long-form plan
- called only when needed



render(ctx)
+ failedWarps

stuck signal
→ re-plan

long plan
(multi-step, TEXT)

warpMemory.save()
fog.markBlocked()

GEMINI

per turn · executes the plan

GEMINI · tools

- walks the plan step-by-step
- buttons via kNES API
- emits ABORT when stuck




```
14 .....  
15 .....00.....  
16 .....0000.....  
17 ...0000.....  
18 ...000.....  
19 ....@00.....  
20 .....000.....  
21 .....000.....  
22 .....000.....  
23 .....0.....
```

T=0: Initial state

Campaign just started. Map already built.

- AgentSession bootstraps
- LandmarkContext.render() injects a string from Memory
- Cartographer (Phase 1) did its work a month ago - asleep
- Reviewer asleep. Executor waiting for a plan.

```
landmarks.json  → weapon_shop_coneria @ (15, 22)  
                  armor_shop_coneria @ (20, 25)  
                  inn_coneria @ (5, 10)  
warps.json      → entrance_shop @ (15, 22)  
                  failedWarpTiles: []  
blockages.json  → forest_edge, river_north, ...  
current_plan.json → (empty)
```

Active arrows: none - everyone's asleep.

Goal · milestones

boot done

enter_coneria in_progress

enter_weapon_shop pending

buy_weapons pending

arm_party pending

exit_coneria pending

grind pending

Current plan

milestone=boot createdAtTurn=1 cursor=0/2

► **[0] boot({})** – Boot the game, navigate through the title screen, build the default party, and enter the overworld.

[1] walkTo({"x": "147", "y": "155"}) – Walk to the Coneria town waypoint on the overworld to enter the town.

Advisor plan history

T1 T0 fresh campaign → Boot the game, navigate through the title screen, build the default party, and enter the overworld.

T=1 · Advisor writes a long plan

First tick's timer pings Gemini.

- Advisor (Gemini) gets screenshot + LandmarkContext + failedWarps (empty)
- Returns plain text - no tool calls
- Plan lands in current_plan.json as one artifact
- Of all tokens spent in the campaign, this call is ~2%

current_plan.json ← (writes)

PLAN:

1. Walk to (15, 22) – weapon shop entrance
2. Enter shop (warp)
3. BuyAtShop(item=LongSword, qty=1, max_price=150G)
4. Exit shop
5. EquipWeapon(LongSword, slot=Fighter)
6. Continue to armor_shop_coneria

Active arrow: Advisor → Memory (dashed green, strategic on demand)

T=2..5: Executor walks the plan


Per turn. Cheap.

- Each turn Executor reads the plan from Memory, picks the current step
- Makes a tool call (Sonnet/Haiku, ~200ms)
- 5 turns, 1 Gemini call total, 5 cheap Sonnet/Haiku calls
- Memory NOT written - because nothing broke

```
T+1  walkOverworldTo(15, 22)           → ok
T+2  (warp triggered automatically)     → inside shop
T+3  BuyAtShop(LongSword, 150G)        → ok
      gold: 400 → 250
T+4  exit_via_door                      → outside
T+5  EquipWeapon(LongSword, Fighter)    → ok
```

Memory writes: 0

Active: Memory → Executor (reading the plan, solid green per-turn). Nothing writes.



Side event: NPC in the doorway


An old lady from the shop next door is standing on the path.

- walkOverworldTo(15, 22) returns ABORT - tile (15, 21) blocked
- Executor need to have a Vision - wandering NPCs problem
- **Executor knows from prompt that** NPC moves around the city, so retries movement
- Executor retries, routes around from (16, 22)

```
ABORT: walkOverworldTo target (15, 22)
      - path blocked at (15, 21)
      NPC detected, sprite_id=0x7A
```

```
walkOverworldTo target (15, 22)
```

Active: Executor → Memory (solid green, per-turn write)



Advisor plan history

T1 T0 fresh campaign → Initialize the campaign, select the default party, and transition to the overworld.

T1 milestone boot just done — replan for next → Walk to the Coneria Town entrance on the overworld to enter the town.

T16 milestone enter_coneria just done — replan for next → Walk to sm=(11,11) — the tile directly SOUTH of the Coneria weapon shopkeeper. Coord is an anchor — actually navigate by

T36 milestone enter_weapon_shop just done — replan for next → Tap A on the WEAPON shopkeeper to open the shop dialog. Then drive the buy menu via raw sequence taps: for each pair (lr

T47 OBSERVATION: gold dropped -10G at sm=(11,10) while last tool was `sequence` (no intentional spend). Cause unknown — could be accidental NPC dialog (Yes/No), an inn-stay, a misfired skill, or a legitimate cost we didn't model. Inspect the current screenshot to identify which building/NPC the party is adjacent to (sign text, counter contents) and decide whether to retry, back out, or continue. Do NOT assume it was an inn unless the screenshot confirms a bed/INN sign. → The party is currently in the Coneria weapon shop dialog and the cursor is on 'Buy'. Tap A to select Buy, then use raw s

T47 milestone buy_weapons just done — replan for next → We are currently in the shop menu with the cursor on 'Buy'. Do NOT exit the menu. Tap A to select Buy, then use raw sequ

T67 OBSERVATION: gold dropped -10G at sm=(11,10) while last tool was `equipWeapon` (no intentional spend). Cause unknown — could be accidental NPC dialog (Yes/No), an inn-stay, a misfired skill, or a legitimate cost we didn't model. Inspect the current screenshot to identify which building/NPC the party is adjacent to (sign text, counter contents) and decide whether to retry, back out, or continue. Do NOT assume it was an inn unless the screenshot confirms a bed/INN sign. → We are currently in the shop dialog but the buy_weapons milestone has already latched. We must exit the shop back to the

T75 Reviewer audit (2 consecutive hits): step=0: Plan says we're in shop dialog, but screenState=0 (field) and menuCursor=0 (no m → Equip the Fighter (charSlot 0) with their held weapon to start fulfilling the milestone condition.

Stuck signal: re-plan

Executor entered Sell instead of Buy. Cycling B, A, B, B.

- 5 turns with no progress against the plan
- Watchdog fires the stuck signal
- Advisor wakes up the second time this campaign
- Gets a fresh screenshot + diff from the last plan
- Writes a revised, shorter plan - exit menu, retry step 3

```
stuck signal → re-plan request
```

```
current_plan.json ← (overwrite)
```


```
PLAN (revised):
```

1. Press B until shop main menu
2. Select "Buy" (NOT "Sell" — Fighter still needs the sword)
3. Resume previous plan from step 3

Active: Executor → Advisor (stuck signal), Advisor → Memory (revised plan)

T=50: Reviewer audit

Every 50 turns Haiku runs an audit. In the background.




- Reviewer triggered on timer (every N turns)
- Reads all of Memory, checks consistency
- Finds stale entries, inconsistencies, duplicates
- Writes corrections back to Memory
- Without a Reviewer: Memory grows linearly, eventually LandmarkContext is 80% garbage

```
[stale]      failedWarpTiles[(15, 21)]  
             last hit 47 turns ago → NPCs move around  
             action: remove  
  
[stale]      landmarks: "shop_door_coneria_west"  
             never used in any plan  
             action: remove  
  
[inconsistent] blockages(12, 18) ≠ terrain(12, 18)  
             action: flag for next Cartographer run
```

Active: Memory ↔ Reviewer (dashed green, bidirectional)

LESSON 3: NOT ALL MODELS WERE BORN EQUAL

STANDARD OPUS



-  Text
-  More manual steering
-  Narrower workflow





★ GEMINI ★








-  Multimodal
-  Tool use
-  Long context
-  Agent ready

Claude Opus 4

Claude Opus 4.1







That's the original size of screen



• **Where is the King?**

Vision sometimes is useful... sometimes is not



• Where is the King?




• Shows up **ONLY** when you enter the room

Vision sometimes is useful... sometimes is not


Speedrunning: Harness vs. Model




(a) Wall-Clock Time




(b) Cumulative Actions



(c) Cumulative Tokens




(d) Cumulative Cost




LESSON 4:


AN AGENT WITHOUT MEMORY IS A GOLDFISH




❌ NO MEMORY



✅ WITH MEMORY



MEMORY TURNS TASKS INTO OUTCOMES.
DON'T BUILD GOLDFISH AGENTS.



However, we are playing Final Fantasy I



There were whole handbook included inside


```

Coneria weapon shop - known item layout (from preseed landmark note
`items=staff:5,dagger:5,nunchuck:10,rapier:10,hammer:10`):
shop slot 0 = Wooden Staff    (5G) → BlackMage, WhiteMage, RedMage, BlackBelt
shop slot 1 = Small Knife     (5G) → Fighter, Thief, BlackMage, RedMage
shop slot 2 = Wooden Nunchucks (10G) → BlackBelt only
shop slot 3 = Rapier          (10G) → Fighter, Thief, RedMage
shop slot 4 = Iron Hammer     (10G) → Fighter, WhiteMage, RedMage

```

Default party order: charSlot 0=Fighter, 1=Thief, 2=BlackBelt, 3=RedMage.

RECOMMENDED arm_party assignment for the default party in Coneria:

```

charSlot 0 (Fighter) → buy shop slot 4 (Iron Hammer) then equip
charSlot 1 (Thief)   → buy shop slot 3 (Rapier)       then equip
charSlot 2 (BlackBelt) → buy shop slot 2 (Nunchucks)  then equip
charSlot 3 (RedMage) → buy shop slot 3 (Rapier)       then equip
Total cost = 40G (well under starting 400G).

```

Plan templates (THREE milestones now - enter_weapon_shop →
buy_weapons → arm_party):

```

enter_weapon_shop (party at sm=(11,11), phase=Town, mid=0):
[0] walkTo({"x":"11","y":"11"})
description: "Walk to sm=(11,11) - the tile directly
SOUTH of the Coneria weapon shopkeeper. Coord is an
anchor - actually navigate by VISION: stay on the main
paved path, head NORTH, look for the 'WEAPON' sign and
a sword/club sprite on the counter. Skip dead-end side-
branches that terminate at the INN (purple 'INN' sign,
west of trunk) or at ARMOR. Stop when adjacent-south of
the WEAPON keeper, facing N. NEVER tap Right or Down off
the southern edge row (smY ≥ 24) - that exits to
Overworld. Milestone latches when the party stands on
sm=(11,11)."
```




Remember: Master Prompt itself can be treated as RAG



```
ff1-interior-memory.json  Open with Antigravity

{
  "facts": [
    {
      "mapId": 8,
      "tileX": 11,
      "tileY": 18,
      "observation": "VISITED",
      "confirmCount": 94
    },
    {
      "mapId": 8,
      "tileX": 12,
      "tileY": 18,
      "observation": "POI_STAIRS",
      "confirmCount": 10
    },
    {
      "mapId": 8,
      "tileX": 13,
      "tileY": 18,
      "observation": "VISITED",
      "confirmCount": 254
    },
    {
      "mapId": 8,
      "tileX": 14,
      "tileY": 18,
      "observation": "VISITED",
      "confirmCount": 2
    },
    {
      "mapId": 8,
      "tileX": 15,
      "tileY": 18,
      "observation": "VISITED",
      "confirmCount": 54
    },
    {
      "mapId": 8,
      "tileX": 12,
      "tileY": 19,
      "observation": "VISITED",
      "confirmCount": 14
    },
    {
      "mapId": 8,
      "tileX": 15,
      "tileY": 19,
      "observation": "VISITED",
      "confirmCount": 2
    }
  ]
}
```

```
ff1-landmarks.json  Open with Antigravity

{
  "landmarks": [
    {
      "id": "interior_entry_147_155",
      "kind": "TOWN_ENTRY",
      "worldX": 147,
      "worldY": 155,
      "visited": true,
      "note": "coneria-town overworld waypoint",
      "discoveredRunId": "preseed"
    },
    {
      "id": "weapon_shopkeeper_preseed",
      "kind": "NPC_SHOPKEEPER",
      "mapId": 0,
      "localX": 11,
      "localY": 10,
      "visited": true,
      "note": "kind=weapon; preseed;
items=staff:5,dagger:5,nunchuck:10,rapier:10,hammer:10;
entered_via=opus-advisor",
      "discoveredRunId": "preseed"
    }
  ]
}
```



spec5-boot-iter-39-mid0-mf1-pos14_8-sm14_8-w144_155.png



Open with Preview



Current screen (T5)



file: live.png

Goal - milestones

- boot done
- enter_coneria in_progress
- enter_weapon_shop pending
- buy_weapons pending
- arm_party pending
- exit_coneria pending
- grind pending

Current plan

milestone=enter_coneria createdAtTurn=1 cursor=0/1

► [0] walkTo({"x": "147", "y": "155"}) – Walk North-East to the Coneria town overworld waypoint at (147,155) to enter the town.

Advisor plan history

T1 T0 fresh campaign → Initialize campaign, complete title sequence and party creation, transition to Overworld.

T1 milestone boot just done — replan for next → Walk North-East to the Coneria town overworld waypoint at (147,155) to enter the town.

Agents

Cartographer — gemini-3-pro (vision)

Phase 0 ONLY, OPT-IN via --cart. Sweeps overworld with vision calls within budget. Populates LandmarkMemory. Default OFF.

Advisor — gemini-3-pro (text+vision)

~2-5% of LLM calls. Authors numbered plan into current_plan.json. Triggered on T0, stuck-signal, milestone advance. Sees: current milestone, campaign state, live RAM (phase, mapId, sm/world coords, gold), landmarks digest, screenshot.

Executor ACTIVE - 22s — gemini-3-pro (text+vision)

EVERY turn. Reads screenshot + RAM + recent moves + current goal. Emits either {sequence:["Up"]} (raw button taps, max 2) OR {tool:"buyAtShop"|"equipWeapon"|"restAtInn"|"useMenu"}.

Reviewer — (placeholder)

Every 50 turns. No-op currently. Future: audit + flag bad decisions.

Haiku (tool internal) — claude-haiku-4-5

Used inside ToolSurface only — directionTo(target) for townWalkVision per-step cardinal picking, scanCandidates() for approachSprite. NOT used by Executor any more.

Cartographer iters (Phase 0 — pre-campaign)

0 vision calls; click to expand

(no cartographer prompts dumped yet)


Last 25 turns (newest first)

turn	phase	RAM	tool(args)	outcome	message	reasoning
T5	Overworld	sm=(6,6) world=(146,157) mid=0 mf=2	sequence({"buttons": "Up"})	ok	sequence: tapped 1 buttons; sm=(6,6) world=(146,156) mid=0 mf=2	llm: Step up into the Coneria town entrance.
T4	Overworld	sm=(8,6) world=(147,157) mid=0 mf=2	sequence({"buttons": "Left"})	ok	sequence: tapped 1 buttons; sm=(6,6) world=(146,157) mid=0 mf=2	llm: Moving left to align with the town entrance gap heading North.
T3	Overworld	sm=(0,6) world=(146,157) mid=0 mf=0	sequence({"buttons": "Right"})	ok	sequence: tapped 1 buttons; sm=(8,6) world=(147,157) mid=0 mf=2	llm: Moving right towards X=147 to align with the town entrance waypoint, since Up wa
T2	Overworld	sm=(0,6) world=(146,158) mid=0 mf=0	sequence({"buttons": "Up"})	ok	sequence: tapped 1 buttons; sm=(0,6) world=(146,157) mid=0 mf=0	llm: Moving North to enter Coneria town.
T1	Overworld	sm=(0,6) world=(146,158) mid=0 mf=0	sequence({"buttons": "START"})	ok	sequence: tapped 1 buttons; sm=(0,6) world=(146,158) mid=0 mf=0	llm: Advancing intro sequence

Latest Advisor prompt + response

LESSON 5:


DIVIDE AND CONQUER, THEN VERIFY



Unit Test were... nearly useless. I had a lot of this, **but mostly for tools**.
Burned a lot of tokens for generating these tests

It's very hard to write good integration tests.

In the end, most of fixes tested E2E





r/singularity • 1y ago
Creative_Ad853



Gemini Plays Pokémon has made it through Rock Tunnel in only about 12 days of playtime

AI

GEMINI PLAYS POKEMON BLUE



AI analyzing game state...
84,528 tokens used

Primary goal: Explore Lavender Town and investigate the Pokemon Tower.
Secondary goal: Find the Lavender Town Pokemon Center.
Tertiary goal: Heal Pokemon and save the game at the Pokemon Center. Conserve BLASTOISE's PP.

●●● Thoughts ●●●

I am at (10, 3) in Lavender Town. The Pokemon Center is my immediate priority for healing and saving. There's a sign directly south at (10, 4) and a warp to the Pokemon Tower at (15, 6). My map knowledge is limited. I will move west and south to explore the central area and hopefully locate the Pokemon Center. I'll aim for (8, 5) as my next waypoint.

Executing path as button sequence: ← ← ↓ ↓

242h 15m 5s | Actions: 42609 | GG: T-16 | Summary: T-45
Total time and action counter were not tracked for the first 48 hours.

Game Status:


Map: Lavender Town (ID: 4, Size: 20x18) | Position: (8, 5) - down
Badges: Boulder Badge, Cascade Badge, and Thunder Badge | Pokedex: 17/151
Party:
BLASTOISE (BLASTOISE) Lv43: 113/142 HP
CHOPPY (BELLSPOUT) Lv14: 39/39 HP
SHROONY (PARAS) Lv10: 27/27 HP
BATHAN (ZUBAT) Lv9: 26/26 HP
PAYDAY (MEOWTH) Lv10: 30/30 HP
ZAP (PIKACHU) Lv3: 19/19 HP
Money: ¥10859

AI analyzing game state...



Insights into Claude Opus 4.5 from Pokémon

by Julian Bradshaw 9th Dec 2025



Credit: Nano Banana, with some text provided.



Claude 4.5 Opus Stuck 4 days in the single floor



When he reached Ericka's Gym (the one with the CUT-able tree I mentioned earlier), Claude spent ~4 days, or about 8000 reasoning steps, walking in a plain circle around the top of the gym looking for a path through.

What was he doing? Well, mostly trying to path through impassable walls and, knowing that CUT is involved in getting into the gym somehow, trying to cut through the gym's roof.

Claude 4.5 Opus Stuck 4 days in the single floor



Read 1 file (ctrl+o to expand)

- Widać **WEAPON SHOP** wyraźnie po lewej-środku (biały budynek z znakiem miecza-niebieskiego). Party (czerwona) na N. Trzeba **Down** → **Left** → **Up** żeby trafić w door tile pod znakiem.

Aktualnie iter 42, max 80. Cost ~\$0.55, \$1.45 budżetu zostało. Gemini ma realne szanse. Czekam wakeup.

* Sautéed for 49s · 1 shell still running

- **How is Claude doing this session? (optional)**
1: Bad 2: Fine 3: Good 0: Dismiss

>  pokaż jak skończyło

169 ANTI-REPEAT FROM ACTION LOG:

- 170 - - The context lists recent actions and whether the party moved.
- 171 - - If the most recent same-direction action produced NO MOVEMENT (party position unchanged in the log), that direction is blocked - DO NOT pick it again this turn. Switch axis (perpendicular direction) and re-derive from STEP 4.
- 172 - - After two perpendicular fails in a row, you may be on a tile surrounded by walls; output Fail.
- 170 + - The context lists up to 30 recent actions and whether the party moved.
- 171 + - BEFORE picking your action, COUNT in the action log: from the current party tile, how many times have you tried each cardinal? If a cardinal has 2+ NO-MOVEMENT entries from this exact tile, treat it as a PERMANENT WALL - never try it again from here.
- 172 + - If you notice the party has been oscillating between 2-3 tiles for 5+ entries, the immediate region is sealed by walls. STOP trying cardinals toward your visible target. Instead: walk AWAY from the target (the opposite direction of your visible goal) for 3-4 tiles to break out of the pocket, then re-route from a different angle. The shop won't move; reaching it from a different approach is fine.
- 173 + - Counter-intuitive but important: when you can SEE the goal but every direct path is blocked, the answer is to walk AWAY first, then around. Trust the screenshot for orientation but plan a detour.

174





2 Minutes run with real cost



2 Minutes run with real cost



**NOOO... YOU CANNOT
SAVE STATE, YOU ARE
BREAKING ORIGINAL EXPERIENCE**

imgflip.com



**HAHA, EMULATOR
GOES BRRRRRR**

When thrown in the middle of the
game - Advisor was Clueless!






*“Okay, so... what am I doing here?
Oh, I’m chasing this guy.”*

No. He’s chasing me!”

When thrown in the middle of the game - Advisor was Clueless!


Needed to come up with my own save format - one that preserve decision log



[illegible]

Save State Format

Current screen (T35)



Goal · milestones

- boot done
- enter_coneria done
- buy_weapons in_progress
- equip_weapons pending
- exit_coneria pending
- grind pending

Current plan

milestone=buy_weapons createdAtTurn=30 cursor=0/4

► [0] walkTo({"x": "147", "y": "155"}) — The agent is stuck in the wrong building (mapId 24). Exit the interior and return to the overworld by walking towards the Coneria town entrance.

[1] walkTo({"x": "147", "y": "155"}) — Now on the overworld, re-enter Coneria town by walking onto the entrance tile.

[2] walkTo({"x": "11", "y": "10"}) — Inside Coneria, walk to the weapon shopkeeper at local coordinates (11, 10).

[3] buyAtShop({"items": "3,1,2", "charSlots": "0,1,2"}) — Buy a Rapier (item 3) for char 0, a Dagger (item 1) for char 1, and a Nunchuck (item 2) for char 2.

Advisor plan history

T1 T0 fresh campaign → Start a new game, select the default party, and enter the overworld.

T7 stuck: phase=Overworld stuck=5/5 recentOutcomes=[Reject, Reject, Reject] → Walk to the entrance of Coneria town from the starting overworld position.

T14 stuck: phase=Town stuck=5/5 recentOutcomes=[Reject, Reject, Reject] → The agent is stuck in town. Walk to the weapon shopkeeper using town-local coordinates.

T26 stuck: phase=Indoors stuck=5/5 recentOutcomes=[Fail, Fail, Fail] → The agent is stuck in the wrong interior (mapId 24). Exit to the overworld and navigate to the Coneria town entrance at

T30 stuck: phase=Indoors stuck=5/5 recentOutcomes=[Fail, Fail, Fail] → The agent is stuck in the wrong building (mapId 24). Exit the interior and return to the overworld by walking towards th

Agents

- Cartographer — Gemini 2.5 Pro vision

Phase 0 ONLY (T0 of fresh campaign). Sweeps overworld with vision calls within budget. Populates LandmarkMemory with town/castle/temple coords. Runs once.
- Advisor — Gemini Pro 3.1 (text+vision)

~2% of LLM calls. Authors numbered plan into current_plan.json. Triggered on T0, every stuck-signal (watchdog), and phase boundaries. Sees: milestone, campaign so far, current RAM (phase, mapId, sm/world coords, gold), landmarks digest, screenshot.
- Executor — Sonnet 4.6 + Haiku 4.5

Every turn. Plan-hint dispatch when plan cursor has Ok step. On 2+ recent fails OR plan exhausted, falls back to askLLM: Haiku describes scene → Sonnet picks ONE tool. Knows tools: walkTo, interactAt, useMenu, buyAtShop, equipWeapon, restAtInn, battleFightAll, approachSprite, boot.
- Reviewer — (placeholder)

Every 50 turns. Currently no-op (returns {actions:[]}). Future: audit decisions for obvious mistakes, mark turns to flag/remove.
- Haiku (vision) — claude-haiku-4-5

Per-turn helper to Executor. describeScene → terse digest (party vp(8,7), overlay, sprites). directionTo(target) → cardinal picker for townWalkVision. scanCandidates → list of visible NPCs (used by approachSprite).


Last 25 turns (newest first)

turn	phase	RAM	tool(args)	outcome	message	reasoning
T35	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "8", "y": "14"})	fail	did not exit interior in 64 steps	sonnet+haiku: Exit south through the visible exit tile to leave interior building
T34	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "14", "y": "20"})	fail	did not exit interior in 64 steps	sonnet+haiku: Exit interior (mapId 24) by walking south towards exit to return to town over
T33	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "8", "y": "14"})	fail	did not exit interior in 64 steps	sonnet+haiku: Exit the interior building by walking south towards at vp(8,14).
T32	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "147", "y": "155"})	fail	did not exit interior in 64 steps	plan step 0: The agent is stuck in the wrong building (mapId 24). Exit the interior and return to the overworld by walking
T31	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "147", "y": "155"})	fail	did not exit interior in 64 steps	plan step 0: The agent is stuck in the wrong building (mapId 24). Exit the interior and return to the overworld by walking
T30	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "147", "y": "155"})	fail	did not exit interior in 64 steps	sonnet+haiku: Stuck in interior mapId 24, need to exit to overworld and reach Coneria town entrance
T29	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "147", "y": "155"})	fail	did not exit interior in 64 steps	sonnet+haiku: Stuck in wrong interior mapId 24, need to exit to overworld and reach Coneria town
T28	Indoors	sm={14,18} world={145,152} mid=24 nf=3	walkTo({"x": "147", "y": "155"})	fail	did not exit interior in 64 steps	sonnet+haiku: Agent is on wrong map (mapId 24). Need to exit to overworld and navigate to Coneria town

LESSON 6:

EVAL IS VERY INTERESTING PROBLEM







Demystifying evals for AI agents

Published Jan 09, 2026


The capabilities that make agents useful also make them difficult to evaluate. The strategies that work across deployments combine techniques to match the complexity of the systems they measure.

Introduction

Good evaluations help teams ship AI agents more confidently. Without them, it's easy to get stuck in reactive loops—catching issues only in production, where fixing one failure creates others. Evals make problems and behavioral changes visible before they affect users, and their value compounds over the lifecycle of an agent.



Eval is a King



Self-LLM-as-a-Judge for quick feedback

Current screen (T76)

●●●●

380 G

ITEM
MAGIC
WEAPON
ARMOR
STATUS

AAAA
L 1
HP 35/35

AAAA
L 1
HP 33/33

AAAA
L 1
HP 30/30

AAAA
L 1
HP 30/30
MAGIC 2/0/0/0/0/0/0/0

Goal · milestones

boot **done**
enter_coneria **done**
enter_weapon_shop **done**
buy_weapons **done**
arm_party **in_progress**
exit_coneria **pending**
grind **pending**

Current plan

milestone=arm_party createdAtTurn=75 cursor=0/2
▶ [0] equipWeapon({"charSlot": "0",
"weaponSlot": "0"}) — Equip the Fighter
(charSlot 0) with their held weapon to start
fulfilling the milestone condition.
[1] equipWeapon({"charSlot": "1",
"weaponSlot": "0"}) — Equip the Thief
(charSlot 1) with their held weapon. This
will result in 2/4 characters being equipped,
which is enough to latch the arm_party
milestone.

Advisor plan history

T1 T0 fresh campaign → Initialize the campaign, select the
default party, and transition to the overworld.
T1 milestone boot just done — replan for next → Walk to the
Coneria Town entrance on the overworld to enter the town.
T16 milestone enter_coneria just done — replan for next →
Walk to sm=(11,11) — the tile directly SOUTH of the Coneria
weapon shopkeeper. Coord is an anchor — actually navigate
by

file: live.png

WEAPON

EQUIP TRADE DROP

AAAA

Small ✂ Wooden\

Wooden\

AAAA

AAAA

Wooden\

AAAA

Deterministic Eval with RAM


```
char: 1
class: Fighter
lvl: 1
HP: 35/35
XP: 0
STR: 20
AGI: 5
INT: 1
VIT: 10
LUK: 5
status: ok
weapons (byte = idx; * = equipped): [1, -, -, -] ← Small Knife, not equipped

char: 2
class: Thief
lvl: 1
HP: 30/30
XP: 0
STR: 5
AGI: 10
INT: 5
VIT: 5
LUK: 15
status: ok
weapons (byte = idx; * = equipped): [1, -, -, -] ← Small Knife, not equipped

char: 3
class: BlackBelt
lvl: 1
HP: 33/33
XP: 0
STR: 5
AGI: 5
INT: 5
VIT: 20
LUK: 5
status: ok
weapons (byte = idx; * = equipped): [-, -, -, -] ← none
```



Deterministic Eval with RAM

Goal · milestones

boot **done**
enter_coneria **done**
buy_weapons **done**
equip_weapons **in_progress**
exit_coneria **pending**
grind **pending**

• Weapon not bought

REVIEWER

every N turns · audits memory

HAIKU · read + correct

- audits stale entries
- detects inconsistencies
- writes corrections back



Goal · milestones

boot **done**
enter_coneria **done**
buy_weapons **in_progress**
equip_weapons **pending**
exit_coneria **pending**
grind **pending**

Reviewer use RAM to control the Advisor

09:24:29		MAIN	bootstrap complete – entering campaign loop
09:24:29		MAIN	pre-cart boot: pressing START to leave title
09:24:45		CARTOG	SKIPPED (use --cart to enable). Using preseeded landmarks.
09:25:01	T00001	ADVISOR	plan(5 steps) ← T0 fresh campaign
09:25:04	T00001	EXECUTOR	Overworld sm=(0,6) sequence(buttons=Up) ok sequence: tapped 1 buttons; sm=(0,6) world=(146,157) mid=0 mf=0 Moving Up to enter Coneria town.
09:25:04	T00001	OK	milestone ★boot done; next=enter_coneria
09:25:05	T00001	EVENT	milestone boot just done – replan for next
09:25:12	T00001	ADVISOR	plan(1 steps) ← milestone boot just done – replan for next
09:25:19	T00002	EXECUTOR	Overworld sm=(0,6) sequence(buttons=Right) ok sequence: tapped 1 buttons; sm=(8,6) world=(147,157) mid=0 mf=2 Moving Right to align with the town entrance before going North.
09:25:33	T00003	EXECUTOR	Overworld sm=(8,6) sequence(buttons=Up) ok sequence: tapped 1 buttons; sm=(8,6) world=(147,157) mid=0 mf=2 Moving North towards the town entrance.
09:25:46	T00004	EXECUTOR	Overworld sm=(8,6) sequence(buttons=Left) ok sequence: tapped 1 buttons; sm=(6,6) world=(146,157) mid=0 mf=2 We are blocked from moving Up by the town wall. The entrance is one ti
09:25:57	T00005	EXECUTOR	Overworld sm=(6,6) sequence(buttons=Right) ok sequence: tapped 1 buttons; sm=(8,6) world=(147,157) mid=0 mf=2 Moving east towards Coneria town entrance.
09:26:08	T00006	EXECUTOR	Overworld sm=(8,6) sequence(buttons=Left) ok sequence: tapped 1 buttons; sm=(6,6) world=(146,157) mid=0 mf=2 Moving left to align with the town entrance gap before moving up.
09:26:25	T00007	EXECUTOR	Overworld sm=(6,6) sequence(buttons=Up) ok sequence: tapped 1 buttons; sm=(6,6) world=(146,156) mid=0 mf=0 Party is below the entrance to Coneria. Moving Up to enter.
09:26:34	T00008	EXECUTOR	Overworld sm=(6,6) sequence(buttons=Left) ok sequence: tapped 1 buttons; sm=(6,6) world=(145,156) mid=0 mf=2 Party is just below the right pillar of the town entrance. Need to go
09:26:58	T00009	EXECUTOR	Overworld sm=(6,6) sequence(buttons=Right) ok sequence: tapped 1 buttons; sm=(8,6) world=(146,156) mid=0 mf=2 Moving Right to advance toward the town entrance at world(147, 155).
09:27:34	T00010	EXECUTOR	Overworld sm=(8,6) sequence(buttons=Up) ok sequence: tapped 1 buttons; sm=(8,6) world=(146,155) mid=0 mf=0 Moved right last turn, now moving Up to enter Coneria Town on the over
09:27:35	T00010	REVIEWER	verify checked=[boot] regressed=[]
09:27:47	T00011	EXECUTOR	Overworld sm=(8,6) sequence(buttons=Right) ok sequence: tapped 1 buttons; sm=(8,6) world=(147,155) mid=0 mf=2 Moving Right to reach world coordinate (147, 155) to enter Coneria Tow
09:28:18	T00012	EXECUTOR	Town sm=(16,23) sequence(buttons=Down) ok sequence: tapped 1 buttons; sm=(16,24) world=(147,155) mid=0 mf=1 Screen appears to be mid-transition or obscured, and recent moves show
09:28:18	T00012	OK	milestone ★enter_coneria done; next=enter_weapon_shop
09:28:18	T00012	EVENT	milestone enter_coneria just done – replan for next
09:28:28	T00012	ADVISOR	plan(1 steps) ← milestone enter_coneria just done – replan for next
09:28:38	T00013	EXECUTOR	Overworld sm=(16,23) sequence(buttons=Left) ok sequence: tapped 1 buttons; sm=(15,23) world=(146,155) mid=0 mf=2 Party accidentally exited Coneria to the overworld by moving too far d
09:28:57	T00014	EXECUTOR	Overworld sm=(15,23) sequence(buttons=Down) ok sequence: tapped 1 buttons; sm=(15,25) world=(146,156) mid=0 mf=0 Accidentally exited Coneria to the overworld. Stepping off the town ti
09:29:03	T00015	EXECUTOR	Overworld sm=(15,25) sequence(buttons=Up) ok sequence: tapped 1 buttons; sm=(15,23) world=(146,155) mid=0 mf=0 Accidentally exited to overworld. Stepping Up to re-enter Coneria Town
09:29:16	T00016	EXECUTOR	Overworld sm=(15,23) sequence(buttons=Down) ok sequence: tapped 1 buttons; sm=(15,25) world=(146,156) mid=0 mf=0 Accidentally exited Coneria to the overworld. We are standing on the t
09:29:32	T00017	EXECUTOR	Overworld sm=(15,25) sequence(buttons=Up) ok sequence: tapped 1 buttons; sm=(15,23) world=(146,155) mid=0 mf=0 Enter Coneria town from the overworld to reach the weapon shop.
09:29:43	T00018	EXECUTOR	Overworld sm=(15,23) sequence(buttons=Left) ok sequence: tapped 1 buttons; sm=(15,23) world=(145,155) mid=0 mf=2 We are on the overworld standing on the town. Stepping off to the left
09:30:03	T00019	EXECUTOR	Overworld sm=(15,23) sequence(buttons=Right) ok sequence: tapped 1 buttons; sm=(17,23) world=(146,155) mid=0 mf=2 We accidentally exited to the overworld. Stepping right to move back t
09:30:18	T00020	EXECUTOR	Overworld sm=(17,23) sequence(buttons=Left) ok sequence: tapped 1 buttons; sm=(15,23) world=(145,155) mid=0 mf=2 Player is on the overworld right outside Coneria. Moving Left to align
09:30:18	T00020	WARN	REGRESSION milestone enter_coneria no longer satisfied – reverting to in_progress
09:30:18	T00020	REVIEWER	verify checked=[boot,enter_coneria] regressed=[enter_coneria]
09:30:21	T00020	ADVISOR	plan(1 steps) ← milestone REGRESSED: enter_coneria

Reviewer use RAM to control the Advisor



ADAPTIVE TESTING FOR LLM EVALUATION: A PSYCHOMETRIC ALTERNATIVE TO STATIC BENCHMARKS

A PREPRINT

Peiyu Li*, Xiuxiu Tang*,
Si Chen, Ying Cheng, Ronald Metoyer, Ting Hua, Nitesh V. Chawla
University of Notre Dame
Notre Dame, IN 46556 USA
{pli9, xtang8, schen34, ycheng4, rmetoyer, thua, nchawla}@nd.edu

ABSTRACT

Evaluating large language models (LLMs) typically requires thousands of benchmark items, making the process expensive, slow, and increasingly impractical at scale. Existing evaluation protocols rely on average accuracy over fixed item sets, treating all items as equally informative despite substantial variation in difficulty and discrimination. We introduce ATLAS, an adaptive testing framework based on Item Response Theory (IRT) that estimates model ability using Fisher information-guided item selection. ATLAS reduces the number of required items by up to 90% while maintaining measurement precision. For instance, it matches whole-bank ability estimates using only 41 items (0.157 MAE) on HellaSwag (5,600 items). We further reconstruct accuracy from ATLAS's ability estimates and find that reconstructed accuracies closely match raw accuracies across all five benchmarks, indicating that ability θ preserves the global performance structure. At the same time, θ provides finer discrimination within accuracy-equivalent models: among more than 3,000 evaluated models, 23–31% shift by more than 10 rank positions, and models with identical accuracies receive meaningfully different ability estimates. Code and calibrated item banks available at <https://github.com/Peiyu-Georgia-Li/ATLAS.git>.



Future: Advisor Self-Generating Review




Conclusions and Battle Scars





noooooo you can't just scale up pure connectionist models on Internet data without inductive biases and modularization and expect them to learn real-world knowledge and grammar from form, or arithmetic and logical reasoning and causal inference—that's just memorization and superficial pattern-matching like Eliza, you need grounding in real-world communication with intent and social dynamics and multimodal robotic embodiment which can foster disentangled learning from guided exploration and self-directed goals expressed in Bayesian programs and probabilistic graphical models which are interpretable and pin down a unique semantics which can be debiased and expressed with uncertainty, and learned efficiently on tiny academic budgets, the cost only shows how this is a dead-end, we need to stop chasing SOTAs and model the complexity of the brain and consider the social context to decolonize AI's structural biases for Third World researchers...



haha gpus go bitterrr



Bitter Lesson - bigger model wins



Complex tools lose to Vision and Intelligence



TechGuy9000

1 hour ago · 🌐



Tested out the new LLM today... this is getting wild. 🤯🤯



2.3k, Like



Comment

450 comments


Sarah: Too real! 😂

Mike: Wait is this a deepfake of me??



Share

It was my personal AGI test... and LLMs failed it



Just tell AI to be nice

Team Building Principles

Gen 3 Damage System

Physical/special is determined by **move type**, not individual moves:

- **Physical types:** Normal, Fighting, Flying, Poison, Ground, Rock, Bug, Ghost, Steel
- **Special types:** Fire, Water, Electric, Grass, Ice, Psychic, Dragon, Dark

Team Roles (Maintain 4+ combat-ready slots)

1. Primary Sweeper
2. Secondary Sweeper/Cleaner
3. Defensive Pivot
4. Status/Control
5. Dedicated Catcher
6. HM/Utility Slot

Team Audit Checklist

Run audits after badges, before major battles, and after obtaining HMs:


- Level distribution and XP needs
- Role coverage
- Type coverage (Water/Ice/Electric/Ground/Fighting minimum)
- Move quality and relevance
- Held items optimization
- Bag readiness (balls, heals, status cures, repels, escape ropes)

Nicknames

For every caught Pokémon:


- Generate 5 original nickname options (≤10 chars, uppercase A-Z)
- Create Twitch poll with your favorite clearly indicated
- Explain reasoning for each option

Even for SOLVED game, prompt contains ALL THE STRATEGY





Should have started with Pokemon TBH




To create a good harness, you need to be domain expert...
... and I wasn't domain expert for Final Fantasy

Should have started with Pokemon TBH

The PokeAgent Challenge: Competitive and Long-Context Learning at Scale

Seth Karten^{1,*} Jake Grigsby^{2,*} Tersoo Upaa Jr¹
Junik Bae⁶ Seonghun Hong¹⁴ Hyunyoung Jeong¹⁴
Jaeyoon Jung¹⁴ Kun Kerdthaisong¹⁵ Gyungbo Kim⁹
Hyeokgi Kim¹⁴ Yujin Kim⁹ Eunju Kwon⁹ Dongyu Liu⁷
Patrick Mariglia⁸ Sangyeon Park⁹ Benedikt Schink¹²
Xianwei Shi⁷ Anthony Sistilli¹¹ Joseph Twin¹³ Arian
Urdu¹² Matin Urdu¹² Qiao Wang¹⁰ Ling Wu¹⁰ Wenli
Zhang⁷ Kunsheng Zhou⁷
Stephanie Milani^{3,4} Kiran Vodrahalli⁵ Amy Zhang² Fei Fang³
Yuke Zhu² Chi Jin¹
¹Princeton ²UT-Austin ³CMU ⁴NYU ⁵Google DeepMind
⁶Team Heatz ⁷Team PA-Agent ⁸Team FoulPlay ⁹Team
4thLesson ¹⁰Team Q
¹¹Team Anthonys ¹²Team Hamburg ¹³Team Porygon2AI ¹⁴Team
Deepest ¹⁵Team August

Contribution statement in Appendix I. *Equal contribution. Correspondence: sethkarten@princeton.edu, grigsby@cs.utexas.edu



Gemini Plays Pokémon (May 2025)

➤ Key Press

```
{
  "type": "key_press",
  "keys": ["down", "down", "down", "down", "left", "down", "down", "left", "down", "left", "left", "left", "left"],
}
```



ENDURE confirmed, boulder shoved—nice. Now we're heading back to the main floor to keep farming encounters for FLAREFANG. Let's get that fire puppy swole.

Step 4563 - BurnedTowerB1F [10,14]




<game_state timestamp="2025-12-14T00:04:22.626Z" current_step="4563">
<twitch_stream_title>
GPT-5.2 Plays Pokemon - Training FLAREFANG in Burned Tower for Jasmine 🔥
</twitch_stream_title>
<extracted_ram_data>...


[Read more](#)

We're back in BurnedTowerB1F at (10,14), close to the stairs up at (7,15). The remaining nearby ? clusters on the left edge appear to be in a disconnected B1F section (pathfinding previously found no route), so staying here isn't productive. For faster, safer progress toward beating Jasmine, we'll leave Burned Tower and pivot to trainer-based EXP (higher yield) for FLAREFANG. Next step: take the B1F stairs up to BurnedTower1F via the stair tile at (7,15).


Should have started with Pokemon TBH



It is nice to have a complex codebase you can tinker with



There is a lot of opportunity to grow and benchmarking



Like getting rid of vision from Executor



Do we still have time for Demo 😊?

Thank you 🙏



@ArturSkowronski



jvm weekly