```
PS C:\Users\HUAWEI\OneDrive\Documentos\A01796088_Actividad 4.2> cd A01796088_4.2
PS C:\Users\HUAWEI\OneDrive\Documentos\A01796088_Actividad 4.2\A01796088_4.2> python -m pylint "P1\source\computeStatistics.py"
************* Module computeStatistics
P1\source\computeStatistics.py:386:0: C0304: Final newline missing (missing-final-newline)
P1\source\computeStatistics.py:1:0: C0103: Module name "computeStatistics" doesn't conform to snake_case naming style (invalid-name)
P1\source\computeStatistics.py:270:0: R0913: Too many arguments (10/5) (too-many-arguments)
P1\source\computeStatistics.py:270:0: R0917: Too many positional arguments (10/5) (too-many-positional-arguments)

----------------------------------
Your code has been rated at 9.80/10

PS C:\Users\HUAWEI\OneDrive\Documentos\A01796088_Actividad 4.2\A01796088_4.2> python -m pylint "P1\source\computeStatistics.py"
************* Module computeStatistics
P1\source\computeStatistics.py:40:0: R0902: Too many instance attributes (11/7) (too-many-instance-attributes)
P1\source\computeStatistics.py:315:0: R0914: Too many local variables (16/15) (too-many-locals)

----------------------------------------------------------------
Your code has been rated at 9.91/10 (previous run: 9.80/10, +0.11)

PS C:\Users\HUAWEI\OneDrive\Documentos\A01796088_Actividad 4.2\A01796088_4.2> python -m pylint "P1\source\computeStatistics.py"

----------------------------------------------------------------
Your code has been rated at 10.00/10 (previous run: 9.91/10, +0.09)

PS C:\Users\HUAWEI\OneDrive\Documentos\A01796088_Actividad 4.2\A01796088_4.2>
```

Como podemos observar tenemos un rate de 10 con lo cual cumplimos con la parte de que el programa no genere errores o problemas usando pylint.