```
NINGW64:/c/Users/atrej/Desktop/2doParDS22B
 trej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B
Initialized empty Git repository in C:/Users/atrej/Desktop/2doParDS22B/.git/
 trej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (master)
$ git control remoto agrregar origen https://github.com/ArturoTRj/2doParDS22B.gi
git: 'control' is not a git command. See 'git --help'.
 atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (master)
$ git branch -M main
 trej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git statuss
git: 'statuss' is not a git command. See 'git --help'.
The most similar command is
        status
 trej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git status
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git add .
 atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git status
On branch main
No commits yet
Untracked files:
   (use "git add <file>..." to include in what will be committed)
                         ios.pdf
de clases.pdf
iagramas C4.pdf
nothing added to commit but untracked files present (use "git add" to track)
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git add .
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
 $ git status
On branch main
No commits yet
Changes to be committed:

(use "git rm --cached <file>..." to unstage)

new file: Comentarios.pdf
            new file: Comentarios.pdf
new file: Diagrama de clases.pdf
new file: Examen diagramas C4.pdf
new file: ejecucion.pdf
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main) $ git commint -m "inicio" git: 'commint' is not a git command. See 'git --help'.
The most similar command is
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS228 (main)
$ git commit -m "inicio"
[main (root-commit) 8b6574c] inicio
4 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Comentarios.pdf
create mode 100644 Diagrama de clases.pdf
create mode 100644 Examen diagramas C4.pdf
create mode 100644 ejecucion.pdf
```

```
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git commint -m "inicio"
git: 'commint' is not a git command. See 'git --help'.
The most similar command is
        commit
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git commit -m "inicio"
[main (root-commit) 8b6574c] inicio
4 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Comentarios.pdf
create mode 100644 Diagrama de clases.pdf
create mode 100644 Examen diagramas C4.pdf
create mode 100644 ejecucion.pdf
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git push origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.
Please make sure you have the correct access rights
and the repository exists.
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git remote add origin https://github.com/ArturoTRj/2doParDS22B.git
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git branch -M main
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
$ git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 2 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 322.01 KiB | 9.20 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/ArturoTRj/2doParDS22B.git
* [new branch]
                    main -> main
branch 'main' set up to track 'origin/main'.
atrej@DESKTOP-PA1JGUU MINGW64 ~/Desktop/2doParDS22B (main)
```

