
Arturo Vazquez Vaccine Scheduler Project Documentation


Functionalities

- ADMIN
 - o Login
 - Admin must enter their name, password, and select admin. (Admin info username = Admin, password = admin). This applies to nurse and patients as well.



MySQL query to login:

- o Register Nurse
 - To register a nurse the admin must enter all the information in the screenshot below.



• MySQL queries to register a nurse:

Update Nurse info


To update the nurse info the admin must enter the nurse username, first name, and last name. After that the admin can update any of the input fields as shown in the screenshot below.

UPD/	ATE NU	JRSE
	Back To ADMIN Options Here	
	$^{\rm \star}{\rm You}$ must fill the following to update a nurse $^{\rm \star}$	
	Nurse Username	
	Nurse First Name	
	Nurse Last Name	
	*You can update the following: *	
	First Name	
	Midde Inital	
	Last Name	
	Gender v	
	Age	
	Username	
	Password	
	UPDATE	

• MySQL queries to update the nurse info:

O Delete a nurse

■ To delete a nurse the admin must all the information in the screenshot below. **Note:** a nurse will only be deleted if the nurse does not have any timeslots to work after the date of deletion.




MySQL queries to delete nurse:

```
$row = mysqli_fetch_array($result);
$nurseID = $row['nurseId'];
$userID = $row['userId'];
$$ql = "SELECT timeSlot
| FROM nurse, nurseschedule, timeslot
| rowseld = nurseschedule
              WHERE nurse.nurseId = nurseschedule.nurseID AND
nurseschedule.timeSlotId = timeslot.timeSlotId
                     nurse.nurseId = '".$nurseID."' ";
stresult = $conn->query($sql);
$flag = FALSE;
        le($row = mysqli_fetch_array($result)) {
   $timeSlotOld = substr($row['timeSlot'], 0,10);
echo ' '.$timeSlotOld.' ';
     $timeSlotOldT = strtr($timeSlotOld, '-', '/');
$timeSlotNew = date('Y-m-d', strtotime($timeSlotOldT));
      if (strtotime($timeSlotNew) > time()) {
       window.location.href='../admin.php';
       </script>";
       $flag = TRUE;
/*Will only delete nurse if he/she does not have any scheduled timeslots*/
if ($flag != TRUE) {
   /*Query to delete nurse database*/
   $sql = "DELETE FROM Nurse WHERE nurseId = '".$nurseID."' ";
   $sql2 = "DELETE FROM Login WHERE userId = '".$userID."' ";
   if ($conn->query($sql) === TRUE && $conn->query($sql2) === TRUE) {
    echo "<script>
        alert('Nurse Successfully Deleted.');
        vindow, location, brefs', //admin.php';
}
           window.location.href='../admin.php';
            window.location.href='../deleteNurse.php';
           </script>";
```

Add Vaccine

 In order to add a vaccine to the repository. The admin must enter all the information shown below in the screenshot.



MySQL query to add a vaccine:

o Update vaccine

 To update a vaccine the admin must enter the info shown below in the screenshots. Note that the admin can add or delete depending on the total vaccinations on hold.

UPDATE	VACCINE
Back To Admi	in options Here
ENTER THE	E FOLLOWING:
Vacci	ine Name
Compa	any Name
Number of doses(+	to add - to delete)
UPI	DATE

MySQL query to update vaccine:

```
if (($totalSoFar + $availability) < $onHold) {
   echo "<script>
   alert('Unable to update.');
   window.location.href='../updateVaccine.php';
   </script>";
} else {
   $sql = "UPDATE Vaccine SET
   availability = availability + '".$availability."'
   WHERE vaccineId = '".$vaccineID."' ";

   if ($conn->query($sql) === TRUE) {
      echo "<script>
      alert('Successfully vaccine doses updated.');
      window.location.href='../admin.php';
      </script>";
} else {
      echo "<script>
      alert('An error has occurred. Please try again.');
      window.location.href='../addVaccine.php';
   </script>";
}
</script>";
}</script>";
</script>";
}</script>";
</script>";
}</script>";
</script>";
}</script>";
</script>";
</scri
```


- View nurse info
 - To view a nurse info the admin must enter the information shown below in the screenshots.

Nurse username Nurse Last Name Nurse Last Name Nurse INFO Nurs

• MySQL query to view a nurse's info:

```
| Section | Sect
```

- View Patient info
 - To view a patient's information the admin must enter the information shown below in the screenshots




MySQL queries to view a nurse's info:

```
### "SECT | Solid | So
```

- Patient

- o Register
 - For a patient to register he/she must click on the register nav item and fill the info shown below in the screenshot.



MySQL queries to register a patient:

```
= "INSERT INTO Login (userName, userPassword, permissionType)
5 ('".$username."', '".$password."', 'P')";
$sal =
/*Patient successfully created his login. Now insert the paient into the patient table*/ if (sconn->query(sql) === TRUE) {
  $\text{last_id = mysql_insert_id($conn);}
$\sql = "INSERT INTO Patient (ssn, fName, mi, lName, age, gender, phoneNumber, address, occupation, userId)
VALUES ('".\$ssn.'' ,'".\$fName.'' ,'".\$mi.'' ,'".\$lName."' ,'".\$age."' ,'".\$gender."', '".\$phoneNumber."',
'".\$address."' ,'".\$occupation."' ,'".\$last_id."')";
/* Add the FK from patient to Login */
   if($conn->query($sql) === TRUE) {
     $last_id = mysqli_insert_id($conn);
     echo $last_id ;
     $sql = "U
                 SET idPermissionPatient = '".$last_id."'
                       RE userName = '".$username."'";
     $conn->query($sql);
     echo "New record created successfully";
     echo "<script>
     alert('Success. You can now login!');
     window.location.href='../login.php';
     </script>";
     alert('Something went wrong please try again');
     window.location.href='../login.php';
     </script>";
```

Update Info

 For a patient to update info he/she can update any field as shown below in the screenshot.



MySQL queries to update a patient:

```
if (!empty($fName)) {
                 "UPDATE Patient
SET fName = '".$fName."'
   $sal =
                                                                                                          f (!empty($phoneNumber)) {
                           E patientId = '".$patientId."' ";
                                                                                                          $sql =
                                                                                                                         "UPDATE Patient
   if ($conn->query($sql) !== TRUE) {
                                                                                                          SET phoneNumber = '".$phoneNumber."'
WHERE patientId = '".$patientId."' ";
if ($conn->query($sql) !== TRUE) {
       echo "<scrint>
       alert('There was an error updating First Name.'
      window.location.href='patientUpdateInfo.php';
                                                                                                              echo "<script>
       </script>";
                                                                                                              alert('There was an error updating Phone Number.')
                                                                                                              window.location.href='patientUpdateInfo.php';
                                                                                                              </script>":
if (!empty($lName)) {
  $sql = "UPDATE Patient
SET lName = '".$lName."'
   WHERE patientId = '".$patientId."' ";
if ($conn->query($sql) !== TRUE) {
                                                                                                         f (!empty($phoneNumber)) {
                                                                                                          $$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\text{$\exitt{$\}}\exitt{$\text{$\text{$\text{$\text{$\text{$\text{$\tex{
      echo "<script>
       alert('There was an error updating Last Name.')
      window.location.href='patientUpdateInfo.php';
       </script>";
                                                                                                              echo "<script>
 `}
                                                                                                               alert('There was an error updating Address.');
                                                                                                              window.location.href='patientUpdateInfo.php';
                                                                                                              </script>";
/*If middle inital is not empty then update it*/
if (!empty($mi)) {
  $sql = "UPDATE Patient
| SET mi = '".$mi."'
   WHERE patientId = '".$patientId."' ";
if ($conn->query($sql) !== TRUE) {
                                                                                                         f (!empty($occupation)) {
                                                                                                          echo "<script>
       alert('There was an error updating Middle Inita
                                                                                                           WHERE patientId = '".$patientId."' ";
if ($conn->query($sql) !== TRUE) {
      window.location.href='patientUpdateInfo.php';
       </script>":
                                                                                                              echo "<script>
                                                                                                             alert('There was an error updating occupation.');
window.location.href='patientUpdateInfo.php';
                                                                                                              </script>";
/*If age is not empty then update it*/
if (!empty($age)) {
  .f (!empty($SSN)) {
                                                                                                          WHERE patientId = '".$patientId."' ";
if ($conn->query($sql) !== TRUE) {
                                                                                                           WHERE patientId = '".$patientId."' ";
if ($conn->query($sql) !== TRUE) {
       echo "<script>
       alert('There was an error updating age.');
      window.location.href='patientUpdateInfo.php';
                                                                                                              alert('There was an error updating SSN.');
       </script>";
                                                                                                              window.location.href='patientUpdateInfo.php';
                                                                                                              </script>";
                                                                                                          f(!empty($passwordToChange)) {
  f (!empty($gender)) {
  $sql =
                                                                                                             ET userPassword = '".$passwordToChange."'
HERE userId = '".$userId."' ";
                   WHERE patientId = '".$patientId."' ";
                                                                                                             if ($conn->query($sql) !== TRUE) {
   if ($conn->query($sql) !== TRUE) {
                                                                                                              echo "<script>
      echo "<script>
                                                                                                               alert('There was an error updating SSN.');
       alert('There was an error updating gender.');
                                                                                                               window.location.href='patientUpdateInfo.php';
      window.location.href='patientUpdateInfo.php';
                                                                                                               </script>";
       </script>":
                                                                                                           $_SESSION['password'] = $passwordToChange;
```

Schedule a vaccination time:

• For a patient to schedule a vaccination he/she must enter the vaccine name that they want to get, the company who made the vaccine and select a time that is available as shown below.

Schedule Vaccination
Back TO PATIENT Options Here
Enter the Vaccine Name and the Name of the company that makes it to check available times
Enter Vaccine Name
Enter the company who made this vaccine.
View Times
Times Available:
04-24-2021 1000 AM 04-24-2021 11:00 AM
04:24:2021 12:00 PM 04-24:2021 01:00 PM 04-24:2021 02:00 PM
04-24-2021 03:00 PM 04-24-2021 04:00 PM
Paste A Time From Above.
SCHEDULE

MySQL queries to schedule a vaccination:

Cancel Scheduled time

• For a patient to cancel a scheduled time he/she must enter the info (date and time) as shown below in the screenshot.




MySQL queries to cancel a time:

```
$result = $conn->query($sql);
$row = mysqli_fetch_array($result);
$patientId = $row['patientId'];
echo "<script>
alert('There was an error please try again');
window.location.href='patientCancelTime.php';
   </script>":
$row = mysqli_fetch_array($result);
$vaccineId = $row['vaccineId'];
$scheduleId = $row['scheduleId'];
           "UPDATE TimeSlot SET
  availableSlots = availableSlots + 1
timeSlotId = '".$timeSlotId."'";
$result = $conn->query($sql);
   f ($result->num_rows === 0) {
   echo "<script>
   alert('There was an error please try again');
   </script>";
/*
ssql = "UPDATE Vaccine
SET onHold = onHold - 1
WHERE vaccineId = '".$vaccineId."'";
$conn->query($sql);
/*delete the vaccinationSchedule*/

$sql = "DELETE FROM VaccinationSchedule WHERE
scheduleId = '".$scheduleId."";
$conn->query($sql);
```

o View info

• For a patient to view his/her info they must just select View info as shown below.



MySQL queries to view info:

```
$sql = "SELECT * FROM Patient
| WHERE patientId = '".$patientId."' ";

$result = $conn->query($sql);
```

```
$sql = "SELECT timeSlot FROM VaccinationSchedule, TimeSlot

WHERE TimeSlot.timeSlotId = VaccinationSchedule.timeSlotId AND

VaccinationSchedule.patientId = '".$patientId."'";

$result = $conn->query($sql);
```

- Nurse

- o Update info
 - For a nurse to update his/her info they can fill the phone number form, the address form or both as shown below in the screenshot.

UPDATE NURSE Back To NURSE Options Here *You may update both, just the phone number, or just the address* Enter Phone number eg. 773-111-1111

MySQL queries to update info:

```
$row = mysqli_fetch_array($result);
$nurseID = $row['nurseId'];
if(!empty($phoneNumber)) {
  $sql = "UPDATE NURSE
 SET phoneNumber = '".$phoneNumber."'
 WHERE nurseId = '".$nurseID."'";
  if($conn->query($sql) !== TRUE) {
  echo "<script>
  alert('There was an error updating please try again.');
 window.location.href='nurseUpdate.php';
  </script>";
if (!empty($address)) {
 $sql = "UPDATE NURSE
  SET address = '".$address."'
 WHERE nurseId = '".$nurseID."'";
  if ($conn->query($sql) !== TRUE) {
    echo "<script>
    alert('There was an error updating please try again.');
    window.location.href='nurseUpdate.php';
    </script>";
 }
```

Schedule time

For a nurse to schedule a time they must fill the time and date as shown below in the screenshot. They will only be able to schedule a particular time if the timeslot has less than 12 nurses and the timeslot is available. Every time a new nurse schedules a time the number of available

vaccination for that timeslot will increase by 10. The only time that the timeslot will not increase by 10 is when a 11th or 12th nurse schedule for the same timeslot to meet the requirement of the 100 max patients per timeslot.



MySQL queries to schedule a time:

```
if ($numNurses < 10) {
 /*Update the nurse + 1 and available lots +10 */
$newNurseTotal = $numNurses + 1;
 $newAvailableSlots = $availableSlots + 10;
 timeSlot = '".$newTimeSlot."'";
 if ($conn->query($sql) !== TRUE) {
   echo "<script>
  alert('There was an error scheduling please try again.');
window.location.href='../nurse.php';
   </script>";
 if ($conn->query($sql) !== TRUE) {
   alert('There was an error scheduling please try again.');
   window.location.href='../nurse.php';
   </script>";
   $last_id = mysqli_insert_id($conn);
   $$\text{sql} = "UPDATE Nurse SET scheduleId = '".$last_id."'
| WHERE nurseId = '".$nurseID."'";
   $conn->query($sql);
   echo "<script>
   alert('Successful Schedule');
   window.location.href='../nurse.php';
   </script>":
```

```
else if ($numNurses == 11) {
 $sql = "SELECT * FROM NurseSchedule
        WHERE timeSlotId = '".$timeSlotId."' ";
 $result = mysqli_query($conn, $sql);
 \frac{1}{2} $index = 0;
 while ($row = mysqli_fetch_assoc($result)) {
   if ($index == 8) {
     $sql = "UPDATE NurseSchedule
     SET numPatients = 8
        RE nurseId = '".$row['nurseID']."'";
     $conn->query($sql);
     $index++;
 $newNurseTotal = $numNurses + 1;
 $sql = "UPDATE TimeSlot SET
         numberOfNurses = '".$newNurseTotal."'
         timeSlot = '".$newTimeSlot."";
 $conn->query($sql);
 $sql = "INSERT INTO NurseSchedule(nurseID, timeSlotId, numPatients)
 VALUES ('".$nurseID."', '".$timeSlotId."', 8)";
 $conn->query($sql);
 $last_id = mysqli_insert_id($conn);
 $sql = "UPDATE Nurse SET scheduleId = '".$last_id."'
WHERE nurseId = '".$nurseID."'";
 $conn->query($sql);
 echo "<script>
   alert('Successful Schedule');
   window.location.href='../nurse.php';
   </script>";
```

o Cancel a time

• For a nurse to cancel a time he/she must enter the info shown below in the screenshot. **Note**: a nurse is only able to cancel a time if there are less patients than the total number patients that nurses can take in at that particular time.



MySQL queries to cancel a time:

```
($numNurses <= 10) {
/*Update the nurse + 1 and available lots +10 */
$newNurseTotal = $numNurses - 1;
$newAvailableSlots = $availableSlots - 10;
$sql = "UPDATE TimeSlot SET
    numberOfNurses = '".$newNurseTotal."',
    availableSlots = '".$newAvailableSlots."'
         timeSlot = '".$newTimeSlot."";
if ($conn->query($sql) !== TRUE) {
  echo "<script>
 alert('There was an error scheduling please try again'); window.location.href='nurseCancelTime.php';
 </script>":
timeSlotId = '".$timeSlotId."' ";
if ($conn->query($sql) !== TRUE) {
 alert('There was an error cancelling please try again.');
  window.location.href='../nurse.php';
  $last_id = mysqli_insert_id($conn);
  $$ql = "UPDATE Nurse SET scheduleId = NULL;
WHERE nurseId = '".$nurseID."'";
  $conn->query($sql);
echo "<script>
  alert('Successful Cancellation');
  window.location.href='../nurse.php';
  </script>";
```

```
($numNurses <= 10) {
$newNurseTotal = $numNurses - 1;
$newAvailableSlots = $availableSlots - 10;
$sql = "UPDATE TimeStots SET
    numberOfNurses = '".$newNurseTotal."',
    availableSlots = '".$newAvailableSlots."'
         timeSlot = '".$newTimeSlot."'";
if ($conn->query($sql) !== TRUE) {
  echo "<script>
  alert('There was an error scheduling please try again');
  window.location.href='nurseCancelTime.php';
 </script>";
$sql = "DELETE FROM NurseSchedule

WHERE nurseID = '".$nurseID."' and
    timeSlotId = '".$timeSlotId."' ";
if ($conn->query($sql) !== TRUE) {
  alert('There was an error cancelling please try again.');
  window.location.href='../nurse.php';
 </script>";
  $last_id = mysqli_insert_id($conn);
  $$ql = "UPDATE Nurse SET scheduleId = NULL;

WHERE nurseId = '".$nurseID."'";
  $conn->query($sql);
  echo "<script>
  alert('Successful Cancellation');
  window.location.href='../nurse.php';
```

```
nurses a time slot modif
if ($numNurses == 12) {
$newNurseTotal = $numNurses -1;
$sql = "UPDATE TimeSlot S
        numberOfNurses = '".$newNurseTotal."'
        timeSlot = '".$newTimeSlot."'";
$conn->query($sql);
timeSlotId = '".$timeSlotId."' ";
$conn->query($sql);
$last_id = mysqli_insert_id($conn);
$sql = "UPDATE Nurse SET scheduleId = NULL
WHERE nurseId = '".$nurseID."';
$conn->query($sql);
$sql = "SELECT * FROM NurseSchedule
| | WHERE timeSlotId = '".$timeSlotId."' ";
$result = mysqli_query($conn, $sql);
$index = 0;
SET numPatients = 10
WHERE nurseId = '".$row['nurseID']."'";
}else {
$sql = "UPDATE NurseSchedule
    SET numPatients = 9
WHERE nurseId = '".$row['nurseID']."'";
  $conn->query($sql);
  $index++;
echo "<script>
  alert('Successful Schedule'):
```

o View info

• For a nurse to view his/her info they must just select View info.



MySQL queries to view info:

```
$result = $conn->query($sql);
$row = mysqli_fetch_array($result);
$nurseID = $row['nurseId'];

$sql = "SELECT * FROM NURSE

WHERE nurseId = '".$nurseID."'";
$result = $conn->query($sql);
```

```
/*Print the time that nurses are scheduled for*/
$sql = "SELECT * FROM TimeSlot, NurseSchedule

| WHERE NurseSchedule.timeSlotId = TimeSlot.timeSlotId and
| NurseSchedule.nurseID = '".$nurseID."' ";
$result = $conn->query($sql);
```

Vaccination

• For a nurse to record a vaccination they must fill the info shown below in the screenshot.



MySQL queries to record a vaccination:

```
If so then just update the row*/

$sql = "SELECT * FROM VaccinationRecord
| WHERE patientId = '".$patientId."';
$result = $conn->query($sql);
$row = mysqli_fetch_array($result);
if ($result->num_rows === 0) {
  $sql = "INSERT INTO VaccinationRecord(vaccineId, patientId, nurseId, numberOfDoses, timeSlot)
VALUES('".$vaccineId."', '".$patientId."', '".$nurseID."', '".$doseNumber."', '".$timeSlot."')";
  if ($conn->query($sql) !== TRUE) {
    echo "<script>
     alert('There was an error please try again.');
     window.location.href='../nurse.php';
     </script>";
        /*Query was successful now update the onhold and remove one*/
$sql = "UPDATE Vaccine

SET onHold = onHold - 1, availability = availability - 1

WHERE vaccineId = '".$vaccineId."' ";

if ($conn->query($sql) === TRUE) {
           alert('Successful.');
           window.location.href='../nurse.php';
            </script>";
         } else {
   echo "<script>
            alert('There was an error please try again.');
            window.location.href='../nurse.php';
            </script>";
```

```
THERE is already a vaccination record for that patient just update the number
$sql = "UPDATE VaccinationRecord
      SET numberOfDoses = '".$doseNumber."',
          timeSlot = CONCAT('".$timeSlot."', '\r\n',timeSlot)
      WHERE patientId = '".$patientId."' ";
 if ($conn->query($sql) !== TRUE) {
 echo "<script>
 window.location.href='../nurse.php';
 </script>";
   $sql = "UPDATE Vaccine
        SET onHold = onHold -1, availability = availability -1
        WHERE vaccineId = '".$vaccineId."' ";
   if ($conn->query($sql) === TRUE) {
     echo "<script>
     alert('Successful.');
     window.location.href='../nurse.php';
     </script>";
     echo "<script>
     alert('There was an error please try again!!!!');
     window.location.href='../nurse.php';
     </script>";
```