```
import matplotlib as mpl
import matplotlib.pyplot as plt
import pandas as pd
import numpy as np
from sklearn.preprocessing import MinMaxScaler
from scipy import stats
import seaborn as sns
import tensorflow as tf
from tensorflow import keras
import sklearn
import sys
import io
def plot learning curves(loss, val loss):
    plt.figure()
    plt.plot(np.arange(len(loss)), loss, "b.-", label="Training loss")
    plt.plot(np.arange(len(val_loss)), val_loss, "r.-", label="Validation loss")
    plt.gca().xaxis.set_major_locator(mpl.ticker.MaxNLocator(integer=True))
    plt.legend(fontsize=14)
    plt.xlabel("Epochs")
    plt.ylabel("Loss")
    plt.grid(True)
n \text{ steps} = 50
forecast = 10
#EXTRACT FLOW, Z SCORE, OUTLIERS
data west = pd.read csv('denoised data 1016 east.csv')
data west o = np.array(data west.FLOW)
#EXRTEND DATA
array_to_concatinate = data_west_o[288:]
for iter in range (35):
    data west o = np.concatenate([data west o,array to concatinate])
#SCALE AND RESHAPE DATA
scaler = MinMaxScaler()
array = data west o.reshape(-1, 1)
array scaled = scaler.fit transform(array)
flow reshaped = array scaled[:(len(array scaled) - (len(array scaled) % (n steps+forecast
#TRAIN SET, VALIDATION SET, TEST SET
test = int(0.7 * flow reshaped.shape[0])
valid = int(0.9 * flow reshaped.shape[0])
X_train = flow_reshaped[:test, :n_steps]
X valid = flow reshaped[test:valid, :n steps]
X test = flow reshaped[valid:, :n steps]
print(X test.shape)
print(X_test[-1:].shape)
#prepare targets
Y = np.empty((flow_reshaped.shape[0], n_steps, forecast))
for step_ahead in range(1, forecast + 1):
    Y[:, :, step ahead - 1] = flow reshaped[:, step ahead:step ahead + n steps, 0]
y train = Y[:test]
y valid = Y[test:valid]
y test = Y[valid:]
#MODEL
def last_time_step_mse(Y_true, Y_pred):
     return keras.metrics.mean_squared_error(Y_true[:, -1], Y pred[:, -1])
model = keras.models.Sequential()
model.add(keras.layers.InputLayer(input shape=[None, 1]))
for rate in (1, 2, 4, 8) * 2:
    model.add(keras.layers.Conv1D(filters=20, kernel_size=2, padding="causal",
                                   activation="relu", dilation_rate=rate))
```

```
model.add(keras.layers.Conv1D(filters=10, kernel size=1))
model.compile(loss="mse", optimizer="adam", metrics=[last time step mse])
early_stopping_cb = keras.callbacks.EarlyStopping(patience=10, restore_best_weights=True)
history = model.fit(X_train, y_train, epochs=700,
                     validation_data=(X_valid, y_valid), callbacks=[early_stopping_cb])
model.save("vawenet 1016 east.h5")
plot learning curves(history.history["loss"], history.history["val loss"])
#50 MIN FORECAST
#flow
flow unscaled = array[:(len(array) - (len(array) % (n steps + forecast)))].reshabe(-1, (n
y test unscaled = flow unscaled[valid:, n steps:, 0]
y_real_rescaled = y_test_unscaled[-1, :].reshape(-1, 1)
print(y_real_rescaled.shape)
flow_not_reshaped = array[:(len(array) - (len(array) % (n_steps+forecast)))]
#flow prediction
y_pred = model.predict(X_test[-1, :].reshape(-1, n_steps, 1)) #shape (1, 50, 10)
y_{pred} = y_{pred}[-1,-1,:].reshape(-1,1)
y_pred_rescaled = scaler.inverse_transform(y_pred).reshape(-1, 1) #shape (10, 1);
print(y_pred_rescaled.shape)
#time
time not reshaped = np.array(data west['TIME'][:(len(data west['TIME']) - (len(data west[
time_reshaped = np.array(data_west['TIME'][:(len(data_west['TIME']) - (len(data_west['TIME'])
    reshape(-1, (n steps+forecast), 1)
valid time = int(0.9 * time reshaped.shape[0])
y_time_test = time_reshaped[valid_time:, n_steps:, 0]
print(y time test[-1, :].shape)
def plot_prediction(y_real_resacled, y_pred_rescaled, flow_not_reshaped, time_not_reshape
    plt.figure()
    plt.title("50 minutes prediction", fontsize=14)
    plt.plot(time not reshaped[-300:-forecast], flow not reshaped[-300:-forecast], 'b-')
    plt.plot(y_time_test[-1, :], y_real_resacled, 'ro-', label = 'Real values')
plt.plot(y_time_test[-1, :], y_pred_rescaled, 'gx-', label = 'Predicted values')
    plt.legend(loc="upper left"
    plt.xlabel("Time")
    plt.ylabel('Volume')
plot prediction(y real rescaled, y pred rescaled, flow not reshaped, time not reshaped, y
plt.show()
```

Г⇒

```
Phocii AT/ 100
Epoch 92/700
Epoch 93/700
Epoch 94/700
      7381/7381 [=====
Epoch 95/700
7381/7381 [=====
     Epoch 96/700
Epoch 97/700
7381/7381 [======
    Epoch 98/700
Epoch 99/700
Epoch 100/700
Epoch 101/700
    7381/7381 [======
Epoch 102/700
(10, 1)
(10, 1)
(10,)
```



