


```
172.16.10.100 - SecureCRT
File Edit View Options Transfer Script Tools Window Help
Enter host <Alt+R>
Session Manager
Filter by folder/session name <Alt+I>
Sessions
  172.16.10.100
  172.16.10.3
172.16.10.100 x root@sysadmin: /home/sysadmin
seconds '\n'
}
PLAY RECAP *****
*****
172.16.10.3 : ok=7 changed=2 unreachable=0 failed=0

root@server-debian:~/lab3#
root@server-debian:~/lab3#
root@server-debian:~/lab3#
root@server-debian:~/lab3#
root@server-debian:~/lab3# cd ..
root@server-debian:~/lab3# mkdir lab4
root@server-debian:~/lab3# cd lab4
root@server-debian:~/lab4# touch inventory.ini
root@server-debian:~/lab4# touch playbook.yml
root@server-debian:~/lab4# touch README.md
root@server-debian:~/lab4# mkdir roles
root@server-debian:~/lab4# mkdir roles/nginx-vhosts
root@server-debian:~/lab4# mkdir roles/nginx-vhosts/handlers
root@server-debian:~/lab4# mkdir roles/nginx-vhosts/tasks
root@server-debian:~/lab4# mkdir roles/nginx-vhosts/templates
root@server-debian:~/lab4# touch roles/nginx-vhosts/templates/index.html.j2
root@server-debian:~/lab4# touch roles/nginx-vhosts/templates/site.conf.j2
root@server-debian:~/lab4# touch roles/nginx-vhosts/tasks/main.yml
root@server-debian:~/lab4# touch roles/nginx-vhosts/handlers/main.yml
```

```
172.16.10.100 - SecureCRT
File Edit View Options Transfer Script Tools Window Help
Enter host <Alt+R>
Session Manager
Filter by folder/session name <Alt+I>
Sessions
  172.16.10.100
  172.16.10.3
172.16.10.100 x root@sysadmin: /home/sysadmin
root@server-debian:~/lab4# mkdir roles/nginx-vhosts
root@server-debian:~/lab4# mkdir roles/nginx-vhosts/handlers
root@server-debian:~/lab4# mkdir roles/nginx-vhosts/tasks
root@server-debian:~/lab4# mkdir roles/nginx-vhosts/templates
root@server-debian:~/lab4# touch roles/nginx-vhosts/templates/index.html.j2
root@server-debian:~/lab4# touch roles/nginx-vhosts/templates/site.conf.j2
root@server-debian:~/lab4# touch roles/nginx-vhosts/tasks/main.yml
root@server-debian:~/lab4# touch roles/nginx-vhosts/handlers/main.yml
root@server-debian:~/lab4# tree
-bash: tree: команда не найдена
root@server-debian:~/lab4# apt install tree
Чтение списков пакетов... Готово
Построение дерева зависимостей... Готово
Чтение информации о состоянии... Готово
Следующий пакет устанавливался автоматически и больше не требуется:
  linux-image-6.1.0-35-amd64
Для его удаления используйте «apt autoremove».
Следующие НОВЫЕ пакеты будут установлены:
  tree
Обновлено 0 пакетов, установлено 1 новых пакетов, для удаления отмечено 0 пакетов, и 0 пакетов не обновлено.
Необходимо скачать 52,5 kB архивов.
После данной операции объем занятого дискового пространства возрастёт на 116 kB.
Пол:1 http://deb.debian.org/debian bookworm/main amd64 tree amd64 2.1.0-1 [52,5 kB]
Получено 52,5 kB за 0с (225 kB/s)
Выбор ранее не выбранного пакета tree.
(Чтение базы данных ... на данный момент установлено 60933 файла и каталога.)
Подготовка к распаковке ./tree_2.1.0-1_amd64.deb ...
Распаковывается tree (2.1.0-1) ...
Настраивается пакет tree (2.1.0-1) ...
root@server-debian:~/lab4# tree
.
├── inventory.ini
├── playbook.yml
├── README.md
├── roles
│   └── nginx-vhosts
│       ├── handlers
│       │   └── main.yml
│       ├── tasks
│       │   └── main.yml
│       └── templates
│           ├── index.html.j2
│           └── site.conf.j2
```



```

root@sysadmin:/home/sysadmin# visudo
visudo: /etc/sudoers.tmp unchanged
root@sysadmin:/home/sysadmin# ls /etc/nginx/sites-available
default site1.local site2.local site3.local
root@sysadmin:/home/sysadmin# ls /etc/nginx/sites-available
default site1.local site2.local site3.local
root@sysadmin:/home/sysadmin# nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
root@sysadmin:/home/sysadmin#

```

```

172.16.10.100 - SecureCRT
File Edit View Options Transfer Script Tools Window Help
Enter host <Alt+R>
Session Manager
Filter by folder/session name <Alt+I>
Sessions
  172.16.10.100
  172.16.10.3
tasks
  main.yml
  templates
    index.html.j2
    site.conf.j2
+ directories: + files
root@server-debian:~/tab# nano roles/nginx-vhosts/handlers/main.yml
root@server-debian:~/tab# ansible-playbook -i inventory.ini playbook.yml
PLAY [Configure nginx vhosts] *****
TASK [Gathering Facts] *****
ok: [172.16.10.3]
TASK [Configure nginx virtual hosts] *****
TASK [nginx-vhosts : Install nginx] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Create document root] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy index page] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy nginx config] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Enable vhost] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Remove default site] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Install nginx] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Create document root] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Deploy index page] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Deploy nginx config] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Enable vhost] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Remove default site] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Install nginx] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Create document root] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Deploy index page] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Deploy nginx config] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Enable vhost] *****
changed: [172.16.10.3]
TASK [nginx-vhosts : Remove default site] *****
ok: [172.16.10.3]
RUNNING HANDLER [nginx-vhosts : Restart nginx] *****
changed: [172.16.10.3]
PLAY RECAP *****
172.16.10.3 : ok=20 changed=12 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
root@server-debian:~/tab#

```

```

root@sysadmin:/home/sysadmin# ls /etc/nginx/sites-available
root@sysadmin:/home/sysadmin# mkdir /etc/nginx/sites-available
root@sysadmin:/home/sysadmin# ls /etc/nginx/sites-available
etis.com fizfak.ru mehmat.ru
root@sysadmin:/home/sysadmin#

```


```

root@server-debian:~/lab4# ansible-playbook -i inventory.ini playbook.yml

PLAY [Configure nginx vhosts] *****
TASK [Gathering Facts] *****
ok: [172.16.10.3]
TASK [Configure nginx virtual hosts] *****
TASK [nginx-vhosts : Install nginx] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Create document root] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy index page] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy nginx config] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Enable vhost] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Remove default site] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Install nginx] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Create document root] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy index page] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy nginx config] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Enable vhost] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Remove default site] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Install nginx] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Create document root] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy index page] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Deploy nginx config] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Enable vhost] *****
ok: [172.16.10.3]
TASK [nginx-vhosts : Remove default site] *****
ok: [172.16.10.3]
PLAY RECAP *****
172.16.10.3 : ok=19 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

root@server-debian:~/lab4#

```




```

root@sysadmin:/home/sysadmin# sudo systemctl restart nginx
root@sysadmin:/home/sysadmin# systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Mon 2026-06-29 01:27:39 UTC; 1s ago
     Docs: man:nginx(8)
    Process: 14464 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on; master process on; (code=exited, status=0/SUCCESS)
    Process: 14465 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
   Main PID: 14467 (nginx)
      Tasks: 3 (limit: 4545)
    Memory: 2.4M (peak: 2.6M)
       CPU: 17ms
    CGroup: /system.slice/nginx.service
            └─14467 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
              └─14468 "nginx: worker process"
                └─14470 "nginx: worker process"

Jun 29 01:27:39 sysadmin systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server...
Jun 29 01:27:39 sysadmin systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server.
root@sysadmin:/home/sysadmin# ls /etc/nginx/sites-available
etis.com fizfak.ru mehmah.ru
root@sysadmin:/home/sysadmin#

```

```
root@server-debian:~/lab_4#
root@server-debian:~/lab_4# curl -H "Host: mehmat.ru" http://172.16.10.3
<!DOCTYPE html>
<html>
<head>
  <title>mehmat.ru</title>
</head>
<body>
  <h1>welcome to mehmat.ru</h1>
  <p>Page created by Artyom Gorlanov</p>
</body>
</html>
root@server-debian:~/lab_4# curl -H "Host: fizfak.ru" http://172.16.10.3
<!DOCTYPE html>
<html>
<head>
  <title>fizfak.ru</title>
</head>
<body>
  <h1>welcome to fizfak.ru</h1>
  <p>Page created by Artyom Gorlanov</p>
</body>
</html>
root@server-debian:~/lab_4# curl -H "Host: etis.com" http://172.16.10.3
<!DOCTYPE html>
<html>
<head>
  <title>etis.com</title>
</head>
<body>
  <h1>welcome to etis.com</h1>
  <p>Page created by Artyom Gorlanov</p>
</body>
</html>
root@server-debian:~/lab_4#
```




Welcome to etis.com

Page created by Artyom Gorlanov



Welcome to mehmat.ru

Page created by Artyom Gorlanov



Welcome to fizfak.ru

Page created by Artyom Gorlanov

```
# Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
#       102.54.94.97       rhino.acme.com           # source server
#       38.25.63.10       x.acme.com               # x client host
#
# localhost name resolution is handled within DNS itself.
#       127.0.0.1         localhost
#       ::1               localhost
#
127.0.0.1 view-localhost
#
172.16.10.3 etis.com
172.16.10.3 mehmat.ru
172.16.10.3 fizfak.ru
```