

Список литературы

- [1] Peter Antal, Geert Fannes, Yves Moreau, and Bart De Moor. Using literature and data to annotate and learn bayesian networks. In Blockeel and Denecker [114], pages 3–10.
- [2] Martin Apistola, Frances Brazier, Onno Kubbe, Anja Oskamp, Maurice Schellekens, and Marten Voulon. Legal aspects of agent technology. In Blockeel and Denecker [114], pages 399–400.
- [3] Carlos Areces and Juan Heguiabehere. Hylores: A hybrid logic prover based on direct resolution. In Blockeel and Denecker [114], pages 511–512.
- [4] Joachim De Beule, Joris Van Looveren, and Willem Zuidema. From perception to language: grounding formal syntax in an almost real world. In Blockeel and Denecker [114], pages 83–90.
- [5] Jan Bioch and Viara Popova. Monotone decision trees and noisy data. In Blockeel and Denecker [114], pages 19–26.
- [6] Sander Bohte, Enrico Gerding, and Han La Poutr . Competitive market-based allocation of consumer attention space. In Blockeel and Denecker [114], pages 403–404.
- [7] Peter Bosman and Dirk Thierens. Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In Blockeel and Denecker [114], pages 407–408.
- [8] Frances Brazier, David Mobach, Benno Overeinder, Etienne Posthumus, Sander van Splunter, Maarten van Steen, and Niek Wijngaards. Agentscape demonstration. In Blockeel and Denecker [114], pages 513–514.
- [9] Frances Brazier, Benno Overeinder, Maarten van Steen, and Niek Wijngaards. Generative migration of agents. In Blockeel and Denecker [114], pages 409–410.
- [10] Jan Broersen, Mehdi Dastani, and Leendert van der Torre. Relating functionality descriptions to proof rules of input/output logic. In Blockeel and Denecker [114], pages 27–34.
- [11] Martin Caminada. Agent dialogues using hang yourself arguments. In Blockeel and Denecker [114], pages 43–50.
- [12] Yiu-Fai Cheung, Dietrich Klakow, Georg Bauer, and Leon Rothkrantz. Broadcast information topic segmentation - BITS -. In Blockeel and Denecker [114], pages 51–58.
- [13] Mehdi Dastani, Frank de Boer, Frank Dignum, Wiebe van der Hoek, Meindert Kroese, and John-Jules Meyer. Implementing cognitive agents in 3APL. In Blockeel and Denecker [114], pages 515–516.
- [14] Mehdi Dastani, Virginia Dignum, and Frank Dignum. Organizations and normative agents. In Blockeel and Denecker [114], pages 411–412.
- [15] Mehdi Dastani and Leendert van der Torre. An extension of BDI_{ctl} with functional dependencies and components. In Blockeel and Denecker [114], pages 67–74.
- [16] Mehdi Dastani and Leendert van der Torre. What is a normative goal? In Blockeel and Denecker [114], pages 75–82.
- [17] Jeannette de Graaf, Walter Kosters, Wim Pijls, and Viara Popova. A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In Blockeel and Denecker [114], pages 115–122.
- [18] Edwin de Jong and Tim Oates. A coevolutionary approach to representation development. In Blockeel and Denecker [114], pages 431–432.
- [19] Eveliene de Vos, Cilia Witteman, and Robbert-Jan Beun. Embodied conversational agents in human-computer interaction. In Blockeel and Denecker [114], pages 339–346.

- [20] Marc Denecker, Nikolay Pelov, and Maurice Bruynooghe. Ultimate well-founded and stable semantics for logic programs with aggregates. In Blockeel and Denecker [114], pages 413–414.
- [21] Jeroen Donkers, Jos Uiterwijk, and Jaap van den Herik. Learning opponent-type probabilities for prOM search. In Blockeel and Denecker [114], pages 91–98.
- [22] Kurt Driessens and Sašo Džeroski. Integrating experimentation and guidance in relational reinforcement learning. In Blockeel and Denecker [114], pages 415–416.
- [23] Mădălina Drugan, Dirk Thierens, and Linda van der Gaag. MDL-based feature selection for bayesian network classifiers. In Blockeel and Denecker [114], pages 99–106.
- [24] Jeroen Eggermont. Evolving fuzzy decision trees for data classification. In Blockeel and Denecker [114], pages 417–418.
- [25] Jeroen Eggermont and Tom Lenaerts. Dynamic optimization using evolutionary algorithms with a case-based memory. In Blockeel and Denecker [114], pages 107–114.
- [26] Christiaan Fluit, Marta Sabou, and Frank van Harmelen. Ontology-based information visualisation. In Blockeel and Denecker [114], pages 419–420.
- [27] David Gilis and Marc Denecker. Compositionality results for stratified nonmonotone operators. In Blockeel and Denecker [114], pages 421–422.
- [28] Birgit Hay, Geert Wets, and Koen Vanhoof. Web usage mining by means of multidimensional sequence alignment methods. In Blockeel and Denecker [114], pages 123–130.
- [29] Eveline Helsen and Linda van der Gaag. Building bayesian networks through ontologies. In Blockeel and Denecker [114], pages 423–424.
- [30] Tom Heskes and Onno Zoeter. Expectation propagation for approximate inference in dynamic bayesian networks. In Blockeel and Denecker [114], pages 425–426.
- [31] Ian Horrocks, Peter Patel-Schneider, and Frank van Harmelen. Reviewing the design of DAML+oil: an ontology language for the semantic web. In Blockeel and Denecker [114], pages 427–428.
- [32] Paul Huygen. Use of bayesian belief networks in legal reasoning. In Blockeel and Denecker [114], pages 429–430.
- [33] Gabriel Infante-Lopez, Maarten de Rijke, and Khalil Sima'an. A general probabilistic model for dependency parsing. In Blockeel and Denecker [114], pages 139–146.
- [34] Nico Jacobs and Hendrik Blockeel. Sequence prediction with mixed order markov chains. In Blockeel and Denecker [114], pages 147–154.
- [35] Wojciech Jamroga. Multiple models of reality and how to use them. In Blockeel and Denecker [114], pages 155–162.
- [36] Davy Janssens, Tom Brijs, Koen Vanhoof, and Geert Wets. Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In Blockeel and Denecker [114], pages 163–170.
- [37] Catholijn Jonker, Arno de Kock, Joost Meijer, and Bas Vermeulen. Deliberate evolution agents: Comparing reproduction strategies. In Blockeel and Denecker [114], pages 433–434.
- [38] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. BDI-modelling of intracellular dynamics. In Blockeel and Denecker [114], pages 435–436.
- [39] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. Putting intentions into cell biochemistry: An artificial intelligence perspective. In Blockeel and Denecker [114], pages 437–438.

- [40] Catholijn Jonker and Jan Treur. Analysis of the dynamics of reasoning using multiple representations. In Blockeel and Denecker [114], pages 441–442.
- [41] Catholijn Jonker and Jan Treur. A dynamic perspective on an agent’s mental states and interaction with its environment. In Blockeel and Denecker [114], pages 439–440.
- [42] Catholijn Jonker, Jan Treur, and Wieke de Vries. Temporal analysis of the dynamics of beliefs, desires, and intentions. In Blockeel and Denecker [114], pages 443–444.
- [43] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. Requirements specification and automated evaluation of dynamic properties of a component-based design. In Blockeel and Denecker [114], pages 445–446.
- [44] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. Temporal languages for simulation and analysis of the dynamics within an organisation. In Blockeel and Denecker [114], pages 447–448.
- [45] Jaap Kamps and Maarten Marx. Words with attitude. In Blockeel and Denecker [114], pages 449–450.
- [46] Hilbert Kappen and Wim Wiegerinck. Novel iteration schemes for the cluster variation method. In Blockeel and Denecker [114], pages 451–452.
- [47] Robert Keller, Walter Kusters, Martijn van der Vaart, and Martijn Witsenburg. Genetic programming produces strategies for agents in a dynamic environment. In Blockeel and Denecker [114], pages 171–178.
- [48] Stefan Kleijkers, Floris Wiesman, and Nico Roos. A mobile multi-agent system for distributed computing. In Blockeel and Denecker [114], pages 453–454.
- [49] Vojtěch Knězu and Leon Rothkrantz. A system for automated bookmark management. In Blockeel and Denecker [114], pages 179–186.
- [50] Raymond Kosala, Jan Van den Bussche, Maurice Bruynooghe, and Hendrik Blockeel. Information extraction in structured documents using tree automata induction. In Blockeel and Denecker [114], pages 455–456.
- [51] Steve Kremer and Jean-François Raskin. Game analysis of abuse-free contract signing. In Blockeel and Denecker [114], pages 457–458.
- [52] William Langdon. Size of random programs to ensure uniformity. In Blockeel and Denecker [114], pages 459–460.
- [53] Henk-Jan Lebbink, Cilia Witteman, and John-Jules Meyer. Ontology-based knowledge acquisition for knowledge systems. In Blockeel and Denecker [114], pages 195–202.
- [54] Tom Lenaerts, Anne Defaweux, Piet van Remortel, and Bernard Manderick. Multi-level selection in a simple evolutionary model. In Blockeel and Denecker [114], pages 203–210.
- [55] Peter Lucas. Restricted bayesian network structure learning. In Blockeel and Denecker [114], pages 211–218.
- [56] Mar Marcos, Hugo Roomans, Annette ten Teije, and Frank van Harmelen. Improving medical protocols through formalisation: a case study. In Blockeel and Denecker [114], pages 463–464.
- [57] Laura Maruster, Ton Weijters, Geerhard de Vries, Antal van den Bosch, and Walter Daelemans. Logistic-based patient grouping for multi-disciplinary treatment. In Blockeel and Denecker [114], pages 465–466.
- [58] Mark Mastop, Michiel Lampe, and Onno de Groote. Knowledge framework. In Blockeel and Denecker [114], pages 517–518.
- [59] Christof Monz and Maarten de Rijke. Knowledge-intensive question answering. In Blockeel and Denecker [114], pages 467–468.

- [60] Siegfried Nijssen and Thomas Bäck. An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In Blockeel and Denecker [114], pages 469–470.
- [61] Siegfried Nijssen and Joost Kok. Tree sets: Towards a set-oriented view on multi-relational data mining. In Blockeel and Denecker [114], pages 219–226.
- [62] Veska Noncheva and Nuno Cavahiero Marques. Agent’s belief: A stochastic approach. In Blockeel and Denecker [114], pages 227–234.
- [63] Bert Van Nuffelen. Reasoning with preferences in ID-logic. In Blockeel and Denecker [114], pages 323–330.
- [64] Elwin Oost, Stephan ten Hagen, and Floris Schulze. Extracting multivariate power functions from complex data sets. In Blockeel and Denecker [114], pages 235–242.
- [65] Niels Peek. Representation of decision-theoretic plans as sets of symbolic decision rules. In Blockeel and Denecker [114], pages 471–472.
- [66] Henry Prakken. An exercise in formalising teleological case-based reasoning. In Blockeel and Denecker [114], pages 473–474.
- [67] Dagmar Provijn. How to obtain elegant fitch-style proofs from goal directed ones. In Blockeel and Denecker [114], pages 243–250.
- [68] Silja Renooij, Simon Parsons, and Pauline Pardieck. Using kappas as indicators of strength in QPNs. In Blockeel and Denecker [114], pages 267–274.
- [69] Nico Roos, Annette ten Teije, André Bos, and Cees Witteveen. Multi-agent diagnosis with spatially distributed knowledge. In Blockeel and Denecker [114], pages 275–282.
- [70] Paulo Salles, Bert Bredeweg, Symone Araujo, and Walter Neto. Qualitative models of interactions between two populations. In Blockeel and Denecker [114], pages 475–476.
- [71] Remco Schaar, Leon Rothkrantz, M. Lassche, and M.V. Jonkers. Agent-based intelligent personal unified messaging. In Blockeel and Denecker [114], pages 283–290.
- [72] Kurt Schelfhout and Tom Holvoet. “to do or not to do” : The individual’s model for emergent task allocation. In Blockeel and Denecker [114], pages 477–478.
- [73] Niels Schoot and Wouter Jansweijer. Improving the quality of information in document based communications using a reusable multi-agent system. In Blockeel and Denecker [114], pages 519–520.
- [74] Danielle Sent and Linda van der Gaag. Test selection: the gini index and the shannon entropy behave differently. In Blockeel and Denecker [114], pages 291–298.
- [75] Alexander Serebrenik and Danny De Schreye. Inference of termination conditions for numerical loops. In Blockeel and Denecker [114], pages 479–480.
- [76] Alexander Serebrenik and Danny De Schreye. On termination of meta-programs. In Blockeel and Denecker [114], pages 481–482.
- [77] Silvie Spreeuwenberg and Rik Gerrits. VALENS verification component. In Blockeel and Denecker [114], pages 521–522.
- [78] Pieter Spronck, Ida Sprinkhuizen-Kuyper, and Eric Postma. Improving opponent intelligence through machine learning. In Blockeel and Denecker [114], pages 299–306.
- [79] Patrick Storms, Esther Herweijer, and Chris van Aart. Practical design guidelines for embodied conversational agents. In Blockeel and Denecker [114], pages 307–314.
- [80] Jan Struyf, Jan Ramon, and Hendrik Blockeel. Compact representation of knowledge bases in ILP. In Blockeel and Denecker [114], pages 483–484.

- [81] Heiner Stuckenschmidt. Approximate information filtering with multiple classification hierarchies. In Blockeel and Denecker [114], pages 485–486.
- [82] M.H. ter Brugge, J.A.G. Nijhuis, and Lambert Spaanenburg. Morphological template decomposition for DT-cnn. In Blockeel and Denecker [114], pages 35–42.
- [83] Herman ter Horst, Mark van Doorn, Natasha Kravtsova, Warner ten Kate, and Daniel Siahhaan. Context-aware music selection using knowledge on the semantic web. In Blockeel and Denecker [114], pages 131–138.
- [84] Hans Tonino, André Bos, Mathijs de Weerdt, and Cees Witteveen. Plan coordination by revision in collective agent based systems. In Blockeel and Denecker [114], pages 487–488.
- [85] Karl Tuyls, Tom Lenaerts, Katja Verbeeck, Sam Maes, and Bernard Manderick. Towards a relation between learning agents and evolutionary dynamics. In Blockeel and Denecker [114], pages 315–322.
- [86] Jeroen Valk and Cees Witteveen. Multi-agent coordination in planning. In Blockeel and Denecker [114], pages 489–490.
- [87] Chris van Aart, Kris Van Marcke, Ruurd Pels, and Jan Smulders. International insurance traffic with software agents. In Blockeel and Denecker [114], pages 397–398.
- [88] Michel van Dartel, Eric Postma, and Jaap van den Herik. Universal properties of adaptive behaviour. In Blockeel and Denecker [114], pages 59–66.
- [89] Evert van de Vrie. LOK: Implementation of a platform for distributed development and use of educational tasks. In Blockeel and Denecker [114], pages 525–526.
- [90] Jan van den Berg, Uzey Kaymak, and Willem-Max van den Bergh. Fuzzy classification by using probability-based rule weighting. In Blockeel and Denecker [114], pages 401–402.
- [91] Jan van den Berg, Uzey Kaymak, and Willem-Max van den Bergh. Probabilistic reasoning in fuzzy rule-based systems. In Blockeel and Denecker [114], pages 11–18.
- [92] Antal van den Bosch and Sabine Buchholz. Shallow parsing on the basis of words only: A case study. In Blockeel and Denecker [114], pages 405–406.
- [93] Roman van der Krogt, Leon Aronson, Nico Roos, Cees Witteveen, and Jonne Zutt. Tactical planning using heuristics. In Blockeel and Denecker [114], pages 187–194.
- [94] Peter van der Putten, Martijn Ramaekers, Marten den Uyl, and Joost Kok. A process model for a data fusion factory. In Blockeel and Denecker [114], pages 251–258.
- [95] Erik van der Werf, Jos Uiterwijk, and Jaap van den Herik. Solving ponnuki-go on small boards. In Blockeel and Denecker [114], pages 347–354.
- [96] Berend Jan van der Zwaag, Kees Slump, and Lambert Spaanenburg. Process identification through modular neural networks and rule extraction. In Blockeel and Denecker [114], pages 507–508.
- [97] Pim van Leeuwen, Henk Hesselink, and Jos Rohling. Scheduling aircraft using constraint satisfaction. In Blockeel and Denecker [114], pages 461–462.
- [98] Piet van Remortel, Tom Lenaerts, and Bernard Manderick. Testing the overall functional robustness of 2D ca phenotypes for development. In Blockeel and Denecker [114], pages 259–266.
- [99] Wim van Stokkum. Knowledge intensive content model management within integrated back offices. In Blockeel and Denecker [114], pages 523–524.
- [100] Michiel van Wezel and Walter Kosters. Numerical integration by cubature formulae in bayesian neural networks. In Blockeel and Denecker [114], pages 355–362.

- [101] Katja Verbeeck, Ann Nowé, and Johan Parent. Social agents playing a periodical policy. In Blockeel and Denecker [114], pages 491–492.
- [102] Jakob Verbeeck, Nikos Vlassis, and Ben Kröse. Coordinating principal component analyzers. In Blockeel and Denecker [114], pages 493–494.
- [103] Paul Vogt. Anchoring symbols to sensorimotor control. In Blockeel and Denecker [114], pages 331–338.
- [104] Arjen Vollebregt, Daan Hannessen, Henk Hesselink, and Jelle Beetstra. Modelling crew assistants with multi-agent systems in aircraft. In Blockeel and Denecker [114], pages 495–496.
- [105] Frans Voorbraak. Uncertainty in AI and bioinformatics. In Blockeel and Denecker [114], pages 497–498.
- [106] Wim Wiegerinck and Tom Heskes. IPF for discrete chain factor graphs. In Blockeel and Denecker [114], pages 499–500.
- [107] Marco Wiering. Hierarchical mixtures of naive bayesian classifiers. In Blockeel and Denecker [114], pages 363–370.
- [108] Niek Wijngaards, Benno Overeinder, Maarten van Steen, and Frances Brazier. Supporting internet-scale multi-agent systems. In Blockeel and Denecker [114], pages 501–502.
- [109] Marc Winands, Levente Kocsis, Jos Uiterwijk, and Jaap van den Herik. Learning in lines of action. In Blockeel and Denecker [114], pages 371–378.
- [110] Radboud Winkels, Alexander Boer, and Rinke Hoekstra. Lessons learned in legal information serving. In Blockeel and Denecker [114], pages 503–504.
- [111] Alexander Ypma and Tom Heskes. Clustering web surfers with mixtures of hidden markov models. In Blockeel and Denecker [114], pages 505–506.
- [112] Wojciech Zajdel and Ben Kröse. Bayesian network for multiple hypothesis tracking. In Blockeel and Denecker [114], pages 379–386.
- [113] Jonne Zutt, Leon Aronson, Roman van der Krogt, Nico Roos, and Cees Witteveen. Multi-agent transport planning. In Blockeel and Denecker [114], pages 387–394.
- [114] Hendrik Blockeel and Marc Denecker, editors. *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven, 2002.