## Список литературы

Список литературы	
[Aga33a]	Louis Agassiz, Recherches sur les Poisson Fossiles. Tome III, 1833.
[Aga33b]	, Recherches sur les Poissons Fossiles. Tome I, 1833, pp. 1–188.
[Aga33c]	, Recherches sur les Poissons Fossiles. Tome II, 1833.
[Aga33d]	, Recherches sur les Poissons Fossiles. Tome IV, 1833.
[Aga43]	, Recherches sur les Poisson Fossiles. Tome V, 1843.
[Aga46]	, Nomina Systematica Generum Piscium, tam Viventum Quam Fossilum, 1846.
[AGFC17]	J. Amalfitano, L. Giusberti, E. Fornaciari, and Giorgio Carnevale, <i>A reappraisal of the Italian record of the cretaceous Pachycormid Fish Protosphyraena Leidy, 1857</i> , Rivista Italiana di Paleontologia e Stratigrafia <b>123</b> (2017), no. 3, 475–485.
[AGRHG18]	Gloria Arratia, Katia A. González-Rodríguez, and Citlalli Hernández-Guerrero, <i>A new Pachyrhizodontid Fish (Actinopterygii, Teleostei) from the Muhi Quarry (Albian-Cenomanian), Hidalgo, Mexico</i> , Fossil Record <b>21</b> (2018), no. 1, 93–107.
[Ara66]	Camille Arambourg, Les poissons oligocènes de l'Iran, Notes et Mémoires sur le Moyen-Orient ${f 3}$ (1966), 1–210.
[Art93]	P Artedi, Petri Artedi Angermannia-Sueci synonymia nominum piscium fere omnium; Ichthyologiae pars IV. Editio II. Grypeswaldiae, 1793.
[Ban08]	Alexandre F Bannikov, Revision of the Atheriniform fish genera Rhamphognathus Agassiz and Mesogaster Agassiz (Teleostei) From the Eocene of Bolca, northern Italy, Studie Ricerche sui Giacimenti Terziari di Bolca 9 (2008), 65–76.
[Ban10]	, Iskopaemye pozvonochnye Rossii i sopredel'nykh stran. Iskopaemye kolyucheperye ryby (Teleostei, Acanthopterigii), GEOS, Moscow, 2010.
[Bar69]	David Bardack, Anatomy and evolution of Chirocentrid fishes, University of Kansas Paleontological Contributions 10 (1969), 1–86.
[Bas89]	Francesco Bassani, Ricerche sui pesci fossili di Chiavon (Strati di Sotzka - Miocene Inferiore), Atti della Reale Accademia delle Scienze Fisiche e Matematiche 3 (1889), no. 2, 1–100.
[BGM05]	William E. Bemis, Anne Giuliano, and Betty McGuire, Structure, attachment, replacement and growth of teeth in bluefish, Pomatomus saltatrix (Linnaeus, 1766), a teleost with deeply socketed teeth, Zoology 108 (2005), no. 4, 317–327.
[BN11]	Rostislav Brzobohatý and Dirk Nolf, Fish otoliths from the middle Eocene (Bartonian) of Yebra de Basa, province of Huesca, Spain, Bulletin de l'Institut Royal des Sciences Naturelles de Belqique, Sciences de la Terre 81 (2011), 279–295.
[Böh26]	J Böhm, Ueher tertiâre Versteinerungen von den hogenfelser Diamantfeldern, Die Diamantenwüste Sudwestafrikasfrikas. Vol II (E Kaiser, ed.), Berlin, 1926, pp. 55–87.
[Bou13]	Jason R Bourque, Fossil Kinosternidae from the Oligocene and Miocene of Florida, USA, Morphology and Evolution of Turtles, Springer Sciences+Business Media, Dodrecht, 2013, pp. 459–475.
[BRWA <sup>+</sup> 17]	Ricardo Betancur-R, Edward O Wiley, Gloria Arratia, Arturo Acero, Nicolas Bailly, Masaki Miya, Guillaume Lecointre, and Guillermo Ortí, <i>Phylogenetic classification of bony fishes</i> , BMC Evolutionary Biology <b>17</b> (2017), no. 162, 1–40.
[Bry91]	J Daniel Bryant, New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, Eastern Florida Panhandle, Journal of Vertebrate Paleontology 11 (1991), no. 4, 472–489.

- [BS69] David Bardack and G Sprinkle, Morphology and relationships of saurocephalid fishes, Fieldiana Geology 16 (1969), 297–340.
- [BTT91] David A Bone, Jonathan A Todd, and Steve Tracey, Fossils from the Bracklesham Group exposed in the M27 Motorway excavations, Southampton, Hampshire, Tertiary Research 12 (1991), no. 3-4, 131–137.
- [Cas44a] Edgard Casier, Contributions à l'étude des Poissons fossiles de la Belgique. VI. Sur le Sphyraenodus de l'Eocene e sur la présence d'un Sphyraenidé dans le Bruxellien (Lutétien inférieur), Bulletin de l'Institut Royal des Sciences Naturelles de Belgique **20** (1944), no. 11, 11–15.
- [Cas44b] \_\_\_\_\_, Contributions a l'etude des poissons fossiles de la Belgique. VII. Morphologie du dentaire de Sphyraenodus lerichei Casier, Bulletin du Museé Royal d'Histoire Naturelle de Belgique **20** (1944), no. 23, 1–8.
- [Cas46] \_\_\_\_\_, La faune ichthyologique de l'Yprésien de la Belgique, Mémoires du Musée Royal d'Histoire Naturelle de Belgique 104 (1946), 1–267.
- [CBRCSGS18] Jorge D Carrillo-Briceño, Andrés E Reyes-Cespedes, Rodolfo Salas-Gismondi, and Rodolfo Sánchez, A new vertebrate continental assemblage from the Tortonian of Venezuela, Swiss Journal of Palaeontology **0123456789** (2018).
- [Cha35] Frederick Chapman, Descriptions of fossil fish from New Zealand, Transactions and Proceedings of the Royal Society of New Zealand 64 (1935), 117–121.
- [Cop69] E. D. Cope, Synopsis of the Batrachia and Reptilia of North America. Part I, Transactions of the American Philosophical Society 14 (1869), 1–252.
- [Cop75] Edward D Cope, Synopsis of the Vertebrata of the Miocene of Cumberland County, New Jersey, Proceedings of the American Philosophical Society 14 (1875), no. 94, 361–364.
- [Dam83] F T W Dames, Über eine tertiäre Wirbelthier-fauna von der westlichen Insel Birketel-Qurun im Fajum (Aegypten)., Sitzungsber . d . kgl . pr . Akad . d . Wiss. zu Berlin 6 (1883), 129–135.
- [DFRC09] Stephen Díaz-Franco and Reinaldo Rojas-Consuegra, Dientes fósiles de Sphyraena (Perciformes: Sphyraenidae) en el Terciario de Cuba Occidental, Solenodon 8 (2009), 124–129.
- [DN05] Ryu Doiuchi and Tetsuji Nakabo, *The Sphyraena obtusata group (Perciformes: Sphyraenidae) with a description of a new species from southern Japan*, Ichthyological Research **52** (2005), 132–151.
- [DRCM84] Thomas A Deméré, Mark A Roeder, Robert M Chandler, and John A Minch, Paleontology of the middle Miocene Los Indios Member of the Rosarito Formation, northwestern Baja California, Mexico, Miocene and Cretaceous Depositional Environments, Northwestern Baja California, Mexico (John A Minch and James R Ashby, eds.), Pacific Section AAPG, Baja California, 1984, pp. 47–56.
- [DS88] Louis Dollo and Raymond Storms, Sur les Téléostéens du Rupélien, Zoologischer Anzeiger 11 (1888), 265–267.
- [dS63] Donald P de Sylva, Systematics and life history of the great barracuda Sphyraena barracuda (Walbaum), Studies in Tropical Oceanography 1 (1963), 1–179.
- [dSW86] Donald P de Sylva and F Williams, *Sphyraenidae*, Smiths' Sea Fishes (M M Smith and P C Heemstra, eds.), Macmillan South Africa, Johannesburg, 1986, pp. 721–726.
- [DTDP12] Diego Darriba, Guillermo L Taboada, Ramón Doallo, and David Posada, *jModelTest 2:* more models, new heuristics and parallel computing, Nature Methods **9** (2012), no. 8, 772–772 (en).

- [FC18] Matt Friedman and Giorgio Carnevale, *The Bolca Lagerstätten: shallow marine life in the Eocene*, Journal of the Geological Society **175** (2018), no. 4, 569–579.
- [FEvdL19] R Fricke, W N Eschmeyer, and R van der Laan, Eschmeyer's catalog of Fishes: Genera, species, references, 2019.
- [FF05] FAO-FIGIS, *Trachurus trachurus*, A World Overview of Species of Interest to Fisheries, FAO, Rome, 2005, pp. 1–3.
- [FKW11] Ronald Fricke, Michel Kulbick, and Laurent Wantiez, Checklist of the fishes of New Caledonia, and their distribution in the Southwest Pacific Ocean (Pisces), Stuttgarter Beiträge zur Naturkunde A, New Series 4 (2011), 341–463.
- [FMCM16] Federico Fanti, Daniela Minelli, Gabriele Larocca Conte, and Tetsuto Miyashita, An exceptionally preserved Eocene Shark and the rise of modern predator-prey interactions in the coral reef food web, Zoological Letters 2 (2016), 2–18.
- [For77] Peter L Forey, The osteology of Notelops Woodward, Rhacolepis Agassiz and Pachyrhizodus Dixon (Pisces: Teleostei), Bulletin of the British Museum (Natural History) 28 (1977), no. 2, 123–204.
- [Fow03] Henry W Fowler, New and little known Mugilidae and Sphyraenidae, Proceedings of the Academy of Natural Sciences of Philadelphia 55 (1903), no. 1903, 743–752.
- [Gil84] David D Gillette, A marine ichthyofauna from the Miocene of Panama, and the Tertiary Caribbean Faunal Province, Journal of Vertebrate Paleontology 4 (1984), no. 2, 172–186.
- [GRW08] Justin R Grubich, Aaron N Rice, and Mark W Westneat, Functional morphology of bite mechanics in the Great Barracuda (Sphyraena barracuda), Zoology 111 (2008), no. 1, 16–29.
- [GSO<sup>+</sup>17] Michael D Gottfried, Karen E Samonds, Summer A Ostrowski, Tsiory Harimalala Andrianavalona, and Tolotra Niaina Ramihangihajason, New evidence indicates the presence of Barracuda (Sphyraenidae) and supports a tropical marine environment in the Miocene of Madagascar, PLoS ONE 12 (2017), no. 5, 1–9.
- [Har24] R Harlan, On a new fossil genus, of the order Enalio Sauri (of Conybeare): and on a new species of Ichthyosaurus, Journal fo the Academy of Natural Sciences of Philadelphia 3 (1824), 331–338.
- [Hay30] Isaac Hays, Description of a fragment of the head of a new fossil animal, discovered in a Marl Pit, near Moorestown, New Jersey, Transactions of the American Philosophical Society 3 (1830), 471–477.
- [HJM<sup>+</sup>15] Austin J. W. Hendy, Douglas S. Jones, Federico Moreno, Vladimir Zapata, and Carlos A Jaramillo, Neogene molluscs, shallow marine paleoenvironments, and chronostratigraphy of the Guajira Peninsula, Colombia, Swiss Journal of Palaeontology (2015), 1–31.
- [HN79] Beatrijs Huyghebaert and Dirk Nolf, on fish-otoliths, published since 1968, Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie 16 (1979), no. 4, 139–170.
- [ICZ99] ICZN, International Code of Zoological Nomenclature, 4th ed., The International Trust for Zoological Nomenclature, London, 1999.
- [KS13] Kazutaka Katoh and Daron M. Standley, MAFFT multiple sequence alignment software version 7: Improvements in performance and usability, Molecular Biology and Evolution 30 (2013), no. 4, 772–780.
- [Lei55] Joseph Leidy, *Indications of twelve species of fossil Fishes*, Proeceedings of the Academy of Natural Sciencies of Philadelphia 7 (1855), 395–397.

- [Lei56] \_\_\_\_\_\_, Notice of remains of extinct vertebrated animals of New-Jersey, collected by Prof. Cook of the State Geological Survey under the direction of Dr. W. Kitchell, Proceedings of the Academy of Natural Sciences of Philadelphia 8 (1856), 220–221.
- [Lei77] \_\_\_\_\_\_, Description of vertebrate remains chiefly from the phosphate beds of South Carolina, Journal of the Academy of Natural Sciences 8 (1877), no. 3, 209–261.
- [Mai78] A. J. Mainwaring, Anatomical and Systematic review of the Pachycormidae, a family of Mesozoic fossil fishes, 162.
- [Mas00] Guillem Mas, Ictiofauna del Pliocè mitjà-superior de la conca sedimentària de Palma (Illes Balears, Mediterrània Occidental). Implicacions paleoambientals, Bolleti de la Societat d'Historia Natural de les Balears 43 (2000), 39–61.
- [MCD<sup>+</sup>07] Stefano Marsili, Giorgio Carnevale, Ermanno Danese, Giovanni Bianucci, and Walter Landini, Early Miocene vertebrates from Montagna della Maiella, Italy, Annales de Paléontologie **93** (2007), no. 1, 27–66.
- [MCP+19] Octávio Mateus, Pedro M. Callapez, Michael J. Polcyn, Anne S. Schulp, António Olímpio Gonçalves, and Louis L. Jacobs, *The Fossil Record of Biodiversity in Angola Through Time: A Paleontological Perspective*, Biodiversity of Angola (2019), 53–76.
- [MHQ+15] Federico Moreno, A J W Hendy, Luis Quiroz, Natalia Hoyos, D S Jones, Vladimir Zapata, S Zapata, Gustavo A Ballen, E Cadena, A L Cárdenas, Jorge D Carrillo-Briceño, J D Carrillo, D Delgado-Sierra, J Escobar, J I Martínez, C Martínez, Camilo Montes, J Moreno, N Pérez, R. Sánchez, C Suárez, M C Vallejo-Pareja, and Carlos A Jaramillo, Revised stratigraphy of Neogene strata in the Cocinetas Basin, La Guajira, Colombia, Swiss Journal of Palaeontology 134 (2015), 5–43.
- [MN84] Seth E Meek and Robert G Newland, A review of the American species of the genus Sphyraena, Proceedings of the Academy of Natural Sciences of Philadelphia **36** (1884), 67–75.
- [Mon00] Kenneth Anthony Monsch, The Phylogeny of the Scombroid Fishes, Ph.D. thesis, 2000.
- [Mon05] Kenneth A. Monsch, Revision of the scombroid fishes from the Cenozoic of England, Transactions of the Royal Society of Edinburgh: Earth Sciences 95 (2005), no. November 2016, 445–489.
- [Nak85] Izumi Nakamura, FAO Species Catalogue. Volume 5. Billifishes of the World, vol. 5, FAO, Rome, 1985.
- [NCB18] NCBI, Entrez Programming Utilities Help, no. Md, NCBI, Bethesta, 2018.
- [New77] E Tulley Newton, On the remains of Hypsodon, Portheus, and Ichthyodectes from British Cretaceous strata, with descriptions of new species, Quarterly Journal of the Geological Society 33 (1877), no. 1-4, 505–523.
- [NGW16] J S Nelson, Terry Grande, and Mark V H Wilson, Fishes of the World, 5 ed., John Wiley & Sons, New Jersey, 2016.
- [Nol72] Dirk Nolf, Deuxième note sur les Téléostéens des sabens de Lede (Éocène Belge), Bulletin de la Societe Belge de Geologie, Paleontologie et Hydrologie 81 (1972), no. 1-2, 95–109.
- [Nol85] , Handbook of Paleoichthyology. Otolithi Piscium, Gustav Fischer Verlag, 1985.
- [OGF<sup>+</sup>12] Konstantin Okonechnikov, Olga Golosova, Mikhail Fursov, Alexey Varlamov, Yuri Vaskin, Ivan Efremov, O. G. German Grehov, Denis Kandrov, Kirill Rasputin, Maxim Syabro, and Timur Tleukenov, *Unipro UGENE: A unified bioinformatics toolkit*, Bioinformatics **28** (2012), 1166–1167.

- [Pas09] Michele A. Pastore, Sphyraena intermedia sp. nov. (Pisces: Sphyraenidae): a potential new species of barracuda identified from the central Mediterranean Sea, Journal of the Marine Biological Association of the United Kingdom 89 (2009), no. 6, 1299–1303.
- [Pat93] C. Patterson, An overview of the early fossil record of Acanthomorphs, Bulletin of Marine Science **52** (1993), no. 1, 29–59.
- [PF97] María Eurídice Páramo-Fonseca, Bachea huilensis nov. gen., nov. sp., premier Tselfatioidei (Teleostei) de Colombie, Comptes Rendus de l'Academie de Sciences Serie IIa: Sciences de la Terre et des Planetes **325** (1997), no. 2, 147–150.
- [PF01] \_\_\_\_\_\_, Los peces de la familia Pachyrhizodontidae (Teleostei) del Turoniano del Valle Superior del Magdalena, Bolteín Geológico Ingeominas 39 (2001), 47–83.
- [QKC<sup>+</sup>18] Frédéric Quillévéré, Efterpi Koskeridou, Jean-Jacques Cornée, Pierre Moissette, Angela Girone, and Konstantina Agiadi, *Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean*, Quaternary Science Reviews **196** (2018), 80–99.
- [R C17] R Core Development Team, R: A language and environment for statistical computing, 2017.
- [Ran90] Rajendra Singh Rana, Palaeontology and palaeoecology of the intertrappean (Cretaceous-Tertiary transition) beds of the Peninsular India, Journal of the Palaeontological Society of India 35 (1990), 105–120.
- [Rap46] William F Rapp, Check list of the fossil fishes of New Jersey, Journal of Paleontology **20** (1946), no. 5, 510–513.
- [RB01] Clayton E Ray and David J Bohaska, Geology and Paleontology of the Lee Creek Mine, North Carolina, III, smithsonia ed., no. 90, Washington DC, 2001.
- [RTV<sup>+</sup>12] Fredrik Ronquist, Maxim Teslenko, Paul Van Der Mark, Daniel L. Ayres, Aaron Darling, Sebastian Höhna, Bret Larget, Liang Liu, Marc A. Suchard, and John P Huelsenbeck, MrBayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space, Systematic Biology 61 (2012), no. 3, 539–542.
- [RWDD68] Clayton E Ray, Alexander Wetmore, David H Dunkle, and Paul Drez, Fossil vertebrates from the marine Pleistocene of southeastern Virginia, Smithsonian Miscellaneous Collections 153 (1968), no. 3, 1–25.
- [SBK01] G L Stringer, S Q Breard, and M Kontrovitz, Biostratigraphy and Paleoecology of Diagnostic Invertebrates and Vertebrates from the Type Locality of the Oligocene Rosefiled Marl Beds, Louisiana, Gulf Coast Association of Geological Societies Transactions LI (2001), 321–328.
- [SBK10] Ortwin Schultz, Rostislav Brzobohatý, and Oldrich Kroupa, Fish teeth from the Middle Miocene of Kienberg at Mikulov, Czech Republic, Vienna Basin, Annalen des Naturhistorischen Museums in Wien, Serie A 112 (2010), 489–506.
- [SCS15] F Santini, G Carnevale, and L Sorenson, First timetree of Sphyraenidae (Percomorpha) reveals a Middle Eocene crown age and an Oligo-Miocene radiation of Barracudas, Italian Journal of Zoology 82 (2015), no. 1, 133–142.
- [Sen01] H Senou, *Sphyraenidae*, The Living Marine Resources of the Western Central Pacific. Volume 6 (K E Carpenter and V H Niem, eds.), FAO, Rome, 2001, pp. 3685–3697.
- [Smi56] J L B Smith, The fishes of the family Sphyraenidae in the western Indian Ocean, Ichthyological Bulletin of the Department of Ichthyology of Rhodes University 3 (1956), 37–46.

- [STR03] STRINGER, GARY L., Department of Ge, Paleoenvironmental Interpretations Based on Vertebrate Fossil Assemblages: An Example of their Utilization in the Gulf Coast, AAPG Bulletin 85 (2003).
- [SVAR<sup>+</sup>04] Marcelo R Sánchez-Villagra, Robert J Asher, Ascanio D Rincón, Alfredo A Carlini, Peter A Meylan, and Robert W Purdy, New faunal reports for the cerro La Cruz locality (Lower Miocene), north-eastern Venezuela, Special Papers in Palaeontology 71 (2004), 105–112.
- [Swi68] Alexandra A Switchenska, A new genus from the family Sphyraeniadae from the middle Miocene of Transcaucasia, Ocherki po Filogenii i Sistematike Iskopaemykh Ryb I Beschelyustnykh, 1968, pp. 157–161.
- [TC00] Louis Taverne and Bruno Chanet, Faugichthys loryi n. gen., n. sp. (Teleostei, Ichthyodectiformes) de l'Albien terminal (Crétacé inférieur marin) du vallon de la Fauge (Isère, France) et considérations sur la phylogénie des Ichthyodectidae, Geodiversitas 22 (2000), no. 1, 23–34.
- [TdSA10] Vladimir de Araújo Távora, André Augusto Rodrigues dos Santos, and Raphael Neto Araújo, Localidades fossilíferas da Formação Pirabas (Mioceno Inferior), Boletim do Museu Paraense Emilio Goeldi Ciencias Naturais 5 (2010), no. 2, 207–224.
- [Van18] Richard Van der Laan, Family-group names of fossil fishes, European Journal of Taxonomy (2018), no. 466, 1–167.
- [VLRCJV17] Lázaro William Viñola-López, Reinaldo Rojas-Consuegra, and Osvaldo Jiménez-Vásquez, Nuevos registros de Sphyraena (Perciformes: Sphyraenidae) para el Neógeno de Cuba y La Española, Novitates Caribaea 11 (2017), 89–94.
- [Wei38] Worms von Wilhelm Weiler, Neue Untersuchungen an Mitteloligozänen Fischen Ungarns, Geologica Hungarica. Series Palaeontologica 15 (1938), no. 1-30.
- [Wes84] James W Westgate, Lower vertebrates from the late Eocene Crow Creek local fauna, St. Francis County, Arkansas, Journal of Vertebrate Paleontology 4 (1984), no. 4, 536–546.
- [Whi26] Errol Ivor White, Eocene Fishes from Nigeria, Bulletin of the Geological Survey of Nigeria 10 (1926), 1–82.
- [Whi47] G P Whitley, New sharks and fishes from Western Australia. Part 3, Australian Zoologist 11 (1947), no. 2, 129–150.
- [Woo89] Arthur Smith Woodward, Catalogue of the Fossil Fishes in the British Museum (Natural History). Part I, Taylor & Francis, London, 1889.
- [Woo91] \_\_\_\_\_, Catalogue of the Fossil Fishes in the British Museum (Natural History). Part II, Taylor & Francis, London, 1891.
- [Woo95] \_\_\_\_\_, Catalogue of the Fossil Fishes in the British Museum (Natural History). Part III, Taylor & Francis, London, 1895.
- [Woo01] \_\_\_\_\_, Catalogue of the Fossil Fishes in the British Museum (Natural History). Part IV, Taylor & Francis, London, 1901.