

Список литературы

- [1] Beyer, H.-G. and Langdon, W., eds.: *Foundations of Genetic Algorithms*. ACM, Schwarzenberg, Austria (2011)
- [2] Jansen, T. and Zarges, C.: Analysis of evolutionary algorithms: from computational complexity analysis to algorithm engineering. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 1–14. ACM, Schwarzenberg, Austria (2011)
- [3] Arnold, D. V.: On the behaviour of the $(1, \lambda)$ -es for a simple constrained problem. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 15–24. ACM, Schwarzenberg, Austria (2011)
- [4] Langdon, W. B.: Elementary bit string mutation landscapes. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 25–41. ACM, Schwarzenberg, Austria (2011)
- [5] Popovici, E., Winston, E., and Bucci, A.: On the practicality of optimal output mechanisms for co-optimization algorithms. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 43–59. ACM, Schwarzenberg, Austria (2011)
- [6] Coulom, R., Rolet, P., Sokolovska, N., and Teytaud, O.: Handling expensive optimization with large noise. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 61–68. ACM, Schwarzenberg, Austria (2011)
- [7] Durrett, G., Neumann, F., and O'Reilly, U.-M.: Computational complexity analysis of simple genetic programming on two problems modeling isolated program semantics. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 69–80. ACM, Schwarzenberg, Austria (2011)
- [8] Friedrich, T., Bringmann, K., Voss, T., and Igel, C.: The logarithmic hypervolume indicator. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 81–91. ACM, Schwarzenberg, Austria (2011)
- [9] Sutton, A. M., Whitley, D., and Howe, A. E.: Approximating the distribution of fitness over hamming regions. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 93–103. ACM, Schwarzenberg, Austria (2011)
- [10] Kaden, L., Weicker, N., and Weicker, K.: The role of selective pressure when solving symmetric functions in polynomial time. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 105–117. ACM, Schwarzenberg, Austria (2011)
- [11] Doerr, B., Johannsen, D., and Schmidt, M.: Runtime analysis of the $(1+1)$ evolutionary algorithm on strings over finite alphabets. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 119–126. ACM, Schwarzenberg, Austria (2011)
- [12] Auger, A., Brockhoff, D., and Hansen, N.: Analyzing the impact of mirrored sampling and sequential selection in elitist evolution strategies. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 127–138. ACM, Schwarzenberg, Austria (2011)
- [13] Sudholt, D.: Using Markov-chain mixing time estimates for the analysis of ant colony optimization. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 139–150. ACM, Schwarzenberg, Austria (2011)
- [14] Moraglio, A.: Abstract convex evolutionary search. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 151–162. ACM, Schwarzenberg, Austria (2011)
- [15] Doerr, B., Johannsen, D., Kotzing, T., Lehre, P. K., Wagner, M., and Winzen, C.: Faster black-box algorithms through higher arity operators. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 163–171. ACM, Schwarzenberg, Austria (2011)
- [16] Cathabard, S., Lehre, P. K., and Yao, X.: Non-uniform mutation rates for problems with unknown solution lengths. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 173–180. ACM, Schwarzenberg, Austria (2011)

- [17] Lassig, J. and Sudholt, D.: Adaptive population models for offspring populations and parallel evolutionary algorithms. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 181–192. ACM, Schwarzenberg, Austria (2011)
- [18] Wright, A. H., Gedeon, T., and Richter, J. N.: On the movement of vertex fixed points in the simple GA. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 193–207. ACM, Schwarzenberg, Austria (2011)
- [19] Kotzing, T., Neumann, F., Sudholt, D., and Wagner, M.: Simple max-min ant systems and the optimization of linear pseudo-Boolean functions. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 209–218. ACM, Schwarzenberg, Austria (2011)
- [20] Bassett, J. K. and De Jong, K. A.: Using multivariate quantitative genetics theory to assist in EA customization. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 219–229. ACM, Schwarzenberg, Austria (2011)
- [21] Malago, L., Matteucci, M., and Pistone, G.: Towards the geometry of estimation of distribution algorithms based on the exponential family. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 230–242. ACM, Schwarzenberg, Austria (2011)
- [22] Beume, N., Laumanns, M., and Rudolph, G.: Convergence rates of SMS-EMOA on continuous bi-objective problem classes. In Beyer, H.-G. and Langdon, W., eds., *Foundations of Genetic Algorithms*, 243–251. ACM, Schwarzenberg, Austria (2011)