

## Список литературы

- [1] Arratia G, González-Rodríguez KA, Hernández-Guerrero C. 2018 A new Pachyrhizodontid Fish (Actinopterygii, Teleostei) from the Muhi Quarry (Albian-Cenomanian), Hidalgo, Mexico. *Fossil Record* **21**, 1, 93–107. (doi:10.5194/fr-21-93-2018).
- [2] Agassiz L. 1833 *Recherches sur les Poissons Fossiles. Tome II*.
- [3] Doiuchi R, Nakabo T. 2005 The *Sphyraena obtusata* group (Perciformes: Sphyraenidae) with a description of a new species from southern Japan. *Ichthyological Research* **52**, 132–151. (doi:10.1007/s10228-004-0263-1).
- [4] Mainwaring AJ. 1978 Anatomical and Systematic review of the Pachycormidae, a family of Mesozoic fossil fishes p. 162.
- [5] Sánchez-Villagra MR, Asher RJ, Rincón AD, Carlini AA, Meylan PA, Purdy RW. 2004 New faunal reports for the cerro La Cruz locality (Lower Miocene), north-eastern Venezuela. *Special Papers in Palaeontology* **71**, 105–112.
- [6] Betancur-R R, Wiley EO, Arratia G, Acero A, Bailly N, Miya M, Lecointre G, Ortí G. 2017 Phylogenetic classification of bony fishes. *BMC Evolutionary Biology* **17**, 162, 1–40.
- [7] Fowler HW. 1903 New and little known Mugilidae and Sphyraenidae. *Proceedings of the Academy of Natural Sciences of Philadelphia* **55**, 1903, 743–752.
- [8] Brzobohatý R, Nolf D. 2011 Fish otoliths from the middle Eocene (Bartonian) of Yebra de Basa, province of Huesca, Spain. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre* **81**, 279–295.
- [9] Cope ED. 1875 Synopsis of the Vertebrata of the Miocene of Cumberland County, New Jersey. *Proceedings of the American Philosophical Society* **14**, 94, 361–364.
- [10] Bryant JD. 1991 New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, Eastern Florida Panhandle. *Journal of Vertebrate Paleontology* **11**, 4, 472–489.
- [11] Okonechnikov K, Golosova O, Fursov M, Varlamov A, Vaskin Y, Efremov I, German Grehov OG, Kandrov D, Rasputin K, Syabro M, et al. 2012 Unipro UGENE: A unified bioinformatics toolkit. *Bioinformatics* **28**, 1166–1167. (doi:10.1093/bioinformatics/bts091).
- [12] Arambourg C. 1966 Les poissons oligocènes de l'Iran. *Notes et Mémoires sur le Moyen-Orient* **3**, 1–210.
- [13] Amalfitano J, Giusberti L, Fornaciari E, Carnevale G. 2017 A reappraisal of the Italian record of the cretaceous Pachycormid Fish *Protosphyraena* Leidy, 1857. *Rivista Italiana di Paleontologia e Stratigrafia* **123**, 3, 475–485.
- [14] Dollo L, Storms R. 1888 Sur les Téléostéens du Rupélien. *Zoologischer Anzeiger* **11**, 265–267.
- [15] Ronquist F, Teslenko M, Van Der Mark P, Ayres DL, Darling A, Höhna S, Larget B, Liu L, Suchard MA, Huelsenbeck JP. 2012 MrBayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology* **61**, 3, 539–542. (doi:10.1093/sysbio/sys029).
- [16] R Core Development Team. 2017. R: A language and environment for statistical computing.
- [17] Bannikov AF. 2010 *Iskopaemye pozvonochnye Rossii i sopredel'nykh stran. Iskopaemye kolyucheperye ryby (Teleostei, Acanthopterygii)*. Moscow: GEOS.
- [18] Leidy J. 1856 Notice of remains of extinct vertebrated animals of New-Jersey, collected by Prof. Cook of the State Geological Survey under the direction of Dr. W. Kitchell. *Proceedings of the Academy of Natural Sciences of Philadelphia* **8**, 220–221.
- [19] Weiler WvW. 1938 Neue Untersuchungen an Mitteloligozänen Fischen Ungarns. *Geologica Hungarica. Series Palaeontologica* **15**, 1–30.

- [20] Bone DA, Todd JA, Tracey S. 1991 Fossils from the Bracklesham Group exposed in the M27 Motorway excavations, Southampton, Hampshire. *Tertiary Research* **12**, 3-4, 131–137.
- [21] FAO-FIGIS. 2005 *Trachurus trachurus*. In: *A World Overview of Species of Interest to Fisheries*, pp. 1–3. Rome: FAO.
- [22] Rana RS. 1990 Palaeontology and palaeoecology of the intertrappean (Cretaceous-Tertiary transition) beds of the Peninsular India. *Journal of the Palaeontological Society of India* **35**, 105–120.
- [23] Leidy J. 1855 Indications of twelve species of fossil Fishes. *Proceedings of the Academy of Natural Sciences of Philadelphia* **7**, 395–397.
- [24] Grubich JR, Rice AN, Westneat MW. 2008 Functional morphology of bite mechanics in the Great Barracuda (*Sphyraena barracuda*). *Zoology* **111**, 1, 16–29. (doi:10.1016/j.zool.2007.05.003).
- [25] Bardack D. 1969 Anatomy and evolution of Chirocentrid fishes. *University of Kansas Paleontological Contributions* **10**, 1–86.
- [26] Casier E. 1946 La faune ichthyologique de l'Yprésien de la Belgique. *Mémoires du Musée Royal d'Histoire Naturelle de Belgique* **104**, 1–267.
- [27] Mateus O, Callapez PM, Polcyn MJ, Schulp AS, Gonçalves AO, Jacobs LL. 2019 The Fossil Record of Biodiversity in Angola Through Time: A Paleontological Perspective. *Biodiversity of Angola* pp. 53–76. (doi:10.1007/978-3-030-03083-4\_4).
- [28] Friedman M, Carnevale G. 2018 The Bolca Lagerstätten: shallow marine life in the Eocene. *Journal of the Geological Society* **175**, 4, 569–579. (doi:10.1144/jgs2017-164).
- [29] Monsch KA. 2000 *The Phylogeny of the Scombroid Fishes*. Ph.D. thesis.
- [30] Bannikov AF. 2008 Revision of the Atheriniform fish genera *Rhamphognathus* Agassiz and *Mesogaster* Agassiz (Teleostei) From the Eocene of Bolca, northern Italy. *Studie Ricerche sui Giacimenti Terziari di Bolca* **9**, 65–76.
- [31] Nelson JS, Grande T, Wilson MVH. 2016 *Fishes of the World*. New Jersey: John Wiley & Sons, 5 ed.
- [32] Pastore MA. 2009 *Sphyraena intermedia* sp. nov. (Pisces: Sphyraenidae): a potential new species of barracuda identified from the central Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom* **89**, 6, 1299–1303. (doi:10.1017/S0025315409000575).
- [33] Forey PL. 1977 The osteology of *Notelops* Woodward, *Rhacolepis* Agassiz and *Pachyrhizodus* Dixon (Pisces: Teleostei). *Bulletin of the British Museum (Natural History)* **28**, 2, 123–204.
- [34] Mas G. 2000 Ictiofauna del Pliocè mitjà-superior de la conca sedimentària de Palma (Illes Balears, Mediterrània Occidental). Implicacions paleoambientals. *Bolletí de la Societat d'Historia Natural de les Balears* **43**, 39–61.
- [35] Nolf D. 1985 *Handbook of Paleoichthyology. Otolithi Piscium*. Gustav Fischer Verlag.
- [36] Hays I. 1830 Description of a fragment of the head of a new fossil animal, discovered in a Marl Pit, near Moorestown, New Jersey. *Transactions of the American Philosophical Society* **3**, 471–477.
- [37] Carrillo-Briceño JD, Reyes-Céspedes AE, Salas-Gismondi R, Sánchez R. 2018 A new vertebrate continental assemblage from the Tortonian of Venezuela. *Swiss Journal of Palaeontology* **0123456789**. (doi:10.1007/s13358-018-0180-y).
- [38] Fricke R, Kulbick M, Wantiez L. 2011 Checklist of the fishes of New Caledonia, and their distribution in the Southwest Pacific Ocean (Pisces). *Stuttgarter Beiträge zur Naturkunde A, New Series* **4**, 341–463.
- [39] Woodward AS. 1895 *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part III*. London: Taylor & Francis.

- [40] Artedi P. 1793 *Petri Artedi Angermannia–Sueci synonymia nominum piscium fere omnium;... Ichthyologiae pars IV. Editio II. Grypeswaldiae*.
- [41] Fricke R, Eschmeyer WN, van der Laan R. 2019. Eschmeyer’s catalog of Fishes: Genera, species, references.
- [42] Fanti F, Minelli D, Conte GL, Miyashita T. 2016 An exceptionally preserved Eocene Shark and the rise of modern predator–prey interactions in the coral reef food web. *Zoological Letters* **2**, 2–18. (doi:10.1186/s40851-016-0045-4).
- [43] de Sylva DP. 1963 Systematics and life history of the great barracuda *Sphyræna barracuda* (Walbaum). *Studies in Tropical Oceanography* **1**, 1–179.
- [44] Dames FTW. 1883 Über eine tertiäre Wirbelthier-fauna von der westlichen Insel Birket-el-Qurun im Fajum (Aegypten). *Sitzungsber . d . kgl . pr . Akad . d . Wiss. zu Berlin* **6**, 129–135.
- [45] Páramo-Fonseca ME. 2001 Los peces de la familia Pachyrhizodontidae (Teleostei) del Turoniano del Valle Superior del Magdalena. *Boletín Geológico Ingeominas* **39**, 47–83.
- [46] Whitley GP. 1947 New sharks and fishes from Western Australia. Part 3. *Australian Zoologist* **11**, 2, 129–150.
- [47] Deméré TA, Roeder MA, Chandler RM, Minch JA. 1984 Paleontology of the middle Miocene Los Indios Member of the Rosarito Formation, northwestern Baja California, Mexico. In: Minch JA, Ashby JR (eds.), *Miocene and Cretaceous Depositional Environments, Northwestern Baja California, Mexico*, pp. 47–56. Baja California: Pacific Section AAPG.
- [48] Bourque JR. 2013 Fossil Kinosternidae from the Oligocene and Miocene of Florida, USA. In: *Morphology and Evolution of Turtles*, pp. 459–475. Dodrecht: Springer Sciences+Business Media. (doi:10.5860/choice.50-3263).
- [49] Santini F, Carnevale G, Sorenson L. 2015 First timetree of Sphyrænidae (Percomorpha) reveals a Middle Eocene crown age and an Oligo–Miocene radiation of Barracudas. *Italian Journal of Zoology* **82**, 1, 133–142. (doi:10.1080/11250003.2014.962630).
- [50] Darriba D, Taboada GL, Doallo R, Posada D. 2012 jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods* **9**, 8, 772–772. (doi:10.1038/nmeth.2109).
- [51] Rapp WF. 1946 Check list of the fossil fishes of New Jersey. *Journal of Paleontology* **20**, 5, 510–513.
- [52] Marsili S, Carnevale G, Danese E, Bianucci G, Landini W. 2007 Early Miocene vertebrates from Montagna della Maiella, Italy. *Annales de Paléontologie* **93**, 1, 27–66. (doi:10.1016/j.annpal.2007.01.001).
- [53] Casier E. 1944 Contributions a l’étude des poissons fossiles de la Belgique. VII. Morphologie du dentaire de *Sphyrænodus lerichei* Casier. *Bulletin du Musée Royal d’Histoire Naturelle de Belgique* **20**, 23, 1–8.
- [54] Huyghebaert B, Nolf D. 1979 on fish-otoliths, published since 1968. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie* **16**, 4, 139–170.
- [55] Bemis WE, Giuliano A, McGuire B. 2005 Structure, attachment, replacement and growth of teeth in bluefish, *Pomatomus saltatrix* (Linnaeus, 1766), a teleost with deeply socketed teeth. *Zoology* **108**, 4, 317–327. (doi:10.1016/j.zool.2005.09.004).
- [56] Nakamura I. 1985 *FAO Species Catalogue. Volume 5. Billfishes of the World*, vol. 5. Rome: FAO.
- [57] Newton ET. 1877 On the remains of *Hypsodon*, *Portheus*, and *Ichthyodectes* from British Cretaceous strata, with descriptions of new species. *Quarterly Journal of the Geological Society* **33**, 1-4, 505–523.

- [58] Bassani F. 1889 Ricerche sui pesci fossili di Chiavon (Strati di Sotzka - Miocene Inferiore). *Atti della Reale Accademia delle Scienze Fisiche e Matematiche* **3**, 2, 1–100.
- [59] Woodward AS. 1901 *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part IV*. London: Taylor & Francis.
- [60] Leidy J. 1877 Description of vertebrate remains chiefly from the phosphate beds of South Carolina. *Journal of the Academy of Natural Sciences* **8**, 3, 209–261.
- [61] White EI. 1926 Eocene Fishes from Nigeria. *Bulletin of the Geological Survey of Nigeria* **10**, 1–82.
- [62] Hendy AJW, Jones DS, Moreno F, Zapata V, Jaramillo CA. 2015 Neogene molluscs, shallow marine paleoenvironments, and chronostratigraphy of the Guajira Peninsula, Colombia. *Swiss Journal of Palaeontology* pp. 1–31. (doi:10.1007/s13358-015-0074-1).
- [63] Katoh K, Standley DM. 2013 MAFFT multiple sequence alignment software version 7: Improvements in performance and usability. *Molecular Biology and Evolution* **30**, 4, 772–780. (doi:10.1093/molbev/mst010).
- [64] Nolf D. 1972 Deuxième note sur les Téléostéens des sabens de Lede (Éocène Belge). *Bulletin de la Société Belge de Géologie, Paléontologie et Hydrologie* **81**, 1-2, 95–109.
- [65] Senou H. 2001 Sphyraenidae. In: Carpenter KE, Niem VH (eds.), *The Living Marine Resources of the Western Central Pacific. Volume 6*, pp. 3685–3697. Rome: FAO.
- [66] Gillette DD. 1984 A marine ichthyofauna from the Miocene of Panama, and the Tertiary Caribbean Faunal Province. *Journal of Vertebrate Paleontology* **4**, 2, 172–186.
- [67] Woodward AS. 1889 *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part I*. London: Taylor & Francis.
- [68] Agassiz L. 1846 *Nomina Systematica Generum Piscium, tam Viventum Quam Fossilum*.
- [69] Agassiz L. 1833 *Recherches sur les Poisson Fossiles. Tome III*.
- [70] Ray CE, Wetmore A, Dunkle DH, Drez P. 1968 Fossil vertebrates from the marine Pleistocene of southeastern Virginia. *Smithsonian Miscellaneous Collections* **153**, 3, 1–25.
- [71] Quillévéré F, Koskeridou E, Cornée JJ, Moissette P, Girone A, Agiadi K. 2018 Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean. *Quaternary Science Reviews* **196**, 80–99. (doi:10.1016/j.quascirev.2018.07.037).
- [72] Schultz O, Brzobohatý R, Kroupa O. 2010 Fish teeth from the Middle Miocene of Kienberg at Mikulov, Czech Republic, Vienna Basin. *Annalen des Naturhistorischen Museums in Wien, Serie A* **112**, 489–506.
- [73] Díaz-Franco S, Rojas-Consuegra R. 2009 Dientes fósiles de *Sphyraena* (Perciformes: Sphyraenidae) en el Terciario de Cuba Occidental. *Solenodon* **8**, 124–129.
- [74] Böhm J. 1926 Ueber tertiäre Versteinerungen von den hogenfelder Diamantfeldern. In: Kaiser E (ed.), *Die Diamantenwüste Südwestafrikas. Vol II*, pp. 55–87. Berlin.
- [75] Westgate JW. 1984 Lower vertebrates from the late Eocene Crow Creek local fauna, St. Francis County, Arkansas. *Journal of Vertebrate Paleontology* **4**, 4, 536–546.
- [76] Gottfried MD, Samonds KE, Ostrowski SA, Andrianavalona TH, Ramihangihajason TN. 2017 New evidence indicates the presence of Barracuda (Sphyraenidae) and supports a tropical marine environment in the Miocene of Madagascar. *PLoS ONE* **12**, 5, 1–9. (doi:10.1371/journal.pone.0176553).
- [77] ICZN. 1999 *International Code of Zoological Nomenclature*. London: The International Trust for Zoological Nomenclature, 4th ed.

- [78] Harlan R. 1824 On a new fossil genus, of the order Enalio Sauri ( of Conybeare): and on a new species of Ichthyosaurus. *Journal fo the Academy of Natural Sciences of Philadelphia* **3**, 331–338. (doi:10.1080/14786442408644630).
- [79] Casier E. 1944 Contributions à l'étude des Poissons fossiles de la Belgique. VI. Sur le Sphyraenodus de l'Eocene e sur la présence d'un Sphyraenidé dans le Bruxellien (Lutétien inférieur). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique* **20**, 11, 11–15.
- [80] Woodward AS. 1891 *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part II*. London: Taylor & Francis.
- [81] STRINGER, GARY L, Department of Ge. 2003 Paleoenvironmental Interpretations Based on Vertebrate Fossil Assemblages: An Example of their Utilization in the Gulf Coast. *AAPG Bulletin* **85**. (doi:10.1306/8626cfaf-173b-11d7-8645000102c1865d).
- [82] Páramo-Fonseca ME. 1997 *Bachea huilensis* nov. gen., nov. sp., premier Tselfatioidei (Teleostei) de Colombie. *Comptes Rendus de l'Academie de Sciences - Serie IIa: Sciences de la Terre et des Planetes* **325**, 2, 147–150. (doi:10.1016/S1251-8050(97)83976-6).
- [83] Chapman F. 1935 Descriptions of fossil fish from New Zealand. *Transactions and Proceedings of the Royal Society of New Zealand* **64**, 117–121.
- [84] de Sylva DP, Williams F. 1986 Sphyraenidae. In: Smith MM, Heemstra PC (eds.), *Smiths' Sea Fishes*, pp. 721–726. Johannesburg: Macmillan South Africa.
- [85] Ray CE, Bohaska DJ. 2001 *Geology and Paleontology of the Lee Creek Mine, North Carolina, III*. 90. Washington DC, smithsonia ed. (doi:10.5479/si.00810266.90.1).
- [86] Patterson C. 1993 An overview of the early fossil record of Acanthomorphs. *Bulletin of Marine Science* **52**, 1, 29–59.
- [87] Bardack D, Sprinkle G. 1969 Morphology and relationships of saurocephalid fishes. *Fieldiana Geology* **16**, 297–340.
- [88] Monsch KA. 2005 Revision of the scombroid fishes from the Cenozoic of England. *Transactions of the Royal Society of Edinburgh: Earth Sciences* **95**, November 2016, 445–489. (doi:10.1017/S0263593300001164).
- [89] Agassiz L. 1833 *Recherches sur les Poissons Fossiles. Tome IV*.
- [90] Moreno F, Hendy AJW, Quiroz L, Hoyos N, Jones DS, Zapata V, Zapata S, Ballen GA, Cadena E, Cárdenas AL, *et al.* 2015 Revised stratigraphy of Neogene strata in the Cocinetas Basin, La Guajira, Colombia. *Swiss Journal of Palaeontology* **134**, 5–43. (doi:10.1007/s13358-015-0071-4).
- [91] Agassiz L. 1833. *Recherches sur les Poissons Fossiles. Tome I*.
- [92] Van der Laan R. 2018 Family-group names of fossil fishes. *European Journal of Taxonomy* , 466, 1–167. (doi:10.5852/ejt.2018.466).
- [93] Meek SE, Newland RG. 1884 A review of the American species of the genus *Sphyraena*. *Proceedings of the Academy of Natural Sciences of Philadelphia* **36**, 67–75.
- [94] Stringer GL, Breard SQ, Kontrovitz M. 2001 Biostratigraphy and Paleoecology of Diagnostic Invertebrates and Vertebrates from the Type Locality of the Oligocene Rosefield Marl Beds, Louisiana. *Gulf Coast Association of Geological Societies Transactions* **LI**, 321–328.
- [95] Cope ED. 1869 Synopsis of the Batrachia and Reptilia of North America. Part I. *Transactions of the American Philosophical Society* **14**, 1–252.
- [96] Switchenska AA. 1968 A new genus from the family Sphyraeniadae from the middle Miocene of Transcaucasia. In: *Ocherki po Filogenii i Sistematike Iskopaemykh Ryb I Beschelyustnykh*, pp. 157–161.

- [97] Agassiz L. 1843 *Recherches sur les Poisson Fossiles. Tome V.*
- [98] Viñola-López LW, Rojas-Consuegra R, Jiménez-Vásquez O. 2017 Nuevos registros de *Sphyraena* (Perciformes: Sphyraenidae) para el Neógeno de Cuba y La Española. *Novitates Caribaea* **11**, 89–94.
- [99] NCBI. 2018 *Entrez Programming Utilities Help*. Md. Bethesda: NCBI.
- [100] Taverne L, Chanet B. 2000 *Faugichthys loryi* n. gen., n. sp. (Teleostei, Ichthyodectiformes) de l'Albien terminal (Crétacé inférieur marin) du vallon de la Fauge (Isère, France) et considérations sur la phylogénie des Ichthyodectidae. *Geodiversitas* **22**, 1, 23–34.
- [101] Smith JLB. 1956 The fishes of the family Sphyraenidae in the western Indian Ocean. *Ichthyological Bulletin of the Department of Ichthyology of Rhodes University* **3**, 37–46.
- [102] Távara VdA, dos Santos AAR, Araújo RN. 2010 Localidades fossilíferas da Formação Pirabas (Mioceno Inferior). *Boletim do Museu Paraense Emilio Goeldi Ciencias Naturais* **5**, 2, 207–224.