

## Список литературы

- [van Aart et al.(2002)van Aart, Marcke, Pels, and Smulders] Chris van Aart, Kris Van Marcke, Ruurd Pels, and Jan Smulders. 2002. International insurance traffic with software agents. In [Blockeel and Denecker(2002)], pages 397–398.
- [Antal et al.(2002)Antal, Fannes, Moreau, and Moor] Peter Antal, Geert Fannes, Yves Moreau, and Bart De Moor. 2002. Using literature and data to annotate and learn bayesian networks. In [Blockeel and Denecker(2002)], pages 3–10.
- [Apistola et al.(2002)Apistola, Brazier, Kubbe, Oskamp, Schellekens, and Voulon] Martin Apistola, Frances Brazier, Onno Kubbe, Anja Oskamp, Maurice Schellekens, and Marten Voulon. 2002. Legal aspects of agent technology. In [Blockeel and Denecker(2002)], pages 399–400.
- [Areces and Heguiabehere(2002)] Carlos Areces and Juan Heguiabehere. 2002. Hylotes: A hybrid logic prover based on direct resolution. In [Blockeel and Denecker(2002)], pages 511–512.
- [van den Berg et al.(2002a)van den Berg, Kaymak, and van den Bergh] Jan van den Berg, Uzay Kaymak, and Willem-Max van den Bergh. 2002a. Fuzzy classification by using probability-based rule weighting. In [Blockeel and Denecker(2002)], pages 401–402.
- [van den Berg et al.(2002b)van den Berg, Kaymak, and van den Bergh] Jan van den Berg, Uzay Kaymak, and Willem-Max van den Bergh. 2002b. Probabilistic reasoning in fuzzy rule-based systems. In [Blockeel and Denecker(2002)], pages 11–18.
- [Beule et al.(2002)Beule, Looveren, and Zuidema] Joachim De Beule, Joris Van Looveren, and Willem Zuidema. 2002. From perception to language: grounding formal syntax in an almost real world. In [Blockeel and Denecker(2002)], pages 83–90.
- [Bioch and Popova(2002)] Jan Bioch and Viara Popova. 2002. Monotone decision trees and noisy data. In [Blockeel and Denecker(2002)], pages 19–26.
- [Blockeel and Denecker(2002)] Hendrik Blockeel and Marc Denecker, editors. 2002. *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven.
- [Bohte et al.(2002)Bohte, Gerding, and Poutré] Sander Bohte, Enrico Gerding, and Han La Poutré. 2002. Competitive market-based allocation of consumer attention space. In [Blockeel and Denecker(2002)], pages 403–404.
- [van den Bosch and Buchholz(2002)] Antal van den Bosch and Sabine Buchholz. 2002. Shallow parsing on the basis of words only: A case study. In [Blockeel and Denecker(2002)], pages 405–406.
- [Bosman and Thierens(2002)] Peter Bosman and Dirk Thierens. 2002. Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In [Blockeel and Denecker(2002)], pages 407–408.
- [Brazier et al.(2002a)Brazier, Mobach, Overeinder, Posthumus, van Splunter, van Steen, and Wijngaards] Frances Brazier, David Mobach, Benno Overeinder, Etienne Posthumus, Sander van Splunter, Maarten van Steen, and Niek Wijngaards. 2002a. Agentscape demonstration. In [Blockeel and Denecker(2002)], pages 513–514.
- [Brazier et al.(2002b)Brazier, Overeinder, van Steen, and Wijngaards] Frances Brazier, Benno Overeinder, Maarten van Steen, and Niek Wijngaards. 2002b. Generative migration of agents. In [Blockeel and Denecker(2002)], pages 409–410.
- [Broersen et al.(2002)Broersen, Dastani, and van der Torre] Jan Broersen, Mehdi Dastani, and Leendert van der Torre. 2002. Relating functionality descriptions to proof rules of input/output logic. In [Blockeel and Denecker(2002)], pages 27–34.
- [ter Brugge et al.(2002)ter Brugge, Nijhuis, and Spaanenburg] M.H. ter Brugge, J.A.G. Nijhuis, and Lambert Spaanenburg. 2002. Morphological template decomposition for DT-cnn. In [Blockeel and Denecker(2002)], pages 35–42.

- [Caminada(2002)] Martin Caminada. 2002. Agent dialogues using hang yourself arguments. In [Blockeel and Denecker(2002)], pages 43–50.
- [Cheung et al.(2002)] Cheung, Klakow, Bauer, and Rothkrantz] Yiu-Fai Cheung, Dietrich Klakow, Georg Bauer, and Leon Rothkrantz. 2002. Broadcast information topic segmentation - BITS -. In [Blockeel and Denecker(2002)], pages 51–58.
- [van Dartel et al.(2002)] van Dartel, Postma, and van den Herik] Michel van Dartel, Eric Postma, and Jaap van den Herik. 2002. Universal properties of adaptive behaviour. In [Blockeel and Denecker(2002)], pages 59–66.
- [Dastani et al.(2002a)] Dastani, de Boer, Dignum, van der Hoek, Kroese, and Meyer] Mehdi Dastani, Frank de Boer, Frank Dignum, Wiebe van der Hoek, Meindert Kroese, and John-Jules Meyer. 2002a. Implementing cognitive agents in 3APL. In [Blockeel and Denecker(2002)], pages 515–516.
- [Dastani et al.(2002b)] Dastani, Dignum, and Dignum] Mehdi Dastani, Virginia Dignum, and Frank Dignum. 2002b. Organizations and normative agents. In [Blockeel and Denecker(2002)], pages 411–412.
- [Dastani and van der Torre(2002a)] Mehdi Dastani and Leendert van der Torre. 2002a. An extension of  $\text{BDI}_{\text{ctl}}$  with functional dependencies and components. In [Blockeel and Denecker(2002)], pages 67–74.
- [Dastani and van der Torre(2002b)] Mehdi Dastani and Leendert van der Torre. 2002b. What is a normative goal? In [Blockeel and Denecker(2002)], pages 75–82.
- [Denecker et al.(2002)] Denecker, Pelov, and Bruynooghe] Marc Denecker, Nikolay Pelov, and Maurice Bruynooghe. 2002. Ultimate well-founded and stable semantics for logic programs with aggregates. In [Blockeel and Denecker(2002)], pages 413–414.
- [Donkers et al.(2002)] Donkers, Uiterwijk, and van den Herik] Jeroen Donkers, Jos Uiterwijk, and Jaap van den Herik. 2002. Learning opponent-type probabilities for prOM search. In [Blockeel and Denecker(2002)], pages 91–98.
- [Driessens and Džeroski(2002)] Kurt Driessens and Sašo Džeroski. 2002. Integrating experimentation and guidance in relational reinforcement learning. In [Blockeel and Denecker(2002)], pages 415–416.
- [Drugan et al.(2002)] Drugan, Thierens, and van der Gaag] Mădălina Drugan, Dirk Thierens, and Linda van der Gaag. 2002. MDL-based feature selection for bayesian network classifiers. In [Blockeel and Denecker(2002)], pages 99–106.
- [Eggermont(2002)] Jeroen Eggermont. 2002. Evolving fuzzy decision trees for data classification. In [Blockeel and Denecker(2002)], pages 417–418.
- [Eggermont and Lenaerts(2002)] Jeroen Eggermont and Tom Lenaerts. 2002. Dynamic optimization using evolutionary algorithms with a case-based memory. In [Blockeel and Denecker(2002)], pages 107–114.
- [Fluit et al.(2002)] Fluit, Sabou, and van Harmelen] Christiaan Fluit, Marta Sabou, and Frank van Harmelen. 2002. Ontology-based information visualisation. In [Blockeel and Denecker(2002)], pages 419–420.
- [Gilis and Denecker(2002)] David Gilis and Marc Denecker. 2002. Compositionality results for stratified nonmonotone operators. In [Blockeel and Denecker(2002)], pages 421–422.
- [de Graaf et al.(2002)] de Graaf, Kusters, Pijls, and Popova] Jeannette de Graaf, Walter Kusters, Wim Pijls, and Viara Popova. 2002. A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In [Blockeel and Denecker(2002)], pages 115–122.
- [Hay et al.(2002)] Hay, Wets, and Vanhoof] Birgit Hay, Geert Wets, and Koen Vanhoof. 2002. Web usage mining by means of multidimensional sequence alignment methods. In [Blockeel and Denecker(2002)], pages 123–130.

- [Helsper and van der Gaag(2002)] Eveline Helsper and Linda van der Gaag. 2002. Building bayesian networks through ontologies. In [Blockeel and Denecker(2002)], pages 423–424.
- [Heskes and Zoeter(2002)] Tom Heskes and Onno Zoeter. 2002. Expectation propagation for approximate inference in dynamic bayesian networks. In [Blockeel and Denecker(2002)], pages 425–426.
- [Horrocks et al.(2002)Horrocks, Patel-Schneider, and van Harmelen] Ian Horrocks, Peter Patel-Schneider, and Frank van Harmelen. 2002. Reviewing the design of DAML+oil: an ontology language for the semantic web. In [Blockeel and Denecker(2002)], pages 427–428.
- [ter Horst et al.(2002)ter Horst, van Doorn, Kravtsova, ten Kate, and Siahaan] Herman ter Horst, Mark van Doorn, Natasha Kravtsova, Warner ten Kate, and Daniel Siahaan. 2002. Context-aware music selection using knowledge on the semantic web. In [Blockeel and Denecker(2002)], pages 131–138.
- [Huygen(2002)] Paul Huygen. 2002. Use of bayesian belief networks in legal reasoning. In [Blockeel and Denecker(2002)], pages 429–430.
- [Infante-Lopez et al.(2002)Infante-Lopez, de Rijke, and Sima'an] Gabriel Infante-Lopez, Maarten de Rijke, and Khalil Sima'an. 2002. A general probabilistic model for dependency parsing. In [Blockeel and Denecker(2002)], pages 139–146.
- [Jacobs and Blockeel(2002)] Nico Jacobs and Hendrik Blockeel. 2002. Sequence prediction with mixed order markov chains. In [Blockeel and Denecker(2002)], pages 147–154.
- [Jamroga(2002)] Wojciech Jamroga. 2002. Multiple models of reality and how to use them. In [Blockeel and Denecker(2002)], pages 155–162.
- [Janssens et al.(2002)Janssens, Brijs, Vanhoof, and Wets] Davy Janssens, Tom Brijs, Koen Vanhoof, and Geert Wets. 2002. Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In [Blockeel and Denecker(2002)], pages 163–170.
- [de Jong and Oates(2002)] Edwin de Jong and Tim Oates. 2002. A coevolutionary approach to representation development. In [Blockeel and Denecker(2002)], pages 431–432.
- [Jonker et al.(2002a)Jonker, de Kock, Meijer, and Vermeulen] Catholijn Jonker, Arno de Kock, Joost Meijer, and Bas Vermeulen. 2002a. Deliberate evolution agents: Comparing reproduction strategies. In [Blockeel and Denecker(2002)], pages 433–434.
- [Jonker et al.(2002b)Jonker, Snoep, Treur, Westerhoff, and Wijngaards] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. 2002b. BDI-modelling of intracellular dynamics. In [Blockeel and Denecker(2002)], pages 435–436.
- [Jonker et al.(2002c)Jonker, Snoep, Treur, Westerhoff, and Wijngaards] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. 2002c. Putting intentions into cell biochemistry: An artificial intelligence perspective. In [Blockeel and Denecker(2002)], pages 437–438.
- [Jonker and Treur(2002a)] Catholijn Jonker and Jan Treur. 2002a. Analysis of the dynamics of reasoning using multiple representations. In [Blockeel and Denecker(2002)], pages 441–442.
- [Jonker and Treur(2002b)] Catholijn Jonker and Jan Treur. 2002b. A dynamic perspective on an agent’s mental states and interaction with its environment. In [Blockeel and Denecker(2002)], pages 439–440.
- [Jonker et al.(2002d)Jonker, Treur, and de Vries] Catholijn Jonker, Jan Treur, and Wieke de Vries. 2002d. Temporal analysis of the dynamics of beliefs, desires, and intentions. In [Blockeel and Denecker(2002)], pages 443–444.
- [Jonker et al.(2002e)Jonker, Treur, and Wijngaards] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. 2002e. Requirements specification and automated evaluation of dynamic properties of a component-based design. In [Blockeel and Denecker(2002)], pages 445–446.

- [Jonker et al.(2002f)Jonker, Treur, and Wijngaards] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. 2002f. Temporal languages for simulation and analysis of the dynamics within an organisation. In [Blockeel and Denecker(2002)], pages 447–448.
- [Kamps and Marx(2002)] Jaap Kamps and Maarten Marx. 2002. Words with attitude. In [Blockeel and Denecker(2002)], pages 449–450.
- [Kappen and Wiegerinck(2002)] Hilbert Kappen and Wim Wiegerinck. 2002. Novel iteration schemes for the cluster variation method. In [Blockeel and Denecker(2002)], pages 451–452.
- [Keller et al.(2002)Keller, Kusters, van der Vaart, and Witsenburg] Robert Keller, Walter Kusters, Martijn van der Vaart, and Martijn Witsenburg. 2002. Genetic programming produces strategies for agents in a dynamic environment. In [Blockeel and Denecker(2002)], pages 171–178.
- [Kleijkers et al.(2002)Kleijkers, Wiesman, and Roos] Stefan Kleijkers, Floris Wiesman, and Nico Roos. 2002. A mobile multi-agent system for distributed computing. In [Blockeel and Denecker(2002)], pages 453–454.
- [Knězu and Rothkrantz(2002)] Vojtěch Knězu and Leon Rothkrantz. 2002. A system for automated bookmark management. In [Blockeel and Denecker(2002)], pages 179–186.
- [Kosala et al.(2002)Kosala, den Bussche, Bruynooghe, and Blockeel] Raymond Kosala, Jan Van den Bussche, Maurice Bruynooghe, and Hendrik Blockeel. 2002. Information extraction in structured documents using tree automata induction. In [Blockeel and Denecker(2002)], pages 455–456.
- [Kremer and Raskin(2002)] Steve Kremer and Jean-François Raskin. 2002. Game analysis of abuse-free contract signing. In [Blockeel and Denecker(2002)], pages 457–458.
- [van der Krogt et al.(2002)van der Krogt, Aronson, Roos, Witteveen, and Zutt] Roman van der Krogt, Leon Aronson, Nico Roos, Cees Witteveen, and Jonne Zutt. 2002. Tactical planning using heuristics. In [Blockeel and Denecker(2002)], pages 187–194.
- [Langdon(2002)] William Langdon. 2002. Size of random programs to ensure uniformity. In [Blockeel and Denecker(2002)], pages 459–460.
- [Lebbink et al.(2002)Lebbink, Witteman, and Meyer] Henk-Jan Lebbink, Cilia Witteman, and John-Jules Meyer. 2002. Ontology-based knowledge acquisition for knowledge systems. In [Blockeel and Denecker(2002)], pages 195–202.
- [van Leeuwen et al.(2002)van Leeuwen, Hesselink, and Rohling] Pim van Leeuwen, Henk Hesselink, and Jos Rohling. 2002. Scheduling aircraft using constraint satisfaction. In [Blockeel and Denecker(2002)], pages 461–462.
- [Lenaerts et al.(2002)Lenaerts, Defaweux, van Remortel, and Manderick] Tom Lenaerts, Anne Defaweux, Piet van Remortel, and Bernard Manderick. 2002. Multi-level selection in a simple evolutionary model. In [Blockeel and Denecker(2002)], pages 203–210.
- [Lucas(2002)] Peter Lucas. 2002. Restricted bayesian network structure learning. In [Blockeel and Denecker(2002)], pages 211–218.
- [Marcos et al.(2002)Marcos, Roomans, ten Teije, and van Harmelen] Mar Marcos, Hugo Roomans, Annette ten Teije, and Frank van Harmelen. 2002. Improving medical protocols through formalisation: a case study. In [Blockeel and Denecker(2002)], pages 463–464.
- [Maruster et al.(2002)Maruster, Weijters, de Vries, van den Bosch, and Daelemans] Laura Maruster, Ton Weijters, Geerhard de Vries, Antal van den Bosch, and Walter Daelemans. 2002. Logistic-based patient grouping for multi-disciplinary treatment. In [Blockeel and Denecker(2002)], pages 465–466.
- [Mastop et al.(2002)Mastop, Lampe, and de Groote] Mark Mastop, Michiel Lampe, and Onno de Groote. 2002. Knowledge framework. In [Blockeel and Denecker(2002)], pages 517–518.

- [Monz and de Rijke(2002)] Christof Monz and Maarten de Rijke. 2002. Knowledge-intensive question answering. In [Blockeel and Denecker(2002)], pages 467–468.
- [Nijssen and Bäck(2002)] Siegfried Nijssen and Thomas Bäck. 2002. An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In [Blockeel and Denecker(2002)], pages 469–470.
- [Nijssen and Kok(2002)] Siegfried Nijssen and Joost Kok. 2002. Tree sets: Towards a set-oriented view on multi-relational data mining. In [Blockeel and Denecker(2002)], pages 219–226.
- [Noncheva and Marques(2002)] Veska Noncheva and Nuno Cavalihero Marques. 2002. Agent’s belief: A stochastic approach. In [Blockeel and Denecker(2002)], pages 227–234.
- [Nuffelen(2002)] Bert Van Nuffelen. 2002. Reasoning with preferences in ID-logic. In [Blockeel and Denecker(2002)], pages 323–330.
- [Oost et al.(2002)Oost, ten Hagen, and Schulze] Elwin Oost, Stephan ten Hagen, and Floris Schulze. 2002. Extracting multivariate power functions from complex data sets. In [Blockeel and Denecker(2002)], pages 235–242.
- [Peek(2002)] Niels Peek. 2002. Representation of decision-theoretic plans as sets of symbolic decision rules. In [Blockeel and Denecker(2002)], pages 471–472.
- [Prakken(2002)] Henry Prakken. 2002. An exercise in formalising teleological case-based reasoning. In [Blockeel and Denecker(2002)], pages 473–474.
- [Provijn(2002)] Dagmar Provijn. 2002. How to obtain elegant fitch-style proofs from goal directed ones. In [Blockeel and Denecker(2002)], pages 243–250.
- [van der Putten et al.(2002)van der Putten, Ramaekers, den Uyl, and Kok] Peter van der Putten, Martijn Ramaekers, Marten den Uyl, and Joost Kok. 2002. A process model for a data fusion factory. In [Blockeel and Denecker(2002)], pages 251–258.
- [van Remortel et al.(2002)van Remortel, Lenaerts, and Manderick] Piet van Remortel, Tom Lenaerts, and Bernard Manderick. 2002. Testing the overall functional robustness of 2D ca phenotypes for development. In [Blockeel and Denecker(2002)], pages 259–266.
- [Renooij et al.(2002)Renooij, Parsons, and Pardieck] Silja Renooij, Simon Parsons, and Pauline Pardieck. 2002. Using kappas as indicators of strength in QPNs. In [Blockeel and Denecker(2002)], pages 267–274.
- [Roos et al.(2002)Roos, ten Teije, Bos, and Witteveen] Nico Roos, Annette ten Teije, André Bos, and Cees Witteveen. 2002. Multi-agent diagnosis with spatially distributed knowledge. In [Blockeel and Denecker(2002)], pages 275–282.
- [Salles et al.(2002)Salles, Bredeweg, Araujo, and Neto] Paulo Salles, Bert Bredeweg, Symone Araujo, and Walter Neto. 2002. Qualitative models of interactions between two populations. In [Blockeel and Denecker(2002)], pages 475–476.
- [Schaar et al.(2002)Schaar, Rothkrantz, Lassche, and Jonkers] Remco Schaar, Leon Rothkrantz, M. Lassche, and M.V. Jonkers. 2002. Agent-based intelligent personal unified messaging. In [Blockeel and Denecker(2002)], pages 283–290.
- [Schelfthout and Holvoet(2002)] Kurt Schelfthout and Tom Holvoet. 2002. “to do or not to do” : The individual’s model for emergent task allocation. In [Blockeel and Denecker(2002)], pages 477–478.
- [Schoot and Jansweijer(2002)] Niels Schoot and Wouter Jansweijer. 2002. Improving the quality of information in document based communications using a reusable multi-agent system. In [Blockeel and Denecker(2002)], pages 519–520.

- [Sent and van der Gaag(2002)] Danielle Sent and Linda van der Gaag. 2002. Test selection: the gini index and the shannon entropy behave differently. In [Blockeel and Denecker(2002)], pages 291–298.
- [Serebrenik and Schreye(2002a)] Alexander Serebrenik and Danny De Schreye. 2002a. Inference of termination conditions for numerical loops. In [Blockeel and Denecker(2002)], pages 479–480.
- [Serebrenik and Schreye(2002b)] Alexander Serebrenik and Danny De Schreye. 2002b. On termination of meta-programs. In [Blockeel and Denecker(2002)], pages 481–482.
- [Spreeuwenberg and Gerrits(2002)] Silvie Spreeuwenberg and Rik Gerrits. 2002. VALENS verification component. In [Blockeel and Denecker(2002)], pages 521–522.
- [Spronck et al.(2002)Spronck, Sprinkhuizen-Kuyper, and Postma] Pieter Spronck, Ida Sprinkhuizen-Kuyper, and Eric Postma. 2002. Improving opponent intelligence through machine learning. In [Blockeel and Denecker(2002)], pages 299–306.
- [van Stokkum(2002)] Wim van Stokkum. 2002. Knowledge intensive content model management within integrated back offices. In [Blockeel and Denecker(2002)], pages 523–524.
- [Storms et al.(2002)Storms, Herweijer, and van Aart] Patrick Storms, Esther Herweijer, and Chris van Aart. 2002. Practical design guidelines for embodied conversational agents. In [Blockeel and Denecker(2002)], pages 307–314.
- [Struyf et al.(2002)Struyf, Ramon, and Blockeel] Jan Struyf, Jan Ramon, and Hendrik Blockeel. 2002. Compact representation of knowledge bases in ILP. In [Blockeel and Denecker(2002)], pages 483–484.
- [Stuckenschmidt(2002)] Heiner Stuckenschmidt. 2002. Approximate information filtering with multiple classification hierarchies. In [Blockeel and Denecker(2002)], pages 485–486.
- [Tonino et al.(2002)Tonino, Bos, de Weerd, and Witteveen] Hans Tonino, André Bos, Mathijs de Weerd, and Cees Witteveen. 2002. Plan coordination by revision in collective agent based systems. In [Blockeel and Denecker(2002)], pages 487–488.
- [Tuyts et al.(2002)Tuyts, Lenaerts, Verbeeck, Maes, and Manderick] Karl Tuyts, Tom Lenaerts, Katja Verbeeck, Sam Maes, and Bernard Manderick. 2002. Towards a relation between learning agents and evolutionary dynamics. In [Blockeel and Denecker(2002)], pages 315–322.
- [Valk and Witteveen(2002)] Jeroen Valk and Cees Witteveen. 2002. Multi-agent coordination in planning. In [Blockeel and Denecker(2002)], pages 489–490.
- [Verbeeck et al.(2002)Verbeeck, Nowé, and Parent] Katja Verbeeck, Ann Nowé, and Johan Parent. 2002. Social agents playing a periodical policy. In [Blockeel and Denecker(2002)], pages 491–492.
- [Verbeeck et al.(2002)Verbeeck, Vlassis, and Kröse] Jakob Verbeeck, Nikos Vlassis, and Ben Kröse. 2002. Coordinating principal component analyzers. In [Blockeel and Denecker(2002)], pages 493–494.
- [Vogt(2002)] Paul Vogt. 2002. Anchoring symbols to sensorimotor control. In [Blockeel and Denecker(2002)], pages 331–338.
- [Vollebregt et al.(2002)Vollebregt, Hannessen, Hesselink, and Beetstra] Arjen Vollebregt, Daan Hannessen, Henk Hesselink, and Jelle Beetstra. 2002. Modelling crew assistants with multi-agent systems in aircraft. In [Blockeel and Denecker(2002)], pages 495–496.
- [Voorbraak(2002)] Frans Voorbraak. 2002. Uncertainty in AI and bioinformatics. In [Blockeel and Denecker(2002)], pages 497–498.
- [de Vos et al.(2002)de Vos, Witteman, and Beun] Eveliene de Vos, Cilia Witteman, and Robbert-Jan Beun. 2002. Embodied conversational agents in human-computer interaction. In [Blockeel and Denecker(2002)], pages 339–346.



- [van de Vrie(2002)] Evert van de Vrie. 2002. LOK: Implementation of a platform for distributed development and use of educational tasks. In [Blockeel and Denecker(2002)], pages 525–526.
- [van der Werf et al.(2002)van der Werf, Uiterwijk, and van den Herik] Erik van der Werf, Jos Uiterwijk, and Jaap van den Herik. 2002. Solving ponnuki-go on small boards. In [Blockeel and Denecker(2002)], pages 347–354.
- [van Wezel and Kusters(2002)] Michiel van Wezel and Walter Kusters. 2002. Numerical integration by cubature formulae in bayesian neural networks. In [Blockeel and Denecker(2002)], pages 355–362.
- [Wiegerinck and Heskes(2002)] Wim Wiegerinck and Tom Heskes. 2002. IPF for discrete chain factor graphs. In [Blockeel and Denecker(2002)], pages 499–500.
- [Wiering(2002)] Marco Wiering. 2002. Hierarchical mixtures of naive bayesian classifiers. In [Blockeel and Denecker(2002)], pages 363–370.
- [Wijngaards et al.(2002)Wijngaards, Overeinder, van Steen, and Brazier] Niek Wijngaards, Benno Overeinder, Maarten van Steen, and Frances Brazier. 2002. Supporting internet-scale multi-agent systems. In [Blockeel and Denecker(2002)], pages 501–502.
- [Winands et al.(2002)Winands, Kocsis, Uiterwijk, and van den Herik] Marc Winands, Levente Kocsis, Jos Uiterwijk, and Jaap van den Herik. 2002. Learning in lines of action. In [Blockeel and Denecker(2002)], pages 371–378.
- [Winkels et al.(2002)Winkels, Boer, and Hoekstra] Radboud Winkels, Alexander Boer, and Rinke Hoekstra. 2002. Lessons learned in legal information serving. In [Blockeel and Denecker(2002)], pages 503–504.
- [Ypma and Heskes(2002)] Alexander Ypma and Tom Heskes. 2002. Clustering web surfers with mixtures of hidden markov models. In [Blockeel and Denecker(2002)], pages 505–506.
- [Zajdel and Kröse(2002)] Wojciech Zajdel and Ben Kröse. 2002. Bayesian network for multiple hypothesis tracking. In [Blockeel and Denecker(2002)], pages 379–386.
- [Zutt et al.(2002)Zutt, Aronson, van der Krogt, Roos, and Witteveen] Jonne Zutt, Leon Aronson, Roman van der Krogt, Nico Roos, and Cees Witteveen. 2002. Multi-agent transport planning. In [Blockeel and Denecker(2002)], pages 387–394.
- [van der Zwaag et al.(2002)van der Zwaag, Slump, and Spaanenburg] Berend Jan van der Zwaag, Kees Slump, and Lambert Spaanenburg. 2002. Process identification through modular neural networks and rule extraction. In [Blockeel and Denecker(2002)], pages 507–508.