Список литературы

[1] Sichtig H, Schaffer JD, Laramee CB. 2008 Ssnns -: a suite of tools to explore spiking neural networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1787–1790. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388971).

[2] Talukder AKA. 2008 Towards high speed multiobjective evolutionary optimizers. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1791–1794. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388972).

[3] Arenas-Díaz ED, Ochoterena-Booth H, Rodríguez-Vázquez K. 2008 Multiple sequence alignment using a glocsa guided genetic algorithm. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1795–1798. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388973).

[4] Santana-Quintero LV, Coello Coello CA. 2008 Accelerating convergence using rough sets theory for multi-objective optimization problems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1799–1802. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388974).

[5] Kim JW. 2008 How social structure and institutional order co-evolve beyond instrumental rationality. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1803–1806. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388975).

[6] van Krevelen DWF. 2008 Specialization with neuroevolution in a collective behaviour task. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1807–1810. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388976).

[7] Sato H, Aguirre HE, Tanaka K. 2008 Local dominance and controlling dominance area of solutions in multi and many objectives eas. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1811–1814. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388977).

[8] Paperin G. 2008 Using holey fitness landscapes to counteract premature convergence in evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1815–1818. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388978).

[9] Ribeiro JCB. 2008 Search-based test case generation for object-oriented java software using strongly-typed genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1819–1822. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388979).

[10] Korani WM. 2008 Bacterial foraging oriented by particle swarm optimization strategy for pid tuning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1823–1826. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388980).

[11] Kayani SA. 2008 Search for human competitive results in open ended automated synthesis of a primordial mechatronic system. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Graduate Student Workshops*, pp. 1827–1830. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388981).

[12] Padhye N. 2008 Topology optimization of compliant mechanism using multi-objective particle swarm optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Undergraduate Student Workshops*, pp. 1831–1834. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388983).

[13] Padhye N. 2008 Interplanetary trajectory optimization with swing-bys using evolutionary multi-objective optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Undergraduate Student Workshops*, pp. 1835–1838. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388984).

[14] Small RK. 2008 Agent smith: a real-time game-playing agent for interactive dynamic games. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Undergraduate Student Workshops*, pp. 1839–1842. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388985).

[15] Rodrigues Lima, Junior A. 2008 A study for multi-objective fitness function for time series forecasting with intelligent techniques. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Undergraduate Student Workshops*, pp. 1843–1846. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388986).

[16] Sewell MV, Yan W. 2008 Ultra high frequency financial data. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, pp. 1847–1850. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388988).

[17] Fernández-Blanco P, Bodas-Sagi DJ, Soltero FJ, Hidalgo JI. 2008 Technical market indicators optimization using evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, pp. 1851–1858. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388989).

[18] Hassan G. 2008 Non-linear factor model for asset selection using multi objective genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, pp. 1859–1862. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388990).

[19] Peralta J, Gutierrez G, Sanchis A. 2008 Adann: automatic design of artificial neural networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, pp. 1863–1870. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388991).

[20] Briza AC, Naval, Jr PC. 2008 Design of stock trading system for historical market data using multiobjective particle swarm optimization of technical indicators. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Advanced Research Challenges in Financial Evolutionary Computing (ARC-FEC)*, pp. 1871–1878. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388992).

[21] Rosenberg B, Richards M, Langton JT, Tenenbaum S, Stouch DW. 2008 Applications of multi-objective evolutionary algorithms to air operations mission planning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1879–1886. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388994).

[22] Francisco T, dos Reis GMJ. 2008 Evolving combat algorithms to control space ships in a 2d space simulation game with co-evolution using genetic programming and decision trees. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1887–1892. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388995).

[23] Francisco T, dos Reis GMJ. 2008 Evolving predator and prey behaviours with co-evolution using genetic programming and decision trees. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1893–1900. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388996).

[24] Babb B, Moore F, Peterson M, Lamont G. 2008 Evolving better satellite image compression and reconstruction transforms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1901–1906. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388997).

[25] Moore FW, Babb B. 2008 A differential evolution algorithm for optimizing signal compression and reconstruction transforms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1907–1912. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388998).

[26] Nowak DJ, Lamont GB, Peterson GL. 2008 Emergent architecture in self organized swarm systems for military applications. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1913–1920. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1388999).

[27] Merkle LD. 2008 Metaoptimization of the in-lining priority function for a compiler targeting a polymorphous computing architecture. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1921–1928. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389000).

[28] Merkle LD. 2008 Automated network forensics. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Defense Applications of Computational Intelligence (DAC)*, pp. 1929–1932. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389001).

[29] Martínez IC, Jaffe K. 2008 Comparing different modes of horizontal information transmission in stabilizing cooperation in different complex networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, pp. 1933–1938. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389003).

[30] Montes de Oca MA, Stützle T. 2008 Towards incremental social learning in optimization and multiagent systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, pp. 1939–1944. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389004).

[31] Salazar N, Rodriguez-Aguilar JA, Arcos JL. 2008 Infection-based self-configuration in agent societies. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, pp. 1945–1952. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389005).

[32] Chira C, Gog A, Dumitrescu D. 2008 Exploring population geometry and multi-agent systems: a new approach to developing evolutionary techniques. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, pp. 1953–1960. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389006).

[33] Nowak DJ, Lamont GB. 2008 Autonomous agent behavior generation using multiobjective evolutionary optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, pp. 1961–1968. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389007).

[34] Lung RI, Chira C, Dumitrescu D. 2008 An agent-based collaborative evolutionary model for multimodal optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Evolutionary Computation and Multi-Agent Systems and Simulation (ECoMASS)*, pp. 1969–1976. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389008).

[35] Howard GD, Bull L. 2008 On the effects of node duplication and connection-oriented constructivism in neural xcsf. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 1977–1984. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389010).

[36] Loiacono D, Lanzi PL. 2008 Recursive least squares and quadratic prediction in continuous multistep problems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 1985–1992. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389011).

[37] Franco MA, Martinez IC, Gorrin C. 2008 Supply chain management sales using xcsr. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 1993–2000. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389012).

[38] Enée G, Peroumalnaïk M. 2008 Adapted pittsburgh classifier system: building accurate strategies in non markovian environments. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 2001–2008. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389013).

[39] Tran TH, Sanza C, Duthen Y. 2008 Evolving prediction weights using evolution strategy. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 2009–2016. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389014).

[40] Vallim RM, Goldberg DE, Llorà X, Duque TS, Carvalho AC. 2008 A new approach for multi-label classification based on default hierarchies and organizational learning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 2017–2022. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389015).

[41] Stalph P, Butz MV. 2008 Towards increasing learning speed and robustness of xcsf: experimenting with larger offspring set sizes. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 2023–2030. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389016).

[42] Orriols-Puig A, Casillas J, Bernadó-Mansilla E. 2008 First approach toward on-line evolution of association rules with learning classifier systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 2031–2038. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389017).

[43] Tabacman M, Krasnogor N, Bacardit J, Loiseau I. 2008 Learning classifier systems for optimisation problems: a case study on fractal travelling salesman problem. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Learning Classifier Systems*, pp. 2039–2046. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389018).

[44] Lu Z, Rughani AI, Tranmer BI, Bongard J. 2008 Informative sampling for large unbalanced data sets. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, pp. 2047–2054. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389020).

[45] Blouza A, Dumas L, M'Baye I. 2008 Multiobjective optimization of a stent in a fluid-structure context. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, pp. 2055–2060. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389021).

[46] Patton RM, Beckerman B, Potok TE. 2008 Analysis of mammography reports using maximum variation sampling. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, pp. 2061–2064. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389022).

[47] Zaharie D, Lungeanu D, Zamfirache F. 2008 Interactive search of rules in medical data using multiobjective evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, pp. 2065–2072. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389023).

[48] Hazell A, Smith SL. 2008 Towards an objective assessment of alzheimer's disease: the application of a novel evolutionary algorithm in the analysis of figure copying tasks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: MedGEC Medical Applications of Genetic and Evolutionary Computation*, pp. 2073–2080. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389024).

[49] Malagò L, Matteucci M, Dal Seno B. 2008 An information geometry perspective on estimation of distribution algorithms: boundary analysis. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Optimization by Building and Using Probabilistic Models (OBUPM)*, pp. 2081–2088. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389026).

[50] Thierens D. 2008 A bivariate probabilistic model-building genetic algorithm for graph bipartitioning. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Workshop: Optimization by Building and Using Probabilistic Models (OBUPM)*, pp. 2089–2092. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389027).

[51] Awais A, Farooq M, Javed MY. 2008 Attack analysis & bio-inspired security framework for ipmultimedia subsystem. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2093–2098. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389029).

[52] Baughman AK. 2008 Evolutionary facial feature selection. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2099–2104. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389030).

[53] Bhattacharya M. 2008 A synergistic approach for evolutionary optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2105–2110. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389031).

[54] Bhattacharya M. 2008 Handling uncertainty with a real-coded ea. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2111–2116. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389032).

[55] Bhattacharya M. 2008 Reduced computation for evolutionary optimization in noisy environment. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2117–2122. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389033).

[56] Chen JH, Chen JH. 2008 Multi-objective memetic approach for flexible process sequencing problems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2123–2128. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389034).

[57] Dasgupta D, Hernandez G, Garrett D, Vejandla PK, Kaushal A, Yerneni R, Simien J. 2008 A comparison of multiobjective evolutionary algorithms with informed initialization and kuhn-munkres algorithm for the sailor assignment problem. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2129–2134. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389035).

[58] De Pauw DJW, De Baets B. 2008 Incorporating model identifiability into equation discovery of ode systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2135–2140. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389036).

[59] Fries TP. 2008 A fuzzy-genetic approach to network intrusion detection. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2141–2146. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389037).

[60] Iclanzan D, Dumitrescu D. 2008 Towards memoryless model building. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2147–2152. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389038).

[61] Imada JH, Ross BJ. 2008 Using feature-based fitness evaluation in symbolic regression with added noise. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2153–2158. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389039).

[62] Jaskowski W, Krawiec K, Wieloch B. 2008 Multi-task code reuse in genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2159–2164. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389040).

[63] Kayani SA, Malik MA. 2008 Bond-graphs + genetic programming: analysis of an automatically synthesized rotary mechanical system. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2165–2168. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389041).

[64] Khan GM, Miller JF, Halliday DM. 2008 Developing neural structure of two agents that play checkers using cartesian genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2169–2174. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389042).

[65] Krawiec K, Polewski P. 2008 Potential fitness for genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2175–2180. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389043).

[66] Lässig J, Hoffmann KH, Enachescu M. 2008 Threshold selecting: best possible probability distribution for crossover selection in genetic algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2181–2186. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389044).

[67] Madureira A, Santos F, Pereira I. 2008 Self-managing agents for dynamic scheduling in manufacturing. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2187–2192. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389045).

[68] Paul TK, Ueno K, Iwata K, Hayashi T, Honda N. 2008 Risk prediction and risk factors identification from imbalanced data with rpmbga+. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2193–2198. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389046).

[69] Payne JL, Eppstein MJ. 2008 Parameterizing pair approximations for takeover dynamics. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2199–2204. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389047).

[70] Shirakawa S, Nagao T. 2008 Evolutionary algorithm considering program size: efficient program evolution using grape. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2217–2222. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389048).

[71] Squillero G, Tonda AP. 2008 A novel methodology for diversity preservation in evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2223–2226. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389049).

[72] Sullivan K, Luke S, Larock C, Cier S, Armentrout S. 2008 Opportunistic evolution: efficient evolutionary computation on large-scale computational grids. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2227–2232. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389050).

[73] Wilson D, Kaur D. 2008 Using quotient graphs to model neutrality in evolutionary search. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2233–2238. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389051).

[74] Yu L, Zhou J, Ye F, Mabu S, Shimada K, Hirasawa K, Markon S. 2008 Double-deck elevator system using genetic network programming with genetic operators based on pheromone information. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 Late-Breaking Papers*, pp. 2239–2244. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389052).

[75] De Jong K. 2008 Evolutionary computation: a unified approach. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2245–2258. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389054).

[76] Bäck T. 2008 Evolution strategies: basic introduction. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2259–2276. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389055).

[77] Goodman ED. 2008 Introduction to genetic algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2277–2298. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389056).

[78] Koza JR. 2008 Introduction to genetic programming: tutorial. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2299–2338. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389057).

[79] Azad RMA, Ryan C. 2008 Gecco 2008 grammatical evolution tutorial. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2339–2366. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389058).

[80] Butz MV. 2008 Learning classifier systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2367–2388. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389059).

[81] Pelikan M. 2008 Probabilistic model-building genetic algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2389–2416. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389060).

[82] Jansen T, Neumann F. 2008 Computational complexity and evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2417–2444. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389062).

[83] Coello Coello CA. 2008 Constraint-handling techniques used with evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2445–2466. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389063).

[84] Zitzler E, Deb K. 2008 Evolutionary multiobjective optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2467–2486. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389064).

[85] Deb K. 2008 Evolutionary practical optimization. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2487–2516. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389065).

[86] Bartz-Beielstein T, Preuss M. 2008 Experimental research in evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2517–2534. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389066).

[87] Rowe JE. 2008 Genetic algorithm theory. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2535–2558. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389067).

[88] Poli R. 2008 Genetic programming theory. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2559–2588. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389068).

[89] Whitley D. 2008 No free lunch. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2589–2612. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389069).

[90] Rothlauf F. 2008 Representations for evolutionary algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2613–2638. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389070).

[91] Wineberg M, Christensen S. 2008 An introduction to statistical analysis for evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2639–2664. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389071).

[92] Squillero G. 2008 Ea-based test and verification of microprocessors. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2665–2688. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389073).

[93] Borenstein Y. 2008 An information perspective on evolutionary computation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2689–2700. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389074).

[94] Miller JF, Harding SL. 2008 Cartesian genetic programming. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2701–2726. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389075).

[95] Auger A, Hansen N. 2008 Evolution strategies and related estimation of distribution algorithms. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2727–2740. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389076).

[96] Sipper M. 2008 Evolutionary computation & games. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2741–2776. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389077).

[97] Parmee IC. 2008 Evolutionary design search, exploration and optimisation. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2777–2804. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389078).

[98] Kumar R. 2008 Evolutionary multiobjective combinatorial optimization (emco). In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2805–2828. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389079).

[99] Miikkulainen R, Stanley KO. 2008 Evolving neural networks. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2829–2848. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389080).

[100] Stanley KO. 2008 Generative and developmental systems. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2849–2864. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389081).

[101] Spector L. 2008 Quantum computing. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2865–2894. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389082).

[102] Keijzer M. 2008 Symbolic regression. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2895–2906. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389083).

[103] Witt C. 2008 Theory of randomised search heuristics in combinatorial optimisation: an algorithmic point of view. In: Ebner M, Cattolico M, van Hemert J, Gustafson S, Merkle LD, Moore FW, Congdon CB, Clack CD, Moore FW, Rand W, *et al.* (eds.), *GECCO-2008 tutorials*, pp. 2907–2946. Atlanta, GA, USA: ACM. (doi:http://dx.doi.org/10.1145/1388969.1389084).