

Список литературы

- [1] H. Blockeel and M. Denecker, editors, *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*, K.U.Leuven, 2002.
- [2] P. Antal, G. Fannes, Y. Moreau, and B. D. Moor, Using literature and data to annotate and learn bayesian networks, In Blockeel and Denecker [1], pages 3–10.
- [3] J. van den Berg, U. Kaymak, and W.-M. van den Bergh, Probabilistic reasoning in fuzzy rule-based systems, In Blockeel and Denecker [1], pages 11–18.
- [4] J. Bioch and V. Popova, Monotone decision trees and noisy data, In Blockeel and Denecker [1], pages 19–26.
- [5] J. Broersen, M. Dastani, and L. van der Torre, Relating functionality descriptions to proof rules of input/output logic, In Blockeel and Denecker [1], pages 27–34.
- [6] M. ter Brugge, J. Nijhuis, and L. Spaanenburg, Morphological template decomposition for DT-cnn, In Blockeel and Denecker [1], pages 35–42.
- [7] M. Caminada, Agent dialogues using hang yourself arguments, In Blockeel and Denecker [1], pages 43–50.
- [8] Y.-F. Cheung, D. Klakow, G. Bauer, and L. Rothkrantz, Broadcast information topic segmentation - BITS -, In Blockeel and Denecker [1], pages 51–58.
- [9] M. van Dartel, E. Postma, and J. van den Herik, Universal properties of adaptive behaviour, In Blockeel and Denecker [1], pages 59–66.
- [10] M. Dastani and L. van der Torre, An extension of BDI_{ctl} with functional dependencies and components, In Blockeel and Denecker [1], pages 67–74.
- [11] M. Dastani and L. van der Torre, What is a normative goal?, In Blockeel and Denecker [1], pages 75–82.
- [12] J. D. Beule, J. V. Looveren, and W. Zuidema, From perception to language: grounding formal syntax in an almost real world, In Blockeel and Denecker [1], pages 83–90.
- [13] J. Donkers, J. Uiterwijk, and J. van den Herik, Learning opponent-type probabilities for prOM search, In Blockeel and Denecker [1], pages 91–98.
- [14] M. Drugan, D. Thierens, and L. van der Gaag, MDL-based feature selection for bayesian network classifiers, In Blockeel and Denecker [1], pages 99–106.
- [15] J. Eggermont and T. Lenaerts, Dynamic optimization using evolutionary algorithms with a case-based memory, In Blockeel and Denecker [1], pages 107–114.
- [16] J. de Graaf, W. Kusters, W. Pijls, and V. Popova, A theoretical and practical comparison of depth first and FP-growth implementations of apriori, In Blockeel and Denecker [1], pages 115–122.
- [17] B. Hay, G. Wets, and K. Vanhoof, Web usage mining by means of multidimensional sequence alignment methods, In Blockeel and Denecker [1], pages 123–130.
- [18] H. ter Horst, M. van Doorn, N. Kravtsova, W. ten Kate, and D. Siahaan, Context-aware music selection using knowledge on the semantic web, In Blockeel and Denecker [1], pages 131–138.
- [19] G. Infante-Lopez, M. de Rijke, and K. Sima'an, A general probabilistic model for dependency parsing, In Blockeel and Denecker [1], pages 139–146.
- [20] N. Jacobs and H. Blockeel, Sequence prediction with mixed order markov chains, In Blockeel and Denecker [1], pages 147–154.

- [21] W. Jamroga, Multiple models of reality and how to use them, In Blockeel and Denecker [1], pages 155–162.
- [22] D. Janssens, T. Brijs, K. Vanhoof, and G. Wets, Evaluating the performance of cost-based discretization versus entropy- and error-based discretization, In Blockeel and Denecker [1], pages 163–170.
- [23] R. Keller, W. Kusters, M. van der Vaart, and M. Witsenburg, Genetic programming produces strategies for agents in a dynamic environment, In Blockeel and Denecker [1], pages 171–178.
- [24] V. Knězu and L. Rothkrantz, A system for automated bookmark management, In Blockeel and Denecker [1], pages 179–186.
- [25] R. van der Krogt, L. Aronson, N. Roos, C. Witteveen, and J. Zutt, Tactical planning using heuristics, In Blockeel and Denecker [1], pages 187–194.
- [26] H.-J. Lebbink, C. Wittteman, and J.-J. Meyer, Ontology-based knowledge acquisition for knowledge systems, In Blockeel and Denecker [1], pages 195–202.
- [27] T. Lenaerts, A. Defaweux, P. van Remortel, and B. Manderick, Multi-level selection in a simple evolutionary model, In Blockeel and Denecker [1], pages 203–210.
- [28] P. Lucas, Restricted bayesian network structure learning, In Blockeel and Denecker [1], pages 211–218.
- [29] S. Nijssen and J. Kok, Tree sets: Towards a set-oriented view on multi-relational data mining, In Blockeel and Denecker [1], pages 219–226.
- [30] V. Noncheva and N. C. Marques, Agent’s belief: A stochastic approach, In Blockeel and Denecker [1], pages 227–234.
- [31] E. Oost, S. ten Hagen, and F. Schulze, Extracting multivariate power functions from complex data sets, In Blockeel and Denecker [1], pages 235–242.
- [32] D. Provijn, How to obtain elegant fitch-style proofs from goal directed ones, In Blockeel and Denecker [1], pages 243–250.
- [33] P. van der Putten, M. Ramaekers, M. den Uyl, and J. Kok, A process model for a data fusion factory, In Blockeel and Denecker [1], pages 251–258.
- [34] P. van Remortel, T. Lenaerts, and B. Manderick, Testing the overall functional robustness of 2D ca phenotypes for development, In Blockeel and Denecker [1], pages 259–266.
- [35] S. Renooij, S. Parsons, and P. Pardieck, Using kappas as indicators of strength in QPNs, In Blockeel and Denecker [1], pages 267–274.
- [36] N. Roos, A. ten Teije, A. Bos, and C. Witteveen, Multi-agent diagnosis with spatially distributed knowledge, In Blockeel and Denecker [1], pages 275–282.
- [37] R. Schaar, L. Rothkrantz, M. Lassche, and M. Jonkers, Agent-based intelligent personal unified messaging, In Blockeel and Denecker [1], pages 283–290.
- [38] D. Sent and L. van der Gaag, Test selection: the gini index and the shannon entropy behave differently, In Blockeel and Denecker [1], pages 291–298.
- [39] P. Spronck, I. Sprinkhuizen-Kuyper, and E. Postma, Improving opponent intelligence through machine learning, In Blockeel and Denecker [1], pages 299–306.
- [40] P. Storms, E. Herweijer, and C. van Aart, Practical design guidelines for embodied conversational agents, In Blockeel and Denecker [1], pages 307–314.
- [41] K. Tuyls, T. Lenaerts, K. Verbeeck, S. Maes, and B. Manderick, Towards a relation between learning agents and evolutionary dynamics, In Blockeel and Denecker [1], pages 315–322.

- [42] B. V. Nuffelen, Reasoning with preferences in ID-logic, In Blockeel and Denecker [1], pages 323–330.
- [43] P. Vogt, Anchoring symbols to sensorimotor control, In Blockeel and Denecker [1], pages 331–338.
- [44] E. de Vos, C. Witteman, and R.-J. Beun, Embodied conversational agents in human-computer interaction, In Blockeel and Denecker [1], pages 339–346.
- [45] E. van der Werf, J. Uiterwijk, and J. van den Herik, Solving ponnuki-go on small boards, In Blockeel and Denecker [1], pages 347–354.
- [46] M. van Wezel and W. Kusters, Numerical integration by cubature formulae in bayesian neural networks, In Blockeel and Denecker [1], pages 355–362.
- [47] M. Wiering, Hierarchical mixtures of naive bayesian classifiers, In Blockeel and Denecker [1], pages 363–370.
- [48] M. Winands, L. Kocsis, J. Uiterwijk, and J. van den Herik, Learning in lines of action, In Blockeel and Denecker [1], pages 371–378.
- [49] W. Zajdel and B. Kröse, Bayesian network for multiple hypothesis tracking, In Blockeel and Denecker [1], pages 379–386.
- [50] J. Zutt, L. Aronson, R. van der Krogt, N. Roos, and C. Witteveen, Multi-agent transport planning, In Blockeel and Denecker [1], pages 387–394.
- [51] C. van Aart, K. V. Marcke, R. Pels, and J. Smulders, International insurance traffic with software agents, In Blockeel and Denecker [1], pages 397–398.
- [52] M. Apistola et al., Legal aspects of agent technology, In Blockeel and Denecker [1], pages 399–400.
- [53] J. van den Berg, U. Kaymak, and W.-M. van den Bergh, Fuzzy classification by using probability-based rule weighting, In Blockeel and Denecker [1], pages 401–402.
- [54] S. Bohte, E. Gerding, and H. L. Poutré, Competitive market-based allocation of consumer attention space, In Blockeel and Denecker [1], pages 403–404.
- [55] A. van den Bosch and S. Buchholz, Shallow parsing on the basis of words only: A case study, In Blockeel and Denecker [1], pages 405–406.
- [56] P. Bosman and D. Thierens, Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms, In Blockeel and Denecker [1], pages 407–408.
- [57] F. Brazier, B. Overeinder, M. van Steen, and N. Wijngaards, Generative migration of agents, In Blockeel and Denecker [1], pages 409–410.
- [58] M. Dastani, V. Dignum, and F. Dignum, Organizations and normative agents, In Blockeel and Denecker [1], pages 411–412.
- [59] M. Denecker, N. Pelov, and M. Bruynooghe, Ultimate well-founded and stable semantics for logic programs with aggregates, In Blockeel and Denecker [1], pages 413–414.
- [60] K. Driessens and S. Džeroski, Integrating experimentation and guidance in relational reinforcement learning, In Blockeel and Denecker [1], pages 415–416.
- [61] J. Eggermont, Evolving fuzzy decision trees for data classification, In Blockeel and Denecker [1], pages 417–418.
- [62] C. Fluit, M. Sabou, and F. van Harmelen, Ontology-based information visualisation, In Blockeel and Denecker [1], pages 419–420.
- [63] D. Gilis and M. Denecker, Compositionality results for stratified nonmonotone operators, In Blockeel and Denecker [1], pages 421–422.

- [64] E. Helsen and L. van der Gaag, Building bayesian networks through ontologies, In Blockeel and Denecker [1], pages 423–424.
- [65] T. Heskes and O. Zoeter, Expectation propagation for approximate inference in dynamic bayesian networks, In Blockeel and Denecker [1], pages 425–426.
- [66] I. Horrocks, P. Patel-Schneider, and F. van Harmelen, Reviewing the design of DAML+oil: an ontology language for the semantic web, In Blockeel and Denecker [1], pages 427–428.
- [67] P. Huygen, Use of bayesian belief networks in legal reasoning, In Blockeel and Denecker [1], pages 429–430.
- [68] E. de Jong and T. Oates, A coevolutionary approach to representation development, In Blockeel and Denecker [1], pages 431–432.
- [69] C. Jonker, A. de Kock, J. Meijer, and B. Vermeulen, Deliberate evolution agents: Comparing reproduction strategies, In Blockeel and Denecker [1], pages 433–434.
- [70] C. Jonker, J. Snoep, J. Treur, H. Westerhoff, and W. Wijngaards, BDI-modelling of intracellular dynamics, In Blockeel and Denecker [1], pages 435–436.
- [71] C. Jonker, J. Snoep, J. Treur, H. Westerhoff, and W. Wijngaards, Putting intentions into cell biochemistry: An artificial intelligence perspective, In Blockeel and Denecker [1], pages 437–438.
- [72] C. Jonker and J. Treur, A dynamic perspective on an agent’s mental states and interaction with its environment, In Blockeel and Denecker [1], pages 439–440.
- [73] C. Jonker and J. Treur, Analysis of the dynamics of reasoning using multiple representations, In Blockeel and Denecker [1], pages 441–442.
- [74] C. Jonker, J. Treur, and W. de Vries, Temporal analysis of the dynamics of beliefs, desires, and intentions, In Blockeel and Denecker [1], pages 443–444.
- [75] C. Jonker, J. Treur, and W. Wijngaards, Requirements specification and automated evaluation of dynamic properties of a component-based design, In Blockeel and Denecker [1], pages 445–446.
- [76] C. Jonker, J. Treur, and W. Wijngaards, Temporal languages for simulation and analysis of the dynamics within an organisation, In Blockeel and Denecker [1], pages 447–448.
- [77] J. Kamps and M. Marx, Words with attitude, In Blockeel and Denecker [1], pages 449–450.
- [78] H. Kappen and W. Wiegerinck, Novel iteration schemes for the cluster variation method, In Blockeel and Denecker [1], pages 451–452.
- [79] S. Kleijkers, F. Wiesman, and N. Roos, A mobile multi-agent system for distributed computing, In Blockeel and Denecker [1], pages 453–454.
- [80] R. Kosala, J. V. den Bussche, M. Bruynooghe, and H. Blockeel, Information extraction in structured documents using tree automata induction, In Blockeel and Denecker [1], pages 455–456.
- [81] S. Kremer and J.-F. Raskin, Game analysis of abuse-free contract signing, In Blockeel and Denecker [1], pages 457–458.
- [82] W. Langdon, Size of random programs to ensure uniformity, In Blockeel and Denecker [1], pages 459–460.
- [83] P. van Leeuwen, H. Hesselink, and J. Rohling, Scheduling aircraft using constraint satisfaction, In Blockeel and Denecker [1], pages 461–462.
- [84] M. Marcos, H. Roomans, A. ten Teije, and F. van Harmelen, Improving medical protocols through formalisation: a case study, In Blockeel and Denecker [1], pages 463–464.

- [85] L. Maruster, T. Weijters, G. de Vries, A. van den Bosch, and W. Daelemans, Logistic-based patient grouping for multi-disciplinary treatment, In Blockeel and Denecker [1], pages 465–466.
- [86] C. Monz and M. de Rijke, Knowledge-intensive question answering, In Blockeel and Denecker [1], pages 467–468.
- [87] S. Nijssen and T. Bäck, An analysis of the behaviour of simplified evolutionary algorithms on trap functions, In Blockeel and Denecker [1], pages 469–470.
- [88] N. Peek, Representation of decision-theoretic plans as sets of symbolic decision rules, In Blockeel and Denecker [1], pages 471–472.
- [89] H. Prakken, An exercise in formalising teleological case-based reasoning, In Blockeel and Denecker [1], pages 473–474.
- [90] P. Salles, B. Bredeweg, S. Araujo, and W. Neto, Qualitative models of interactions between two populations, In Blockeel and Denecker [1], pages 475–476.
- [91] K. Schelfhout and T. Holvoet, “to do or not to do” : The individual’s model for emergent task allocation, In Blockeel and Denecker [1], pages 477–478.
- [92] A. Serebrenik and D. D. Schreye, Inference of termination conditions for numerical loops, In Blockeel and Denecker [1], pages 479–480.
- [93] A. Serebrenik and D. D. Schreye, On termination of meta-programs, In Blockeel and Denecker [1], pages 481–482.
- [94] J. Struyf, J. Ramon, and H. Blockeel, Compact representation of knowledge bases in ILP, In Blockeel and Denecker [1], pages 483–484.
- [95] H. Stuckenschmidt, Approximate information filtering with multiple classification hierarchies, In Blockeel and Denecker [1], pages 485–486.
- [96] H. Tonino, A. Bos, M. de Weerd, and C. Witteveen, Plan coordination by revision in collective agent based systems, In Blockeel and Denecker [1], pages 487–488.
- [97] J. Valk and C. Witteveen, Multi-agent coordination in planning, In Blockeel and Denecker [1], pages 489–490.
- [98] K. Verbeeck, A. Nowé, and J. Parent, Social agents playing a periodical policy, In Blockeel and Denecker [1], pages 491–492.
- [99] J. Verbeek, N. Vlassis, and B. Kröse, Coordinating principal component analyzers, In Blockeel and Denecker [1], pages 493–494.
- [100] A. Vollebregt, D. Hannessen, H. Hesselink, and J. Beetstra, Modelling crew assistants with multi-agent systems in aircraft, In Blockeel and Denecker [1], pages 495–496.
- [101] F. Voorbraak, Uncertainty in AI and bioinformatics, In Blockeel and Denecker [1], pages 497–498.
- [102] W. Wiegerinck and T. Heskes, IPF for discrete chain factor graphs, In Blockeel and Denecker [1], pages 499–500.
- [103] N. Wijngaards, B. Overeinder, M. van Steen, and F. Brazier, Supporting internet-scale multi-agent systems, In Blockeel and Denecker [1], pages 501–502.
- [104] R. Winkels, A. Boer, and R. Hoekstra, Lessons learned in legal information serving, In Blockeel and Denecker [1], pages 503–504.
- [105] A. Ypma and T. Heskes, Clustering web surfers with mixtures of hidden markov models, In Blockeel and Denecker [1], pages 505–506.
- [106] B. J. van der Zwaag, K. Slump, and L. Spaanenburg, Process identification through modular neural networks and rule extraction, In Blockeel and Denecker [1], pages 507–508.

- [107] C. Areces and J. Heguiabehe, Hyllores: A hybrid logic prover based on direct resolution, In Blockeel and Denecker [1], pages 511–512.
- [108] F. Brazier et al., Agentscape demonstration, In Blockeel and Denecker [1], pages 513–514.
- [109] M. Dastani et al., Implementing cognitive agents in 3APL, In Blockeel and Denecker [1], pages 515–516.
- [110] M. Mastop, M. Lampe, and O. de Groote, Knowledge framework, In Blockeel and Denecker [1], pages 517–518.
- [111] N. Schoot and W. Jansweijer, Improving the quality of information in document based communications using a reusable multi-agent system, In Blockeel and Denecker [1], pages 519–520.
- [112] S. Spreeuwenberg and R. Gerrits, VALENS verification component, In Blockeel and Denecker [1], pages 521–522.
- [113] W. van Stokkum, Knowledge intensive content model management within integrated back offices, In Blockeel and Denecker [1], pages 523–524.
- [114] E. van de Vrie, LOK: Implementation of a platform for distributed development and use of educational tasks, In Blockeel and Denecker [1], pages 525–526.