

Список литературы

- [Agassiz(1833a)] Agassiz, L. (1833a). Recherches sur les Poisson Fossiles. Tome III.
- [Agassiz(1833b)] Agassiz, L. (1833b). Recherches sur les Poissons Fossiles. Tome I.
- [Agassiz(1833c)] Agassiz, L. (1833c). Recherches sur les Poissons Fossiles. Tome II.
- [Agassiz(1833d)] Agassiz, L. (1833d). Recherches sur les Poissons Fossiles. Tome IV.
- [Agassiz(1843)] Agassiz, L. (1843). Recherches sur les Poisson Fossiles. Tome V.
- [Agassiz(1846)] Agassiz, L. (1846). Nomina Systematica Generum Piscium, tam Viventum Quam Fossilum.
- [Amalfitano et al.(2017)Amalfitano, Giusberti, Fornaciari, & Carnevale] Amalfitano, J., Giusberti, L., Fornaciari, E., & Carnevale, G. (2017). A reappraisal of the Italian record of the cretaceous Pachycormid Fish *Protosphyraena* Leidy, 1857. Rivista Italiana di Paleontologia e Stratigrafia, 123, 475–485.
- [Arambourg(1966)] Arambourg, C. (1966). Les poissons oligocènes de l'Iran. Notes et Mémoires sur le Moyen-Orient, 3, 1–210.
- [Arratia et al.(2018)Arratia, González-Rodríguez, & Hernández-Guerrero] Arratia, G., González-Rodríguez, K. A., & Hernández-Guerrero, C. (2018). A new Pachyrhizodontid Fish (Actinopterygii, Teleostei) from the Muhi Quarry (Albian-Cenomanian), Hidalgo, Mexico. Fossil Record, 21, 93–107.
- [Artedi(1793)] Artedi, P. (1793). Petri Artedi Angermannia–Sueci synonymia nominum piscium fere omnium;... Ichthyologiae pars IV. Editio II. Grypeswaldiae.
- [Bannikov(2008)] Bannikov, A. F. (2008). Revision of the Atheriniform fish genera *Rhamphognathus* Agassiz and *Mesogaster* Agassiz (Teleostei) From the Eocene of Bolca, northern Italy. Studie Ricerche sui Giacimenti Terziari di Bolca, 9, 65–76.
- [Bannikov(2010)] Bannikov, A. F. (2010). Iskopaemye pozvonochnye Rossii i sopredel'nykh stran. Iskopaemye kolyucheperye ryby (Teleostei, Acanthopterygii). (Moscow: GEOS).
- [Bardack(1969)] Bardack, D. (1969). Anatomy and evolution of Chirocentrid fishes. University of Kansas Paleontological Contributions, 10, 1–86.
- [Bardack & Sprinkle(1969)] Bardack, D. & Sprinkle, G. (1969). Morphology and relationships of saurocephalid fishes. Fieldiana Geology, 16, 297–340.
- [Bassani(1889)] Bassani, F. (1889). Ricerche sui pesci fossili di Chiavon (Strati di Sotzka - Miocene Inferiore). Atti della Reale Accademia delle Scienze Fisiche e Matematiche, 3, 1–100.
- [Bemis et al.(2005)Bemis, Giuliano, & McGuire] Bemis, W. E., Giuliano, A., & McGuire, B. (2005). Structure, attachment, replacement and growth of teeth in bluefish, *Pomatomus saltatrix* (Linnaeus, 1766), a teleost with deeply socketed teeth. Zoology, 108, 317–327.
- [Betancur-R et al.(2017)Betancur-R, Wiley, Arratia, Acero, Bailly, Miya, Lecointre, & Ortí] Betancur-R, R., Wiley, E. O., Arratia, G., Acero, A., Bailly, N., Miya, M., Lecointre, G., & Ortí, G. (2017). Phylogenetic classification of bony fishes. BMC Evolutionary Biology, 17, 1–40.
- [Böhm(1926)] Böhm, J. (1926). Ueber tertiäre Versteinerungen von den hogenfelder Diamantfeldern. In Die Diamantenwüste Südwestafrikas. Vol II, E. Kaiser, ed. (Berlin), pp. 55–87.
- [Bone et al.(1991)Bone, Todd, & Tracey] Bone, D. A., Todd, J. A., & Tracey, S. (1991). Fossils from the Bracklesham Group exposed in the M27 Motorway excavations, Southampton, Hampshire. Tertiary Research, 12, 131–137.

- [Bourque(2013)] Bourque, J. R. (2013). Fossil Kinosternidae from the Oligocene and Miocene of Florida, USA. In *Morphology and Evolution of Turtles*. (Dordrecht: Springer Sciences+Business Media), pp. 459–475.
- [Bryant(1991)] Bryant, J. D. (1991). New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, Eastern Florida Panhandle. *Journal of Vertebrate Paleontology*, 11, 472–489.
- [Brzobohatý & Nolf(2011)] Brzobohatý, R. & Nolf, D. (2011). Fish otoliths from the middle Eocene (Bartonian) of Yebra de Basa, province of Huesca, Spain. *Bulletin de l’Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, 81, 279–295.
- [Carrillo-Briceño et al.(2018)] Carrillo-Briceño, Reyes-Cespedes, Salas-Gismondi, & Sánchez] Carrillo-Briceño, J. D., Reyes-Cespedes, A. E., Salas-Gismondi, R., & Sánchez, R. (2018). A new vertebrate continental assemblage from the Tortonian of Venezuela. *Swiss Journal of Palaeontology*, 0123456789.
- [Casier(1944a)] Casier, E. (1944a). Contributions à l’étude des Poissons fossiles de la Belgique. VI. Sur le *Sphyraenodus* de l’Eocene e sur la présence d’un *Sphyraenidé* dans le Bruxellien (Lutétien inférieur). *Bulletin de l’Institut Royal des Sciences Naturelles de Belgique*, 20, 11–15.
- [Casier(1944b)] Casier, E. (1944b). Contributions a l’etude des poissons fossiles de la Belgique. VII. Morphologie du dentaire de *Sphyraenodus lerichei* Casier. *Bulletin du Musée Royal d’Histoire Naturelle de Belgique*, 20, 1–8.
- [Casier(1946)] Casier, E. (1946). La faune ichthyologique de l’Yprésien de la Belgique. *Mémoires du Musée Royal d’Histoire Naturelle de Belgique*, 104, 1–267.
- [Chapman(1935)] Chapman, F. (1935). Descriptions of fossil fish from New Zealand. *Transactions and Proceedings of the Royal Society of New Zealand*, 64, 117–121.
- [Cope(1869)] Cope, E. D. (1869). Synopsis of the Batrachia and Reptilia of North America. Part I. *Transactions of the American Philosophical Society*, 14, 1–252.
- [Cope(1875)] Cope, E. D. (1875). Synopsis of the Vertebrata of the Miocene of Cumberland County , New Jersey. *Proceedings of the American Philosophical Society*, 14, 361–364.
- [Dames(1883)] Dames, F. T. W. (1883). Über eine tertiäre Wirbelthier-fauna von der westlichen Insel Birket-el-Qurun im Fajum (Aegypten). *Sitzungsber . d . kgl . pr . Akad . d . Wiss. zu Berlin*, 6, 129–135.
- [Darriba et al.(2012)] Darriba, Taboada, Doallo, & Posada] Darriba, D., Taboada, G. L., Doallo, R., & Posada, D. (2012). jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods*, 9, 772–772.
- [de Sylva(1963)] de Sylva, D. P. (1963). Systematics and life history of the great barracuda *Sphyraena barracuda* (Walbaum). *Studies in Tropical Oceanography*, 1, 1–179.
- [de Sylva & Williams(1986)] de Sylva, D. P. & Williams, F. (1986). Sphyraenidae. In *Smiths’ Sea Fishes*, M. M. Smith & P. C. Heemstra, eds. (Johannesburg: Macmillan South Africa), pp. 721–726.
- [Deméré et al.(1984)] Deméré, Roeder, Chandler, & Minch] Deméré, T. A., Roeder, M. A., Chandler, R. M., & Minch, J. A. (1984). Paleontology of the middle Miocene Los Indios Member of the Rosarito Formation, northwestern Baja California, Mexico. In *Miocene and Cretaceous Depositional Environments, Northwestern Baja California, Mexico*, J. A. Minch & J. R. Ashby, eds. (Baja California: Pacific Section AAPG), pp. 47–56.
- [Díaz-Franco & Rojas-Consuegra(2009)] Díaz-Franco, S. & Rojas-Consuegra, R. (2009). Dientes fósiles de *Sphyraena* (Perciformes: Sphyraenidae) en el Terciario de Cuba Occidental. *Solenodon*, 8, 124–129.

- [Doiuchi & Nakabo(2005)] Doiuchi, R. & Nakabo, T. (2005). The *Sphyraena obtusata* group (Perciformes: Sphyraenidae) with a description of a new species from southern Japan. *Ichthyological Research*, 52, 132–151.
- [Dollo & Storms(1888)] Dollo, L. & Storms, R. (1888). Sur les Téléostéens du Rupélien. *Zoologischer Anzeiger*, 11, 265–267.
- [Fanti et al.(2016)Fanti, Minelli, Conte, & Miyashita] Fanti, F., Minelli, D., Conte, G. L., & Miyashita, T. (2016). An exceptionally preserved Eocene Shark and the rise of modern predator–prey interactions in the coral reef food web. *Zoological Letters*, 2, 2–18.
- [FAO-FIGIS(2005)] FAO-FIGIS (2005). *Trachurus trachurus*. In *A World Overview of Species of Interest to Fisheries*. (Rome: FAO), pp. 1–3.
- [Forey(1977)] Forey, P. L. (1977). The osteology of *Notelops* Woodward, *Rhacolepis* Agassiz and *Pachyrhizodus* Dixon (Pisces: Teleostei). *Bulletin of the British Museum (Natural History)*, 28, 123–204.
- [Fowler(1903)] Fowler, H. W. (1903). New and little known Mugilidae and Sphyraenidae. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 55, 743–752.
- [Fricke et al.(2019)Fricke, Eschmeyer, & van der Laan] Fricke, R., Eschmeyer, W. N., & van der Laan, R. (2019). Eschmeyer’s catalog of Fishes: Genera, species, references.
- [Fricke et al.(2011)Fricke, Kulbick, & Wantiez] Fricke, R., Kulbick, M., & Wantiez, L. (2011). Checklist of the fishes of New Caledonia, and their distribution in the Southwest Pacific Ocean (Pisces). *Stuttgarter Beiträge zur Naturkunde A, New Series*, 4, 341–463.
- [Friedman & Carnevale(2018)] Friedman, M. & Carnevale, G. (2018). The Bolca Lagerstätten: shallow marine life in the Eocene. *Journal of the Geological Society*, 175, 569–579.
- [Gillette(1984)] Gillette, D. D. (1984). A marine ichthyofauna from the Miocene of Panama, and the Tertiary Caribbean Faunal Province. *Journal of Vertebrate Paleontology*, 4, 172–186.
- [Gottfried et al.(2017)Gottfried, Samonds, Ostrowski, Andrianavalona, & Ramihangihajason] Gottfried, M. D., Samonds, K. E., Ostrowski, S. A., Andrianavalona, T. H., & Ramihangihajason, T. N. (2017). New evidence indicates the presence of Barracuda (Sphyraenidae) and supports a tropical marine environment in the Miocene of Madagascar. *PLoS ONE*, 12, 1–9.
- [Grubich et al.(2008)Grubich, Rice, & Westneat] Grubich, J. R., Rice, A. N., & Westneat, M. W. (2008). Functional morphology of bite mechanics in the Great Barracuda (*Sphyraena barracuda*). *Zoology*, 111, 16–29.
- [Harlan(1824)] Harlan, R. (1824). On a new fossil genus, of the order Enalio Sauri (of Conybeare): and on a new species of Ichthyosaurus. *Journal fo the Academy of Natural Sciences of Philadelphia*, 3, 331–338.
- [Hays(1830)] Hays, I. (1830). Description of a fragment of the head of a new fossil animal, discovered in a Marl Pit, near Moorestown, New Jersey. *Transactions of the American Philosophical Society*, 3, 471–477.
- [Hendy et al.(2015)Hendy, Jones, Moreno, Zapata, & Jaramillo] Hendy, A. J. W., Jones, D. S., Moreno, F., Zapata, V., & Jaramillo, C. A. (2015). Neogene molluscs, shallow marine paleoenvironments, and chronostratigraphy of the Guajira Peninsula, Colombia. *Swiss Journal of Palaeontology*, pp. 1–31.
- [Huyghebaert & Nolf(1979)] Huyghebaert, B. & Nolf, D. (1979). on fish-otoliths, published since 1968. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 16, 139–170.
- [ICZN(1999)] ICZN (1999). *International Code of Zoological Nomenclature*. (London: The International Trust for Zoological Nomenclature), 4th edn.

- [Katoh & Standley(2013)] Katoh, K. & Standley, D. M. (2013). MAFFT multiple sequence alignment software version 7: Improvements in performance and usability. *Molecular Biology and Evolution*, 30, 772–780.
- [Leidy(1855)] Leidy, J. (1855). Indications of twelve species of fossil Fishes. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 7, 395–397.
- [Leidy(1856)] Leidy, J. (1856). Notice of remains of extinct vertebrated animals of New-Jersey, collected by Prof. Cook of the State Geological Survey under the direction of Dr. W. Kittell. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 8, 220–221.
- [Leidy(1877)] Leidy, J. (1877). Description of vertebrate remains chiefly from the phosphate beds of South Carolina. *Journal of the Academy of Natural Sciences*, 8, 209–261.
- [Mainwaring(1978)] Mainwaring, A. J. (1978). Anatomical and Systematic review of the Pachycormidae, a family of Mesozoic fossil fishes. p. 162.
- [Marsili et al.(2007)] Marsili, Carnevale, Danese, Bianucci, & Landini] Marsili, S., Carnevale, G., Danese, E., Bianucci, G., & Landini, W. (2007). Early Miocene vertebrates from Montagna della Maiella, Italy. *Annales de Paléontologie*, 93, 27–66.
- [Mas(2000)] Mas, G. (2000). Ictiofauna del Pliocè mitjà-superior de la conca sedimentària de Palma (Illes Balears, Mediterrània Occidental). Implicacions paleoambientals. *Bolletí de la Societat d'Historia Natural de les Balears*, 43, 39–61.
- [Mateus et al.(2019)] Mateus, Callapez, Polcyn, Schulp, Gonçalves, & Jacobs] Mateus, O., Callapez, P. M., Polcyn, M. J., Schulp, A. S., Gonçalves, A. O., & Jacobs, L. L. (2019). The Fossil Record of Biodiversity in Angola Through Time: A Paleontological Perspective. *Biodiversity of Angola*, pp. 53–76.
- [Meek & Newland(1884)] Meek, S. E. & Newland, R. G. (1884). A review of the American species of the genus *Sphyaena*. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 36, 67–75.
- [Monsch(2000)] Monsch, K. A. (2000). The Phylogeny of the Scombroid Fishes. Ph.D. thesis.
- [Monsch(2005)] Monsch, K. A. (2005). Revision of the scombroid fishes from the Cenozoic of England. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 95, 445–489.
- [Moreno et al.(2015)] Moreno, Hendy, Quiroz, Hoyos, Jones, Zapata, Zapata, Ballen, Cadena, Cárdenas, Carrillo-Briceño, Moreno, F., Hendy, A. J. W., Quiroz, L., Hoyos, N., Jones, D. S., Zapata, V., Zapata, S., Ballen, G. A., Cadena, E., Cárdenas, A. L., Carrillo-Briceño, J. D., Carrillo, J. D., Delgado-Sierra, D., Escobar, J., Martínez, J. I., Martínez, C., Montes, C., Moreno, J., Pérez, N., Sánchez, R., Suárez, C., Vallejo-Pareja, M. C., & Jaramillo, C. A. (2015). Revised stratigraphy of Neogene strata in the Cocinetas Basin, La Guajira, Colombia. *Swiss Journal of Palaeontology*, 134, 5–43.
- [Nakamura(1985)] Nakamura, I. (1985). *FAO Species Catalogue. Volume 5. Billfishes of the World*, vol. 5. (Rome: FAO).
- [NCBI(2018)] NCBI (2018). Entrez Programming Utilities Help. No. Md. (Bethesda: NCBI).
- [Nelson et al.(2016)] Nelson, Grande, & Wilson] Nelson, J. S., Grande, T., & Wilson, M. V. H. (2016). *Fishes of the World*. (New Jersey: John Wiley & Sons), 5th edn.
- [Newton(1877)] Newton, E. T. (1877). On the remains of *Hypsodon*, *Portheus*, and *Ichthyodectes* from British Cretaceous strata, with descriptions of new species. *Quarterly Journal of the Geological Society*, 33, 505–523.
- [Nolf(1972)] Nolf, D. (1972). Deuxième note sur les Téléostéens des sabens de Lede (Éocène Belge). *Bulletin de la Société Belge de Géologie, Paléontologie et Hydrologie*, 81, 95–109.
- [Nolf(1985)] Nolf, D. (1985). *Handbook of Paleoichthyology. Otolithi Piscium*. (Gustav Fischer Verlag).

- [Okonechnikov et al.(2012)] Okonechnikov, Golosova, Fursov, Varlamov, Vaskin, Efremov, German Grehov, Kandrov, Rasputin, K., Golosova, O., Fursov, M., Varlamov, A., Vaskin, Y., Efremov, I., German Grehov, O. G., Kandrov, D., Rasputin, K., Syabro, M., & Tleukenov, T. (2012). Unipro UGENE: A unified bioinformatics toolkit. *Bioinformatics*, 28, 1166–1167.
- [Páramo-Fonseca(1997)] Páramo-Fonseca, M. E. (1997). *Bachea huilensis* nov. gen., nov. sp., premier Tselfatioidei (Teleostei) de Colombie. *Comptes Rendus de l'Academie de Sciences - Serie IIa: Sciences de la Terre et des Planetes*, 325, 147–150.
- [Páramo-Fonseca(2001)] Páramo-Fonseca, M. E. (2001). Los peces de la familia Pachyrhizodontidae (Teleostei) del Turoniano del Valle Superior del Magdalena. *Bolteín Geológico Ingeominas*, 39, 47–83.
- [Pastore(2009)] Pastore, M. A. (2009). *Sphyaena intermedia* sp. nov. (Pisces: Sphyaenidae): a potential new species of barracuda identified from the central Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 89, 1299–1303.
- [Patterson(1993)] Patterson, C. (1993). An overview of the early fossil record of Acanthomorphs. *Bulletin of Marine Science*, 52, 29–59.
- [Quillévéré et al.(2018)] Quillévéré, Koskeridou, Cornée, Moissette, Girone, & Agiadi] Quillévéré, F., Koskeridou, E., Cornée, J.-J., Moissette, P., Girone, A., & Agiadi, K. (2018). Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean. *Quaternary Science Reviews*, 196, 80–99.
- [R Core Development Team(2017)] R Core Development Team (2017). R: A language and environment for statistical computing.
- [Rana(1990)] Rana, R. S. (1990). Palaeontology and palaeoecology of the intertrappean (Cretaceous-Tertiary transition) beds of the Peninsular India. *Journal of the Palaeontological Society of India*, 35, 105–120.
- [Rapp(1946)] Rapp, W. F. (1946). Check list of the fossil fishes of New Jersey. *Journal of Paleontology*, 20, 510–513.
- [Ray & Bohaska(2001)] Ray, C. E. & Bohaska, D. J. (2001). *Geology and Paleontology of the Lee Creek Mine, North Carolina, III. No. 90.* (Washington DC), smithsonia edn.
- [Ray et al.(1968)] Ray, Wetmore, Dunkle, & Drez] Ray, C. E., Wetmore, A., Dunkle, D. H., & Drez, P. (1968). Fossil vertebrates from the marine Pleistocene of southeastern Virginia. *Smithsonian Miscellaneous Collections*, 153, 1–25.
- [Ronquist et al.(2012)] Ronquist, Teslenko, Van Der Mark, Ayres, Darling, Höhna, Larget, Liu, Suchard, & Huelsenbeck] Ronquist, F., Teslenko, M., Van Der Mark, P., Ayres, D. L., Darling, A., Höhna, S., Larget, B., Liu, L., Suchard, M. A., & Huelsenbeck, J. P. (2012). MrBayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*, 61, 539–542.
- [Sánchez-Villagra et al.(2004)] Sánchez-Villagra, Asher, Rincón, Carlini, Meylan, & Purdy] Sánchez-Villagra, M. R., Asher, R. J., Rincón, A. D., Carlini, A. A., Meylan, P. A., & Purdy, R. W. (2004). New faunal reports for the cerro La Cruz locality (Lower Miocene), north-eastern Venezuela. *Special Papers in Palaeontology*, 71, 105–112.
- [Santini et al.(2015)] Santini, Carnevale, & Sorenson] Santini, F., Carnevale, G., & Sorenson, L. (2015). First timetree of Sphyaenidae (Percomorpha) reveals a Middle Eocene crown age and an Oligo–Miocene radiation of Barracudas. *Italian Journal of Zoology*, 82, 133–142.
- [Schultz et al.(2010)] Schultz, Brzobohatý, & Kroupa] Schultz, O., Brzobohatý, R., & Kroupa, O. (2010). Fish teeth from the Middle Miocene of Kienberg at Mikulov, Czech Republic, Vienna Basin. *Annalen des Naturhistorischen Museums in Wien, Serie A*, 112, 489–506.

- [Senou(2001)] Senou, H. (2001). Sphyraenidae. In The Living Marine Resources of the Western Central Pacific. Volume 6, K. E. Carpenter & V. H. Niem, eds. (Rome: FAO), pp. 3685–3697.
- [Smith(1956)] Smith, J. L. B. (1956). The fishes of the family Sphyraenidae in the western Indian Ocean. Ichthyological Bulletin of the Department of Ichthyology of Rhodes University, 3, 37–46.
- [Stringer et al.(2001)Stringer, Breard, & Kontrovitz] Stringer, G. L., Breard, S. Q., & Kontrovitz, M. (2001). Biostratigraphy and Paleoecology of Diagnostic Invertebrates and Vertebrates from the Type Locality of the Oligocene Rosefield Marl Beds, Louisiana. Gulf Coast Association of Geological Societies Transactions, LI, 321–328.
- [STRINGER, GARY L., Department of Ge(2003)] STRINGER, GARY L., Department of Ge (2003). Paleoenvironmental Interpretations Based on Vertebrate Fossil Assemblages: An Example of their Utilization in the Gulf Coast. AAPG Bulletin, 85.
- [Switchenska(1968)] Switchenska, A. A. (1968). A new genus from the family Sphyraeniadae from the middle Miocene of Transcaucasia. In Ocherki po Filogenii i Sistematike Iskopaemykh Ryb I Beschelyustnykh. pp. 157–161.
- [Taverne & Chanut(2000)] Taverne, L. & Chanut, B. (2000). *Faugichthys loryi* n. gen., n. sp. (Teleostei, Ichthyodectiformes) de l’Albien terminal (Crétacé inférieur marin) du vallon de la Fauge (Isère, France) et considérations sur la phylogénie des Ichthyodectidae. Geodiversitas, 22, 23–34.
- [Távora et al.(2010)Távora, dos Santos, & Araújo] Távora, V. d. A., dos Santos, A. A. R., & Araújo, R. N. (2010). Localidades fossilíferas da Formação Pirabas (Mioceno Inferior). Boletim do Museu Paraense Emilio Goeldi Ciencias Naturais, 5, 207–224.
- [Van der Laan(2018)] Van der Laan, R. (2018). Family-group names of fossil fishes. European Journal of Taxonomy, pp. 1–167.
- [Viñola-López et al.(2017)Viñola-López, Rojas-Consuegra, & Jiménez-Vásquez] Viñola-López, L. W., Rojas-Consuegra, R., & Jiménez-Vásquez, O. (2017). Nuevos registros de *Sphyraena* (Perciformes: Sphyraenidae) para el Neógeno de Cuba y La Española. Novitates Caribaea, 11, 89–94.
- [Weiler(1938)] Weiler, W. v. W. (1938). Neue Untersuchungen an Mitteloligozänen Fischen Ungarns. Geologica Hungarica. Series Palaeontologica, 15.
- [Westgate(1984)] Westgate, J. W. (1984). Lower vertebrates from the late Eocene Crow Creek local fauna, St. Francis County, Arkansas. Journal of Vertebrate Paleontology, 4, 536–546.
- [White(1926)] White, E. I. (1926). Eocene Fishes from Nigeria. Bulletin of the Geological Survey of Nigeria, 10, 1–82.
- [Whitley(1947)] Whitley, G. P. (1947). New sharks and fishes from Western Australia. Part 3. Australian Zoologist, 11, 129–150.
- [Woodward(1889)] Woodward, A. S. (1889). Catalogue of the Fossil Fishes in the British Museum (Natural History). Part I. (London: Taylor & Francis).
- [Woodward(1891)] Woodward, A. S. (1891). Catalogue of the Fossil Fishes in the British Museum (Natural History). Part II. (London: Taylor & Francis).
- [Woodward(1895)] Woodward, A. S. (1895). Catalogue of the Fossil Fishes in the British Museum (Natural History). Part III. (London: Taylor & Francis).
- [Woodward(1901)] Woodward, A. S. (1901). Catalogue of the Fossil Fishes in the British Museum (Natural History). Part IV. (London: Taylor & Francis).