Список литературы

[1] Coello C, Alba E, Luque G, Aguirre A. Comparing Different Serial and Parallel Heuristics to Design Combinatorial Logic Circuits. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 3–12.
URL EHWhttp://ehw.jpl.nasa.gov

[2] Aguirre A, Coello C. Fitness Landscape and Evolutionary Boolean Synthesis using Information Theory Concepts. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 13–20.
URL EHWhttp://ehw.jpl.nasa.gov

[3] Louis SJ. Learning for Evolutionary Design. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 17–21.
URL EHWhttp://ehw.jpl.nasa.gov

[4] AStoica, RZebulum, XGuo, DKeymeulen, Duong V, MIFerguson. Silicon Validation of Evolution-Designed Circuits. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 21–25.
URL EHWhttp://ehw.jpl.nasa.gov

[5] Vinger K, Torresen J. Implementing Evolution of FIR-Filters Efficiently in an FPGA. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 26–29.
URL EHWhttp://ehw.jpl.nasa.gov

[6] Koza J, Keane M, Streeter M. the Importance of Reuse and Development in Evolvable Hardware. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 33–42.
URL EHWhttp://ehw.jpl.nasa.gov

[7] Gallagher J. The Once and Future Anaolg Alternative: Evolvable Hardware and Analog Computation. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 43–49.
URL EHWhttp://ehw.jpl.nasa.gov

[8] Botelho J, Leonardo B, Vieira P, Mesquita A. An Experiment on Nonlinear synthesis Using Evolutionary Techniques Based only on CMOS Transistors. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 50–58.
URL EHWhttp://ehw.jpl.nasa.gov

[9] Greenwood G, Ramsden E, Ahmed S. An Empirical Comparison of Evolutionary Algorithms for Evolvable Hardware with Minimum Time-To-Reconfigure requirements. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 59–66.
URL EHWhttp://ehw.jpl.nasa.gov

[10] Aggarwal V. Evolving Sinusoidal Oscillators Using Genetic Algorithms. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society.

2003; pp. 67–76.
URL EHWhttp://ehw.jpl.nasa.gov

[11] Plante J, Shaw H, Mickens L, Johnson-Be C. Overview of Field Programmable Analog Arrays as Enabling Technology for Evolvable Hardware for High Reliability Systems. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 77–78.
URL EHWhttp://ehw.jpl.nasa.gov

[12] Gwaltney D, Ferguson MI. Intrinsic Hardware Evolution for the Design and Reconfiguration of Analog Speed Controllers for a DC Motor. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 81–90.
URL EHWhttp://ehw.jpl.nasa.gov

[13] Jackson AH, Canham R, Tyrrell AM. Robot Fault-Tolerance Using and Embryonic Array. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 91–100.
URL EHWhttp://ehw.jpl.nasa.gov

[14] Amaral JF, Santini C, Tanscheit R, Vellasco M, Pacheco M, Mesquita A. Evolvable Building Blocks for Analog Fuzzy Logic Controllers. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 101–110.
URL EHWhttp://ehw.jpl.nasa.gov

[15] Takahashi E, Murakawa M, Kasai Y, Higuchi T. Power Dissipation Reductions with Genetic Algorithms. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 111–116.
URL EHWhttp://ehw.jpl.nasa.gov

[16] Tian L, Arslan T. An Evolutionary Power Management algorithm for SoC Based EHW Ststems. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 117–124.
URL EHWhttp://ehw.jpl.nasa.gov

[17] Thomson R, Arslan T. The Evolutionary Design and Synthesis of Non-Linear Digital VLSI Systems. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 125–134.
URL EHWhttp://ehw.jpl.nasa.gov

[18] Sekanina L, Ruzicka R. Easily Testable Image Operators: The Class of Circuits Where Evolution Beats Engineers. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 135–144.
URL EHWhttp://ehw.jpl.nasa.gov

[19] Zinchenko L, Sorokin S. Fitness Estimations for Evolutionary Antenna Design. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 155–166.
URL EHWhttp://ehw.jpl.nasa.gov

[20] Garvie M, Thompson A. Evolution of Combinationial and Sequential On-Line Self-Diagnosing Hardware. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum

R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 167–173.
URL EHWhttp://ehw.jpl.nasa.gov

[21] Shanthi AP, RParthasarathi. Exploring FPGA Structures for Evolving Fault Tolerant Hardware. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 174–181.
URL EHWhttp://ehw.jpl.nasa.gov

[22] RZebulum, AStoica, XGuo, DKeymeulen, Duong V, MIFerguson. Experimental Results in Evolutionary Fault-Recovery for Field Programmble. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 182–188.
URL EHWhttp://ehw.jpl.nasa.gov

[23] Roggen D, Hofmann S, Thoma Y, Floreano D. Hardware Spiking Neural Network with Run-time Reconfigurable Connectivity in and Autonomous Robot. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 189–198.
URL EHWhttp://ehw.jpl.nasa.gov

[24] R Canham AHJ, Tyrrell A. Robot Error Detection Using an Artificial Immune System. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 199–207.
URL EHWhttp://ehw.jpl.nasa.gov

[25] Kamio S, Liu H, Mitsuhasi H, Iba H. Researches on Ingeniously Behaving Agents. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 208–220.
URL http://ieeexplore.ieee.org/iel5/8637/27376/01217668.pdf?tp=&arnumber=1217668&isnumber=27376

[26] Harding S, Miller JF. A Scalable Platform for Intrinsic Hardware and in materio Evolution. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 221–224.
URL EHWhttp://ehw.jpl.nasa.gov

[27] Kramer GR, Gallagher J. Improvements to the *CGA Enabling Online Intrinsic Evolution in Compact EH Devices. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 225–234.
URL EHWhttp://ehw.jpl.nasa.gov

[28] Stauffer A, Sipper M. Data and Signals: A New Kind of Cellular Automation for Growing Systems. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 235–241.
URL EHWhttp://ehw.jpl.nasa.gov

[29] Sayama H. Self-Protection Maintains Diversity of Artificial Self-Replicators Evolving in Cellular Automata. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 242–254.
URL EHWhttp://ehw.jpl.nasa.gov

[30] Tempesti G, Mange D, Petraglio E, Stauffer A, Thoma Y. Developmental Processes in silicon: An Engineering Perspective. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 255–264.
URL EHWhttp://ehw.jpl.nasa.gov

[31] Dinerstein J, Dinerstein N, de Garis H. Automatic Multi-Module Neural Network Evolution in an Artificial Brain. In: *2003 NASA/DoD Conference on Evolvable Hardware*, edited by Lohn J, Zebulum R, Steincamp J, Keymeulen D, Stoica A, Ferguson MI. NASA Ames Research Center, Chicago, Illinois: IEEE Computer Society. 2003; pp. 273–276.
URL EHWhttp://ehw.jpl.nasa.gov