

Список литературы

- [Abou-Assaleh et al.(2001)Abou-Assaleh, Zhang, & Cercone] Abou-Assaleh, T., Zhang, J., & Cercone, N. (2001). Evolution of recurrent neural networks to control autonomous life agents. In Graduate Student Workshop, C. Ryan, ed., pp. 385–388. San Francisco, California, USA.
- [Anbarasu(2001)] Anbarasu, L. A. (2001). Parallel genetic algorithm for multiple sequence alignment problem. In Graduate Student Workshop, C. Ryan, ed., pp. 389–392. San Francisco, California, USA.
- [Ang & Li(2001)] Ang, K. H. & Li, Y. (2001). Multi-objective benchmark studies for evolutionary computation. In Graduate Student Workshop, C. Ryan, ed., pp. 393–396. San Francisco, California, USA.
- [Areibi(2001)] Areibi, S. (2001). Memetic algorithms for vlsi physical design: Implementation issues. In Second Workshop on Memetic Algorithms (2nd WOMA), W. Hart, N. Krasnogor, & J. Smith, eds., pp. 140–145. San Francisco, California, USA.
- [Bernado et al.(2001)Bernado, Llorca, & Garrell] Bernado, E., Llorca, X., & Garrell, J. M. (2001). XCS and GALE: a comparative study of two learning classifier systems with six other learning algorithms on classification tasks. In Fourth International Workshop on Learning Classifier Systems - IWLCS-2001, pp. 337–341. San Francisco, California, USA.
- [Berro & Duthen(2001)] Berro, A. & Duthen, Y. (2001). Search for optimum in dynamic environment a efficient agent-based method. In Evolutionary Algorithms for Dynamic Optimization Problems, J. Branke & T. Bäck, eds., pp. 51–54. San Francisco, California, USA.
- [Bosman & Thierens(2001)] Bosman, P. A. N. & Thierens, D. (2001). Advancing continuous ideas with mixture distributions and factorization selection metrics. In Optimization by Building and Using Probabilistic Models (OBUPM) 2001, pp. 208–212. San Francisco, California, USA.
- [Bot(2001)] Bot, M. C. (2001). Feature extraction for the k-nearest neighbour classifier with genetic programming. In Graduate Student Workshop, C. Ryan, ed., pp. 397–400. San Francisco, California, USA.
- [Branke(2001)] Branke, J. (2001). Evolutionary approaches to dynamic optimization problems. In Evolutionary Algorithms for Dynamic Optimization Problems, J. Branke & T. Bäck, eds., pp. 27–30. San Francisco, California, USA.
- [Burns(2001)] Burns, S. A. (2001). Frame structures with many locally minimum-weight designs. In Optimal Structural Design using Genetic and Evolutionary Computation, S. Burns, ed., pp. 56–61. San Francisco, California, USA.
- [Butz(2001)] Butz, M. V. (2001). Model exploitation for faster model learning in an anticipatory learning classifier system. In Fourth International Workshop on Learning Classifier Systems - IWLCS-2001, pp. 377–378. San Francisco, California, USA.
- [Cantú-Paz(2001)] Cantú-Paz, E. (2001). Supervised and unsupervised discretization methods for evolutionary algorithms. In Optimization by Building and Using Probabilistic Models (OBUPM) 2001, pp. 213–216. San Francisco, California, USA.
- [Carvalho & Freitas(2001)] Carvalho, D. R. & Freitas, A. A. (2001). An immunological algorithm for discovering small-disjunct rules in data mining. In Graduate Student Workshop, C. Ryan, ed., pp. 401–404. San Francisco, California, USA.
- [Chan & Liu(2001)] Chan, C.-M. & Liu, P. (2001). Structural optimization using hybrid genetic algorithm. In Optimal Structural Design using Genetic and Evolutionary Computation, S. Burns, ed., pp. 108–113. San Francisco, California, USA.
- [Correa(2001)] Correa, E. S. (2001). A genetic algorithm for the p-median problem. In Graduate Student Workshop, C. Ryan, ed., pp. 405–408. San Francisco, California, USA.

- [Cowling & Kendall(2001)] Cowling, P. & Kendall, G. (2001). The next ten years of scheduling research. In *The Next Ten Years of Scheduling Research*, P. Cowling & G. Kendall, eds., p. 115. San Francisco, California, USA.
- [Davis et al.(2001)Davis, Fu, & Wilson] Davis, L., Fu, C., & Wilson, S. W. (2001). An incremental multiplexer problem and its uses in classifier system research. In *Fourth International Workshop on Learning Classifier Systems - IW LCS-2001*, pp. 342–344. San Francisco, California, USA.
- [Defaweux et al.(2001)Defaweux, Lenaerts, Maes, Manderick, Tuyls, van Remortel, & Verbeeck] Defaweux, A., Lenaerts, T., Maes, S., Manderick, B., Tuyls, A. N. K., van Remortel, P., & Verbeeck, K. (2001). Niching and evolutionary transitions in MAS. In *Evolutionary COMputation and Multi-Agent Systems (ECOMAS)*, R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., pp. 309–312. San Francisco, California, USA.
- [Degeratu et al.(2001)Degeratu, Pant, & Menczer] Degeratu, M., Pant, G., & Menczer, F. (2001). Latency-dependent fitness in evolutionary multithreaded web agents. In *Evolutionary COMputation and Multi-Agent Systems (ECOMAS)*, R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., pp. 313–316. San Francisco, California, USA.
- [Dixon et al.(2001)Dixon, Corne, & Oates] Dixon, P. W., Corne, D. W., & Oates, M. J. (2001). A preliminary investigation of modified XCS as a generic data mining tool. In *Fourth International Workshop on Learning Classifier Systems - IW LCS-2001*, pp. 345–350. San Francisco, California, USA.
- [Edelson & Gargano(2001)] Edelson, W. & Gargano, M. L. (2001). Leaf constrained minimal spanning trees solved by a GA with feasible encodings. In *Representations and Operators for Network Problems (ROPNET 2001)*, F. Rothlauf, ed., pp. 268–271. San Francisco, California, USA.
- [Ekman & Nordin(2001)] Ekman, M. & Nordin, P. (2001). Evolvable hardware using state-machines. In *Graduate Student Workshop*, C. Ryan, ed., pp. 409–412. San Francisco, California, USA.
- [Enee & Esczut(2001)] Enee, G. & Esczut, C. (2001). A minimal model of communication for a multi-agent classifier system. In *Fourth International Workshop on Learning Classifier Systems - IW LCS-2001*, pp. 351–356. San Francisco, California, USA.
- [Erbatur & Hasançebi(2001)] Erbatur, F. & Hasançebi, O. (2001). Layout optimization using GAs and SA. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 102–107. San Francisco, California, USA.
- [Estivil-Castro & Torres-Velazques(2001)] Estivil-Castro, V. & Torres-Velazques, R. (2001). How should feasibility be handled by genetic algorithms on constraint combinatorial optimization problems: The case of the valued n-queen problem. In *Second Workshop on Memetic Algorithms (2nd WOMA)*, W. Hart, N. Krasnogor, & J. Smith, eds., pp. 146–151. San Francisco, California, USA.
- [Ficici & Pollack(2001)] Ficici, S. G. & Pollack, J. B. (2001). Game theory and the simple coevolutionary algorithm: Some results on fitness sharing. In *Coevolution: Turning Adaptive Algorithms upon Themselves*, R. K. Belew & H. Juillè, eds., pp. 2–7. San Francisco, California, USA.
- [Floriani et al.(2001)Floriani, Caminada, & Ferreira] Floriani, L., Caminada, A., & Ferreira, A. (2001). Principal component analysis for data volume reduction in experimental analysis of heuristics. In *Real-life Evolutionary Design Optimisation*, R. Roy, G. Jared, A. Tiwari, & O. Munaux, eds., pp. 283–288. San Francisco, California, USA.
- [Furuta et al.(2001)Furuta, Hirokane, & Harakawa] Furuta, H., Hirokane, M., & Harakawa, K. (2001). Application of genetic algorithms and rough sets to data mining for integrity assessment of bridge structures. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 91–96. San Francisco, California, USA.

- [Hajel & Yoo(2001)] Hajel, P. & Yoo, J. (2001). Ga based fuzzy optimization for nonconvex pareto surfaces. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 85–90. San Francisco, California, USA.
- [Hart et al.(2001)Hart, Krasnogor, & Smith] Hart, W., Krasnogor, N., & Smith, J. (2001). 2nd workshop on memetic algorithms: Woma2001. In *Second Workshop on Memetic Algorithms (2nd WOMA)*, W. Hart, N. Krasnogor, & J. Smith, eds., pp. 138–139. San Francisco, California, USA.
- [Heckendorn(2001)] Heckendorn, R. B. ed. (2001). San Francisco, California, USA.
- [Hemberg & O'Reilly(2001)] Hemberg, M. & O'Reilly, U.-M. (2001). GENR8 - a design tool for surface generation. In *Graduate Student Workshop*, C. Ryan, ed., pp. 413–416. San Francisco, California, USA.
- [Hercog & Fogarty(2001)] Hercog, L. M. & Fogarty, T. C. (2001). Social simulation using a multi-agent model based on classifier systems: The emergence of vacillating behaviour in "el farol"bar problem. In *Fourth International Workshop on Learning Classifier Systems - IW LCS-2001*, pp. 362–366. San Francisco, California, USA.
- [Hodgson(2001)] Hodgson, R. J. W. (2001). Memetic algorithm approach to thin-film optical coating design. In *Second Workshop on Memetic Algorithms (2nd WOMA)*, W. Hart, N. Krasnogor, & J. Smith, eds., pp. 152–157. San Francisco, California, USA.
- [Holmes(2001)] Holmes, J. H. (2001). A representation for accuracy-based assessment of classifier performance. In *Fourth International Workshop on Learning Classifier Systems - IW LCS-2001*, pp. 379–380. San Francisco, California, USA.
- [Howe & Belew(2001)] Howe, J. G. & Belew, R. K. (2001). Developmental invariants in the evolution of agents with multiple sensors. In *Evolution of Sensors in Nature, Hardware, and Simulation*, D. Polani, T. Uthmann, & K. Dautenhahn, eds., pp. 236–240. San Francisco, California, USA.
- [Hurst & Bull(2001)] Hurst, J. & Bull, L. (2001). A self-adaptive XCS. In *Fourth International Workshop on Learning Classifier Systems - IW LCS-2001*, pp. 357–361. San Francisco, California, USA.
- [Jin(2001)] Jin, H.-D. (2001). Genetic-guided model-based clustering algorithms and their scalability. In *Graduate Student Workshop*, C. Ryan, ed., pp. 417–420. San Francisco, California, USA.
- [Julstrom(2001)] Julstrom, B. A. (2001). The blob code: A better string coding of spanning trees for evolutionary search. In *Representations and Operators for Network Problems (ROPNET 2001)*, F. Rothlauf, ed., pp. 256–261. San Francisco, California, USA.
- [Jung et al.(2001)Jung, Dauscher, & Uthmann] Jung, T., Dauscher, P., & Uthmann, T. (2001). On individual learning, evolution of sensors and relevant information. In *Evolution of Sensors in Nature, Hardware, and Simulation*, D. Polani, T. Uthmann, & K. Dautenhahn, eds., pp. 246–254. San Francisco, California, USA.
- [Kadrovach et al.(2001)Kadrovach, Michaud, Zydallis, Lamont, Secrest, & Strong] Kadrovach, B. A., Michaud, S. R., Zydallis, J. B., Lamont, G. B., Secrest, B., & Strong, D. (2001). Extending the simple genetic algorithm into multi-objective problems via mendelian pressure. In *Computation in Gene Expression*, H. Kargupta, ed., pp. 181–188. San Francisco, California, USA.
- [Kargupta(2001)] Kargupta, H. (2001). Towards machine learning through genetic code-like transformations. In *Computation in Gene Expression*, H. Kargupta, ed., pp. 189–198. San Francisco, California, USA.
- [Kennedy(2001)] Kennedy, P. J. (2001). Tempered phenotypes: Relaxing the mapping between genotype and phenotype. In *Computation in Gene Expression*, H. Kargupta, ed., p. 206. San Francisco, California, USA.
- [Khajepour & Grierson(2001)] Khajepour, S. & Grierson, D. E. (2001). Conceptual design using adaptive computing. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 62–67. San Francisco, California, USA.

- [Kilic & Kaya(2001)] Kilic, A. & Kaya, M. (2001). A new local search algorithm based on genetic algorithms for the n-queen problem. In Second Workshop on Memetic Algorithms (2nd WOMA), W. Hart, N. Krasnogor, & J. Smith, eds., pp. 158–161. San Francisco, California, USA.
- [Kim(2001)] Kim, J. T. (2001). Fitness costs of mutation rate adaptation: A factor in coevolution and its effects in dynamic fitness landscapes. In *Coevolution: Turning Adaptive Algorithms upon Themselves*, R. K. Belew & H. Juillè, eds., pp. 8–13. San Francisco, California, USA.
- [Knowles & Corne(2001)] Knowles, J. D. & Corne, D. W. (2001). A comparative assessment of memetic, evolutionary, and constructive algorithms for the multiobjective d-MST problem. In Second Workshop on Memetic Algorithms (2nd WOMA), W. Hart, N. Krasnogor, & J. Smith, eds., pp. 162–167. San Francisco, California, USA.
- [Koumoussis & Dimou(2001)] Koumoussis, V. K. & Dimou, C. K. (2001). Genetic algorithms in a competitive environment with application to reliability optimal design. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 79–84. San Francisco, California, USA.
- [Kovacs(2001)] Kovacs, T. (2001). Two views of classifier systems. In Fourth International Workshop on Learning Classifier Systems - IWLCS-2001, pp. 367–371. San Francisco, California, USA.
- [Krommenacker et al.(2001)] Krommenacker, Divoux, & Rondeau] Krommenacker, N., Divoux, T., & Rondeau, E. (2001). Configuration of network architectures for co-operative systems by genetic algorithms. In *Representations and Operators for Network Problems (ROPNET 2001)*, F. Rothlauf, ed., pp. 272–275. San Francisco, California, USA.
- [Lanzi et al.(2001)] Lanzi, Stolzmann, & Wilson] Lanzi, P. L., Stolzmann, W., & Wilson, S. W. (2001). Fourth international workshop on learning classifier systems - IWLCS-2001. In Fourth International Workshop on Learning Classifier Systems - IWLCS-2001, p. 336. San Francisco, California, USA.
- [Le Pape(2001)] Le Pape, C. (2001). Integrating operations research algorithms in constraint-based scheduling: Some research directions. In *The Next Ten Years of Scheduling Research*, P. Cowling & G. Kendall, eds., pp. 127–131. San Francisco, California, USA.
- [Li & Kwan(2001)] Li, J. & Kwan, R. S. K. (2001). Evolutionary driver scheduling with fuzzy evaluation. In Graduate Student Workshop, C. Ryan, ed., pp. 421–424. San Francisco, California, USA.
- [Lones & Tyrrell(2001a)] Lones, M. A. & Tyrrell, A. M. (2001a). Biomimetic representation in genetic programming. In *Computation in Gene Expression*, H. Kargupta, ed., pp. 199–204. San Francisco, California, USA.
- [Lones & Tyrrell(2001b)] Lones, M. A. & Tyrrell, A. M. (2001b). Pathways into genetic programming. In Graduate Student Workshop, C. Ryan, ed., pp. 425–428. San Francisco, California, USA.
- [Lubberts & Mikkulainen(2001)] Lubberts, A. & Mikkulainen, R. (2001). Co-evolving a go-playing neural network. In *Coevolution: Turning Adaptive Algorithms upon Themselves*, R. K. Belew & H. Juillè, eds., pp. 14–19. San Francisco, California, USA.
- [Lucas & Havey(2001)] Lucas, W. K. & Havey, T. (2001). Guidelines for economical concrete floor systems established using adaptive simulated annealing. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 97–101. San Francisco, California, USA.
- [Merkle & Middendorf(2001)] Merkle, D. & Middendorf, M. (2001). Prospects for dynamic algorithm control: Lessons from the phase structure of ant scheduling algorithms. In *The Next Ten Years of Scheduling Research*, P. Cowling & G. Kendall, eds., pp. 121–126. San Francisco, California, USA.

- [Merz(2001)] Merz, P. (2001). On the performance of memetic algorithms in combinatorial optimization. In Second Workshop on Memetic Algorithms (2nd WOMA), W. Hart, N. Krasnogor, & J. Smith, eds., pp. 168–173. San Francisco, California, USA.
- [Monakhov & Monakhova(2001)] Monakhov, O. & Monakhova, E. (2001). Automatic design of families of optimal circulant networks using evolutionary computation. In Representations and Operators for Network Problems (ROPNET 2001), F. Rothlauf, ed., pp. 276–281. San Francisco, California, USA.
- [Monett(2001)] Monett, D. (2001). On the automation of evolutionary techniques and their application to inverse problems from chemical kinetics. In Graduate Student Workshop, C. Ryan, ed., pp. 429–432. San Francisco, California, USA.
- [Montana(2001)] Montana, D. (2001). Optimized scheduling for the masses. In The Next Ten Years of Scheduling Research, P. Cowling & G. Kendall, eds., pp. 132–136. San Francisco, California, USA.
- [Nawa et al.(2001)] Nawa, Shimohara, & Katai] Nawa, N. E., Shimohara, K., & Katai, O. (2001). Does diversity lead to morality? on the evolution of strategies in a 3-agent alternating-offers bargaining model. In Evolutionary COmputation and Multi-Agent Systems (ECOMAS), R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., pp. 317–320. San Francisco, California, USA.
- [Pagie & Mitchell(2001)] Pagie, L. & Mitchell, M. (2001). A comparison of evolutionary and coevolutionary search. In Coevolution: Turning Adaptive Algorithms upon Themselves, R. K. Belew & H. Juillè, eds., pp. 20–25. San Francisco, California, USA.
- [Parker & Moore(2001)] Parker, J. S. & Moore, J. H. (2001). Dynamics based pattern recognition and parallel genetic algorithms for the analysis of multivariate gene expression data. In Graduate Student Workshop, C. Ryan, ed., pp. 433–436. San Francisco, California, USA.
- [Pelikan & Goldberg(2001)] Pelikan, M. & Goldberg, D. E. (2001). Hierarchical bayesian optimization algorithm = bayesian optimization algorithm + niching + local structures. In Optimization by Building and Using Probabilistic Models (OBUPM) 2001, pp. 217–221. San Francisco, California, USA.
- [Polani et al.(2001a)] Polani, Martinetz, & Kim] Polani, D., Martinetz, T., & Kim, J. (2001a). An information-theoretic approach for the quantification of relevance. In Evolution of Sensors in Nature, Hardware, and Simulation, D. Polani, T. Uthmann, & K. Dautenhahn, eds., pp. 241–245. San Francisco, California, USA.
- [Polani et al.(2001b)] Polani, Uthmann, & Dautenhahn] Polani, D., Uthmann, T., & Dautenhahn, K. (2001b). Gecco birds-of-a-feather workshop on evolution of sensors in nature, hardware, and simulation. In Evolution of Sensors in Nature, Hardware, and Simulation, D. Polani, T. Uthmann, & K. Dautenhahn, eds., p. 235. San Francisco, California, USA.
- [Poli & Stephens(2001)] Poli, R. & Stephens, C. (2001). Dynamics of evolutionary algorithms: A panel discussion. In Dynamics of Evolutionary Algorithms, C. Stephens & R. Poli, eds., p. 334. San Francisco, California, USA.
- [Raich(2001)] Raich, A. M. (2001). Evolving structural design solutions for unstructured problem domains. In Optimal Structural Design using Genetic and Evolutionary Computation, S. Burns, ed., pp. 68–72. San Francisco, California, USA.
- [Raich & Ghaboussi(2001)] Raich, A. M. & Ghaboussi, J. (2001). Optimizing design solutions by changing the design environment during evolution. In Real-life Evolutionary Design Optimisation, R. Roy, G. Jared, A. Tiwari, & O. Munaux, eds., pp. 295–300. San Francisco, California, USA.
- [Reimann(2001)] Reimann, M. (2001). On some ideas of multi-colony ant approaches. In Graduate Student Workshop, C. Ryan, ed., pp. 437–440. San Francisco, California, USA.

- [Ronnevinkel & Martinez(2001)] Ronnevinkel, C. & Martinez, T. (2001). Explicit speciation with few a priori parameters for dynamic optimization problems. In *Evolutionary Algorithms for Dynamic Optimization Problems*, J. Branke & T. Bäck, eds., pp. 31–34. San Francisco, California, USA.
- [Roos(2001)] Roos, R. S. (2001). Parameter relaxation methods in memetic algorithms. In *Second Workshop on Memetic Algorithms (2nd WOMA)*, W. Hart, N. Krasnogor, & J. Smith, eds., pp. 174–179. San Francisco, California, USA.
- [Rothlauf et al.(2001)] Rothlauf, F., Goldberg, D. E., & Heinzl, A. (2001). On the debate concerning evolutionary search using Prüfer numbers. In *Representations and Operators for Network Problems (ROPNET 2001)*, F. Rothlauf, ed., pp. 262–267. San Francisco, California, USA.
- [Sastry(2001)] Sastry, K. (2001). Efficient cluster optimization using extended compact genetic algorithm with seeded population. In *Optimization by Building and Using Probabilistic Models (OBUPM) 2001*, pp. 222–225. San Francisco, California, USA.
- [Sauter et al.(2001)] Sauter, J., Van Dyke Parunak, H., Brueckner, S., & Matthews, R. (2001). Tuning synthetic pheromones with evolutionary computing. In *Evolutionary COmputation and Multi-Agent Systems (ECOMAS)*, R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., pp. 321–324. San Francisco, California, USA.
- [Schinler & Foley(2001)] Schinler, D. & Foley, C. M. (2001). An object-oriented evolutionary algorithm for automated advanced analysis based design. In *Optimal Structural Design using Genetic and Evolutionary Computation*, S. Burns, ed., pp. 73–78. San Francisco, California, USA.
- [Scholoman & Blackford(2001)] Scholoman, J. & Blackford, B. (2001). Genetic programming evolves a human-competitive player for a complex, on-line, interactive, multi-player game of strategy. In *Graduate Student Workshop*, C. Ryan, ed., pp. 441–444. San Francisco, California, USA.
- [Schulenburg & Ross(2001a)] Schulenburg, S. & Ross, P. (2001a). An LCS approach to increasing returns: Exploring information sets and rule complexity. In *Fourth International Workshop on Learning Classifier Systems - IWLCS-2001*, pp. 382–383. San Francisco, California, USA.
- [Schulenburg & Ross(2001b)] Schulenburg, S. & Ross, P. (2001b). An LCS approach to increasing returns: On market efficiency and evolution. In *Fourth International Workshop on Learning Classifier Systems - IWLCS-2001*, p. 381. San Francisco, California, USA.
- [Sehitoglu(2001)] Sehitoglu, O. T. (2001). A concurrent constraint programming approach to genetic algorithms. In *Graduate Student Workshop*, C. Ryan, ed., pp. 445–448. San Francisco, California, USA.
- [Smith et al.(2001)] Smith, R. E., Bonacina, C., Hoile, C., & Marrow, P. (2001). Proceedings of the EcoMAS workshop: Forward. In *Evolutionary COmputation and Multi-Agent Systems (ECOMAS)*, R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., p. 308a. San Francisco, California, USA.
- [Smith(2001)] Smith, S. (2001). Is scheduling a solved problem? In *The Next Ten Years of Scheduling Research*, P. Cowling & G. Kendall, eds., pp. 116–120. San Francisco, California, USA.
- [Snoek(2001)] Snoek, M. (2001). Anticipation optimization in dynamic job shops. In *Evolutionary Algorithms for Dynamic Optimization Problems*, J. Branke & T. Bäck, eds., pp. 43–46. San Francisco, California, USA.
- [Soukhal et al.(2001)] Soukhal, A., Monmarché, N., Laügt, D., & Slimane, M. (2001). How hidden markov models can help artificial ants to optimize. In *Optimization by Building and Using Probabilistic Models (OBUPM) 2001*, pp. 226–229. San Francisco, California, USA.
- [Soule & Ball(2001)] Soule, T. & Ball, A. E. (2001). A genetic algorithm with multiple reading frames. In *Computation in Gene Expression*, H. Kargupta, ed., p. 205. San Francisco, California, USA.

- [Soute et al.(2001)Soute, van de Molengraft, & Angelis] Soute, I. A. C., van de Molengraft, M. J. G., & Angelis, G. Z. (2001). Using genetic programming to find lyapunov functions. In Graduate Student Workshop, C. Ryan, ed., pp. 449–452. San Francisco, California, USA.
- [Tiwari et al.(2001)Tiwari, Roy, Jared, & Munaux] Tiwari, A., Roy, R., Jared, G., & Munaux, O. (2001). Challenges in real-life engineering design optimisation: An analysis. In Real-life Evolutionary Design Optimisation, R. Roy, G. Jared, A. Tiwari, & O. Munaux, eds., pp. 289–294. San Francisco, California, USA.
- [Tsutsui et al.(2001)Tsutsui, Pelikan, & Goldberg] Tsutsui, S., Pelikan, M., & Goldberg, D. E. (2001). Evolutionary algorithm using marginal histogram in continuous domain. In Optimization by Building and Using Probabilistic Models (OBUPM) 2001, pp. 230–233. San Francisco, California, USA.
- [van Hemert et al.(2001)van Hemert, Van Hoyweghen, Lukshandl, & Verbeeck] van Hemert, J., Van Hoyweghen, C., Lukshandl, E., & Verbeeck, K. (2001). A futurist approach to dynamic environments. In Evolutionary Algorithms for Dynamic Optimization Problems, J. Branke & T. Bäck, eds., pp. 35–38. San Francisco, California, USA.
- [Vargas et al.(2001)Vargas, Von Zuben, & Filho] Vargas, P. A., Von Zuben, F. J., & Filho, C. L. (2001). Classifier systems for loss reduction on electric power distribution networks. In Fourth International Workshop on Learning Classifier Systems - IWLCS-2001, pp. 372–376. San Francisco, California, USA.
- [Walker et al.(2001)Walker, Brennan, & Norrie] Walker, S. S., Brennan, R. W., & Norrie, D. H. (2001). Demonstrating emergent intelligence: An evolutionary multi-agent system for job shop scheduling. In Evolutionary COMputation and Multi-Agent Systems (ECOMAS), R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., pp. 329–332. San Francisco, California, USA.
- [Wallin(2001)] Wallin, D. (2001). Adaptation of hyper objects for classification. In Graduate Student Workshop, C. Ryan, ed., pp. 453–456. San Francisco, California, USA.
- [Warrender et al.(2001)Warrender, Forrest, & Segel] Warrender, C., Forrest, S., & Segel, L. (2001). Effective feedback in the immune system. In Evolutionary COMputation and Multi-Agent Systems (ECOMAS), R. E. Smith, C. Bonacina, C. Hoile, & P. Marrow, eds., pp. 325–328. San Francisco, California, USA.
- [Williams(2001)] Williams, W. (2001). Adapting product development with metaheuristics. In Real-life Evolutionary Design Optimisation, R. Roy, G. Jared, A. Tiwari, & O. Munaux, eds., pp. 301–306. San Francisco, California, USA.
- [Yamasaki(2001)] Yamasaki, K. (2001). Dynamic pareto optimum ga against the changing environments. In Evolutionary Algorithms for Dynamic Optimization Problems, J. Branke & T. Bäck, eds., pp. 47–50. San Francisco, California, USA.