Список литературы

- [1] Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I, eds. (2007) GECCO 2007: Proceedings of the 9th annual conference on Genetic and evolutionary computation (ACM Press, London, UK).
- [2] Abraham, A, Das, S, & Konar, A. (2007) Kernel based automatic clustering using modified particle swarm optimization algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 2–9.
- [3] Alba, E & Chicano, F. (2007) ACOhg: dealing with huge graphs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 10–17.
- [4] Bird, S & Li, X. (2007) Informative performance metrics for dynamic optimisation problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 18–25.
- [5] Cayzer, S & Sullivan, J. (2007) Modelling danger and anergy in artificial immune systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 26–32.
- [6] Doerr, B, Neumann, F, Sudholt, D, & Witt, C. (2007) On the runtime analysis of the 1-ANT ACO algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 33–40.
- [7] Fernandes, C. M, Rosa, A. C, & Ramos, V. (2007) Binary ant algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 41–48.
- [8] Greensmith, J & Aickelin, U. (2007) Dendritic cells for SYN scan detection eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 49–56.
- [9] Halavati, R, Shouraki, S. B, Heravi, M. J, & Jashmi, B. J. (2007) An artificial immune system with partially specified antibodies eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 57–62.
- [10] Khan, A. A, Naeem, M, & Shah, S. I. (2007) A particle swarm algorithm for symbols detection in wideband spatial multiplexing systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 63–69.

- [11] Koduru, P, Welch, S. M, & Das, S. (2007) A particle swarm optimization approach for estimating parameter confidence regions eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 70–77.
- [12] Li, X. (2007) A multimodal particle swarm optimizer based on fitness Euclidean-distance ratio eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 78–85.
- [13] Luke, S, Sharma, D, & Balan, G. C. (2007) Finding interesting things eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 86–93.
- [14] Luna, F, Blum, C, Alba, E, & Nebro, A. J. (2007) ACO vs EAs for solving a real-world frequency assignment problem in GSM networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 94–101.
- [15] Mazhar, N & Farooq, M. (2007) Vulnerability analysis and security framework (BeeSec) for nature inspired MANET routing protocols eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 102–109.
- [16] Mohais, A. S, Mohais, R, Ward, C, & Posthoff, C. (2007) Earthquake classifying neural networks trained with random dynamic neighborhood PSOs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 110–117.
- [17] Moraglio, A & Togelius, J. (2007) Geometric particle swarm optimization for the sudoku puzzle eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 118–125.
- [18] Pan, Q.-Q, Tasgetiren, M. F, & Liang, Y.-C. (2007) A discrete differential evolution algorithm for the permutation flowshop scheduling problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 126–133.
- [19] Poli, R & Broomhead, D. (2007) Exact analysis of the sampling distribution for the canonical particle swarm optimiser and its convergence during stagnation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 134–141.
- [20] Poli, R & Langdon, W. B. (2007) Markov chain models of bare-bones particle swarm optimizers eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 142–149.

- [21] Ridge, E & Kudenko, D. (2007) Analyzing heuristic performance with response surface models: prediction, optimization and robustness eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 150–157.
- [22] Tasgetiren, M. F, Suganthan, P. N, & Pan, Q.-Q. (2007) A discrete particle swarm optimization algorithm for the generalized traveling salesman problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 158–167.
- [23] Anastasiadis, A. D, Georgoulas, G, Magoulas, G, & Tzes, A. (2007) Adaptive particle swarm optimizer with nonextensive schedule eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 168–168.
- [24] Baig, A. R & Rashid, M. (2007) Honey bee foraging algorithm for multimodal & dynamic optimization problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 169–169.
- [25] de Freitas, A. A & Mayer, C. B. (2007) The effectiveness of dynamic ant colony tuning eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 170–170.
- [26] Figueredo, G. P, Ebecken, N. F, & Barbosa, H. C. (2007) Suppression based immune mechanism to find are presentative training set in data classification tasks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 171–171.
- [27] Gong, T & Tuson, A. L. (2007) Binary particle swarm optimization: a forma analysis approach eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 172–172.
- [28] Nguyen, X. H, Nguyen, Q. U, & McKay, R. I. (2007) PSO with randomized low-discrepancy sequences eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 173–173.
- [29] Lam, H. T, Nicolaevna, P. N, & Quan, N. T. M. (2007) A heuristic particle swarm optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 174–174.
- [30] Lavagna, M. R. (2007) Multi-objective pso for interplanetary trajectory design eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 175–175.

- [31] Manuel López-Ibá n, Prasad, T. D, & Paechter, B. (2007) Solving optimal pump control problem using max-min ant system eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 176–176.
- [32] McNabb, A. W, Monson, C. K, & Seppi, K. D. (2007) MRPSO: MapReduce particle swarm optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 177–177.
- [33] Pellegrini, P & Moretti, E. (2007) Quick-and-dirty ant colony optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 178–178.
- [34] Piccand, S, O'Neill, M, & Walker, J. (2007) Scalability of particle swarm algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 179–179.
- [35] Ridge, E & Kudenko, D. (2007) Screening the parameters affecting heuristic performance eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 180–180.
- [36] Romero, A & Nino, F. (2007) Keyword extraction using an artificial immune system eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 181–181.
- [37] Shafiq, M. Z, Kiani, M, Hashmi, B, & Farooq, M. (2007) Extended thymus action for reducing false positives in ais based network intrusion detection systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 182–182.
- [38] Snyman, J. A & Kok, S. (2007) A strongly interacting dynamic particle swarm optimizational method eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 183–183.
- [39] Stewart, R. L & Kirley, M. (2007) Swarming with logic eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 184–184.
- [40] Wang, J & Zhou, Y. (2007) Hybrid quantum particle swarm optimization algorithm for combinatorial optimization problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 185–185.
- [41] Zeng, Y, H, J. C, & Buus, D. P. (2007) SwarmArchitect: a swarm framework for collaborative construction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M,

- Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 186–186.
- [42] Zuo, X. (2007) Robust scheduling method based on workflow simulation model and biological immune principle eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 187–187.
- [43] Becker, J, Trendelenburg, S, Henrici, F, & Manoli, Y. (2007) Synthesis of analog filters on an evolvable hardware platform using a genetic algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 190–197.
- [44] Bongard, J. (2007) Action-selection and crossover strategies for self-modeling machines eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 198–205.
- [45] Contreras, E. B. (2007) A biologically inspired solution for an evolved simulated agent eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 206–213.
- [46] Bongard, J. (2007) Exploiting multiple robots to accelerate self-modeling eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 214–221.
- [47] Bullinaria, J. A. (2007) The effect of learning on life history evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 222–229.
- [48] Di Chio, C, Poli, R, & Di Chio, P. (2007) EcoPS: a particle swarm algorithm to model group-foraging eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 230–237.
- [49] Estévez, N. S & Lipson, H. (2007) Dynamical blueprints: exploiting levels of system-environment interaction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 238–244.
- [50] Gajda, Z & Sekanina, L. (2007) Reducing the number of transistors in digital circuits using gate-level evolutionary design eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 245–252.
- [51] Gotshall, S. P & Soule, T. (2007) Stochastic training of a biologically plausible spinoneuromuscular system model eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 253–260.

- [52] Gui, M, Das, S, & Pahwa, A. (2007) Procreating V-detectors for nonself recognition: an application to anomaly detection in power systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 261–268.
- [53] Khan, G. M, Miller, J. F, & Halliday, D. M. (2007) Coevolution of intelligent agents using cartesian genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 269–276.
- [54] Khor, S. (2007) Hill climbing on discrete HIFF: exploring the role of DNA transposition in long-term artificial evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 277–284.
- [55] Kim, D. (2007) A quantitative analysis of memory requirement and generalization performance for robotic tasks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 285–292.
- [56] Knoester, D. B, McKinley, P. K, & Ofria, C. A. (2007) Using group selection to evolve leadership in populations of self-replicating digital organisms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 293–300.
- [57] McCormack, J. (2007) Artificial ecosystems for creative discovery eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 301–307.
- [58] Payne, J. L & Eppstein, M. J. (2007) Takeover times on scale-free topologies eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 308–315.
- [59] Spector, L, Klein, J, & Feinstein, M. (2007) Division blocks and the open-ended evolution of development, form, and behavior eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 316–323.
- [60] Togelius, J, De Nardi, R, Marques, H, Newcombe, R, Lucas, S. M, & Holland, O. (2007) Nonlinear dynamics modelling for controller evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 324–333.
- [61] Baddeley, B & Philippides, A. (2007) Bee SLAM: a probabilistic framework for studying orientation flights in bees and wasps eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 334–334.
- [62] Eiben, G, Bekker, J, Griffioen, R, & Haasdijk, E. (2007) Balancing quality and quantity in evolving agent systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff,

- D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 335–335.
- [63] Brodu, N. (2007) A framework for the emergence of intra-species mutual recognition patterns eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 336–336.
- [64] Curran, D, O'Riordan, C, & Sorensen, H. (2007) The effects of lifetime learning on the diversity and fitness of populations eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 337–337.
- [65] Curran, D, O'Riordan, C, & Sorensen, H. (2007) Self-adaptation of cultural learning parameters eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 338–338.
- [66] Hengjie, S, Chunyan, M, & Zhiqi, S. (2007) Fuzzy cognitive map learning based on multi-objective particle swarm optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 339–339.
- [67] Kowall, C. A & Krent, B. J. (2007) A simulation of evolved autotrophic reproduction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 340–340.
- [68] Nitschke, G. S, Schut, M. C, & Eiben, A. E. (2007) Collective specialization in multi-rover systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 342–342.
- [69] Powers, S. T & Watson, R. A. (2007) Preliminary investigations into the evolution of cooperative strategies in a minimally spatial model eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 343–343.
- [70] Priesterjahn, S & Weimer, A. (2007) An evolutionary online adaptation method for modern computer games based on imitation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 344–345.
- [71] Bacardit, J, Stout, M, Hirst, J. D, Sastry, K, Llorà, X, & Krasnogor, N. (2007) Automated alphabet reduction method with evolutionary algorithms for protein structure prediction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 346–353.
- [72] Bleuler, S & Zitzler, E. (2007) Discrimination of metabolic flux profiles using a hybrid evolutionary algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff,

- D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 354–360.
- [73] Brookes, E. H & Demeler, B. (2007) Parsimonious regularization using genetic algorithms applied to the analysis of analytical ultracentrifugation experiments eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 361–368.
- [74] Bull, L & Uroukov, I. S. (2007) Initial results from the use of learning classifier systems to control in vitro neuronal networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 369–376.
- [75] Chan, T.-M, Leung, K.-S, & Lee, K.-H. (2007) TFBS identification by position- and consensusled genetic algorithm with local filtering eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 377–384.
- [76] Divina, F & Aguilar-Ruiz, J. S. (2007) A multi-objective approach to discover biclusters in microarray data eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 385–392.
- [77] Torres, S. R. D, Romero, D. C. B, Vasquez, L. F. N, & Ardila, Y. J. P. (2007) A novel ab-initio genetic-based approach for protein folding prediction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 393–400.
- [78] Küçükural, A, Yeniterzi, R, Yeniterzi, S, & Sezerman, O. U. (2007) Evolutionary selection of minimum number of features for classification of gene expression data using genetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 401–406.
- [79] Looks, M, Goertzel, B, de Souza Coelho, L, Mudado, M, & Pennachin, C. (2007) Clustering gene expression data via mining ensembles of classification rules evolved using moses eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 407–414.
- [80] Rocha, M, Mendes, R, Maia, P, Daniel Glez-Pe n, & Fdez-Riverola, F. (2007) A platform for the selection of genes in DNA microarraydata using evolutionary algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 415–423.
- [81] Bazzoli, A, Colombo, G, & Tettamanzi, A. G. B. (2007) Ab initio protein structure prediction with a dipeptide-assembly evolutionary algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 424-424.

- [82] de Lima, T. W, Faccioli, R. A, Gabriel, P. H. R, Delbem, A. C. B, & Nunes da Silva, I. (2007) Evolutionary approach to protein structure prediction with hydrophobic interactions eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 425–425.
- [83] Fernando, C. T & Rowe, J. (2007) Hebbian learning in a simple gene circuit eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 426–426.
- [84] García-Nieto, J, Alba, E, Jourdan, L, & Talbi, E.-G. (2007) A comparison of PSO and GA approaches for gene selection and classification of microarray data eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 427–427.
- [85] Keedwell, E & Narayanan, A. (2007) Gene finding and rule discovery with a multi-objective neural-genetic hybrid eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 428–428.
- [86] Latham, W, Shaw, M, Todd, S, & Leymarie, F. F. (2007) Using DNA to generate 3D organic art forms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 429–429.
- [87] Looks, M, Goertzel, B, de Souza Coelho, L, Mudado, M, & Pennachin, C. (2007) Understanding microarray data through applying competent program evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 430–430.
- [88] Menolascina, F, Alves, R. T, Tommasi, S, Chiarappa, P, Delgado, M, Mastronardi, G, Paradiso, A, Freitas, A, & Bevilacqua, V. (2007) Induction of fuzzy rules with artificial immune systems in acgh based er status breast cancer characterization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 431–431.
- [89] Moore, J. H, Barney, N, & White, B. C. (2007) Towards human-human-computer interaction for biologically-inspired problem-solving in human genetics eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 432–433.
- [90] Bucci, A & Pollack, J. B. (2007) Thoughts on solution concepts eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 434–439.
- [91] De Jong, E. D. (2007) Objective fitness correlation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 440–447.
- [92] Horn, J. (2007) Optimal nesting of species for exact cover of resources: two against many eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K,

- Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 448–455.
- [93] Li, R, Bhanu, B, & Krawiec, K. (2007) Hybrid coevolutionary algorithms vs. SVM algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 456–463.
- [94] Lichodzijewski, P & Heywood, M. I. (2007) Pareto-coevolutionary genetic programming for problem decomposition in multi-class classification eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 464-471.
- [95] Stone, C, Toth, R, Adamatzky, A, de Lacy Costello, B, & Bull, L. (2007) Towards the coevolution of cellular automata controllers for chemical computing with the B-Z reaction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 472–478.
- [96] Yo, T.-S & de Jong, E. D. (2007) A comparison of evaluation methods in coevolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 479–487.
- [97] Au, C.-K & Leung, H.-F. (2007) Guided mutations in cooperative coevolutionary algorithms for function optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 488–488.
- [98] Li, R, Bhanu, B, & Krawiec, K. (2007) On the number of subpopulations in coevolutionary computation: a database application eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 489–489.
- [99] Ottino-Loffler, J, Rand, W, & Wilensky, U. (2007) A spatial model of the red queen effect eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 490–491.
- [100] Bosman, P. A. N, Grahl, J, & Rothlauf, F. (2007) SDR: a better trigger for adaptive variance scaling in normal EDAs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 492–499.
- [101] Bosman, P. A. N & Thierens, D. (2007) Adaptive variance scaling in continuous multi-objective estimation-of-distribution algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 500–507.
- [102] Branke, J, Lode, C, & Shapiro, J. L. (2007) Addressing sampling errors and diversity loss in UMDA eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon,

- C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 508–515.
- [103] Grahl, J, Bosman, P. A. N, & Minner, S. (2007) Convergence phases, variance trajectories, and runtime analysis of continuous EDAs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 516–522.
- [104] Hauschild, M, Pelikan, M, Lima, C. F, & Sastry, K. (2007) Analyzing probabilistic models in hierarchical BOA on traps and spin glasses eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 523–530.
- [105] Lipinski, P. (2007) ECGA vs. BOA in discovering stock market trading experts eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 531–538.
- [106] Looks, M. (2007) Scalable estimation-of-distribution program evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 539–546.
- [107] Pelikan, M, Kalapala, R, & Hartmann, A. K. (2007) Hybrid evolutionary algorithms on minimum vertex cover for random graphs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 547–554.
- [108] Pelikan, M & Laury, Jr., J. D. (2007) Order or not: does parallelization of model building in hBOA affect its scalability? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 555–561.
- [109] Pošík, P & Franc, V. (2007) Estimation of fitness landscape contours in EAs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 562–569.
- [110] Salhi, A, Rodríguez, J. A. V, & Zhang, Q. (2007) An estimation of distribution algorithm with guided mutation for a complex flow shop scheduling problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 570–576.
- [111] Sastry, K, Goldberg, D. E, & Llora, X. (2007) Towards billion-bit optimization via a parallel estimation of distribution algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 577–584.
- [112] Shakya, S, Oliveira, F, & Owusu, G. (2007) An application of EDA and GA to dynamic pricing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 585–592.

- [113] Ahn, C. W & Ramakrishna, R. S. (2007) Multiobjective real-coded bayesian optimization algorithmrevisited: diversity preservation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 593–600.
- [114] Yu, T.-L, Sastry, K, Goldberg, D. E, & Pelikan, M. (2007) Population sizing for entropy-based model building in discrete estimation of distribution algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 601–608.
- [115] Cai, Y, Sun, X, Xu, H, & Jia, P. (2007) Cross entropy and adaptive variance scaling in continuous EDA eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 609–616.
- [116] Zhou, A, Zhang, Q, Jin, Y, Sendhoff, B, & Tsang, E. (2007) Global multiobjective optimization via estimation of distribution algorithm with biased initialization and crossover eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 617–623.
- [117] Coffin, D. J & Smith, R. E. (2007) Why is parity hard for estimation of distribution algorithms? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 624–624.
- [118] Heien, E. M, Hiroyasu, T, & Fujimoto, N. (2007) Investigation of mutation operators for the bayesian optimization algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 625–625.
- [119] Looks, M. (2007) Meta-optimizing semantic evolutionary search eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 626–626.
- [120] Nannen, V & Eiben, A. E. (2007) Variance reduction in meta-EDA eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 627–627.
- [121] Pelikan, M & Hartmann, A. K. (2007) Obtaining ground states of ising spin glasses via optimizing bonds instead of spins eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 628–628.
- [122] Pelikan, M, Tsutsui, S, & Kalapala, R. (2007) Dependency trees, permutations, and quadratic assignment problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 629–629.
- [123] Rimcharoen, S, Sutivong, D, & Chongstitvatana, P. (2007) A synthesis of optimal stopping time in compact genetic algorithm based on real options approach eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T,

- Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 630–630.
- [124] Schwarz, J, Jaros, J, & Ocenasek, J. (2007) Migration of probabilistic models for island-based bivariate EDA algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 631–631.
- [125] Wu, H & Shapiro, J. L. (2007) Parameter cross-validation and early-stopping in univariate marginal distribution algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 632–633.
- [126] Arnold, D. V. (2007) On the use of evolution strategies for optimising certain positive definite quadratic forms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 634–641.
- [127] Ebner, M. (2007) Estimating the spectral sensitivity of a digital sensor using calibration targets eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 642–649.
- [128] Hsieh, C.-T, Chen, C.-M, & ping Chen, Y. (2007) Particle swarm guided evolution strategy eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 650–657.
- [129] Knight, J. N & Lunacek, M. (2007) Reducing the space-time complexity of the CMA-ES eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 658–665.
- [130] Kramer, O, Brügger, S, & Lazovic, D. (2007) Sex and death: towards biologically inspired heuristics for constraint handling eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 666–673.
- [131] Kramer, O, Gloger, B, & Goebels, A. (2007) An experimental analysis of evolution strategies and particle swarm optimisers using design of experiments eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 674–681.
- [132] Perez-Bellido, A. M, Salcedo-Sanz, S, Ortiz-Garcia, E. G, & Portilla-Figueras, A. (2007) A hybrid evolutionary programming algorithm for spread spectrum radar polyphase codes design eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 682–688.
- [133] Rönkkönen, J. I & Lampinen, J. (2007) An extended mutation concept for the local selection based differential evolution algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J,

- Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 689–696.
- [134] Rossi, C, Barrientos, A, & del Cerro, J. (2007) Two adaptive mutation operators for optima tracking in dynamic optimization problems with evolution strategies eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 697–704.
- [135] Shir, O. M & Bäck, T. (2007) Performance analysis of niching algorithms based on derandomized-ES variants eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 705-712.
- [136] Shir, O. M & Bäck, T. (2007) The second harmonic generation case-study as a gateway for es to quantum control problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 713–721.
- [137] Gomez, J. C & Fuentes, O. (2007) Using evolution strategies for automatic extraction of parameters for stellar population synthesis of galaxy spectra from sdss eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 722–722.
- [138] Petrovic, P. (2007) Strengths and weaknesses of FSA representation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 723–725.
- [139] Abido, M. A. (2007) Two-level of nondominated solutions approach to multiobjective particle swarm optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 726–733.
- [140] Adra, S. F, Griffin, I, & Fleming, P. J. (2007) An informed convergence accelerator for evolutionary multiobjective optimiser eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 734–740.
- [141] Aggarwal, V & O'Reilly, U.-M. (2007) COSMO: a correlation sensitive mutation operator for multi-objective optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 741–748.
- [142] Aguirre, H, Okazaki, H, & Fuwa, Y. (2007) An evolutionary multiobjective approach to design highly non-linear Boolean functions eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 749–756.
- [143] Becerra, R. L, Coello Coello, C. A, Hernández-Díaz, A. G, Caballero, R, & Molina, J. (2007)

 *Alternative techniques to solve hard multi-objective optimization problems eds. Thierens, D,

 Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B,

- Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 757–754.
- [144] Brockhoff, D, Friedrich, T, Hebbinghaus, N, Klein, C, Neumann, F, & Zitzler, E. (2007) Do additional objectives make a problem harder? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 765–772.
- [145] Corne, D. W & Knowles, J. D. (2007) Techniques for highly multiobjective optimisation: some nondominated points are better than others eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 773–780.
- [146] Deb, K & Kumar, A. (2007) Interactive evolutionary multi-objective optimization and decision-making using reference direction method eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 781–788.
- [147] Ferreira, J. C, Fonseca, C. M, & Gaspar-Cunha, A. (2007) Methodology to select solutions from the pareto-optimal set: a comparative study eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 789–796.
- [148] Friedrich, T, Hebbinghaus, N, Neumann, F, He, J, & Witt, C. (2007) Approximating covering problems by randomized search heuristics using multi-objective models eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 797–804.
- [149] Grimme, C, Lepping, J, & Papaspyrou, A. (2007) Exploring the behavior of building blocks for multi-objective variation operator design using predator-prey dynamics eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 805–812.
- [150] Harada, K, Sakuma, J, Kobayashi, S, & Ono, I. (2007) Uniform sampling of local pareto-optimal solution curves by pareto path following and its applications in multi-objective GA eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 813–820.
- [151] Ho, N. B & Tay, J. C. (2007) Using evolutionary computation and local search to solve multiobjective flexible job shop problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 821–828.
- [152] Ishibuchi, H, Nojima, Y, Tsukamoto, N, & Ohara, K. (2007) Effects of the use of non-geometric binary crossover on evolutionary multiobjective optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 829–836.
- [153] Johnson, M. D, Tauritz, D. R, & Wilkerson, R. W. (2007) SNDL-MOEA: stored non-domination level MOEA eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M,

- Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 837–844.
- [154] Kirley, M & Stewart, R. (2007) An analysis of the effects of population structure on scalable multiobjective optimization problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 845–852.
- [155] Koduru, P, Das, S, & Welch, S. M. (2007) Multi-objective hybrid PSO using µ-fuzzy dominance eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 853–860.
- [156] Matake, N, Hiroyasu, T, Miki, M, & Senda, T. (2007) Multiobjective clustering with automatic k-determination for large-scale data eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 861–868.
- [157] Mostaghim, S, Branke, J, & Schmeck, H. (2007) Multi-objective particle swarm optimization on computer grids eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 869–875.
- [158] Nebro, A. J, Alba, E, Molina, G, Chicano, F, Luna, F, & Durillo, J. J. (2007) Optimal antenna placement using a new multi-objective chc algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 876–883.
- [159] Rotar, C, Dumitrescu, D, & Lung, R. I. (2007) Guided hyperplane evolutionary algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 884–891.
- [160] Schütze, O, Laumanns, M, Tantar, E, Coello Coello, C. A, & ghazali Talbi, E. (2007) Convergence of stochastic search algorithms to gap-free pareto front approximations eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 892–901.
- [161] Bailey, B. W & Raich, A. M. (2007) Interactive multi-objective design of long-span trusses eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 902–902.
- [162] Borgulya, I. (2007) An EC-memory based method for the multi-objective TSP eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 903–903.
- [163] Hiroyasu, T, Yoshii, K, & Miki, M. (2007) Discussion of parallel model of multi-objective genetic algorithms on heterogeneous computational resources eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 904–904.

- [164] Kleeman, M. P, Lamont, G. B, Hopkinson, K. M, & Graham, S. R. (2007) Multiobjective evolutionary algorithms for designing capacitated network centric communications eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 905–905.
- [165] León, C, Miranda, G, & Segura, C. (2007) Parallel skeleton for multi-objective optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 906–906.
- [166] Li, X, Branke, J, & Kirley, M. (2007) Performance measures and particle swarm methods for dynamic multi-objective optimization problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 907–907.
- [167] Li, Z & Rudolph, G. (2007) A framework of quantum-inspired multi-objective evolutionary algorithms and its convergence condition eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 908–908.
- [168] Mansouri, S. A, Hendizadeh, S. H, & Salmasi, N. (2007) Bicriteria two-machine flowshop scheduling using metaheuristics eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 909–909.
- [169] Mariano, C. E, Alcocer, V. H, & Morales, E. F. (2007) Incremental refinement of solutions for multiple objective optimization problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 910–910.
- [170] Martí, L, García, J, Berlanga, A, & Molina, J. M. (2007) A cumulative evidential stopping criterion for multiobjective optimization evolutionary algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 911–911.
- [171] Vrajitoru, D. (2007) Hybrid multiobjective optimization genetic algorithms for graph drawing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 912–912.
- [172] Wozniak, P. (2007) Dimensionality reduction in evolutionary multiobjective design: case study eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 913–915.
- [173] Auger, A & Teytaud, O. (2007) Continuous lunches are free! eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 916–922.

- [174] Gong, T & Tuson, A. L. (2007) Enhanced forma analysis of permutation problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 923–930.
- [175] Jansen, T & Theile, M. (2007) Stability in the self-organized evolution of networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 931–938.
- [176] Jansen, T & Weyland, D. (2007) Analysis of evolutionary algorithms for the longest common subsequence problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 939–946.
- [177] Reichel, J & Skutella, M. (2007) Evolutionary algorithms and matroid optimization problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 947–954.
- [178] Teytaud, O & Gelly, S. (2007) DCMA: yet another derandomization in covariance-matrix-adaptation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 955–963.
- [179] Watkins, C. J. C. H. (2007) The channel capacity of evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 964–965.
- [180] Clegg, K, Stepney, S, & Clarke, T. (2007) Using feedback to regulate gene expression in a developmental control architecture eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 966–973.
- [181] D'Ambrosio, D. B & Stanley, K. O. (2007) A novel generative encoding for exploiting neural network sensor and output geometry eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 974–981.
- [182] Devert, A, Bredeche, N, & Schoenauer, M. (2007) Robust multi-cellular developmental design eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 982–989.
- [183] Downing, K. L. (2007) Supplementing evolutionary developmental systems with abstract models of neurogenesis eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 990–996.
- [184] Gauci, J & Stanley, K. (2007) Generating large-scale neural networks through discovering geometric regularities eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F,

- Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 997–1004.
- [185] Grajdeanu, A. (2007) Methods for open-box analysis in artificial development eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1005–1012.
- [186] Haddow, P. C & Hoye, J. (2007) Achieving a simple development model for 3D shapes: are chemicals necessary? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1013–1020.
- [187] Harding, S. L, Miller, J. F, & Banzhaf, W. (2007) Self-modifying cartesian genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1021–1028.
- [188] Kassahun, Y, Edgington, M, Metzen, J. H, Sommer, G, & Kirchner, F. (2007) A common genetic encoding for both direct and indirect encodings of networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1029–1036.
- [189] Kowaliw, T, Grogono, P, & Kharma, N. (2007) Environment as a spatial constraint on the growth of structural form eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1037–1044.
- [190] Reisinger, J & Miikkulainen, R. (2007) Acquiring evolvability through adaptive representations eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1045–1052.
- [191] Wilson, G & Heywood, M. (2007) Learning recursive programs with cooperative coevolution of genetic code mapping and genotype eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1053–1061.
- [192] Chavoya, A & Duthen, Y. (2007) Use of a genetic algorithm to evolve an extended artificial regulatory network for cell pattern generation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1062–1062.
- [193] Rieffel, J, Lipson, H, & Valero-Cuevas, F. J. (2007) Growing form-filling tensegrity structures using map L-systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1063–1063.
- [194] Yogev, O & Antonsson, E. K. (2007) Growth and development of continuous structures eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1064–1065.

- [195] Alba, E & Chicano, F. (2007) Finding safety errors with ACO eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1066–1073.
- [196] Ayari, K, Bouktif, S, & Antoniol, G. (2007) Automatic mutation test input data generation via ant colony eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1074–1081.
- [197] Bryce, R. C & Colbourn, C. J. (2007) One-test-at-a-time heuristic search for interaction test suites eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1082–1089.
- [198] Di Penta, M, Canfora, G, Esposito, G, Mazza, V, & Bruno, M. (2007) Search-based testing of service level agreements eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1090–1097.
- [199] Lakhotia, K, Harman, M, & McMinn, P. (2007) A multi-objective approach to search-based test data generation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1098–1105.
- [200] Harman, M & Tratt, L. (2007) Pareto optimal search based refactoring at the design level eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1106–1113.
- [201] O'Keeffe, M. K & Cinneide, M. O. (2007) Getting the most from search-based refactoring eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1114–1120.
- [202] Windisch, A, Wappler, S, & Wegener, J. (2007) Applying particle swarm optimization to software testing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1121–1128.
- [203] Zhang, Y, Harman, M, & Mansouri, S. A. (2007) The multi-objective next release problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1129–1137.
- [204] de Abreu, B. T, Martins, E, & de Sousa, F. L. (2007) Generalized extremal optimization: an attractive alternative for test data generation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1138–1138.

- [205] Kiper, J. D, Feather, M. S, & Richardson, J. (2007) Optimizing the V&V process for critical systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1139–1139.
- [206] Liaskos, K, Roper, M, & Wood, M. (2007) Investigating data-flow coverage of classes using evolutionary algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1140–1140.
- [207] Liu, X, Wang, L, Zhu, X, Bai, Z, Zhang, M, & Liu, H. (2007) Fitness calculation approach for nested if-else construct in evolutionary testing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 1, pp. 1141–1141.
- [208] Alharbi, A, Rand, W, & Riolo, R. (2007) The defined cliffs variant in dynamic environments: a case study using the shaky ladder hyperplane-defined functions eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1158-1164.
- [209] Bosman, P. A. N & Poutré, H. L. (2007) Learning and anticipation in online dynamic optimization with evolutionary algorithms: the stochastic case eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1165–1172.
- [210] Chen, Y, Hu, J, Hirasawa, K, & Yu, S. (2007) GARS: an improved genetic algorithm with reserve selection for global optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1173–1178.
- [211] Chiotis, T & Clack, C. D. (2007) Nonlinearity linkage detection for financial time series analysis eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1179–1186.
- [212] Deb, K, Sindhya, K, & Okabe, T. (2007) Self-adaptive simulated binary crossover for real-parameter optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1187–1194.
- [213] de Melo, V. V, Delbem, A. C. B, Dorival Leao Pinto, J, & Federson, F. M. (2007) Improving global numerical optimization using a search-space reduction algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1195–1202.
- [214] Doerr, B & Johannsen, D. (2007) Adjacency list matchings: an ideal genotype for cycle covers eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1203–1210.

- [215] Dong, H & Liang, Y. (2007) Genetic algorithms for large join query optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1211–1218.
- [216] Friedrich, T, Hebbinghaus, N, & Neumann, F. (2007) Rigorous analyses of simple diversity mechanisms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1219–1225.
- [217] Gallardo, J. E, Cotta, C, & Fernandez, A. J. (2007) A memetic algorithm for the low autocorrelation binary sequence problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1226–1233.
- [218] Garibay, O. O & Wu, A. S. (2007) Analyzing the effects of module encapsulation on search space bias eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1234–1241.
- [219] Hanada, Y, Hiroyasu, T, & Miki, M. (2007) Genetic multi-step search in interpolation and extrapolation domain eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1242–1249.
- [220] Hippolyte, J.-L, Bloch, C, Chatonnay, P, Espanet, C, & Chamagne, D. (2007) A self-adaptive multiagent evolutionary algorithm for electrical machine design eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1250–1255.
- [221] Iclanzan, D & Dumitrescu, D. (2007) Overcoming hierarchical difficulty by hill-climbing the building block structure eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1256–1263.
- [222] Kabli, R, Herrmann, F, & McCall, J. (2007) A chain-model genetic algorithm for Bayesian network structure learning eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1264–1271.
- [223] Kim, M, Aggarwal, V, O'Reilly, U.-M, & Medard, M. (2007) A doubly distributed genetic algorithm for network coding eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1272–1279.
- [224] Li, Z & Goodman, E. D. (2007) Learning building block structure from crossover failure eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1280–1287.

- [225] Lim, D, Ong, Y.-S, Jin, Y, & Sendhoff, B. (2007) A study on metamodeling techniques, ensembles, and multi-surrogates in evolutionary computation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1288–1295.
- [226] Lung, R. I & Dumitrescu, D. (2007) A new evolutionary model for detecting multiple optima eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1296–1303.
- [227] Mattiussi, C, Dürr, P, & Floreano, D. (2007) Center of mass encoding: a self-adaptive representation with adjustable redundancy for real-valued parameters eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1304–1311.
- [228] Mills, R & Watson, R. A. (2007) Variable discrimination of crossover versus mutation using parameterized modular structure eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1312–1319.
- [229] Paulden, T & Smith, D. K. (2007) Some novel locality results for the blob code spanning tree representation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1320–1327.
- [230] Philemotte, C & Bersini, H. (2007) A gestalt genetic algorithm: less details for better search eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1328–1334.
- [231] Poli, R & Vanneschi, L. (2007) Fitness-proportional negative slope coefficient as a hardness measure for genetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1335–1342.
- [232] Prugel-Bennett, A. (2007) Finding critical backbone structures with genetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1343–1348.
- [233] Qiu, Q, Burns, D, Mukre, P, & Wu, Q. (2007) Hardware acceleration of multi-deme genetic algorithm for the application of DNA codeword searching eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1349–1356.
- [234] Rohlfshagen, P & Bullinaria, J. A. (2007) ExGA II: an improved exonic genetic algorithm for the multiple knapsack problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1357–1364.

- [235] Rohlfshagen, P & Bullinaria, J. A. (2007) A genetic algorithm with exon shuffling crossover for hard bin packing problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1365–1371.
- [236] Sakuma, J & Kobayashi, S. (2007) A genetic algorithm for privacy preserving combinatorial optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1372–1379.
- [237] Sastry, K & Goldberg, D. E. (2007) Let's get ready to rumble redux: crossover versus mutation head to head on exponentially scaled problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1380–1387.
- [238] Sastry, K, Pelikan, M, & Goldberg, D. E. (2007) Empirical analysis of ideal recombination on random decomposable problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1388–1395.
- [239] Sato, Y, Yasuda, Y, & Goto, R. (2007) Analysis of noisy time-series signals with GA involving viral infection with tropism eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1396–1403.
- [240] Schonfeld, J. (2007) A study of mutational robustness as the product of evolutionary computation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1404–1411.
- [241] Smith, J. E. (2007) Credit assignment in adaptive memetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1412–1419.
- [242] Stoean, C. L, Preuss, M, Stoean, R, & Dumitrescu, D. (2007) Disburdening the species conservation evolutionary algorithm of arguing with radii eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1420–1427.
- [243] Sutton, A. M, Lunacek, M, & Whitley, L. D. (2007) Differential evolution and non-separability: using selective pressure to focus search eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1428–1435.
- [244] Toledo-Suárez, C. D, Valenzuela-Rendón, M, Terashima-Marín, H, & Uresti-Charre, E. (2007) On the relativity in the assessment of blind optimization algorithms and the problem-algorithm coevolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1436–1443.

- [245] Tripp, H & Palmer, P. (2007) Distribution replacement: how survival of the worst can out perform survival of the fittest eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1444–1451.
- [246] Watson, R. A & Jansen, T. (2007) A building-block royal road where crossover is provably essential eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1452–1459.
- [247] Wickramasinghe, W. R. M. U. K, van Steen, M, & Eiben, A. E. (2007) Peer-to-peer evolutionary algorithms with adaptive autonomous selection eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1460–1467.
- [248] Xie, H, Zhang, M, & Andreae, P. (2007) Another investigation on tournament selection: modelling and visualisation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1468–1475.
- [249] Yu, L, Zhou, J, Mabu, S, Hirasawa, K, Hu, J, & Markon, S. (2007) Effects of passenger's arrival distribution to double-deck elevator group supervisory control systems using genetic network programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1476–1483.
- [250] Zhou, S, Sun, Z, & Heckendorn, R. B. (2007) Extended probe method for linkage discovery over high-cardinality alphabets eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1484–1491.
- [251] Zilinskas, A & Zilinskas, J. (2007) Parallel genetic algorithm: assessment of performance in multidimensional scaling eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1492–1501.
- [252] Boulif, M & Atif, K. (2007) A fuzzy genetic algorithm for the dynamic cell formation problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1502–1502.
- [253] Chen, Y, Mabu, S, Hirasawa, K, & Hu, J. (2007) Trading rules on stock markets using genetic network programming with sarsa learning eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1503–1503.
- [254] Correia, M. B & Fonseca, C. M. (2007) On the roles of redundancy and neutrality in evolutionary optimization: an experimental study eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1504–1504.

- [255] Drzadzewski, G & Wineberg, M. (2007) The effects of solution density in the search space on finding spatially robust solutions eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1505–1505.
- [256] Eiben, A. E, Schoenauer, M, van Krevelen, D. W. F, Hobbelman, M. C, ten Hagen, M. A, & van het Schip, R. C. (2007) Autonomous selection in evolutionary algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1506–1506.
- [257] Fayek, M. B. E, Talaat, A. S, & Darwish, N. M. (2007) Generating classification trees for small disjuncts using incremental gas eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1507–1507.
- [258] Galvan-Lopez, E & Poli, R. (2007) How and why a bit-wise neutrality with and without locality affects evolutionary search eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1508–1508.
- [259] Galvan-Lopez, E, Togelius, J, & Lucas, S. (2007) Towards understanding the effects of neutrality on the sudoku problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1509–1509.
- [260] García-Nieto, J, Alba, E, & Chicano, F. (2007) Using metaheuristic algorithms remotely via ROS eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1510–1510.
- [261] Gog, A, Dumitrescu, D, & Hirsbrunner, B. (2007) Collaborative evolutionary algorithms for combinatorial optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1511–1511.
- [262] Gonzales, E, Shimada, K, Mabu, S, Hirasawa, K, & Hu, J. (2007) Genetic network programming with parallel processing for association rule mining in large and dense databases eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1512–1512.
- [263] Graff, M, Poli, R, & Moraglio, A. (2007) Linear selection eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1513–1513.
- [264] Graham, L. K, Christensen, S, & Oppacher, F. (2007) A simple genetic algorithm for reducible complexity eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1514–1514.

- [265] Halavati, R, Shouraki, S. B, Jashmi, B. J, & Heravi, M. J. (2007) Symbiotic tabu search eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1515–1515.
- [266] Halma, A & Turk, R. (2007) Adaptive markov recombination eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1516–1516.
- [267] Hamann, A & Ernst, R. (2007) Efficient priority optimization in complex distributed embedded systems through search space adaptation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1517–1517.
- [268] He, J & Zhou, Y. (2007) A comparison of GAs using penalizing infeasible solutions and repairing infeasible solutions on restrictive capacity knapsack problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1518–1518.
- [269] Hidalgo, J. I, de Vega, F. F, Lanchares, J, & Lombrana, D. (2007) Is the island model fault tolerant? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1519–1519.
- [270] Hwang, I, Kim, Y.-H, & Moon, B.-R. (2007) Overcoming barriers by a cluster-moving genetic algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1520–1520.
- [271] Johnson, C. G. (2007) A genetic algorithm for coverage problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1521–1521.
- [272] Kimbrough, S. O & Wood, D. H. (2007) On repair by binary interpolation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1522–1522.
- [273] Kramer, O & Koch, P. (2007) Self-adaptive partially mapped crossover eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1523–1523.
- [274] Tiago Leit a, Pereira, F. B, Tavares, J, & Costa, E. (2007) Niching techniques: a study on the cluster geometry optimization problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1524–1524.
- [275] Mbogho, A. J. W & Scarlatos, L. L. (2007) Genetic parameter tuning for reliable segmentation of colored visual tags eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1525–1525.

- [276] Merelo, J. J & Cotta, C. (2007) Who is the best connected EC researcher? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1526–1526.
- [277] Mitchell, G, McMullin, B, Decraene, J, & Kelly, C. (2007) Quality time tradeoff operator for designing efficient multi level genetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1527–1527.
- [278] Payne, J. L & Eppstein, M. J. (2007) Why your mates shouldn't date eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1528–1528.
- [279] Pfeiffer, J & Rothlauf, F. (2007) Analysis of greedy heuristics and weight-coded eas for multidimensional knapsack problems and multi-unit combinatorial auctions eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1529–1529.
- [280] Anabela Sim o & Costa, E. (2007) VMEA: studies on replacing strategies and diversity in dynamic environments eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1530–1530.
- [281] Sondahl, F & Rand, W. (2007) Evolution of non-uniform cellular automata using a genetic algorithm: diversity and computation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1531–1531.
- [282] Stanoyevitch, A. (2007) Homogeneous genetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1532–1532.
- [283] Tahera, K, Ibrahim, R. N, & Lochert, P. B. (2007) Adopting dynamic operators in a genetic algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1533–1533.
- [284] Tengg, A, Klausner, A, & Rinner, B. (2007) An improved genetic algorithm for task allocation in distributed embedded systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1534–1534.
- [285] Ting, C.-K. (2007) Multi-parent extension of edge recombination eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1535–1535.
- [286] Tucker, A, Swift, S, & Crampton, J. (2007) Efficiency updates for the restricted growth function GA for grouping problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1536–1536.

- [287] Vieira, C. C & Fonseca, C. M. (2007) A unified model of optimisation problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1537–1537.
- [288] Wilke, D. N, Kok, S, & Groenwold, A. A. (2007) Reference frame and scale invariant real-parameter genetic and differential evolution algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1538–1538.
- [289] Yoon, Y, Kim, Y.-H, Moraglio, A, & Moon, B.-R. (2007) Geometric crossovers for real-code representation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1539–1539.
- [290] Zhou, S & Sun, Z. (2007) Matrix interpretation of generalized embedded landscape eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1540–1542.
- [291] Agapitos, A, Togelius, J, & Lucas, S. M. (2007) Evolving controllers for simulated car racing using object oriented genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1543–1550.
- [292] Badran, K. M. S & Rockett, P. I. (2007) The roles of diversity preservation and mutation in preventing population collapse in multiobjective genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1551–1558.
- [293] Burke, E. K, Hyde, M. R, Kendall, G, & Woodward, J. (2007) Automatic heuristic generation with genetic programming: evolving a jack-of-all-trades or a master of one eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1559–1565.
- [294] Chitty, D. M. (2007) A data parallel approach to genetic programming using programmable graphics hardware eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1566–1573.
- [295] Christensen, S & Oppacher, F. (2007) Solving the artificial ant on the Santa Fe trail problem in 20,696 fitness evaluations eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1574–1579.
- [296] Clegg, J, Walker, J. A, & Miller, J. F. (2007) A new crossover technique for Cartesian genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1580–1587.
- [297] Dignum, S & Poli, R. (2007) Generalisation of the limiting distribution of program sizes in tree-based genetic programming and analysis of its effects on bloat eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T,

- Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1588–1595.
- [298] Drugowitsch, J & Barry, A. M. (2007) Mixing independent classifiers eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1596–1603.
- [299] Hirsch, L, Hirsch, R, & Saeedi, M. (2007) Evolving Lucene search queries for text classification eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1604–1611.
- [300] Jackson, D. (2007) Hierarchical genetic programming based on test input subsets eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1612–1619.
- [301] Jaskowski, W, Krawiec, K, & Wieloch, B. (2007) Genetic programming for cross-task knowledge sharing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1620–1627.
- [302] Klein, J & Spector, L. (2007) Unwitting distributed genetic programming via asynchronous JavaScript and XML eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1628–1635.
- [303] Looks, M. (2007) On the behavioral diversity of random programs eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1636–1642.
- [304] Luthi, L, Tomassini, M, Giacobini, M, & Langdon, W. B. (2007) The genetic programming collaboration network and its communities eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1643–1650.
- [305] Majeed, H & Ryan, C. (2007) Context-aware mutation: a modular, context aware mutation operator for genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1651–1658.
- [306] Majeed, H & Ryan, C. (2007) On the constructiveness of context-aware crossover eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1659–1666.
- [307] Muntean, O, Diosan, L, & Oltean, M. (2007) Best SubTree genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1667–1673.
- [308] Schmidt, M & Lipson, H. (2007) Comparison of tree and graph encodings as function of problem complexity eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon,

- C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1674–1679.
- [309] Schmidt, M. D & Lipson, H. (2007) Learning noise eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1680–1685.
- [310] Shirakawa, S, Ogino, S, & Nagao, T. (2007) Graph structured program evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1686–1693.
- [311] Smith, M & Bull, L. (2007) Improving the human readability of features constructed by genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1694–1701.
- [312] Sullivan, K. M & Luke, S. (2007) Evolving kernels for support vector machine classification eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1702–1707.
- [313] Thomason, R & Soule, T. (2007) Novel ways of improving cooperation and performance in ensemble classifiers eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1708–1715.
- [314] Walker, M, Edwards, H, & Messom, C. (2007) The reliability of confidence intervals for computational effort comparisons eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1716–1723.
- [315] Walker, J. A & Miller, J. F. (2007) Solving real-valued optimisation problems using cartesian genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1724–1730.
- [316] Woolley, B. G & Peterson, G. L. (2007) Genetic evolution of hierarchical behavior structures eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1731–1738.
- [317] Xie, H, Zhang, M, & Andreae, P. (2007) An analysis of constructive crossover and selection pressure in genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1739–1748.
- [318] Bader-El-Den, M. B & Poli, R. (2007) A GP-based hyper-heuristic framework for evolving 3-SAT heuristics eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1749–1749.

- [319] Cai, X, Welch, S. M, Koduru, P, & Das, S. (2007) Discovering structures in gene regulatory networks using genetic programming and particle swarms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1750–1750.
- [320] Folino, G, Pizzuti, C, & Spezzano, G. (2007) StreamGP: tracking evolving GP ensembles in distributed data streams using fractal dimension eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1751–1751.
- [321] Gonzalez, D. L & de Vega, F. F. (2007) Dynamic populations and length evolution: key factors for analyzing fault tolerance on parallel genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1752–1752.
- [322] Keller, R. E & Poli, R. (2007) Linear genetic programming of metaheuristics eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1753–1753.
- [323] Miki, M, Hashimoto, M, & Fujita, Y. (2007) Program search with simulated annealing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1754–1754.
- [324] Murphy, G & Ryan, C. (2007) Seeding methods for run transferable libraries eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1755–1755.
- [325] Radi, A. M & El-Bakry, S. Y. (2007) Genetic programming approach for positron collisions with alkali-metal atom eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1756–1756.
- [326] Solano, M & Jonyer, I. (2007) Towards an optimal restart strategy for genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1757–1757.
- [327] Taboada, K, Shimada, K, Mabu, S, Hirasawa, K, & Hu, J. (2007) Association rule mining for continuous attributes using genetic network programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1758–1758.
- [328] Vanneschi, L, Rochat, D, & Tomassini, M. (2007) Multi-optimization improves genetic programming generalization ability eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1759–1759.
- [329] Walker, M, Edwards, H, & Messom, C. (2007) "Success effort" for performance comparisons eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K,

- Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1760–1760.
- [330] Wong, P. L.-M & Zhang, M. (2007) Numerical-node building block analysis of genetic programming with simplification eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1761–1761.
- [331] Wyns, B & Boullart, L. (2007) Adaptive strategies for a semantically driven tree optimizer to control code growth eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1762–1762.
- [332] Wyns, B, Boullart, L, & De Smedt, P. J. (2007) Limiting code growth to improve robustness in tree-based genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1763–1763.
- [333] Ando, S. (2007) Heuristic speciation for evolving neural network ensemble eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1766–1773.
- [334] Brown, G, Kovacs, T, & Marshall, J. A. R. (2007) UCSpv: principled voting in UCS rule populations eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1774–1781.
- [335] Gagné, C, Sebag, M, Schoenauer, M, & Tomassini, M. (2007) Ensemble learning for free with evolutionary algorithms? eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1782–1789.
- [336] Jaskowski, W, Krawiec, K, & Wieloch, B. (2007) Knowledge reuse in genetic programming applied to visual learning eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1790–1797.
- [337] Llorà, X, Sastry, K, Yu, T.-L, & Goldberg, D. E. (2007) Do not match, inherit: fitness surrogates for genetics-based machine learning techniques eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1798–1805.
- [338] Loiacono, D, Marelli, A, & Lanzi, P. L. (2007) Support vector regression for classifier prediction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1806–1813.
- [339] Lanzi, P. L, Butz, M. V, & Goldberg, D. E. (2007) Empirical analysis of generalization and learning in XCS with gradient descent eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F,

- Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1814–1821.
- [340] Lanzi, P. L & Loiacono, D. (2007) Classifier systems that compute action mappings eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1822–1829.
- [341] Mierswa, I. (2007) Controlling overfitting with multi-objective support vector machines eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1830–1837.
- [342] Orriols-Puig, A, Goldberg, D. E, Sastry, K, & Bernadó-Mansilla, E. (2007) Modeling XCS in class imbalances: population size and parameter settings eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1838–1845.
- [343] Orriols-Puig, A, Sastry, K, Lanzi, P. L, Goldberg, D. E, & Bernadó-Mansilla, E. (2007) Modeling selection pressure in XCS for proportionate and tournament selection eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1846–1853.
- [344] Tamee, K, Bull, L, & Pinngern, O. (2007) Towards clustering with XCS eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1854–1860.
- [345] Tran, H. T, Sanza, C, Duthen, Y, & Nguyen, T. D. (2007) XCSF with computed continuous action eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1861–1869.
- [346] Cattral, R & Oppacher, F. (2007) Discovering rules in the poker hand dataset eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1870–1870.
- [347] Chen, H.-W & ping Chen, Y. (2007) Introducing fault tolerance to XCS eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1871–1871.
- [348] DeHaas, D, Craig, J, Rickert, C, Eppstein, M. J, Haake, P, & Stor, K. (2007) Feature selection and classification in noisy epistatic problems using a hybrid evolutionary approach eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1872–1872.
- [349] Diosan, L, Oltean, M, Rogozan, A, & Pecuchet, J. P. (2007) Genetically designed multiple-kernels for improving the SVM performance eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1873–1873.

- [350] Gandhe, A, Yu, S.-H, Mehra, R, & Smith, R. E. (2007) Fused, multi-spectral automatic target recognition with XCS eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1874–1874.
- [351] Shafti, L. S & Pérez, E. (2007) MDL-based fitness for feature construction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1875–1875.
- [352] Shankar, A, Louis, S. J, Dascalu, S, Houmanfar, R, & Hayes, L. J. (2007) XCS for adaptive user-interfaces eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1876–1876.
- [353] Smith, R. E & Jiang, M. K. (2007) MILCS: a mutual information learning classifier system eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1877–1877.
- [354] Achiche, S, Wang, W, Fan, Z, Ozkil, A, Sorensen, T, Wang, J, & Goodman, E. (2007) Genetically generated double-level fuzzy controller with a fuzzy adjustment strategy eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1880–1887.
- [355] Agogino, A & Tumer, K. (2007) Evolving distributed agents for managing air traffic eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1888–1895.
- [356] Araujo, L & Merelo, J. J. (2007) A genetic algorithm for dynamic modelling and prediction of activity in document streams eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1896–1903.
- [357] Banerjee, N & Kumar, R. (2007) Multiobjective network design for realistic traffic models eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1904–1911.
- [358] Bolzani, L, Sanchez, E, Schillaci, M, & Squillero, G. (2007) Coupling EA and high-level metrics for the automatic generation of test blocks for peripheral cores eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1912–1919.
- [359] Chen, C.-H & ping Chen, Y. (2007) Real-coded ECGA for economic dispatch eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1920–1927.
- [360] Chen, J.-H. (2007) Simultaneous optimization of production planning and inspection planning for flexible manufacturing systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J,

- Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1928–1935.
- [361] Choo, C. S, Chua, C. L, & Tay, S.-H. V. (2007) Automated red teaming: a proposed framework for military application eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1936–1942.
- [362] Demir, G. N, Uyar, A. S, & Ögüdücü, S. G. (2007) Graph-based sequence clustering through multiobjective evolutionary algorithms for web recommender systems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1943–1950.
- [363] Doherty, D & O'Riordan, C. (2007) A phenotypic analysis of GP-evolved team behaviours eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1951–1958.
- [364] Reis, G & Fernandez Vega, F. (2007) Electronic synthesis using genetic algorithms for automatic music transcription eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1959–1966.
- [365] Dragoni, M & Tettamanzi, A. G. B. (2007) Evolutionary algorithms for reasoning in fuzzy description logics with fuzzy quantifiers eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1967–1974.
- [366] Esparcia-Alcazar, A. I, Lluch-Revert, L, Cardos, M, Sharman, K, & Merelo, J. J. (2007) Configuring an evolutionary tool for the inventory and transportation problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1975–1982.
- [367] Fan, K, Brabazon, A, O'Sullivan, C, & O'Neill, M. (2007) Option pricing model calibration using a real-valued quantum-inspired evolutionary algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1983–1990.
- [368] Förster, M, Bickel, B, Hardung, B, & Kókai, G. (2007) Self-adaptive ant colony optimisation applied to function allocation in vehicle networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1991–1998.
- [369] Francone, F. D, Deschaine, L. M, & Warren, J. J. (2007) Discrimination of munitions and explosives of concern at F.E. Warren AFB using linear genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 1999–2006.
- [370] Geremia, P, Poian, M, & Poles, S. (2007) Genetic optimization for yacht design eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2007–2012.

- [371] Hanna, S. (2007) Defining implicit objective functions for design problems eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2013–2020.
- [372] Hoverstad, B. A. (2007) Revisiting the personal satellite assistant: neuroevolution with a modified enforced sub-populations algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2021–2028.
- [373] Hung, P.-C, ping Chen, Y, & Zan, H. W. (2007) Characteristic determination for solid state devices with evolutionary computation: a case study eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2029–2036.
- [374] Jaros, J, Ohlidal, M, & Dvorak, V. (2007) An evolutionary approach to collective communication scheduling eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2037–2044.
- [375] Jenabi, M, Torabi, S. A, & Mansouri, S. A. (2007) A hybrid GA for a supply chain production planning problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2045–2052.
- [376] Joost, R & Salomon, R. (2007) High quality offset printing: an evolutionary approach eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2053–2058.
- [377] Jursa, R. (2007) Variable selection for wind power prediction using particle swarm optimization eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2059–2065.
- [378] Kharbat, F, Bull, L, & Odeh, M. (2007) Mining breast cancer data with XCS eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2066–2073.
- [379] Koza, J. R, Al-Sakran, S. H, Jones, L. W, & Manassero, G. (2007) Automated synthesis of a fixed-length loaded symmetric dipole antenna whose gain exceeds that of a commercial antenna and matches the theoretical maximum eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2074–2081.
- [380] Lange, R. C & Mancoridis, S. (2007) Using code metric histograms and genetic algorithms to perform author identification for software forensics eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2082–2089.

- [381] Lee, J.-W, Choi, S.-S, & Moon, B.-R. (2007) An evolutionary keystroke authentication based on ellipsoidal hypothesis space eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2090–2097.
- [382] Llorà, X, Reddy, R, Matesic, B, & Bhargava, R. (2007) Towards better than human capability in diagnosing prostate cancer using infrared spectroscopic imaging eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2098–2105.
- [383] Lockett, A. J, Chen, C. L, & Miikkulainen, R. (2007) Evolving explicit opponent models in game playing eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2106–2113.
- [384] McCubbin, C, Scheidt, D, Bandte, O, Marshall, S, & Trifonov, I. (2007) Using genetic algorithms for naval subsystem damage assessment and design improvements eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2114–2121.
- [385] Mehnen, J, Roy, R, Kersting, P, & Wagner, T. (2007) ICSPEA: evolutionary five-axis milling path optimisation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2122–2128.
- [386] Odeh, O, Koduru, P, Das, S, Featherstone, A. M, & Welch, S. M. (2007) A multi-objective approach for the prediction of loan defaults eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2129–2136.
- [387] Peterson, M. R, Lamont, G. B, Moore, F, & Marshall, P. (2007) Targeted filter evolution for improved image reconstruction resolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2137–2144.
- [388] Powell, D & Hollingsworth, J. (2007) A NSGA-II, web-enabled, parallel optimization framework for NLP and MINLP eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2145–2150.
- [389] Quiroz, J. C, Louis, S. J, & Dascalu, S. M. (2007) Interactive evolution of XUL user interfaces eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2151–2158.
- [390] Ramirez, R & Hazan, A. (2007) Inducing a generative expressive performance model using a sequential-covering genetic algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2159–2166.

- [391] Sullivan, J & Ryan, C. (2007) A destructive evolutionary process: a pilot implementation eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2167–2173.
- [392] Swift, S, Tucker, A, Crampton, J, & Garway-Heath, D. (2007) An improved restricted growth function genetic algorithm for the consensus clustering of retinal nerve fibre data eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2174–2181.
- [393] Terashima-Marin, H, Zarate, C. J. F, Ross, P, & Valenzuela-Rendon, M. (2007) Comparing two models to generate hyper-heuristics for the 2d-regular bin-packing problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2182–2189.
- [394] Thangavelu, R & Pradeep, S. (2007) An online implementable differential evolution tuned optimal guidance law eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2190–2194.
- [395] Wagner, T, Michelitsch, T, & Sacharow, A. (2007) On the design of optimisers for surface reconstruction eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2195–2202.
- [396] Wang, C.-W, Sun, L.-M, Jin, M.-H, Fu, C.-J, Liu, L, Chan, C.-H, & Kao, C.-Y. (2007) A genetic algorithm for resident physician scheduling problem eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2203–2210.
- [397] Wang, J, Jing, N, Li, J, & Chen, Z. H. (2007) A multi-objective imaging scheduling approach for earth observing satellites eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2211–2218.
- [398] Wedge, D. C, Gaskell, S. J, Hubbard, S. J, Kell, D. B, Lau, K. W, & Eyers, C. (2007) Peptide detectability following ESI mass spectrometry: prediction using genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2219–2225.
- [399] Yan, W & Clack, C. D. (2007) Diverse committees vote for dependable profits eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2226–2233.
- [400] Yan, W & Clack, C. D. (2007) Evolving robust GP solutions for hedge fund stock selection in emerging markets eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2234–2241.

- [401] Zinchenko, L, Radecker, M, & Bisogno, F. (2007) Multi-objective univariate marginal distribution optimisation of mixed analogue-digital signal circuits eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2242–2251.
- [402] Azzini, A & Tettamanzi, A. G. B. (2007) Automated trading on financial instruments with evolved neural networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2252–2252.
- [403] Cebrian, M, Alfonseca, M, & Ortega, A. (2007) Automatic generation of benchmarks for plagiarism detection tools using grammatical evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2253–2253.
- [404] Costelloe, D & Ryan, C. (2007) Towards models of user preferences in interactive musical evolution eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2254–2254.
- [405] Cummins, R & O'Riordan, C. (2007) Using genetic programming for information retrieval: local and global query expansion eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2255–2255.
- [406] Danoy, G, Alba, E, Bouvry, P, & Brust, M. (2007) Optimal design of ad hoc injection networks by using genetic algorithms eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2256–2256.
- [407] Duke, J & Clack, C. D. (2007) Using an evolutionary agent-based simulation to explore hedging pressure in futures markets eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2257–2257.
- [408] Isaacs, J. C, Foo, S, & Meyer-Baese, A. (2007) Evolutionary computation-based kernel optimal component analysis for pattern recognition eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2258–2258.
- [409] Kumar, R & Singh, P. K. (2007) On quality performance of heuristic and evolutionary algorithms for biobjective minimum spanning trees eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2259–2259.
- [410] Lai, C.-C, Ting, C.-K, & Ko, R.-S. (2007) An effective genetic algorithm for improving wireless sensor network lifetime eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2260–2260.

- [411] Lourenço, N. C & Horta, N. C. (2007) Automatic analog IC layout generation based on a evolutionary computation approach eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2261–2261.
- [412] Ma, I, Wong, T, & Sankar, T. (2007) Volatility forecasting using time series data mining and evolutionary computation techniques eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2262–2262.
- [413] Mabu, S, Chen, Y, Hirasawa, K, & Hu, J. (2007) Genetic network programming with actor-critic and its application to stock trading model eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2263–2263.
- [414] Oranchak, D. (2007) Evolutionary synthesis of photographic artwork using human fitness function derived from web-based social networks eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2264–2264.
- [415] Sekaj, I, Perkacz, J, & Palenik, T. (2007) Controller design based on genetic programming eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2265–2265.
- [416] Shir, O. M, Bäck, T, & Vrakking, M. J. J. (2007) On the scalability of evolution strategies in the optimization of dynamic molecular alignment eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2266–2266.
- [417] Tufail, M & Ormsbee, L. E. (2007) Genetic algorithms for water quality management in an urban watershed eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2267–2267.
- [418] Turner, C. J & Tiwari, A. (2007) An experimental evaluation of genetic process mining eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2268–2268.
- [419] Urquhart, N. B. (2007) Carbon-friendly travel plan construction using an evolutionary algorithm eds. Thierens, D, Beyer, H.-G, Bongard, J, Branke, J, Clark, J. A, Cliff, D, Congdon, C. B, Deb, K, Doerr, B, Kovacs, T, Kumar, S, Miller, J. F, Moore, J, Neumann, F, Pelikan, M, Poli, R, Sastry, K, Stanley, K. O, Stutzle, T, Watson, R. A, & Wegener, I. (ACM Press, London), Vol. 2, pp. 2269–2269.