Список литературы

[1] COELLO, C., ALBA, E., LUQUE, G., and AGUIRRE, A., Comparing different serial and parallel heuristics to design combinatorial logic circuits, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 3–12, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[2] AGUIRRE, A. and COELLO, C., Fitness landscape and evolutionary boolean synthesis using information theory concepts, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 13–20, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[3] LOUIS, S. J., Learning for evolutionary design, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 17–21, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[4] A.STOICA, R.ZEBULUM, X.GUO, D.KEYMEULEN, DUONG, V., et al., Silicon validation of evolution-designed circuits, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 21–25, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[5] VINGER, K. and TORRESEN, J., Implementing evolution of fir-filters efficiently in an fpga, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 26–29, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[6] KOZA, J., KEANE, M., and STREETER, M., the importance of reuse and development in evolvable hardware, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 33–42, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[7] GALLAGHER, J., The once and future anaolg alternative: Evolvable hardware and analog computation, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 43–49, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[8] BOTELHO, J., LEONARDO, B., VIEIRA, P., and MESQUITA, A., An experiment on nonlinear synthesis using evolutionary techniques based only on cmos transistors, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 50–58, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[9] GREENWOOD, G., RAMSDEN, E., and AHMED, S., An empirical comparison of evolutionary algorithms for evolvable hardware with minimum time-to-reconfigure requirements, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 59–66, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[10] AGGARWAL, V., Evolving sinusoidal oscillators using genetic algorithms, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 67–76, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[11] PLANTE, J., SHAW, H., MICKENS, L., and JOHNSON-BE, C., Overview of field programmable analog arrays as enabling technology for evolvable hardware for high reliability systems, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 77–78, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[12] GWALTNEY, D. and FERGUSON, M. I., Intrinsic hardware evolution for the design and reconfiguration of analog speed controllers for a dc motor, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 81–90, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[13] JACKSON, A. H., CANHAM, R., and TYRRELL, A. M., Robot fault-tolerance using and embryonic array, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 91–100, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[14] AMARAL, J. F., SANTINI, C., TANSCHEIT, R., VELLASCO, M., PACHECO, M., et al., Evolvable building blocks for analog fuzzy logic controllers, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 101–110, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[15] TAKAHASHI, E., MURAKAWA, M., KASAI, Y., and HIGUCHI, T., Power dissipation reductions with genetic algorithms, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 111–116, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[16] TIAN, L. and ARSLAN, T., An evolutionary power management algorithm for soc based ehw ststems, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 117–124, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[17] THOMSON, R. and ARSLAN, T., The evolutionary design and synthesis of non-linear digital vlsi systems, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 125–134, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[18] SEKANINA, L. and RUZICKA, R., Easily testable image operators: The class of circuits where evolution beats engineers, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 135–144, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[19] ZINCHENKO, L. and SOROKIN, S., Fitness estimations for evolutionary antenna design, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 155–166, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[20] GARVIE, M. and THOMPSON, A., Evolution of combinationial and sequential on-line self-diagnosing hardware, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 167–173, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[21] SHANTHI, A. P. and R.PARTHASARATHI, Exploring fpga structures for evolving fault tolerant hardware, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 174–181, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[22] R.ZEBULUM, A.STOICA, X.GUO, D.KEYMEULEN, DUONG, V., et al., Experimental results in evolutionary fault-recovery for field programmble, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 182–188, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[23] ROGGEN, D., HOFMANN, S., THOMA, Y., and FLOREANO, D., Hardware spiking neural network with run-time reconfigurable connectivity in and autonomous robot, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 189–198, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[24] R. CANHAM, A. H. J. and TYRRELL, A., Robot error detection using an artificial immune system, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 199–207, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[25] KAMIO, S., LIU, H., MITSUHASI, H., and IBA, H., Researches on ingeniously behaving agents, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 208–220, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[26] HARDING, S. and MILLER, J. F., A scalable platform for intrinsic hardware and in materio evolution, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 221–224, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[27] KRAMER, G. R. and GALLAGHER, J., Improvements to the *cga enabling online intrinsic evolution in compact eh devices, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 225–234, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[28] STAUFFER, A. and SIPPER, M., Data and signals: A new kind of cellular automation for growing systems, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 235–241, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[29] SAYAMA, H., Self-protection maintains diversity of artificial self-replicators evolving in cellular automata, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 242–254, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[30] TEMPESTI, G., MANGE, D., PETRAGLIO, E., STAUFFER, A., and THOMA, Y., Developmental processes in silicon: An engineering perspective, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 255–264, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.

[31] DINERSTEIN, J., DINERSTEIN, N., and DE GARIS, H., Automatic multi-module neural network evolution in an artificial brain, in LOHN, J., ZEBULUM, R., STEINCAMP, J., KEYMEULEN, D., STOICA, A., et al., editors, *2003 NASA/DoD Conference on Evolvable Hardware*, pp. 273–276, Chicago, Illinois, 2003, NASA Ames Research Center, IEEE Computer Society.