

Список литературы

- [Agassiz, 1833a] Agassiz, L. (1833a). *Recherches sur les Poisson Fossiles. Tome III*.
- [Agassiz, 1833b] Agassiz, L. (1833b). *Recherches sur les Poissons Fossiles. Tome I*.
- [Agassiz, 1833c] Agassiz, L. (1833c). *Recherches sur les Poissons Fossiles. Tome II*.
- [Agassiz, 1833d] Agassiz, L. (1833d). *Recherches sur les Poissons Fossiles. Tome IV*.
- [Agassiz, 1843] Agassiz, L. (1843). *Recherches sur les Poisson Fossiles. Tome V*.
- [Agassiz, 1846] Agassiz, L. (1846). *Nomina Systematica Generum Piscium, tam Viventum Quam Fossilum*.
- [Amalfitano et al., 2017] Amalfitano, J., Giusberti, L., Fornaciari, E., & Carnevale, G. (2017). A reappraisal of the Italian record of the cretaceous Pachycormid Fish *Protosphyraena* Leidy, 1857. *Rivista Italiana di Paleontologia e Stratigrafia*, 123(3), 475–485.
- [Arambourg, 1966] Arambourg, C. (1966). Les poissons oligocènes de l'Iran. *Notes et Mémoires sur le Moyen-Orient*, 3, 1–210.
- [Arratia et al., 2018] Arratia, G., González-Rodríguez, K. A., & Hernández-Guerrero, C. (2018). A new Pachyrhizodontid Fish (Actinopterygii, Teleostei) from the Muhi Quarry (Albian-Cenomanian), Hidalgo, Mexico. *Fossil Record*, 21(1), 93–107. <https://doi.org/10.5194/fr-21-93-2018>
- [Artedi, 1793] Artedi, P. (1793). *Petri Artedi Angermannia-Sueci synonymia nominum piscium fere omnium;... Ichthyologiae pars IV. Editio II. Grypeswaldiae*.
- [Bannikov, 2008] Bannikov, A. F. (2008). Revision of the Atheriniform fish genera *Rhamphognathus* Agassiz and *Mesogaster* Agassiz (Teleostei) From the Eocene of Bolca, northern Italy. *Studie Ricerche sui Giacimenti Terziari di Bolca*, 9, 65–76.
- [Bannikov, 2010] Bannikov, A. F. (2010). *Iskopaemye pozvonochnye Rossii i sopredel'nykh stran. Iskopaemye kolyucheperye ryby (Teleostei, Acanthopterygii)*. GEOS.
- [Bardack, 1969] Bardack, D. (1969). Anatomy and evolution of Chirocentrid fishes. *University of Kansas Paleontological Contributions*, 10, 1–86.
- [Bardack & Sprinkle, 1969] Bardack, D. & Sprinkle, G. (1969). Morphology and relationships of saurocephalid fishes. *Fieldiana Geology*, 16, 297–340.
- [Bassani, 1889] Bassani, F. (1889). Ricerche sui pesci fossili di Chiavon (Strati di Sotzka - Miocene Inferiore). *Atti della Reale Accademia delle Scienze Fisiche e Matematiche*, 3(2), 1–100.
- [Bemis et al., 2005] Bemis, W. E., Giuliano, A., & McGuire, B. (2005). Structure, attachment, replacement and growth of teeth in bluefish, *Pomatomus saltatrix* (Linnaeus, 1766), a teleost with deeply socketed teeth. *Zoology*, 108(4), 317–327. <https://doi.org/10.1016/j.zool.2005.09.004>
- [Betancur-R et al., 2017] Betancur-R, R., Wiley, E. O., Arratia, G., Acero, A., Bailly, N., Miya, M., Lecointre, G., & Ortí, G. (2017). Phylogenetic classification of bony fishes. *BMC Evolutionary Biology*, 17(162), 1–40.
- [Böhm, 1926] Böhm, J. (1926). Ueber tertiäre Versteinerungen von den hogenfelser Diamantfeldern. *Die Diamantenwüste Sudwestafrikas. Vol II*, 55–87.
- [Bone et al., 1991] Bone, D. A., Todd, J. A., & Tracey, S. (1991). Fossils from the Bracklesham Group exposed in the M27 Motorway excavations, Southampton, Hampshire. *Tertiary Research*, 12(3-4), 131–137.
- [Bourque, 2013] Bourque, J. R. (2013). Fossil Kinosternidae from the Oligocene and Miocene of Florida, USA. *Morphology and Evolution of Turtles*, 459–475. Springer Sciences+Business Media. <https://doi.org/10.5860/choice.50-3263>

- [Bryant, 1991] Bryant, J. D. (1991). New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, Eastern Florida Panhandle. *Journal of Vertebrate Paleontology*, 11(4), 472–489.
- [Brzobohatý & Nolf, 2011] Brzobohatý, R. & Nolf, D. (2011). Fish otoliths from the middle Eocene (Bartonian) of Yebra de Basa, province of Huesca, Spain. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, 81, 279–295.
- [Carrillo-Briceño et al., 2018] Carrillo-Briceño, J. D., Reyes-Cespedes, A. E., Salas-Gismondi, R., & Sánchez, R. (2018). A new vertebrate continental assemblage from the Tortonian of Venezuela. *Swiss Journal of Palaeontology*, 0123456789. <https://doi.org/10.1007/s13358-018-0180-y>
- [Casier, 1944a] Casier, E. (1944a). Contributions à l'étude des Poissons fossiles de la Belgique. VI. Sur le *Sphyaenodus* de l'Eocene e sur la présence d'un Sphyaenidé dans le Bruxellien (Lutétien inférieur). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, 20(11), 11–15.
- [Casier, 1944b] Casier, E. (1944b). Contributions a l'etude des poissons fossiles de la Belgique. VII. Morphologie du dentaire de *Sphyaenodus lerichei* Casier. *Bulletin du Musée Royal d'Histoire Naturelle de Belgique*, 20(23), 1–8.
- [Casier, 1946] Casier, E. (1946). La faune ichthyologique de l'Yprésien de la Belgique. *Mémoires du Musée Royal d'Histoire Naturelle de Belgique*, 104, 1–267.
- [Chapman, 1935] Chapman, F. (1935). Descriptions of fossil fish from New Zealand. *Transactions and Proceedings of the Royal Society of New Zealand*, 64, 117–121.
- [Cope, 1869] Cope, E. D. (1869). Synopsis of the Batrachia and Reptilia of North America. Part I. *Transactions of the American Philosophical Society*, 14, 1–252.
- [Cope, 1875] Cope, E. D. (1875). Synopsis of the Vertebrata of the Miocene of Cumberland County , New Jersey. *Proceedings of the American Philosophical Society*, 14(94), 361–364.
- [Dames, 1883] Dames, F. T. W. (1883). Über eine tertiäre Wirbelthier-fauna von der westlichen Insel Birket-el-Qurun im Fajum (Aegypten). *Sitzungsber . d . kgl . pr . Akad . d . Wiss. zu Berlin*, 6, 129–135.
- [Darriba et al., 2012] Darriba, D., Taboada, G. L., Doallo, R., & Posada, D. (2012). jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods*, 9(8), 772–772. <https://doi.org/10.1038/nmeth.2109>
- [de Sylva, 1963] de Sylva, D. P. (1963). Systematics and life history of the great barracuda *Sphyaena barracuda* (Walbaum). *Studies in Tropical Oceanography*, 1, 1–179.
- [de Sylva & Williams, 1986] de Sylva, D. P. & Williams, F. (1986). Sphyaenidae. *Smiths' Sea Fishes*, 721–726. Macmillan South Africa.
- [Deméré et al., 1984] Deméré, T. A., Roeder, M. A., Chandler, R. M., & Minch, J. A. (1984). Paleontology of the middle Miocene Los Indios Member of the Rosarito Formation, northwestern Baja California, Mexico. *Miocene and Cretaceous Depositional Environments, Northwestern Baja California, Mexico*, 47–56. Pacific Section AAPG.
- [Díaz-Franco & Rojas-Consuegra, 2009] Díaz-Franco, S. & Rojas-Consuegra, R. (2009). Dientes fósiles de *Sphyaena* (Perciformes: Sphyaenidae) en el Terciario de Cuba Occidental. *Solenodon*, 8, 124–129.
- [Doiuchi & Nakabo, 2005] Doiuchi, R. & Nakabo, T. (2005). The *Sphyaena obtusata* group (Perciformes: Sphyaenidae) with a description of a new species from southern Japan. *Ichthyological Research*, 52, 132–151. <https://doi.org/10.1007/s10228-004-0263-1>
- [Dollo & Storms, 1888] Dollo, L. & Storms, R. (1888). Sur les Téléostéens du Rupélien. *Zoologischer Anzeiger*, 11, 265–267.

- [Fanti et al., 2016] Fanti, F., Minelli, D., Conte, G. L., & Miyashita, T. (2016). An exceptionally preserved Eocene Shark and the rise of modern predator–prey interactions in the coral reef food web. *Zoological Letters*, 2, 2–18. <https://doi.org/10.1186/s40851-016-0045-4>
- [FAO-FIGIS, 2005] FAO-FIGIS (2005). *Trachurus trachurus*. A World Overview of Species of Interest to Fisheries, 1–3. FAO.
- [Forey, 1977] Forey, P. L. (1977). The osteology of *Notelops* Woodward, *Rhacolepis* Agassiz and *Pachyrhizodus* Dixon (Pisces: Teleostei). *Bulletin of the British Museum (Natural History)*, 28(2), 123–204.
- [Fowler, 1903] Fowler, H. W. (1903). New and little known Mugilidae and Sphyraenidae. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 55(1903), 743–752.
- [Fricke et al., 2019] Fricke, R., Eschmeyer, W. N., & van der Laan, R. (2019). *Eschmeyer’s catalog of Fishes: Genera, species, references*. <http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>
- [Fricke et al., 2011] Fricke, R., Kulbick, M., & Wantiez, L. (2011). Checklist of the fishes of New Caledonia, and their distribution in the Southwest Pacific Ocean (Pisces). *Stuttgarter Beiträge zur Naturkunde A, New Series*, 4, 341–463.
- [Friedman & Carnevale, 2018] Friedman, M. & Carnevale, G. (2018). The Bolca Lagerstätten: shallow marine life in the Eocene. *Journal of the Geological Society*, 175(4), 569–579. <https://doi.org/10.1144/jgs2017-164>
- [Gillette, 1984] Gillette, D. D. (1984). A marine ichthyofauna from the Miocene of Panama, and the Tertiary Caribbean Faunal Province. *Journal of Vertebrate Paleontology*, 4(2), 172–186.
- [Gottfried et al., 2017] Gottfried, M. D., Samonds, K. E., Ostrowski, S. A., Andrianavalona, T. H., & Ramihangihajason, T. N. (2017). New evidence indicates the presence of Barracuda (Sphyraenidae) and supports a tropical marine environment in the Miocene of Madagascar. *PLoS ONE*, 12(5), 1–9. <https://doi.org/10.1371/journal.pone.0176553>
- [Grubich et al., 2008] Grubich, J. R., Rice, A. N., & Westneat, M. W. (2008). Functional morphology of bite mechanics in the Great Barracuda (*Sphyraena barracuda*). *Zoology*, 111(1), 16–29. <https://doi.org/10.1016/j.zool.2007.05.003>
- [Harlan, 1824] Harlan, R. (1824). On a new fossil genus, of the order Enalio Sauri (of Conybeare): and on a new species of Ichthyosaurus. *Journal fo the Academy of Natural Sciences of Philadelphia*, 3, 331–338. <https://doi.org/10.1080/14786442408644630>
- [Hays, 1830] Hays, I. (1830). Description of a fragment of the head of a new fossil animal, discovered in a Marl Pit, near Moorestown, New Jersey. *Transactions of the American Philosophical Society*, 3, 471–477.
- [Hendy et al., 2015] Hendy, A. J. W., Jones, D. S., Moreno, F., Zapata, V., & Jaramillo, C. A. (2015). Neogene molluscs, shallow marine paleoenvironments, and chronostratigraphy of the Guajira Peninsula, Colombia. *Swiss Journal of Palaeontology*, 1–31. <https://doi.org/10.1007/s13358-015-0074-1>
- [Huyghebaert & Nolf, 1979] Huyghebaert, B. & Nolf, D. (1979). on fish-otoliths, published since 1968. *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie*, 16(4), 139–170.
- [ICZN, 1999] ICZN (1999). *International Code of Zoological Nomenclature* (4th ed.). The International Trust for Zoological Nomenclature.
- [Katoh & Standley, 2013] Katoh, K. & Standley, D. M. (2013). MAFFT multiple sequence alignment software version 7: Improvements in performance and usability. *Molecular Biology and Evolution*, 30(4), 772–780. <https://doi.org/10.1093/molbev/mst010>
- [Leidy, 1855] Leidy, J. (1855). Indications of twelve species of fossil Fishes. *Proeceedings of the Academy of Natural Sciencies of Philadelphia*, 7, 395–397.

- [Leidy, 1856] Leidy, J. (1856). Notice of remains of extinct vertebrated animals of New-Jersey, collected by Prof. Cook of the State Geological Survey under the direction of Dr. W. Kitchell. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 8, 220–221.
- [Leidy, 1877] Leidy, J. (1877). Description of vertebrate remains chiefly from the phosphate beds of South Carolina. *Journal of the Academy of Natural Sciences*, 8(3), 209–261.
- [Mainwaring, 1978] Mainwaring, A. J. (1978). Anatomical and Systematic review of the Pachycormidae, a family of Mesozoic fossil fishes. 162.
- [Marsili et al., 2007] Marsili, S., Carnevale, G., Danese, E., Bianucci, G., & Landini, W. (2007). Early Miocene vertebrates from Montagna della Maiella, Italy. *Annales de Paléontologie*, 93(1), 27–66. <https://doi.org/10.1016/j.annpal.2007.01.001>
- [Mas, 2000] Mas, G. (2000). Ictiofauna del Pliocè mitjà-superior de la conca sedimentària de Palma (Illes Balears, Mediterrània Occidental). Implicacions paleoambientals. *Bolletí de la Societat d'Historia Natural de les Balears*, 43, 39–61.
- [Mateus et al., 2019] Mateus, O., Callapez, P. M., Polcyn, M. J., Schulp, A. S., Gonçalves, A. O., & Jacobs, L. L. (2019). The Fossil Record of Biodiversity in Angola Through Time: A Paleontological Perspective. *Biodiversity of Angola*, 53–76. https://doi.org/10.1007/978-3-030-03083-4_4
- [Meek & Newland, 1884] Meek, S. E. & Newland, R. G. (1884). A review of the American species of the genus *Sphyræna*. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 36, 67–75.
- [Monsch, 2000] Monsch, K. A. (2000). *The Phylogeny of the Scombroid Fishes*.
- [Monsch, 2005] Monsch, K. A. (2005). Revision of the scombroid fishes from the Cenozoic of England. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 95(November 2016), 445–489. <https://doi.org/10.1017/S0263593300001164>
- [Moreno et al., 2015] Moreno, F., Hendy, A. J. W., Quiroz, L., Hoyos, N., Jones, D. S., Zapata, V., Zapata, S., Ballen, G. A., Cadena, E., Cárdenas, A. L., Carrillo-Briceño, J. D., Carrillo, J. D., Delgado-Sierra, D., Escobar, J., Martínez, J. I., Martínez, C., Montes, C., Moreno, J., Pérez, N., Sánchez, R., Suárez, C., Vallejo-Pareja, M. C., & Jaramillo, C. A. (2015). Revised stratigraphy of Neogene strata in the Cocinetas Basin, La Guajira, Colombia. *Swiss Journal of Palaeontology*, 134, 5–43. <https://doi.org/10.1007/s13358-015-0071-4>
- [Nakamura, 1985] Nakamura, I. (1985). *FAO Species Catalogue. Volume 5. Billfishes of the World*, volume 5. FAO.
- [NCBI, 2018] NCBI (2018). *Entrez Programming Utilities Help*. Number Md. NCBI. <http://www.ncbi.nlm.nih.gov/books/NBK25501/>
- [Nelson et al., 2016] Nelson, J. S., Grande, T., & Wilson, M. V. H. (2016). *Fishes of the World* (5 ed.). John Wiley & Sons.
- [Newton, 1877] Newton, E. T. (1877). On the remains of *Hypsodon*, *Portheus*, and *Ichthyodectes* from British Cretaceous strata, with descriptions of new species. *Quarterly Journal of the Geological Society*, 33(1-4), 505–523.
- [Nolf, 1972] Nolf, D. (1972). Deuxième note sur les Téléostéens des sabens de Lede (Éocène Belge). *Bulletin de la Société Belge de Géologie, Paléontologie et Hydrologie*, 81(1-2), 95–109.
- [Nolf, 1985] Nolf, D. (1985). *Handbook of Paleoichthyology. Otolithi Piscium*. Gustav Fischer Verlag.
- [Okonechnikov et al., 2012] Okonechnikov, K., Golosova, O., Fursov, M., Varlamov, A., Vaskin, Y., Efremov, I., German Grehov, O. G., Kandrov, D., Rasputin, K., Syabro, M., & Tleukenov, T. (2012). Unipro UGENE: A unified bioinformatics toolkit. *Bioinformatics*, 28, 1166–1167. <https://doi.org/10.1093/bioinformatics/bts091>

- [Páramo-Fonseca, 1997] Páramo-Fonseca, M. E. (1997). *Bachea huilensis* nov. gen., nov. sp., premier Tselfatioidei (Teleostei) de Colombie. *Comptes Rendus de l'Academie de Sciences - Serie IIa: Sciences de la Terre et des Planetes*, 325(2), 147–150. [https://doi.org/10.1016/S1251-8050\(97\)83976-6](https://doi.org/10.1016/S1251-8050(97)83976-6)
- [Páramo-Fonseca, 2001] Páramo-Fonseca, M. E. (2001). Los peces de la familia Pachyrhizodontidae (Teleostei) del Turoniano del Valle Superior del Magdalena. *Boletín Geológico Ingeominas*, 39, 47–83.
- [Pastore, 2009] Pastore, M. A. (2009). *Sphyraena intermedia* sp. nov. (Pisces: Sphyraenidae): a potential new species of barracuda identified from the central Mediterranean Sea. *Journal of the Marine Biological Association of the United Kingdom*, 89(6), 1299–1303. <https://doi.org/10.1017/S0025315409000575>
- [Patterson, 1993] Patterson, C. (1993). An overview of the early fossil record of Acanthomorphs. *Bulletin of Marine Science*, 52(1), 29–59.
- [Quillévére et al., 2018] Quillévére, F., Koskeridou, E., Cornée, J.-J., Moissette, P., Girone, A., & Agiadi, K. (2018). Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean. *Quaternary Science Reviews*, 196, 80–99. <https://doi.org/10.1016/j.quascirev.2018.07.037>
- [R Core Development Team, 2017] R Core Development Team (2017). *R: A language and environment for statistical computing*. <http://www.r-project.org/>
- [Rana, 1990] Rana, R. S. (1990). Palaeontology and palaeoecology of the intertrappean (Cretaceous-Tertiary transition) beds of the Peninsular India. *Journal of the Palaeontological Society of India*, 35, 105–120.
- [Rapp, 1946] Rapp, W. F. (1946). Check list of the fossil fishes of New Jersey. *Journal of Paleontology*, 20(5), 510–513.
- [Ray & Bohaska, 2001] Ray, C. E. & Bohaska, D. J. (2001). *Geology and Paleontology of the Lee Creek Mine, North Carolina, III* (smithsonia ed.). Number 90. <https://doi.org/10.5479/si.00810266.90.1>
- [Ray et al., 1968] Ray, C. E., Wetmore, A., Dunkle, D. H., & Drez, P. (1968). Fossil vertebrates from the marine Pleistocene of southeastern Virginia. *Smithsonian Miscellaneous Collections*, 153(3), 1–25.
- [Ronquist et al., 2012] Ronquist, F., Teslenko, M., Van Der Mark, P., Ayres, D. L., Darling, A., Höhna, S., Larget, B., Liu, L., Suchard, M. A., & Huelsenbeck, J. P. (2012). MrBayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space. *Systematic Biology*, 61(3), 539–542. <https://doi.org/10.1093/sysbio/sys029>
- [Sánchez-Villagra et al., 2004] Sánchez-Villagra, M. R., Asher, R. J., Rincón, A. D., Carlini, A. A., Meylan, P. A., & Purdy, R. W. (2004). New faunal reports for the cerro La Cruz locality (Lower Miocene), north-eastern Venezuela. *Special Papers in Palaeontology*, 71, 105–112.
- [Santini et al., 2015] Santini, F., Carnevale, G., & Sorenson, L. (2015). First timetree of Sphyraenidae (Percomorpha) reveals a Middle Eocene crown age and an Oligo–Miocene radiation of Barracudas. *Italian Journal of Zoology*, 82(1), 133–142. <https://doi.org/10.1080/11250003.2014.962630>
- [Schultz et al., 2010] Schultz, O., Brzobohatý, R., & Kroupa, O. (2010). Fish teeth from the Middle Miocene of Kienberg at Mikulov, Czech Republic, Vienna Basin. *Annalen des Naturhistorischen Museums in Wien, Serie A*, 112, 489–506.
- [Senou, 2001] Senou, H. (2001). Sphyraenidae. *The Living Marine Resources of the Western Central Pacific. Volume 6*, 3685–3697. FAO.
- [Smith, 1956] Smith, J. L. B. (1956). The fishes of the family Sphyraenidae in the western Indian Ocean. *Ichthyological Bulletin of the Department of Ichthyology of Rhodes University*, 3, 37–46.

- [Stringer et al., 2001] Stringer, G. L., Breard, S. Q., & Kontrovitz, M. (2001). Biostratigraphy and Paleocology of Diagnostic Invertebrates and Vertebrates from the Type Locality of the Oligocene Rosefield Marl Beds, Louisiana. *Gulf Coast Association of Geological Societies Transactions*, LI, 321–328.
- [STRINGER, GARY L., Department of Ge, 2003] STRINGER, GARY L., Department of Ge (2003). Paleoenvironmental Interpretations Based on Vertebrate Fossil Assemblages: An Example of their Utilization in the Gulf Coast. *AAPG Bulletin*, 85. <https://doi.org/10.1306/8626cfaf-173b-11d7-8645000102c1865d>
- [Switchenska, 1968] Switchenska, A. A. (1968). A new genus from the family Sphyræniadae from the middle Miocene of Transcaucasia. *Ocherki po Filogenii i Sistematike Iskopaemykh Ryb I Beschelyustnykh*, 157–161.
- [Taverne & Chanet, 2000] Taverne, L. & Chanet, B. (2000). *Faugichthys loryi* n. gen., n. sp. (Teleostei, Ichthyodectiformes) de l’Albien terminal (Crétacé inférieur marin) du vallon de la Fauge (Isère, France) et considérations sur la phylogénie des Ichthyodectidae. *Geodiversitas*, 22(1), 23–34.
- [Távora et al., 2010] Távora, V. d. A., dos Santos, A. A. R., & Araújo, R. N. (2010). Localidades fossilíferas da Formação Pirabas (Mioceno Inferior). *Boletim do Museu Paraense Emilio Goeldi Ciencias Naturais*, 5(2), 207–224.
- [Van der Laan, 2018] Van der Laan, R. (2018). Family-group names of fossil fishes. *European Journal of Taxonomy*, (466), 1–167. <https://doi.org/10.5852/ejt.2018.466>
- [Viñola-López et al., 2017] Viñola-López, L. W., Rojas-Consuegra, R., & Jiménez-Vásquez, O. (2017). Nuevos registros de *Sphyræna* (Perciformes: Sphyrænidae) para el Neógeno de Cuba y La Española. *Novitates Caribæa*, 11, 89–94.
- [Weiler, 1938] Weiler, W. v. W. (1938). Neue Untersuchungen an Mitteloligozänen Fischen Ungarns. *Geologica Hungarica. Series Palaeontologica*, 15(1-30).
- [Westgate, 1984] Westgate, J. W. (1984). Lower vertebrates from the late Eocene Crow Creek local fauna, St. Francis County, Arkansas. *Journal of Vertebrate Paleontology*, 4(4), 536–546.
- [White, 1926] White, E. I. (1926). Eocene Fishes from Nigeria. *Bulletin of the Geological Survey of Nigeria*, 10, 1–82.
- [Whitley, 1947] Whitley, G. P. (1947). New sharks and fishes from Western Australia. Part 3. *Australian Zoologist*, 11(2), 129–150.
- [Woodward, 1889] Woodward, A. S. (1889). *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part I.* Taylor & Francis.
- [Woodward, 1891] Woodward, A. S. (1891). *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part II.* Taylor & Francis.
- [Woodward, 1895] Woodward, A. S. (1895). *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part III.* Taylor & Francis.
- [Woodward, 1901] Woodward, A. S. (1901). *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part IV.* Taylor & Francis.