Список литературы

[Al-Kazemi & Mohan, 2000] Al-Kazemi, B. & Mohan, C. K. (2000). Solving problems with overlapping building blocks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 384. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA208.pdf

[Arita et al., 2000] Arita, M., andMasami Hagiya, A. N., Komiya, K., Gouzu, H., & Sakamoto, K. (2000). Improving sequence design for dna computing. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 875–882. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/DN131.pdf

[Baghadadchi, 2000] Baghadadchi, J. (2000). A classifier based learning model for intelligent agents. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 870.

[Baglioni et al., 2000] Baglioni, S., Sorbello, D., da Costa Pereira, C., & Tettamanzi, A. G. B. (2000). Evolutionary multiperiod asset allocation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 597–604. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW127.pdf

[Bagnall, 2000] Bagnall, A. J. (2000). A multi-adaptive agent model of generator bidding in the uk market in electricity. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 605–612. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW175.pdf

[Barone & While, 2000] Barone, L. & While, L. (2000). Adaptive learning for poker. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 566–573. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW179.pdf

[Barry, 2000] Barry, A. (2000). Specifying action persistence within xcs. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 50–57. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS188.pdf

[Baydar & Saitou, 2000] Baydar, C. M. & Saitou, K. (2000). A genetic programming framework for error recovery in robotic assembly systems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 756. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW036.pdf

[Benson et al., 2000] Benson, K., Booth, D., Cubillo, J., & Reeves, C. (2000). Automatic detection of ships in spaceborne sar imagery. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 767. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW002.pdf

[Bentley, 2000] Bentley, P. J. (2000). "evolutionary, my dear watson"investigating committee-based evolution of fuzzy rules for the detection of suspicious insurance claims. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 702–709. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW074.pdf

[Berlanga et al., 2000] Berlanga, A., Isasi, P., Sanchis, A., & Molina, J. M. (2000). Uniform coevolution for solving the density classification problem in cellular automata. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 383. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA192.pdf

[Bersini, 2000] Bersini, H. (2000). Chemical crossover. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 825–832. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA140.pdf

[Bhattacharyya & Troutt, 2000] Bhattacharyya, S. & Troutt, M. D. (2000). Crossover in probability spaces. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 120–127. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA116.pdf

[Boden et al., 2000] Boden, M., Jacobsson, H., & Ziemke, T. (2000). Evolving context-free language predictors. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1033–1040. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN133.pdf

[Bonachea et al., 2000] Bonachea, D., Ingerman, E., Levy, J., & McPeak, S. (2000). An improved adaptive multi-start approach to finding near-optimal solutions to the euclidean tsp. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 143–150. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA149.pdf

[Bot, 2000] Bot, M. C. (2000). Improving induction of linear classification trees with genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 403–410. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP185.pdf

[Brizuela & Sannomiya, 2000] Brizuela, C. A. & Sannomiya, N. (2000). A selection scheme in genetic algorithms for a complex scheduling problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1021. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC232.pdf

[Butz et al., 2000a] Butz, M. V., Goldberg, D. E., & Stolzmann, W. (2000a). Introducing a genetic generalization pressure to the anticipatory classifier system - part 1: Theoretical approach. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 34–41. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS097.pdf

[Butz et al., 2000b] Butz, M. V., Goldberg, D. E., & Stolzmann, W. (2000b). Introducing a genetic generalization pressure to the anticipatory classifier system - part 2: Performance analysis. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 42–49. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS115.pdf

[Cantu-Paz, 2000] Cantu-Paz, E. (2000). Selection intensity in genetic algorithms with generation gaps. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 911–918. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA118.pdf

[Cantu-Paz & Kamath, 2000] Cantu-Paz, E. & Kamath, C. (2000). Using evolutionary algorithms to induce oblique decision trees. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1053–1060. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN119.pdf

[Carse & Oreland, 2000] Carse, B. & Oreland, J. (2000). A note on learning and evolution in neural networks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 66–73. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA071.pdf

[Carvalho & Freitas, 2000] Carvalho, D. R. & Freitas, A. A. (2000). A hybrid decision tree/genetic algorithm for coping with the problem of small disjuncts in data mining. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1061–1068. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN020.pdf

[Chaudhri et al., 2000] Chaudhri, O. A., Daida, J. M., Khoo, J. C., Richardson, W. S., Harrison, R. B., & Sloat, W. J. (2000). Characterizing a tunably difficult problem in genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 395–402. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP206.pdf

[Cheng et al., 2000] Cheng, R., Gen, M., & Oren, S. S. (2000). An adaptive hyperplane approach for multiple objective optimization problems with complex constraints. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 299–306. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA242.pdf

[Chiu et al., 2000] Chiu, P., Girgensohn, A., Polak, W., Rieffel, E., Wilcox, L., & Bennett III, F. H. (2000). A genetic segmentation algorithm for image data streams and video. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 666–673. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW015.pdf

[Christou & Zakarian, 2000] Christou, I. T. & Zakarian, A. (2000). Domain knowledge and representation in genetic algorithms for real world scheduling problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 690–696. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW057.pdf

[Cicirello & Smith, 2000] Cicirello, V. A. & Smith, S. F. (2000). Modeling ga performance for control parameter optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 235–242. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA108.pdf

[Collins et al., 2000] Collins, D. J., Agah, A., Wu, A. S., & Schultz, A. C. (2000). The effects of team size on the evolution of distributed micro air vehicles. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 949–956. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RO135.pdf

[Costa et al., 2000] Costa, L. A., Oliveira, P., Figueiredo, I. N., Roseiro, L. F., & Leal, R. P. (2000). Structural optimization of laminated plates with genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 621–627. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW168.pdf

[Craenen et al., 2000] Craenen, B. G. W., Eiben, A. E., Marchiori, E., & Steenbeek, A. G. (2000). Combining local search and fitness function adaptation in a ga for solving binary constraint satisfaction problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 381. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA186.pdf

[Cuesta et al., 2000] Cuesta, P. D., Abderraman, J. C., Jimenez, J. A., & Winter, G. (2000). Practical modeling of simple genetic algorithm via deterministic paths by absorbing markov chains. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 371. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA076.pdf

[da Silva, 2000] da Silva, A. R. F. (2000). Genetic algorithms for component analysis. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 243–250. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA050.pdf

[De Falco et al., 2000] De Falco, I., Iazzetta, A., Tarantino, E., Cioppa, A. D., & Trautteur, G. (2000). A kolmogorov complexity-based genetic programming tool for string compression. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 427–434. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP124.pdf

[Devogelaere et al., 2000] Devogelaere, D., Van Bael, P., & Rijckaert, M. (2000). Genetic algorithm driven clustering for toxicity prediction. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 759. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW053.pdf

[Dozier, 2000] Dozier, G. (2000). Distributed steady-state neuro-evolutionary path planning in non-stationary environments. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 58–65. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA096.pdf

[Drechsler & Gunther, 2000] Drechsler, R. & Gunther, W. (2000). Evolutionary synthesis of multiplexor circuits under hardware constraints. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 513–518. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH040.pdf

[Edelson & Gargano, 2000] Edelson, W. & Gargano, M. L. (2000). Feasible encodings for ga solutions of constrained minimal spanning tree problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 754. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW011.pdf

[Eiben et al., 2000] Eiben, A. E., Jansen, B., Michalewicz, Z., & Paechter, B. (2000). Solving csps with using self-adaptive constraint weights: how to prevent eas from cheating. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 128–134. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA216.pdf

[Fabrega & Guiu, 2000] Fabrega, X. L. i. & Guiu, J. M. G. i. (2000). Evolving agent aggregates using cellular genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 868. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA034.pdf

[Fernandez et al., 2000] Fernandez, F., Tomassini, M., Punch, W., & Sanchez, J. M. (2000). Experimental study of isolated multipopulation genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 536. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP159.pdf

[Ficici & Pollack, 2000] Ficici, S. G. & Pollack, J. B. (2000). Effects of finite populations on evolutionary stable strategies. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 927–934. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA201.pdf

[Furutani, 2000] Furutani, H. (2000). Study of evolution in genetic algorithms by eigen's theory including crossover operator. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 389. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA262.pdf

[Gan & Warwick, 2000] Gan, J. & Warwick, K. (2000). A variable radius niching technique for speciation in genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 96–103. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA055.pdf

[Gen & Zhou, 2000] Gen, M. & Zhou, G. (2000). A genetic algorithm for the mini-max spanning forest problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 387. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA243.pdf

[Gilbert et al., 2000] Gilbert, R. J., Rowland, J. J., & Kell, D. B. (2000). Genomic computing: explanatory modelling for functional genomics. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 551–557. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW045.pdf

[Goh & Foster, 2000] Goh, G. K.-M. & Foster, J. A. (2000). Evolving molecules for drug design using genetic algorithms via molecular trees. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 27–33. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA141.pdf

[Gottlieb & Raidl, 2000] Gottlieb, J. & Raidl, G. R. (2000). The effects of locality on the dynamics of decoder-based evolutionary search. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 283–290. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA090.pdf

[Greene, 2000] Greene, W. A. (2000). A non-linear schema theorem for genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 189–194. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA068.pdf

[Grundler & Rolich, 2000] Grundler, D. & Rolich, T. (2000). Qualitative visual presentation of evolution algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 805. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES026.pdf

[Gunther & Drechsler, 2000] Gunther, W. & Drechsler, R. (2000). Improving eas for sequencing problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 175–180. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA039.pdf

[Hart & Ross, 2000] Hart, E. & Ross, P. (2000). Enhancing the performance of a ga through visualisation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 347–354. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA046.pdf

[Hasse & Pozo, 2000] Hasse, M. & Pozo, A. R. (2000). Using phenotypic sharing in a classifier tool. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 392. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS252.pdf

[Heckendorn, 2000] Heckendorn, R. B. (2000). Polynomial time summary statistics for two general classes of functions. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 919–926. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA112.pdf

[Ho & Huang, 2000] Ho, S.-Y. & Huang, M.-H. (2000). An efficient quadratic curve approximation using an intelligent genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 766. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW174.pdf

[Ho & Lee, 2000] Ho, S.-Y. & Lee, K.-Z. (2000). A simple and fast ga-sa hybrid image segmentation algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 718–725. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW173.pdf

[Horng et al., 2000a] Horng, J.-T., Chang, Y.-J., Liu, B.-J., & Kao, C.-Y. (2000a). Materialized view selection in a data warehouse using evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 385. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA223.pdf

[Horng et al., 2000b] Horng, J.-T., Lin, C.-M., Liu, B.-J., & Kao, C.-Y. (2000b). Using genetic algorithms to solve multiple sequence alignments. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 883–890. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/DN207.pdf

[Hounsell & Arslan, 2000] Hounsell, B. & Arslan, T. (2000). A novel evolvable hardware framework for the evolution of high performance digital circuits. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 525–532. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH196.pdf

[House et al., 2000] House, J. L., Kain, A., & Hines, J. (2000). Esp - metaphor for learning: an evolutionary algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 734–741. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW094.pdf

[Hsu et al., 2000a] Hsu, W. H., Cheng, Y., Guo, H., & Gustafson, S. M. (2000a). Genetic algorithms for reformulation of large-scaled kdd problems with many irrelevant attributes. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1081. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN215.pdf

[Hsu et al., 2000b] Hsu, W. H., Welge, M., Redman, T., & Clutter, D. (2000b). Genetic wrappers for constructive induction in high-performance data mining. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 765. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW162.pdf

[Hu, 2000] Hu, Y.-J. (2000). Global gene expression analysis with genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 753. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW010.pdf

[Huang, 2000] Huang, C.-F. (2000). Independent sampling genetic algorithms and the applications. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 372. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA080.pdf

[Hussain & Malliaris, 2000] Hussain, D. & Malliaris, S. (2000). Evolutionary techniques applied to hashing: An efficient data retrieval method. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 760. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW054.pdf

[Iba & Terao, 2000] Iba, H. & Terao, M. (2000). Controlling effective introns for multi-agent learning by genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 419–426. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP191.pdf

[Ishibuchi et al., 2000] Ishibuchi, H., Nakari, T., & Nakashima, T. (2000). Evolution of strategies in spatial ipd games with structure demes. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 817–824. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA254.pdf

[Ishibuchi & Nakashima, 2000a] Ishibuchi, H. & Nakashima, T. (2000a). Linguistic rule extraction by genetics-based machine learning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 195–202. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA233.pdf

[Ishibuchi & Nakashima, 2000b] Ishibuchi, H. & Nakashima, T. (2000b). Multi-objective pattern and feature selection by genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1069–1076. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN253R.pdf

[Jin et al., 2000a] Jin, H.-D., Leung, K.-S., & Wong, M.-L. (2000a). Designing an expanded som for the traveling salesman problem by genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1079. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN021.pdf

[Jin et al., 2000b] Jin, Y., Olhofer, M., & Sendhoff, B. (2000b). On evolutionary optimization with approximate fitness functions. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 786–793. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES077.pdf

[Jung & Moon, 2000] Jung, S. & Moon, B.-R. (2000). The natural crossover for the 2d euclidean tsp. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1003–1010. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC087.pdf

[Kaeschel et al., 2000] Kaeschel, J., Meier, B., Fischer, M., & Teich, T. (2000). Evolutionary real-world shop floor scheduling using parallelization and parameter coevolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 697–701. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW138.pdf

[Kang & Moon, 2000] Kang, S.-J. & Moon, B.-R. (2000). A hybrid genetic algorithm for multiway graph partitioning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 159–166. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA105.pdf

[Kargupta, 2000] Kargupta, H. (2000). Computation in genetic code-like transformations. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 937. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA058.pdf

[Katayama et al., 2000] Katayama, K., Tani, M., & Narihisa, H. (2000). Solving large binary quadratic programming problems by effective genetic local search algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 643–650. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW070.pdf

[Kazadi et al., 2000] Kazadi, S., Lee, D., Modi, R., Sy, J., & Lue, W. (2000). Levels of compartmentalization in artificial evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 841–848. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA146.pdf

[Keane et al., 2000] Keane, M. A., Yu, J., & Koza, J. R. (2000). Automatic synthesis of both topology and tuning of a common parameterized controller for two families of plants using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 496–504. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP072.pdf

[Keijzer & Babovic, 2000] Keijzer, M. & Babovic, V. (2000). Genetic programming within a framework of computer-aided discovery of scientific knowledge. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 543–550. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW091.pdf

[Keymeulen et al., 2000] Keymeulen, D., Klimeck, G., Zebulum, R., Stoica, A., & Salazar-Lazaro, C. (2000). Ehwpack: a parallel software/hardware environment for evolvable hardware. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 538. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH213.pdf

[Kim & Cho, 2000] Kim, H.-S. & Cho, S.-B. (2000). Knowledge-based encoding in interactive genetic algorithm for a fashion design aid system. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 757. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW042.pdf

[Kim & Moon, 2000a] Kim, J.-H. & Moon, B.-R. (2000a). Genetic elevator group control. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 762. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW086.pdf

[Kim & Moon, 2000b] Kim, Y.-H. & Moon, B.-R. (2000b). A hybrid genetic search for graph partitioning based on lock gain. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 167–174. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA106.pdf

[Kirley & Green, 2000] Kirley, M. & Green, D. G. (2000). An empirical investigation of optimisation in dynamic environments using the cellular genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 11–18. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA153.pdf

[Kirshenbaum, 2000] Kirshenbaum, E. (2000). Genetic programming with statically scoped local variables. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 459–468. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP148.pdf

[Kivijarvi et al., 2000] Kivijarvi, J., Franti, P., & Nevalainen, O. (2000). Efficient clustering with a self-adaptive genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 377. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA142.pdf

[Knjazew & Golberg, 2000] Knjazew, D. & Golberg, D. E. (2000). Omega - ordering messy ga: Solving permutation problems with the fast messy genetic algorithm and random keys. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 181–188. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA059.pdf

[Knowles & Corne, 2000] Knowles, J. & Corne, D. (2000). Heuristics for evolutionary off-line routing in telecommunications networks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 574–581. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW195.pdf

[Koza et al., 2000] Koza, J. R., Keane, M. A., Yu, J., & Mydlowec, W. (2000). Automatic synthesis of electrical circuits containing a free variable using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 477–484. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP147.pdf

[Krasnogor & Smith, 2000] Krasnogor, N. & Smith, J. (2000). A memetic algorithm with self-adaptive local search: Tsp as a case study. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 987–994. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC172.pdf

[Kurahashi & Terano, 2000] Kurahashi, S. & Terano, T. (2000). A genetic algorithm with tabu search for multimodal and multiobjective function optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 291–298. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA117.pdf

[Kwong & Chan, 2000] Kwong, S. & Chan, S. S. (2000). A fault-tolerant multicast routing algorithm in atm networks. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 582–589. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RWA014.pdf

[Langdon, 2000] Langdon, W. B. (2000). Quadratic bloat in genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 451–458. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA069.pdf

[Lee & Antonsson, 2000] Lee, C.-Y. & Antonsson, E. K. (2000). Variable length genomes for evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 806. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES113.pdf

[Liese et al., 2000] Liese, A., Polani, D., & Uthmann, T. (2000). On the development of spectral properties of visual agent receptors through evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 857–864. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA031.pdf

[Lobo et al., 2000] Lobo, F. G., Goldberg, D. E., & Pelikan, M. (2000). Time complexity of genetic algorithms on exponentially scaled problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 151–158. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA075.pdf

[Maeda & Kawaguchi, 2000] Maeda, Y. & Kawaguchi, S. (2000). Redundant node pruning and adaptive search method for genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 535. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP102.pdf

[Mansilla & Guiu, 2000] Mansilla, E. B. i. & Guiu, J. M. G. i. (2000). Molecs: A multiobjective learning classifier system. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 390. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS033.pdf

[Margetts & Jones, 2000] Margetts, S. & Jones, A. J. (2000). Phlegmatic mappings for function optimisation with genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 82–89. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA067.pdf

[Mathias et al., 2000] Mathias, K. E., Eshelman, L. J., Schaffer, J. D., Augusteijn, L., Hoogendijk, P., & van de Wiel, R. (2000). Code compaction using genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 710–717. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW163.pdf

[Matsui & ichi Tokoro, 2000] Matsui, S. & ichi Tokoro, K. (2000). A new genetic algorithm for minimum span frequency assignment using permutation and clique. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 682–689. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW025.pdf

[Matthews et al., 2000] Matthews, K. B., Craw, S., Elder, S., Sibbald, A. R., & MacKenzie, I. (2000). Applying genetic algorithms to multi-objective land use planning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 613–620. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW203.pdf

[McKay, 2000] McKay, R. I. B. (2000). Fitness sharing in genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 435–442. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP256.pdf

[Mehrotra et al., 2000] Mehrotra, R., Karr, C. L., & Bowersox, R. (2000). Airfoil optimization using genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 764.

[Merkle et al., 2000] Merkle, D., Middendorf, M., & Schmeck, H. (2000). Ant colony optimization for resource-constrained project scheduling. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 893–900. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AN158.pdf

[Miki et al., 2000] Miki, M., Hiroyasu, T., & Kaneko, M. (2000). A parallel genetic algorithm with distributed environment scheme. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 376. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA120.pdf

[Miyashita, 2000] Miyashita, K. (2000). Job-shop scheduling with genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 505–512. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP041.pdf

[Moustafa et al., 2000] Moustafa, R. E., De Jong, K. A., & Wegman, E. J. (2000). A ga-based method for function approximation using adaptive interpolation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 378. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA160.pdf

[Mundhe & Sen, 2000] Mundhe, M. & Sen, S. (2000). Evolving agent societies that avoid social dilemmas. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 809–816. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA222.pdf

[Munteanu & Rosa, 2000] Munteanu, C. & Rosa, A. (2000). Symmetrical building blocks and the simple inversion operator. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 365. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA007.pdf

[Murakawa et al., 2000] Murakawa, M., Itatani, T., Kasai, Y., Kikkawa, H., & Higuchi, T. (2000). An evolvable laser system for femtosecond pulse generation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 636–642. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW085.pdf

[Murata et al., 2000] Murata, T., Ishibuchi, H., & Gen, M. (2000). Cellular genetic local search for multi-objective optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 307–314. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA229.pdf

[Neri, 2000] Neri, F. (2000). Modeling tcp/ip network traffic for intrusion detection by genetic evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 755. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW024.pdf

[Nicholson, 2000] Nicholson, A. (2000). Evolution and learning for digital circuit design. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 519–524. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH114.pdf

[Noda et al., 2000] Noda, E., Freitas, A. A., & Lopes, H. S. (2000). Comparing a genetic algorithm with a rule induction algorithm in the data mining task of dependence modeling. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1080. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN048.pdf

[Oates et al., 2000] Oates, M. J., Corne, D., & Loader, R. (2000). A tri-phase multimodal evolutionary search performance profile on the 'hierarchical if and only if' problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 339–346. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA194.pdf

[Ochoa et al., 2000] Ochoa, G., Harey, I., & Buxton, H. (2000). Optimal mutation rates and selection pressure in genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 315–322. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA049.pdf

[O'Neill & Ryan, 2000] O'Neill, M. & Ryan, C. (2000). Grammar based function definition in grammatical evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 485–490. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP226.pdf

[Ono et al., 2000] Ono, I., Nijo, T., & Ono, N. (2000). A genetic algorithm for automatically designing modular reinforcement learning agents. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 203–210. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA165.pdf

[Ottner, 2000] Ottner, S. C. (2000). Optimising television commercial air-time by means of a genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 761. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW073.pdf

[Pelikan & Goldberg, 2000] Pelikan, M. & Goldberg, D. E. (2000). Hierarchical problem solving by the bayesian optimization algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 267–274. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA061.pdf

[Pelikan et al., 2000] Pelikan, M., Goldberg, D. E., & Cantu-Paz, E. (2000). Bayesian optimization algorithm, population sizing, and time to convergence. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 275–282. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA062.pdf

[Pelikan & Lobo, 2000] Pelikan, M. & Lobo, F. G. (2000). Parameter-less genetic algorithm: A worst-case time and space complexity analysis. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 370. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA060.pdf

[Peysakhov et al., 2000] Peysakhov, M., Galinskaya, V., & Regli, W. C. (2000). Genetic algorithms for optimization of lego assemblies. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 968. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RO161.pdf

[Pipe & Carse, 2000] Pipe, A. G. & Carse, B. (2000). Autonomous acquisition of fuzzy rules for mobile robot control: First results from two evolutionary computation approaches. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 849–856. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA187.pdf

[Pires & Machado, 2000] Pires, E. J. S. & Machado, J. A. T. (2000). Trajectory optimization for redundant robots using genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 967. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RO144.pdf

[Polani & Miikkulainen, 2000] Polani, D. & Miikkulainen, R. (2000). Eugenic neuro-evolution for reinforcement learning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1041–1046. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN078.ps

[Poli, 2000] Poli, R. (2000). Exact schema theorem and effective fitness for gp with one-point crossover. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 469–476. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP227.pdf

[Poon, 2000] Poon, J. (2000). Initial results with coevolving dominance mapping. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 368. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA035.pdf

[Portmann & Vignier, 2000] Portmann, M.-C. & Vignier, A. (2000). Performances' study on crossover operators keeping good schemata for scheduling problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 331–338. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA205.pdf

[Pozzi & Segovia, 2000] Pozzi, S. & Segovia, J. (2000). Evaluations of genetic programming and neural networks techniques for nuclear material identification. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 590–596. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW225.pdf

[Punch & Rand, 2000] Punch, W. F. & Rand, W. M. (2000). Gp+echo+subsumption = improved problem solving. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 411–418. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP101.pdf

[Rasheed & Hirsh, 2000] Rasheed, K. & Hirsh, H. (2000). Informed operators: Speeding up genetic-algorithm-based design optimization using reduced models. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 628–635. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW164.pdf

[Rauss et al., 2000] Rauss, P. J., Daida, J. M., & Chaudhary, S. (2000). Classification of spectral imagery using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 726–733. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW157.pdf

[Ray et al., 2000] Ray, T., Kang, T., & Chye, S. K. (2000). An evolutionary algorithm for constrained optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 771–777. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES004.pdf

[Riopka & Bock, 2000] Riopka, T. P. & Bock, P. (2000). Intelligent recombination using individual learning in a collective learning genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 104–111. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA063.pdf

[Roberts & Howard, 2000] Roberts, S. C. & Howard, D. (2000). Genetic programming for image analysis: Orientation detection. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 651–657. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW152.pdf

[Ross, 2000] Ross, B. J. (2000). The effects of randomly sampled training data on program evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 443–450. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP003.pdf

[Ross et al., 2000] Ross, B. J., Fueten, F., & Yashkir, D. Y. (2000). Edge detection of petrographic images using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 658–665. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW047.pdf

[Rothlauf et al., 2000] Rothlauf, F., Goldberg, D., & Heinzl, A. (2000). Bad codings and the utility of well-designed genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 355–362. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA110.pdf

[Rudolph, 2000] Rudolph, G. (2000). Takeover times and probabilities of non-generational selection rules. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 903–910. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/MA009.pdf

[Rylander & Foster, 2000] Rylander, B. & Foster, J. (2000). Ga-hard problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 367. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA030.pdf

[Rylander et al., 2000] Rylander, B., Soule, T., Foster, J., & Alves-Foss, J. (2000). Quantum genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 373. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA084.pdf

[Sakamoto & Kobayashi, 2000] Sakamoto, Y. & Kobayashi, M. (2000). Evaluation of the effects of noises by experiments using a mobile robot. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 386. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA230.pdf

[Sakuma & Kobayashi, 2000] Sakuma, J. & Kobayashi, S. (2000). Extrapolation-directed crossover for job-shop scheduling problems: Complementary combination with jox. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 973–980. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC130.pdf

[Sammartino et al., 2000] Sammartino, L., Simonov, M., Soroldoni, M., & Tettamanzi, A. G. B. (2000). Gamut: A system for customer modeling based on evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 758. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW043.pdf

[Santana et al., 2000] Santana, R., Ochoa-Rodriguez, A., Soto, M., Pereira, F. B., Machado, P., Costa, E., & Cardoso, A. (2000). Probabilistic evolution and the busy beaver problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 380. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA180.pdf

[Sato, 2000] Sato, Y. (2000). Interactive evolution of adaptive parameter for speaker verification systems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 742–749.

[Satoh et al., 2000] Satoh, H., Uno, K., Kubo, M., & Namatame, A. (2000). The role of mimicry in social evolution. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 871. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA238.pdf

[Sawai & Adachi, 2000] Sawai, H. & Adachi, S. (2000). A comparative study of gene-duplicated gas based on pfga and ssga. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 74–81. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA065.ps

[Schubert et al., 2000] Schubert, T., Mackensen, E., Drechsler, N., Drechsler, R., & Becker, B. (2000). Specialized hardware for implementation of evolutionary algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 369. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA038.pdf

[Seffens & Digby, 2000] Seffens, W. & Digby, D. (2000). Fitness function analysis of biological genetic codes using an evolutionary algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 867. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA092.pdf

[Seront & Bersini, 2000] Seront, G. & Bersini, H. (2000). A new ga-local search hybrid for optimization based on multi level single linkage clustering. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 90–95. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA183.pdf

[Shimodaira, 2000] Shimodaira, H. (2000). A diversity control oriented genetic algorithm (dcga): Performance in function optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 366.

[Shimooka & Fujimoto, 2000] Shimooka, H. & Fujimoto, Y. (2000). Generating robust control equations with genetic programming for control of a rolling inverted pendulum. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 491–495. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP235.pdf

[Simoes & Costa, 2000] Simoes, A. & Costa, E. (2000). Using genetic algorithms with asexual transposition. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 323–330. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA181.pdf

[Someya & Yamamura, 2000] Someya, H. & Yamamura, M. (2000). Where should children be generated by crossover operator on function optimization? *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 382. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA190.pdf

[Soper et al., 2000] Soper, A. J., Walshaw, C., & Cross, M. (2000). A combined evolutionary search and multilevel approach to graph partitioning. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 674–681. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW202.pdf

[Soule, 2000] Soule, T. (2000). Heterogeneity and specialization in evolving teams. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 778–785. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES056.pdf

[Suzuki & Tanaka, 2000] Suzuki, Y. & Tanaka, H. (2000). A new molecular computing model, artificial cell systems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 833–840. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA218.pdf

[Szmit & Barak, 2000] Szmit, R. & Barak, A. (2000). Evolution strategies for a parrallel multi-objective genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 227–234. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA167.pdf

[Takahashi et al., 2000] Takahashi, O., Kita, H., & Kobayashi, S. (2000). A real-coded genetic algorithm using distance dependent alternation model for complex function optimization. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 219–226. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA125.pdf

[Takehisa et al., 2000] Takehisa, Y., Sakanashi, H., & Higuchi, T. (2000). Adaptive wavelet transform for lossless image compression using genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 259–266. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA212.pdf

[Tanigawa & Zhao, 2000] Tanigawa, T. & Zhao, Q. (2000). A study on efficient generation of decision trees using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1047–1052. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN260.pdf

[Testa et al., 2000] Testa, L. J., Esterline, A. C., Dozier, G. V., & Homaifar, A. (2000). A comparison of operators for solving time dependent traveling salesman problems using gas. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 995–1002. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC081.pdf

[Tominaga et al., 2000] Tominaga, D., Koga, N., & Okamoto, M. (2000). Efficient numerical optimization algorithm based on genetic algorithm for inverse problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 251–258. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA089.pdf

[Torres-Jimenez et al., 2000] Torres-Jimenez, J., Rodriguez-Tello, E., & Ruiz-Suarez, J. C. (2000). A genetic algorithm for matrix bandwith reduction. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 388. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA258.pdf

[Trenaman, 2000] Trenaman, A. (2000). Choosing the right number of trials for a minimal simulation. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 969. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RO214.pdf

[Tsai et al., 2000] Tsai, H.-K., Kao, C.-Y., & Yang, J.-M. (2000). A genetic algorithm for physical mapping problems. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 375. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA109.pdf

[Tsutsui, 2000] Tsutsui, S. (2000). Sampling bias and search space boundary extension in real coded genetic algorithms. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 211–218. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA150.pdf

[Ursem, 2000] Ursem, R. K. (2000). Multinational gas: Multimodal optimization techniques in dynamic environments. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 19–26. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA240.pdf

[Urzelai & Floreano, 2000] Urzelai, J. & Floreano, D. (2000). Evolutionary robotics: Coping with environmental change. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 941–948. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RO064.pdf

[Vallejo & Ramos, 2000] Vallejo, E. E. & Ramos, F. (2000). Evolving insect locomotion using non-uniform cellular automata. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 869. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/AA129.pdf

[Van Bael et al., 2000] Van Bael, P., Devogelaere, D., & Rijckaert, M. (2000). A steady-state evolutionary algorithm for the job shop problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 981–986. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC052.pdf

[Vassilev & Miller, 2000] Vassilev, V. K. & Miller, J. F. (2000). Embedding landscape neutrality to build a bridge from the conventional to a more efficient three-bit multiplier circuit. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 539. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/EH184.pdf

[Vazquez & Whitley, 2000a] Vazquez, M. & Whitley, D. (2000a). A hybrid genetic algorithm for the quadratic assignment problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 135–142. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA095.pdf

[Vazquez & Whitley, 2000b] Vazquez, M. & Whitley, L. D. (2000b). A comparison of genetic algorithms for the dymanic job shop scheduling problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1011–1018. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/SC111.pdf

[Wakunda & Zell, 2000] Wakunda, J. & Zell, A. (2000). A new selection scheme for steady-state evolution strategies. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 794–801. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/ES044.pdf

[Wang, 2000] Wang, F.-S. (2000). Hybrid differential evolution for dynamic optimization of a fedbatch bioreactor process. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 558–565. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW066.pdf

[Watson & Pollack, 2000] Watson, R. A. & Pollack, J. B. (2000). Recombination without respect: Schema combination and disruption in genetic algorithm crossover. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 112–119. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA200.pdf

[Whitley et al., 2000] (2000). *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*. Morgan Kaufmann. http://www.cs.colostate.edu/~genitor/GECCO-2000/gecco2000mainpage.htm

[Wilson et al., 2000] Wilson, E., Karr, C., & Messimer, S. (2000). Genetic algorithm optimization of a filament winding process modeled in witness. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 763. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RW093.pdf

[Wineberg & Oppacher, 2000] Wineberg, M. & Oppacher, F. (2000). Enhancing the ga's ability to cope with dynamic environments. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 3–10. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA139R.pdf

[Yamada, 2000] Yamada, S. (2000). Evolutionary design of behaviors for action-based environment modeling by a mobile robot. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 957–964. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/RO217R.pdf

[Yang & Kao, 2000] Yang, J.-M. & Kao, C.-Y. (2000). An evolutionary algorithm to training neural networks for a two-spiral problem. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 1025–1032. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/NN169.pdf

[Yang & Yen, 2000] Yang, L. & Yen, J. (2000). An adaptive simplex genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 379. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA166.pdf

[Yasunaga et al., 2000] Yasunaga, M., Nakamura, T., Yoshihara, I., & Kim, J. H. (2000). Kernel optimization in pattern recognition using a genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 391. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/CS126.pdf

[Yoon & Moon, 2000] Yoon, H.-S. & Moon, B.-R. (2000). Synergy of multiple crossover operators in a genetic algorithm. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 374. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GA088.pdf

[Yoshihara et al., 2000] Yoshihara, I., Aoyama, T., & Yasunaga, M. (2000). A fast model-building method for time series using genetic programming. *Proceedings of the Genetic and Evolutionary Computation Conference (GECCO-2000)*, 537. http://www.cs.bham.ac.uk/~wbl/biblio/gecco2000/GP236.pdf