

Список литературы

- [Antal02] Peter Antal, Geert Fannes, Yves Moreau, and Bart De Moor. Using literature and data to annotate and learn bayesian networks. In Blockeel and Denecker [BNAIC02], pages 3–10.
- [Apistola02] Martin Apistola, Frances Brazier, Onno Kubbe, Anja Oskamp, Maurice Schellekens, and Marten Voulon. Legal aspects of agent technology. In Blockeel and Denecker [BNAIC02], pages 399–400.
- [Areces02] Carlos Areces and Juan Heguiabehere. Hylores: A hybrid logic prover based on direct resolution. In Blockeel and Denecker [BNAIC02], pages 511–512.
- [BNAIC02] Hendrik Blockeel and Marc Denecker, editors. *Fourteenth Belgium-Netherlands Conference on Artificial Intelligence*. K.U.Leuven, 2002.
- [Bioch02] Jan Bioch and Viara Popova. Monotone decision trees and noisy data. In Blockeel and Denecker [BNAIC02], pages 19–26.
- [Bohte02] Sander Bohte, Enrico Gerding, and Han La Poutré. Competitive market-based allocation of consumer attention space. In Blockeel and Denecker [BNAIC02], pages 403–404.
- [Bosman02] Peter Bosman and Dirk Thierens. Multi-objective optimization with diversity preserving mixture-based iterated density estimation evolutionary algorithms. In Blockeel and Denecker [BNAIC02], pages 407–408.
- [Brazier02] Frances Brazier, Benno Overeinder, Maarten van Steen, and Niek Wijngaards. Generative migration of agents. In Blockeel and Denecker [BNAIC02], pages 409–410.
- [Brazier02a] Frances Brazier, David Mobach, Benno Overeinder, Etienne Posthumus, Sander van Splunter, Maarten van Steen, and Niek Wijngaards. Agentscape demonstration. In Blockeel and Denecker [BNAIC02], pages 513–514.
- [Broersen02] Jan Broersen, Mehdi Dastani, and Leendert van der Torre. Relating functionality descriptions to proof rules of input/output logic. In Blockeel and Denecker [BNAIC02], pages 27–34.
- [Caminada02] Martin Caminada. Agent dialogues using hang yourself arguments. In Blockeel and Denecker [BNAIC02], pages 43–50.
- [Cheung02] Yiu-Fai Cheung, Dietrich Klakow, Georg Bauer, and Leon Rothkrantz. Broadcast information topic segmentation - BITS -. In Blockeel and Denecker [BNAIC02], pages 51–58.
- [Dastani02] Mehdi Dastani and Leendert van der Torre. An extension of BDI_{ct} with functional dependencies and components. In Blockeel and Denecker [BNAIC02], pages 67–74.
- [Dastani02a] Mehdi Dastani and Leendert van der Torre. What is a normative goal? In Blockeel and Denecker [BNAIC02], pages 75–82.
- [Dastani02b] Mehdi Dastani, Virginia Dignum, and Frank Dignum. Organizations and normative agents. In Blockeel and Denecker [BNAIC02], pages 411–412.
- [Dastani02c] Mehdi Dastani, Frank de Boer, Frank Dignum, Wiebe van der Hoek, Meindert Kroese, and John-Jules Meyer. Implementing cognitive agents in 3APL. In Blockeel and Denecker [BNAIC02], pages 515–516.
- [DeBeule02] Joachim De Beule, Joris Van Looveren, and Willem Zuidema. From perception to language: grounding formal syntax in an almost real world. In Blockeel and Denecker [BNAIC02], pages 83–90.

- [Denecker02] Marc Denecker, Nikolay Pelov, and Maurice Bruynooghe. Ultimate well-founded and stable semantics for logic programs with aggregates. In Blockeel and Denecker [BNAIC02], pages 413–414.
- [Donkers02] Jeroen Donkers, Jos Uiterwijk, and Jaap van den Herik. Learning opponent-type probabilities for prOM search. In Blockeel and Denecker [BNAIC02], pages 91–98.
- [Driessens02] Kurt Driessens and Sašo Džeroski. Integrating experimentation and guidance in relational reinforcement learning. In Blockeel and Denecker [BNAIC02], pages 415–416.
- [Drugan02] Mădălina Drugan, Dirk Thierens, and Linda van der Gaag. MDL-based feature selection for bayesian network classifiers. In Blockeel and Denecker [BNAIC02], pages 99–106.
- [Eggermont02] Jeroen Eggermont and Tom Lenaerts. Dynamic optimization using evolutionary algorithms with a case-based memory. In Blockeel and Denecker [BNAIC02], pages 107–114.
- [Eggermont02a] Jeroen Eggermont. Evolving fuzzy decision trees for data classification. In Blockeel and Denecker [BNAIC02], pages 417–418.
- [Fluit02] Christiaan Fluit, Marta Sabou, and Frank van Harmelen. Ontology-based information visualisation. In Blockeel and Denecker [BNAIC02], pages 419–420.
- [Gilis02] David Gilis and Marc Denecker. Compositionality results for stratified nonmonotone operators. In Blockeel and Denecker [BNAIC02], pages 421–422.
- [Hay02] Birgit Hay, Geert Wets, and Koen Vanhoof. Web usage mining by means of multidimensional sequence alignment methods. In Blockeel and Denecker [BNAIC02], pages 123–130.
- [Helsper02] Eveline Helsper and Linda van der Gaag. Building bayesian networks through ontologies. In Blockeel and Denecker [BNAIC02], pages 423–424.
- [Heskes02] Tom Heskes and Onno Zoeter. Expectation propagation for approximate inference in dynamic bayesian networks. In Blockeel and Denecker [BNAIC02], pages 425–426.
- [Horrocks02] Ian Horrocks, Peter Patel-Schneider, and Frank van Harmelen. Reviewing the design of DAML+oil: an ontology language for the semantic web. In Blockeel and Denecker [BNAIC02], pages 427–428.
- [Huygen02] Paul Huygen. Use of bayesian belief networks in legal reasoning. In Blockeel and Denecker [BNAIC02], pages 429–430.
- [Infante-Lopez02] Gabriel Infante-Lopez, Maarten de Rijke, and Khalil Sima'an. A general probabilistic model for dependency parsing. In Blockeel and Denecker [BNAIC02], pages 139–146.
- [Jacobs02] Nico Jacobs and Hendrik Blockeel. Sequence prediction with mixed order markov chains. In Blockeel and Denecker [BNAIC02], pages 147–154.
- [Jamroga02] Wojciech Jamroga. Multiple models of reality and how to use them. In Blockeel and Denecker [BNAIC02], pages 155–162.
- [Janssens02] Davy Janssens, Tom Brijs, Koen Vanhoof, and Geert Wets. Evaluating the performance of cost-based discretization versus entropy- and error-based discretization. In Blockeel and Denecker [BNAIC02], pages 163–170.
- [Jonker02] Catholijn Jonker, Arno de Kock, Joost Meijer, and Bas Vermeulen. Deliberate evolution agents: Comparing reproduction strategies. In Blockeel and Denecker [BNAIC02], pages 433–434.

- [Jonker02a] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. BDI-modelling of intracellular dynamics. In Blockeel and Denecker [BNAIC02], pages 435–436.
- [Jonker02b] Catholijn Jonker, Jacky Snoep, Jan Treur, Hans Westerhoff, and Wouter Wijngaards. Putting intentions into cell biochemistry: An artificial intelligence perspective. In Blockeel and Denecker [BNAIC02], pages 437–438.
- [Jonker02c] Catholijn Jonker and Jan Treur. A dynamic perspective on an agent’s mental states and interaction with its environment. In Blockeel and Denecker [BNAIC02], pages 439–440.
- [Jonker02d] Catholijn Jonker and Jan Treur. Analysis of the dynamics of reasoning using multiple representations. In Blockeel and Denecker [BNAIC02], pages 441–442.
- [Jonker02e] Catholijn Jonker, Jan Treur, and Wieke de Vries. Temporal analysis of the dynamics of beliefs, desires, and intentions. In Blockeel and Denecker [BNAIC02], pages 443–444.
- [Jonker02f] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. Requirements specification and automated evaluation of dynamic properties of a component-based design. In Blockeel and Denecker [BNAIC02], pages 445–446.
- [Jonker02g] Catholijn Jonker, Jan Treur, and Wouter Wijngaards. Temporal languages for simulation and analysis of the dynamics within an organisation. In Blockeel and Denecker [BNAIC02], pages 447–448.
- [Kamps02] Jaap Kamps and Maarten Marx. Words with attitude. In Blockeel and Denecker [BNAIC02], pages 449–450.
- [Kappen02] Hilbert Kappen and Wim Wiegerinck. Novel iteration schemes for the cluster variation method. In Blockeel and Denecker [BNAIC02], pages 451–452.
- [Keller02] Robert Keller, Walter Kusters, Martijn van der Vaart, and Martijn Witsenburg. Genetic programming produces strategies for agents in a dynamic environment. In Blockeel and Denecker [BNAIC02], pages 171–178.
- [Kleijkers02] Stefan Kleijkers, Floris Wiesman, and Nico Roos. A mobile multi-agent system for distributed computing. In Blockeel and Denecker [BNAIC02], pages 453–454.
- [Knezu02] Vojtěch Knězu and Leon Rothkrantz. A system for automated bookmark management. In Blockeel and Denecker [BNAIC02], pages 179–186.
- [Kosala02] Raymond Kosala, Jan Van den Bussche, Maurice Bruynooghe, and Hendrik Blockeel. Information extraction in structured documents using tree automata induction. In Blockeel and Denecker [BNAIC02], pages 455–456.
- [Kremer02] Steve Kremer and Jean-François Raskin. Game analysis of abuse-free contract signing. In Blockeel and Denecker [BNAIC02], pages 457–458.
- [Langdon02] William Langdon. Size of random programs to ensure uniformity. In Blockeel and Denecker [BNAIC02], pages 459–460.
- [Lebbink02] Henk-Jan Lebbink, Cilia Witteman, and John-Jules Meyer. Ontology-based knowledge acquisition for knowledge systems. In Blockeel and Denecker [BNAIC02], pages 195–202.
- [Lenaerts02] Tom Lenaerts, Anne Defaweux, Piet van Remortel, and Bernard Manderick. Multi-level selection in a simple evolutionary model. In Blockeel and Denecker [BNAIC02], pages 203–210.
- [Lucas02] Peter Lucas. Restricted bayesian network structure learning. In Blockeel and Denecker [BNAIC02], pages 211–218.

- [Marcos02] Mar Marcos, Hugo Roomans, Annette ten Teije, and Frank van Harmelen. Improving medical protocols through formalisation: a case study. In Blockeel and Denecker [BNAIC02], pages 463–464.
- [Maruster02] Laura Maruster, Ton Weijters, Geerhard de Vries, Antal van den Bosch, and Walter Daelemans. Logistic-based patient grouping for multi-disciplinary treatment. In Blockeel and Denecker [BNAIC02], pages 465–466.
- [Mastop02] Mark Mastop, Michiel Lampe, and Onno de Groote. Knowledge framework. In Blockeel and Denecker [BNAIC02], pages 517–518.
- [Monz02] Christof Monz and Maarten de Rijke. Knowledge-intensive question answering. In Blockeel and Denecker [BNAIC02], pages 467–468.
- [Nijssen02] Siegfried Nijssen and Joost Kok. Tree sets: Towards a set-oriented view on multi-relational data mining. In Blockeel and Denecker [BNAIC02], pages 219–226.
- [Nijssen02a] Siegfried Nijssen and Thomas Bäck. An analysis of the behaviour of simplified evolutionary algorithms on trap functions. In Blockeel and Denecker [BNAIC02], pages 469–470.
- [Noncheva02] Veska Noncheva and Nuno Cavalihero Marques. Agent’s belief: A stochastic approach. In Blockeel and Denecker [BNAIC02], pages 227–234.
- [Oost02] Elwin Oost, Stephan ten Hagen, and Floris Schulze. Extracting multivariate power functions from complex data sets. In Blockeel and Denecker [BNAIC02], pages 235–242.
- [Peek02] Niels Peek. Representation of decision-theoretic plans as sets of symbolic decision rules. In Blockeel and Denecker [BNAIC02], pages 471–472.
- [Prakken02] Henry Prakken. An exercise in formalising teleological case-based reasoning. In Blockeel and Denecker [BNAIC02], pages 473–474.
- [Provijn02] Dagmar Provijn. How to obtain elegant fitch-style proofs from goal directed ones. In Blockeel and Denecker [BNAIC02], pages 243–250.
- [Renooij02] Silja Renooij, Simon Parsons, and Pauline Pardieck. Using kappas as indicators of strength in QPNs. In Blockeel and Denecker [BNAIC02], pages 267–274.
- [Roos02] Nico Roos, Annette ten Teije, André Bos, and Cees Witteveen. Multi-agent diagnosis with spatially distributed knowledge. In Blockeel and Denecker [BNAIC02], pages 275–282.
- [Salles02] Paulo Salles, Bert Bredeweg, Symone Araujo, and Walter Neto. Qualitative models of interactions between two populations. In Blockeel and Denecker [BNAIC02], pages 475–476.
- [Schaar02] Remco Schaar, Leon Rothkrantz, M. Lassche, and M.V. Jonkers. Agent-based intelligent personal unified messaging. In Blockeel and Denecker [BNAIC02], pages 283–290.
- [Schelfthout02] Kurt Schelfthout and Tom Holvoet. “to do or not to do” : The individual’s model for emergent task allocation. In Blockeel and Denecker [BNAIC02], pages 477–478.
- [Schoot02] Niels Schoot and Wouter Jansweijer. Improving the quality of information in document based communications using a reusable multi-agent system. In Blockeel and Denecker [BNAIC02], pages 519–520.
- [Sent02] Danielle Sent and Linda van der Gaag. Test selection: the gini index and the shannon entropy behave differently. In Blockeel and Denecker [BNAIC02], pages 291–298.

- [Serebrenik02] Alexander Serebrenik and Danny De Schreye. Inference of termination conditions for numerical loops. In Blockeel and Denecker [BNAIC02], pages 479–480.
- [Serebrenik02a] Alexander Serebrenik and Danny De Schreye. On termination of meta-programs. In Blockeel and Denecker [BNAIC02], pages 481–482.
- [Spreeuwenberg02] Silvie Spreeuwenberg and Rik Gerrits. VALENS verification component. In Blockeel and Denecker [BNAIC02], pages 521–522.
- [Spronck02] Pieter Spronck, Ida Sprinkhuizen-Kuyper, and Eric Postma. Improving opponent intelligence through machine learning. In Blockeel and Denecker [BNAIC02], pages 299–306.
- [Storms02] Patrick Storms, Esther Herweijer, and Chris van Aart. Practical design guidelines for embodied conversational agents. In Blockeel and Denecker [BNAIC02], pages 307–314.
- [Struyf02] Jan Struyf, Jan Ramon, and Hendrik Blockeel. Compact representation of knowledge bases in ILP. In Blockeel and Denecker [BNAIC02], pages 483–484.
- [Stuckenschmidt02] Heiner Stuckenschmidt. Approximate information filtering with multiple classification hierarchies. In Blockeel and Denecker [BNAIC02], pages 485–486.
- [Tonino02] Hans Tonino, André Bos, Mathijs de Weerd, and Cees Witteveen. Plan coordination by revision in collective agent based systems. In Blockeel and Denecker [BNAIC02], pages 487–488.
- [Tuyls02] Karl Tuyls, Tom Lenaerts, Katja Verbeeck, Sam Maes, and Bernard Manderick. Towards a relation between learning agents and evolutionary dynamics. In Blockeel and Denecker [BNAIC02], pages 315–322.
- [Valk02] Jeroen Valk and Cees Witteveen. Multi-agent coordination in planning. In Blockeel and Denecker [BNAIC02], pages 489–490.
- [VanNuffelen02] Bert Van Nuffelen. Reasoning with preferences in ID-logic. In Blockeel and Denecker [BNAIC02], pages 323–330.
- [Verbeeck02] Katja Verbeeck, Ann Nowé, and Johan Parent. Social agents playing a periodical policy. In Blockeel and Denecker [BNAIC02], pages 491–492.
- [Verbeeck02] Jakob Verbeeck, Nikos Vlassis, and Ben Kröse. Coordinating principal component analyzers. In Blockeel and Denecker [BNAIC02], pages 493–494.
- [Vogt02] Paul Vogt. Anchoring symbols to sensorimotor control. In Blockeel and Denecker [BNAIC02], pages 331–338.
- [Vollebregt02] Arjen Vollebregt, Daan Hannessen, Henk Hesselink, and Jelle Beetstra. Modelling crew assistants with multi-agent systems in aircraft. In Blockeel and Denecker [BNAIC02], pages 495–496.
- [Voorbraak02] Frans Voorbraak. Uncertainty in AI and bioinformatics. In Blockeel and Denecker [BNAIC02], pages 497–498.
- [Wiegerinck02] Wim Wiegerinck and Tom Heskes. IPF for discrete chain factor graphs. In Blockeel and Denecker [BNAIC02], pages 499–500.
- [Wiering02] Marco Wiering. Hierarchical mixtures of naive bayesian classifiers. In Blockeel and Denecker [BNAIC02], pages 363–370.
- [Wijngaards02] Niek Wijngaards, Benno Overeinder, Maarten van Steen, and Frances Brazier. Supporting internet-scale multi-agent systems. In Blockeel and Denecker [BNAIC02], pages 501–502.
- [Winands02] Marc Winands, Levente Kocsis, Jos Uiterwijk, and Jaap van den Herik. Learning in lines of action. In Blockeel and Denecker [BNAIC02], pages 371–378.

- [Winkels02] Radboud Winkels, Alexander Boer, and Rinke Hoekstra. Lessons learned in legal information serving. In Blockeel and Denecker [BNAIC02], pages 503–504.
- [Ypma02] Alexander Ypma and Tom Heskes. Clustering web surfers with mixtures of hidden markov models. In Blockeel and Denecker [BNAIC02], pages 505–506.
- [Zajdel02] Wojciech Zajdel and Ben Kröse. Bayesian network for multiple hypothesis tracking. In Blockeel and Denecker [BNAIC02], pages 379–386.
- [Zutt02] Jonne Zutt, Leon Aronson, Roman van der Krogt, Nico Roos, and Cees Witteveen. Multi-agent transport planning. In Blockeel and Denecker [BNAIC02], pages 387–394.
- [deGraaf02] Jeannette de Graaf, Walter Kusters, Wim Pijls, and Viara Popova. A theoretical and practical comparison of depth first and FP-growth implementations of apriori. In Blockeel and Denecker [BNAIC02], pages 115–122.
- [deJong02] Edwin de Jong and Tim Oates. A coevolutionary approach to representation development. In Blockeel and Denecker [BNAIC02], pages 431–432.
- [deVos02] Eveliene de Vos, Cilia Witteman, and Robbert-Jan Beun. Embodied conversational agents in human-computer interaction. In Blockeel and Denecker [BNAIC02], pages 339–346.
- [terBrugge02] M.H. ter Brugge, J.A.G. Nijhuis, and Lambert Spaanenburg. Morphological template decomposition for DT-cnn. In Blockeel and Denecker [BNAIC02], pages 35–42.
- [terHorst02] Herman ter Horst, Mark van Doorn, Natasha Kravtsova, Warner ten Kate, and Daniel Siahann. Context-aware music selection using knowledge on the semantic web. In Blockeel and Denecker [BNAIC02], pages 131–138.
- [vanAart02] Chris van Aart, Kris Van Marcke, Ruurd Pels, and Jan Smulders. International insurance traffic with software agents. In Blockeel and Denecker [BNAIC02], pages 397–398.
- [vanDartel02] Michel van Dartel, Eric Postma, and Jaap van den Herik. Universal properties of adaptive behaviour. In Blockeel and Denecker [BNAIC02], pages 59–66.
- [vanLeeuwen02] Pim van Leeuwen, Henk Hesselink, and Jos Rohling. Scheduling aircraft using constraint satisfaction. In Blockeel and Denecker [BNAIC02], pages 461–462.
- [vanRemortel02] Piet van Remortel, Tom Lenaerts, and Bernard Manderick. Testing the overall functional robustness of 2D ca phenotypes for development. In Blockeel and Denecker [BNAIC02], pages 259–266.
- [vanStokkum02] Wim van Stokkum. Knowledge intensive content model management within integrated back offices. In Blockeel and Denecker [BNAIC02], pages 523–524.
- [vanWezel02] Michiel van Wezel and Walter Kusters. Numerical integration by cubature formulae in bayesian neural networks. In Blockeel and Denecker [BNAIC02], pages 355–362.
- [vandeVrie02] Evert van de Vrie. LOK: Implementation of a platform for distributed development and use of educational tasks. In Blockeel and Denecker [BNAIC02], pages 525–526.
- [vandenBerg02] Jan van den Berg, Uzey Kaymak, and Willem-Max van den Bergh. Probabilistic reasoning in fuzzy rule-based systems. In Blockeel and Denecker [BNAIC02], pages 11–18.
- [vandenBerg02a] Jan van den Berg, Uzey Kaymak, and Willem-Max van den Bergh. Fuzzy classification by using probability-based rule weighting. In Blockeel and Denecker [BNAIC02], pages 401–402.
- [vandenBosch02] Antal van den Bosch and Sabine Buchholz. Shallow parsing on the basis of words only: A case study. In Blockeel and Denecker [BNAIC02], pages 405–406.

- [vanderKrogt02] Roman van der Krogt, Leon Aronson, Nico Roos, Cees Witteveen, and Jonne Zutt. Tactical planning using heuristics. In Blockeel and Denecker [BNAIC02], pages 187–194.
- [vanderPutten02] Peter van der Putten, Martijn Ramaekers, Marten den Uyl, and Joost Kok. A process model for a data fusion factory. In Blockeel and Denecker [BNAIC02], pages 251–258.
- [vanderWerf02] Erik van der Werf, Jos Uiterwijk, and Jaap van den Herik. Solving ponnuki-go on small boards. In Blockeel and Denecker [BNAIC02], pages 347–354.
- [vanderZwaag02] Berend Jan van der Zwaag, Kees Slump, and Lambert Spaanenburg. Process identification through modular neural networks and rule extraction. In Blockeel and Denecker [BNAIC02], pages 507–508.