# Список литературы

[1] Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.) (2002) *Soft Computing Systems - Design, Management and Applications*, vol. 87 of *Frontiers in Artificial Intelligence and Applications*, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[2] Oja, E. (2002) Independent component analisys. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 3, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[3] de Baets, B. (2002) Fuzzy set theory - a playground for mathematicians. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 4, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[4] Khatib, O. (2002) Robots for the human and haptic interaction. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 5, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[5] Langdon, W. B. (2002) A hybrid genetic programming neural network classifier for use in drug discovery. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 6, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[6] Kacprzyk, J. and Zadrony, S. (2002) Protoforms of linguistic data summaries : Towards more general natural-language-based data minig tools. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 7, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[7] Sung, A. H. (2002) Role of soft computing in internet security. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 8, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[8] Dote, Y. (2002) Neuro-fuzzy control. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 9–10, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[9] Letelier, J. C., Martin, G., Mpodozis, J., and Andrade, J. S. (2002) Anticipatory computing with autopoietic and (m r)systems. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, p. 11, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[10] Amali, R., Vinney, J., Noroozi, S., and Patel, V. (2002) The use of a back propagation neural network to determine the load distribution on a component. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 15–20, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[11] Lee, S., Palmer-Brown, D., Tepper, J., and Roadknight, C. (2002) Performance-guided neural network for rapidly self-organising active network management. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 21–31, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[12] Fdez-Riverola, F. and Corchado, J. (2002) An automated hybrid reasoning system for forecasting. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 31–41, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[13] Bologna, G. (2002) Rule extraction from bagged neural networks. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 42–53, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[14] Saegusa, R. and Hashimoto, S. (2002) Nonlinear principal component analysis to preserve the order of principal components. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 54–63, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[15] Minami, T. and Inui, T. (2002) A neural network model of rule-guided behavior. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 64–73, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[16] Prudêncio, R. C. and Ludermir, T. (2002) Selection of models for time series prediction via meta-learning. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 74–83, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[17] K. Cios, W. J. and W. Swiercz, L. S. (2002) Spiking neurons in clustering of diabetic retinopathy data. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 84–94, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[18] Shekar, B. and Natarajan, R. (2002) A fuzzy relatedness measure for determining interestingness of association rules. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 95–104, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[19] Rakus-Andersson, E. and Zakrzewski, L. (2002) Factor analysis with qualitative factors as fuzzy numbers. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 105–114, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[20] Astrain, J., Garitagoitia, J., Villadangos, J., Fariña, F., and Córdoba, A. (2002) An imperfect string matching experience using deformed fuzzy automata. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 115–123, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[21] Mastropasqua, D., Mosca, N., and Zambetta, F. (2002) An xml-based specification of fuzzy logic controllers. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 124–131, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[22] Ishibuchi, H. and Yamamoto, T. (2002) Comparison of fuzzy rule selection criteria for classification problems. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 132–141, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[23] Cock, M. D. (2002) Linguistic hedges: a quantifier based approach. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 142–152, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[24] Ferreira, C. (2002) Analyzing the founder effect in simulated evolutionary processes using gene expression programming. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 153–162, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[25] Ishibuchi, H. and Yoshida, T. (2002) Hybrid evolutionary multi-objective optimization algorithms. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 163–172, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[26] Wiese, K. and Glen, E. (2002) A permutation based genetic algorithm for rna secondary structure prediction. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 173–182, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[27] Hirche, S., Santibanez-Koref, I., and Boblan, I. (2002) Design of strong causal fitness functions. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 183–192, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[28] Beker, T. and Hadany, L. (2002) Noise and elitism in evolutionary computation. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 193–203, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[29] Letelier, J., Marín, G., Mpodozis, J., and Soto-Andrade, J. (2002) Anticipatory computing with autopoietic and (m,r) systems. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 205–211, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[30] Asseraf, M. (2002) An efficient algorithm in optimal partition problem for trees induction. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 212–220, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[31] Weidl, G., Madsen, A., and Dahlquist, E. (2002) Condition monitoring, root cause analysis and decision support on urgency of actions. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 221–230, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[32] Zanni, C., Goc, M. L., and Frydman, C. (2002) Towards a unique framework to describe and compare diagnosis approaches. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 231–240, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[33] Jedrzejowicz, J. and Jedrzejowicz, P. (2002) Experimental evaluation of the pla-based permutation-scheduling. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 241–250, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[34] Batista, G. E. A. P. A. and Monard, M. (2002) A study of k-nearest neighbour as an imputation method. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 251–260, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[35] Zegers, P. and Sundareshan, M. (2002) Determining the degree of generalization using an incremental learning algorithm. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft

*Computing Systems - Design, Management and Applications*, pp. 261–270, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[36] Knowles, J. and Corne, D. (2002) Towards landscape analyses to inform the design of hybrid local search for the multiobjective quadratic assignment problem. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 271–279, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[37] Gokcen, I., Peng, J., and Buckles, B. (2002) Active learning using one-class classification. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 280–289, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[38] Dixon, P., Corne, D., and Oates, M. (2002) Enhancing real-world applicability by providing confidence-in-prediction in the xcs classifier system. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 290–299, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[39] Kawamae, N. (2002) Latent semantic indexing based on factor analysis. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 300–308, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[40] Veenhuis, C. and Köppen, M. (2002) Document oriented modeling of cellular automata. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 309–320, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[41] Ali, A. S. and Abraham, A. (2002) An empirical comparison of kernel selection for support vector machines. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 321–330, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[42] Liu, Z. and Xu, Y. (2002) Adaptive support vector classifications. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 331–340, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[43] Ribeiro, B. and Carvalho, P. (2002) Mercer's kernel based learning for fault detection. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 341–350, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[44] Mukkamala, S. and Sung, A. (2002) Performance based feature identification for intrusion detection using support vector machines. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 351–364, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[45] Mora-Jiménez, I., Lyhyaoui, A., Arenas-García, J., Navia-Vázquez, A., and Figueiras-Vidal, A. (2002) A trainable classifier via k nearest neighbors. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 365–373, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[46] Lenic, M. and Kokol, P. (2002) Combining classifiers with multimethod approach. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 374–383, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[47] Maturana, C. and Weber, R. (2002) Feature extraction by distance neural network in classification tasks. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 384–393, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[48] D. Partridge, S. C. (2002) Revealing feature interactions in classification tasks. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 394–403, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[49] Zemke, S. (2002) Ensembles in practice: Predication, estimation, multi-feature and noisy data. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 404–416, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[50] Kacprzyk, J. and Zadrozny, S. (2002) Protoforms of linguistic data summaries: Towards more general natural-language-based data mining tools. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 417–425, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[51] Aguilar, J. and Perozo, N. (2002) Sparse distributed memory with adaptive threshold. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 426–432, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[52] Sharma, D. (2002) Unilr: An automated fuzzy legal reasoner. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 433–441, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[53] Ziarko, W. (2002) Set approximation quality measures in the variable precision rough set model. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 442–452, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[54] Jr., E. H., Hruschka, E., and Ebecken, N. (2002) A data preparation bayesian approach for a clustering genetic algorithm. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 453–461, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[55] Chervonenkis, A. J. (2002) Reconstruction of conditional distribution field based on empirical data. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 462–469, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[56] Jakovlevich, C. (2002) Reconstruction of conditional distribution field based on empirical data. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 462–469, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[57] Macedo, S. and Mamdani, E. (2002) Bi-directional flow of information in the softboard architecture. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 470–479, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[58] Velásquez, J., Yasuda, H., Aoki, T., and Weber, R. (2002) Voice codification using self organizing maps as data mining tool. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 480–489, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[59] M. C. Martins, I. G. (2002) Identifying patterns of corporate tax payment. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 490–499, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[60] Ramos, V., Muge, F., and Pina, P. (2002) Self-organized data and image retrieval as a consequence of inter-dynamic synergistic relationships in artificial ant colonies. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 500–512, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[61] Zambetta, F. and Catucci, G. (2002) Designing not-so-dull virtual dolls. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 513–518, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[62] Nolan, J., Sood, A., and Simon, R. (2002) Sadisco: A scalable agent discovery and composition mechanism. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 519–528, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[63] Gouarderes, S., Gouarderes, G., and Delpy, P. (2002) Maybe - multi-agent yield-based engineering : Improve training in the emergency room chain. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 529–539, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[64] Iba, H., Tokui, N., and Wakaki, H. (2002) 3d-cg avatar motion design by means of interactive evolutionary computation. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 540–549, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[65] Marik, V. and Mashkov, V. (2002) Alliance formation with several coordinators. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 550–564, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[66] Baeza-Yates, R. and Castillo, C. (2002) Balancing volume, quality and freshness in web crawling. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 565–572, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[67] Angkawattanawit, N. and Rungsawang, A. (2002) Learnable topic-specific web crawler. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 573–582, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[68] Rodríguez, M. (2002) A spatial dimension for searching the world wide web. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 583–592, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[69] Morales, E. and Gutiérrez, C. (2002) Building yearbooks with rdf. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 593–601, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[70] Jarur, M. and Rodríguez, M. (2002) A non-deterministic versus deterministic algorithm for searching spatial configurations. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft*

*Computing Systems - Design, Management and Applications*, pp. 602–611, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[71] Marin, M. (2002) Parallel text query processing using composite inverted lists. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 612–624, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[72] Kumar, V. (2002) Human reasoning in soft computing. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 625–633, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[73] do Nascimento, H. and Eades, P. (2002) A focus and constraint-based genetic algorithm for interactive directed graph drawing. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 634–643, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[74] Sanchis, E. and Castro, M. (2002) Dialogue act connectionist detection in a spoken dialogue system. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 644–651, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[75] Sugimoto, F. and Yoneyama, M. (2002) A trial method to create a natural interaction in interactive genetic algorithm. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 652–662, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[76] Navarrete, P. and del solar, J. R. (2002) Eigenspace-based face recognition: A comparative study of different hybrid approaches. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 663–672, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[77] Oufroukh, N. A. and Colle, E. (2002) Pattern recognition with ultrasonic sensor using classification methods. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 673–680, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[78] Vishwanthan, S. and Murty, M. (2002) Jigsawing : A method to create virtual examples in ocr data. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 690–696, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[79] Haindl, M. and äimberová, S. (2002) Model-based restoration of short-exposure solar images. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 697–706, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[80] Brouwer, R. (2002) Using a helper ffn to represent the cost function for training drnn's by gradient descent. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 707–714, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[81] Torres, S. and Pezoa, J. (2002) Scene-based nonuniformity correction method using the inverse covariance form of the kalman filter. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 715–724, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[82] Vera, E., Reeves, R., and Torres, S. (2002) Adaptive bias compensation for non-uniformity correction on infrared focal plane array detectors. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 725–734, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[83] Youssif, R. and Purdy, C. (2002) Combining genetic algorithms and neural networks to build a signal pattern classifier. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 735–744, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[84] Murakami, M., Yoneyama, M., and Shirai, K. (2002) Accurate human face extraction using genetic algorithm and subspace method. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 745–754, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[85] Montiel, O., Castillo, O., Melin, P., and Sepulveda, R. (2002) The evolutionary learning rule for system identification in adaptive finite impulse filters. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 755–764, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[86] Köppen, M., Garcia, R. V., Liu, X., and Nickolay, B. (2002) 2d-histogram lookup for low-contrast fault processing. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 765–774, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[87] Nakamatsu, K., Abe, J., and Suzuki, A. (2002) A railway interlocking safety verification system based on abductive paraconsistent logic programming. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 775–784, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[88] Kramer, K., Patzwahl, S., and Nacke, T. (2002) Complete algorithm to realize ci model-based control and monitoring strategies on microcontroller systems. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 785–795, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[89] Castilho, V., Nicoletti, M., and Debs, M. E. (2002) Using genetic algorithms for minimizing the production costs of hollow core slabs. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 796–805, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[90] Cuppens, F., Autrel, F., Miège, A., and Benferhat, S. (2002) Recognizing malicious intention in an intrusion detection process. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 806–817, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[91] Cheng, S., Chen, Y., Tseng, C., Fu, H., and Pao, H. (2002) A self-growing probabilistic decision-based neural network with applications to anchor/speaker identification. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 818–829, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[92] Heinen, F. and Osório, F. (2002) Hycar - a robust hybrid control architecture for autonomous robots. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design,*

*Management and Applications*, pp. 830–842, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[93] Wang, X. and Smith, K. (2002) Clustering web user interests using self organising maps. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 843–852, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[94] Wang, X., Abraham, A., and Smith, K. (2002) Web traffic mining using a concurrent neuro-fuzzy approach. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 853–862, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[95] Sunayama, W. and Yachida, M. (2002) Panoramic view system for extracting key sentences based on viewpoints and an application to a search engine. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 863–870, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[96] Rumantir, G. (2002) Frequent flyer points calculator: More than just a table lookup. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 871–880, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[97] Sinka, M. and Corne, D. (2002) Web and multimedia applications. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 881–890, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.

[98] Walker, R. (2002) Simulating an information ecosystem within the www. Abraham, A., Ruiz-del-Solar, J., and Köppen, M. (eds.), *Soft Computing Systems - Design, Management and Applications*, pp. 891–900, Frontiers in Artificial Intelligence and Applications Vol. 87, IOS Press Amsterdam, Berlin, Oxford, Tokyo, Washington D.C.