Список литературы

[1] Arratia Gloria, González-Rodríguez Katia A., Hernández-Guerrero Citlalli. A new Pachyrhizodontid Fish (Actinopterygii, Teleostei) from the Muhi Quarry (Albian-Cenomanian), Hidalgo, Mexico *Fossil Record.* 2018;21:93–107.

[2] Agassiz Louis. *Recherches sur les Poissons Fossiles. Tome II* . 1833.

[3] Doiuchi Ryu, Nakabo Tetsuji. The *Sphyraena obtusata* group (Perciformes: Sphyraenidae) with a description of a new species from southern Japan *Ichthyological Research.* 2005;52:132–151.

[4] Mainwaring A. J.. Anatomical and Systematic review of the Pachycormidae, a family of Mesozoic fossil fishes 1978:162.

[5] Sánchez-Villagra Marcelo R, Asher Robert J, Rincón Ascanio D, Carlini Alfredo A, Meylan Peter A, Purdy Robert W. New faunal reports for the cerro La Cruz locality (Lower Miocene), north-eastern Venezuela *Special Papers in Palaeontology.* 2004;71:105–112.

[6] Betancur-R Ricardo, Wiley Edward O, Arratia Gloria, et al. Phylogenetic classification of bony fishes *BMC Evolutionary Biology.* 2017;17:1–40.

[7] Fowler Henry W. New and little known Mugilidae and Sphyraenidae *Proceedings of the Academy of Natural Sciences of Philadelphia.* 1903;55:743–752.

[8] Brzobohatý Rostislav, Nolf Dirk. Fish otoliths from the middle Eocene (Bartonian) of Yebra de Basa, province of Huesca, Spain *Bulletin de l'Institut Royal des Sciences Naturelles de Belqique, Sciences de la Terre.* 2011;81:279–295.

[9] Cope Edward D. Synopsis of the Vertebrata of the Miocene of Cumberland County , New Jersey *Proceedings of the American Philosophical Society.* 1875;14:361–364.

[10] Bryant J Daniel. New early Barstovian (Middle Miocene) vertebrates from the upper Torreya Formation, Eastern Florida Panhandle *Journal of Vertebrate Paleontology.* 1991;11:472–489.

[11] Okonechnikov Konstantin, Golosova Olga, Fursov Mikhail, et al. Unipro UGENE: A unified bioinformatics toolkit *Bioinformatics.* 2012;28:1166–1167.

[12] Arambourg Camille. Les poissons oligocènes de l'Iran *Notes et Mémoires sur le Moyen-Orient.* 1966;3:1–210.

[13] Amalfitano J., Giusberti L., Fornaciari E., Carnevale Giorgio. A reappraisal of the Italian record of the cretaceous Pachycormid Fish *Protosphyraena* Leidy, 1857 *Rivista Italiana di Paleontologia e Stratigrafia.* 2017;123:475–485.

[14] Dollo Louis, Storms Raymond. Sur les Téléostéens du Rupélien *Zoologischer Anzeiger.* 1888;11:265–267.

[15] Ronquist Fredrik, Teslenko Maxim, Van Der Mark Paul, et al. MrBayes 3.2: Efficient bayesian phylogenetic inference and model choice across a large model space *Systematic Biology.* 2012;61:539–542.

[16] R Core Development Team . R: A language and environment for statistical computing 2017.

[17] Bannikov Alexandre F. *Iskopaemye pozvonochnye Rossii i sopredel'nykh stran. Iskopaemye kolyucheperye ryby (Teleostei, Acanthopterigii).* Moscow: GEOS 2010.

[18] Leidy Joseph. Notice of remains of extinct vertebrated animals of New-Jersey, collected by Prof. Cook of the State Geological Survey under the direction of Dr. W. Kitchell *Proceedings of the Academy of Natural Sciences of Philadelphia.* 1856;8:220–221.

[19] Weiler Worms von Wilhelm. Neue Untersuchungen an Mitteloligozänen Fischen Ungarns *Geologica Hungarica. Series Palaeontologica.* 1938;15.

[20] Bone David A, Todd Jonathan A, Tracey Steve. Fossils from the Bracklesham Group exposed in the M27 Motorway excavations, Southampton, Hampshire *Tertiary Research.* 1991;12:131–137.

[21] FAO-FIGIS . *Trachurus trachurus* in *A World Overview of Species of Interest to Fisheries*:1–3Rome: FAO 2005.

[22] Rana Rajendra Singh. Palaeontology and palaeoecology of the intertrappean (Cretaceous-Tertiary transition) beds of the Peninsular India *Journal of the Palaeontological Society of India.* 1990;35:105–120.

[23] Leidy Joseph. Indications of twelve species of fossil Fishes *Proeceedings of the Academy of Natural Sciencies of Philadelphia.* 1855;7:395–397.

[24] Grubich Justin R, Rice Aaron N, Westneat Mark W. Functional morphology of bite mechanics in the Great Barracuda (*Sphyraena barracuda*) *Zoology.* 2008;111:16–29.

[25] Bardack David. Anatomy and evolution of Chirocentrid fishes *University of Kansas Paleontological Contributions.* 1969;10:1–86.

[26] Casier Edgard. La faune ichthyologique de l'Yprésien de la Belgique *Mémoires du Musée Royal d'Histoire Naturelle de Belgique.* 1946;104:1–267.

[27] Mateus Octávio, Callapez Pedro M., Polcyn Michael J., Schulp Anne S., Gonçalves António Olímpio, Jacobs Louis L.. The Fossil Record of Biodiversity in Angola Through Time: A Paleontological Perspective *Biodiversity of Angola.* 2019:53–76.

[28] Friedman Matt, Carnevale Giorgio. The Bolca Lagerstätten: shallow marine life in the Eocene *Journal of the Geological Society.* 2018;175:569–579.

[29] Monsch Kenneth Anthony. *The Phylogeny of the Scombroid Fishes.* PhD thesis 2000.

[30] Bannikov Alexandre F. Revision of the Atheriniform fish genera *Rhamphognathus* Agassiz and *Mesogaster* Agassiz (Teleostei) From the Eocene of Bolca, northern Italy *Studie Ricerche sui Giacimenti Terziari di Bolca.* 2008;9:65–76.

[31] Nelson J S, Grande Terry, Wilson Mark V H. *Fishes of the World.* New Jersey: John Wiley & Sons5 ed. 2016.

[32] Pastore Michele A.. *Sphyraena intermedia* sp. nov. (Pisces: Sphyraenidae): a potential new species of barracuda identified from the central Mediterranean Sea *Journal of the Marine Biological Association of the United Kingdom.* 2009;89:1299–1303.

[33] Forey Peter L. The osteology of *Notelops* Woodward, *Rhacolepis* Agassiz and *Pachyrhizodus* Dixon (Pisces: Teleostei) *Bulletin of the British Museum (Natural History).* 1977;28:123–204.

[34] Mas Guillem. Ictiofauna del Pliocè mitjà-superior de la conca sedimentària de Palma (Illes Balears, Mediterrània Occidental). Implicacions paleoambientals *Bolleti de la Societat d'Historia Natural de les Balears.* 2000;43:39–61.

[35] Nolf Dirk. *Handbook of Paleoichthyology. Otolithi Piscium.* Gustav Fischer Verlag 1985.

[36] Hays Isaac. Description of a fragment of the head of a new fossil animal, discovered in a Marl Pit, near Moorestown, New Jersey *Transactions of the American Philosophical Society.* 1830;3:471–477.

[37] Carrillo-Briceño Jorge D, Reyes-Cespedes Andrés E, Salas-Gismondi Rodolfo, Sánchez Rodolfo. A new vertebrate continental assemblage from the Tortonian of Venezuela *Swiss Journal of Palaeontology.* 2018;0123456789.

[38] Fricke Ronald, Kulbick Michel, Wantiez Laurent. Checklist of the fishes of New Caledonia, and their distribution in the Southwest Pacific Ocean (Pisces) *Stuttgarter Beiträge zur Naturkunde A, New Series.* 2011;4:341–463.

[39] Woodward Arthur Smith. *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part III.* London: Taylor & Francis 1895.

[40] Artedi P. *Petri Artedi Angermannia–Sueci synonymia nominum piscium fere omnium;... Ichthyologiae pars IV. Editio II. Grypeswaldiae* . 1793.

[41] Fricke R, Eschmeyer W N, Laan R. Eschmeyer's catalog of Fishes: Genera, species, references 2019.

[42] Fanti Federico, Minelli Daniela, Conte Gabriele Larocca, Miyashita Tetsuto. An exceptionally preserved Eocene Shark and the rise of modern predator–prey interactions in the coral reef food web *Zoological Letters.* 2016;2:2–18.

[43] Sylva Donald P. Systematics and life history of the great barracuda *Sphyraena barracuda* (Walbaum) *Studies in Tropical Oceanography.* 1963;1:1–179.

[44] Dames F T W. Über eine tertiäre Wirbelthier-fauna von der westlichen Insel Birket-el-Qurun im Fajum (Aegypten). *Sitzungsber . d . kgl . pr . Akad . d . Wiss. zu Berlin.* 1883;6:129–135.

[45] Páramo-Fonseca María Eurídice. Los peces de la familia Pachyrhizodontidae (Teleostei) del Turoniano del Valle Superior del Magdalena *Bolteín Geológico Ingeominas.* 2001;39:47–83.

[46] Whitley G P. New sharks and fishes from Western Australia. Part 3 *Australian Zoologist.* 1947;11:129–150.

[47] Deméré Thomas A, Roeder Mark A, Chandler Robert M, Minch John A. Paleontology of the middle Miocene Los Indios Member of the Rosarito Formation, northwestern Baja California, Mexico in *Miocene and Cretaceous Depositional Environments, Northwestern Baja California, Mexico* (Minch John A, Ashby James R. , eds.):47–56Baja California: Pacific Section AAPG 1984.

[48] Bourque Jason R. Fossil Kinosternidae from the Oligocene and Miocene of Florida, USA in *Morphology and Evolution of Turtles*:459–475Dodrecht: Springer Sciences+Business Media 2013.

[49] Santini F, Carnevale G, Sorenson L. First timetree of Sphyraenidae (Percomorpha) reveals a Middle Eocene crown age and an Oligo–Miocene radiation of Barracudas *Italian Journal of Zoology.* 2015;82:133–142.

[50] Darriba Diego, Taboada Guillermo L, Doallo Ramón, Posada David. jModelTest 2: more models, new heuristics and parallel computing *Nature Methods.* 2012;9:772–772.

[51] Rapp William F. Check list of the fossil fishes of New Jersey *Journal of Paleontology.* 1946;20:510–513.

[52] Marsili Stefano, Carnevale Giorgio, Danese Ermanno, Bianucci Giovanni, Landini Walter. Early Miocene vertebrates from Montagna della Maiella, Italy *Annales de Paléontologie.* 2007;93:27–66.

[53] Casier Edgard. Contributions a l'etude des poissons fossiles de la Belgique. VII. Morphologie du dentaire de Sphyraenodus lerichei Casier *Bulletin du Museé Royal d'Histoire Naturelle de Belgique.* 1944;20:1–8.

[54] Huyghebaert Beatrijs, Nolf Dirk. on fish-otoliths, published since 1968 *Mededelingen van de Werkgroep voor Tertiaire en Kwartaire Geologie.* 1979;16:139–170.

[55] Bemis William E., Giuliano Anne, McGuire Betty. Structure, attachment, replacement and growth of teeth in bluefish, *Pomatomus saltatrix* (Linnaeus, 1766), a teleost with deeply socketed teeth *Zoology.* 2005;108:317–327.

[56] Nakamura Izumi. *FAO Species Catalogue. Volume 5. Billifishes of the World*;5. Rome: FAO 1985.

[57] Newton E Tulley. On the remains of *Hypsodon*, *Portheus*, and *Ichthyodectes* from British Cretaceous strata, with descriptions of new species *Quarterly Journal of the Geological Society.* 1877;33:505–523.

[58] Bassani Francesco. Ricerche sui pesci fossili di Chiavon (Strati di Sotzka - Miocene Inferiore) *Atti della Reale Accademia delle Scienze Fisiche e Matematiche.* 1889;3:1–100.

[59] Woodward Arthur Smith. *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part IV.* London: Taylor & Francis 1901.

[60] Leidy Joseph. Description of vertebrate remains chiefly from the phosphate beds of South Carolina *Journal of the Academy of Natural Sciences.* 1877;8:209–261.

[61] White Errol Ivor. Eocene Fishes from Nigeria *Bulletin of the Geological Survey of Nigeria.* 1926;10:1–82.

[62] Hendy Austin J. W., Jones Douglas S., Moreno Federico, Zapata Vladimir, Jaramillo Carlos A. Neogene molluscs, shallow marine paleoenvironments, and chronostratigraphy of the Guajira Peninsula, Colombia *Swiss Journal of Palaeontology.* 2015:1–31.

[63] Katoh Kazutaka, Standley Daron M.. MAFFT multiple sequence alignment software version 7: Improvements in performance and usability *Molecular Biology and Evolution.* 2013;30:772–780.

[64] Nolf Dirk. Deuxième note sur les Téléostéens des sabens de Lede (Éocène Belge) *Bulletin de la Societe Belge de Geologie, Paleontologie et Hydrologie.* 1972;81:95–109.

[65] Senou H. Sphyraenidae in *The Living Marine Resources of the Western Central Pacific. Volume 6* (Carpenter K E, Niem V H. , eds.):3685–3697Rome: FAO 2001.

[66] Gillette David D. A marine ichthyofauna from the Miocene of Panama, and the Tertiary Caribbean Faunal Province *Journal of Vertebrate Paleontology.* 1984;4:172–186.

[67] Woodward Arthur Smith. *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part I.* London: Taylor & Francis 1889.

[68] Agassiz Louis. *Nomina Systematica Generum Piscium, tam Viventum Quam Fossilum* . 1846.

[69] Agassiz Louis. *Recherches sur les Poisson Fossiles. Tome III* . 1833.

[70] Ray Clayton E, Wetmore Alexander, Dunkle David H, Drez Paul. Fossil vertebrates from the marine Pleistocene of southeastern Virginia *Smithsonian Miscellaneous Collections.* 1968;153:1–25.

[71] Quillévéré Frédéric, Koskeridou Efterpi, Cornée Jean-Jacques, Moissette Pierre, Girone Angela, Agiadi Konstantina. Pleistocene marine fish invasions and paleoenvironmental reconstructions in the eastern Mediterranean *Quaternary Science Reviews.* 2018;196:80–99.

[72] Schultz Ortwin, Brzobohatý Rostislav, Kroupa Oldrich. Fish teeth from the Middle Miocene of Kienberg at Mikulov, Czech Republic, Vienna Basin *Annalen des Naturhistorischen Museums in Wien, Serie A.* 2010;112:489–506.

[73] Díaz-Franco Stephen, Rojas-Consuegra Reinaldo. Dientes fósiles de *Sphyraena* (Perciformes: Sphyraenidae) en el Terciario de Cuba Occidental *Solenodon.* 2009;8:124–129.

[74] Böhm J. Ueher tertiâre Versteinerungen von den hogenfelser Diamantfeldern in *Die Diamantenwüste Sudwestafrikasfrikas. Vol II* (Kaiser E. , ed.):55–87 1926.

[75] Westgate James W. Lower vertebrates from the late Eocene Crow Creek local fauna, St. Francis County, Arkansas *Journal of Vertebrate Paleontology.* 1984;4:536–546.

[76] Gottfried Michael D, Samonds Karen E, Ostrowski Summer A, Andrianavalona Tsiory Harimalala, Ramihangihajason Tolotra Niaina. New evidence indicates the presence of Barracuda (Sphyraenidae) and supports a tropical marine environment in the Miocene of Madagascar *PLoS ONE.* 2017;12:1–9.

[77] ICZN . *International Code of Zoological Nomenclature.* London: The International Trust for Zoological Nomenclature4th ed. 1999.

[78] Harlan R. On a new fossil genus, of the order Enalio Sauri (of Conybeare): and on a new species of Ichthyosaurus *Journal fo the Academy of Natural Sciences of Philadelphia.* 1824;3:331–338.

[79] Casier Edgard. Contributions à l'étude des Poissons fossiles de la Belgique. VI. Sur le Sphyraenodus de l'Eocene e sur la présence d'un Sphyraenidé dans le Bruxellien (Lutétien inférieur) *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique.* 1944;20:11–15.

[80] Woodward Arthur Smith. *Catalogue of the Fossil Fishes in the British Museum (Natural History). Part II.* London: Taylor & Francis 1891.

[81] STRINGER, GARY L., Department of Ge . Paleoenvironmental Interpretations Based on Vertebrate Fossil Assemblages: An Example of their Utilization in the Gulf Coast *AAPG Bulletin.* 2003;85.

[82] Páramo-Fonseca María Eurídice. *Bachea huilensis* nov. gen., nov. sp., premier Tselfatioidei (Teleostei) de Colombie *Comptes Rendus de l'Academie de Sciences - Serie IIa: Sciences de la Terre et des Planetes.* 1997;325:147–150.

[83] Chapman Frederick. Descriptions of fossil fish from New Zealand *Transactions and Proceedings of the Royal Society of New Zealand.* 1935;64:117–121.

[84] Sylva Donald P, Williams F. Sphyraenidae in *Smiths' Sea Fishes* (Smith M M, Heemstra P C. , eds.):721–726Johannesburg: Macmillan South Africa 1986.

[85] Ray Clayton E, Bohaska David J. *Geology and Paleontology of the Lee Creek Mine, North Carolina, III.* No. 90smithsonia ed. 2001.

[86] Patterson C.. An overview of the early fossil record of Acanthomorphs *Bulletin of Marine Science.* 1993;52:29–59.

[87] Bardack David, Sprinkle G. Morphology and relationships of saurocephalid fishes *Fieldiana Geology.* 1969;16:297–340.

[88] Monsch Kenneth A.. Revision of the scombroid fishes from the Cenozoic of England *Transactions of the Royal Society of Edinburgh: Earth Sciences.* 2005;95:445–489.

[89] Agassiz Louis. *Recherches sur les Poissons Fossiles. Tome IV* . 1833.

[90] Moreno Federico, Hendy A J W, Quiroz Luis, et al. Revised stratigraphy of Neogene strata in the Cocinetas Basin, La Guajira, Colombia *Swiss Journal of Palaeontology.* 2015;134:5–43.

[91] Agassiz Louis. Recherches sur les Poissons Fossiles. Tome I 1833.

[92] Van der Laan Richard. Family-group names of fossil fishes *European Journal of Taxonomy.* 2018:1–167.

[93] Meek Seth E, Newland Robert G. A review of the American species of the genus *Sphyraena Proceedings of the Academy of Natural Sciences of Philadelphia.* 1884;36:67–75.

[94] Stringer G L, Breard S Q, Kontrovitz M. Biostratigraphy and Paleoecology of Diagnostic Invertebrates and Vertebrates from the Type Locality of the Oligocene Rosefiled Marl Beds, Louisiana *Gulf Coast Association of Geological Societies Transactions.* 2001;LI:321–328.

[95] Cope E. D.. Synopsis of the Batrachia and Reptilia of North America. Part I *Transactions of the American Philosophical Society.* 1869;14:1–252.

[96] Switchenska Alexandra A. A new genus from the family Sphyraeniadae from the middle Miocene of Transcaucasia in *Ocherki po Filogenii i Sistematike Iskopaemykh Ryb I Beschelyustnykh*:157–161 1968.

[97] Agassiz Louis. *Recherches sur les Poisson Fossiles. Tome V* . 1843.

[98] Viñola-López Lázaro William, Rojas-Consuegra Reinaldo, Jiménez-Vásquez Osvaldo. Nuevos registros de *Sphyraena* (Perciformes: Sphyraenidae) para el Neógeno de Cuba y La Española *Novitates Caribaea.* 2017;11:89–94.

[99] NCBI . *Entrez Programming Utilities Help.* No. MdBethesta: NCBI 2018.

[100] Taverne Louis, Chanet Bruno. *Faugichthys loryi* n. gen., n. sp. (Teleostei, Ichthyodectiformes) de l'Albien terminal (Crétacé inférieur marin) du vallon de la Fauge (Isère, France) et considérations sur la phylogénie des Ichthyodectidae *Geodiversitas.* 2000;22:23–34.

[101] Smith J L B. The fishes of the family Sphyraenidae in the western Indian Ocean *Ichthyological Bulletin of the Department of Ichthyology of Rhodes University.* 1956;3:37–46.

[102] Távora Vladimir de Araújo, Santos André Augusto Rodrigues, Araújo Raphael Neto. Localidades fossilíferas da Formação Pirabas (Mioceno Inferior) *Boletim do Museu Paraense Emilio Goeldi Ciencias Naturais.* 2010;5:207–224.