

Tu equipo para buscar trabajo

Uso, arquitectura, seguridad y experiencia visual del orquestador personal para Costa Rica.

Flujo principal

Confirma tus CV en español e inglés, busca con TheirStack en tandas de 25, filtra hasta 30 días y crea una guía de entrevista desde Me interesa.



AME ORQUESTADORA

Terrario 3D | animacion original

ES 01 / USO

De tu CV a la entrevista

La interfaz mantiene las decisiones importantes en tus manos.

- 01

Configura las conexiones
Abre Configuración y valida por separado TheirStack para buscar y DeepSeek para analizar. Ambas claves quedan en el Administrador de credenciales de Windows.
- 02

Confirma tus dos CV
Importa una versión en español y otra en inglés. Corrige los hechos extraídos y confirma el perfil; cada vacante usa automáticamente el CV de su idioma.
- 03

Busca un rol
Escribe QA, Desarrollador, Analista de datos u otro objetivo. La primera tanda recupera hasta 25 vacantes de Costa Rica.
- 04

Filtra o carga más
Cambia entre 24 horas, 7 días o 30 días sin repetir la búsqueda. Cargar 25 más pide y cachea la página siguiente.
- 05

Actúa
Abre el análisis, visita la publicación oficial o pulsa Me interesa para guardar la vacante y generar su guía PDF.

Regla de alcance

Todos significa todos los resultados recuperables desde las fuentes habilitadas en esa ejecución, no todo Internet.

ES 02 / FUENTES

TheirStack primero, respaldo seguro

La busqueda automatica respeta API, creditos, cache, procedencia y atribucion.

Fuente principal TheirStack busca vacantes abiertas en Costa Rica, con antigüedad máxima de 30 días y 25 resultados por tanda.	Creditos Cada vacante devuelta puede consumir un credito. No hay retries automaticos de paginas cobrables y el doble clic queda bloqueado.
Ventana La fecha UTC debe ser exacta, no futura y posterior al inicio de la busqueda menos 30 días. Una fecha de actualizacion no cuenta.	Procedencia Proveedor, portal de origen, URL de origen, URL final y tipo de enlace se guardan por separado. Un enlace de portal nunca se llama oficial.
Respaldo Jobicy, Remotive, Remote OK, Himalayas, We Work Remotely y ATS configurados siguen disponibles si TheirStack falla.	Deduplicacion Las copias equivalentes se fusionan; se prioriza final_url, luego url y finalmente source_url.

Enlaces

La aplicacion nunca completa formularios, envia correos ni presenta candidaturas.

Cinco roles internos, una Ame visible

LangGraph conserva cinco responsabilidades separadas; la interfaz no representa conversaciones ni razonamiento privado.

Rol	Responsabilidad	Limite
Coordinacion	Comprueba el perfil, delega y comunica.	No busca ni puntua.
Busqueda	Amplia el rol y consulta fuentes autorizadas.	No recibe datos personales.
Analisis	Relaciona requisitos con hechos confirmados.	No inventa experiencia.
Preparacion	Ordena evidencia para la entrevista.	No postula por el usuario.
Revision	Comprueba fechas, enlaces, evidencia y PDF.	No relaja validadores.

Autoridad	LangChain create_agent propone JSON tipado. Fechas, filtros, deduplicacion, puntuacion y PDF se validan de forma determinista.
-----------	--

ES 04 / CLAVES

Dos proveedores, dos limites

Las credenciales se validan por separado y nunca regresan al navegador.

DeepSeek deepseek-v4-pro apoya la expansion del rol y valida relaciones de encaje con JSON tipado. Fechas, puntuacion y guias PDF son deterministas.	TheirStack La validacion consulta un endpoint autenticado sin recuperar vacantes ni consumir creditos de resultados.
CV original El PDF no sale del equipo. Se envian solo hechos confirmados sin correo, telefono ni direccion.	Errores Autenticacion, saldo, cuota o timeout se muestran claramente y pueden reintentarse desde el checkpoint.
Sin secretos La clave no aparece en SQLite, logs, SSE, checkpoints, errores ni documentos exportados.	Borrar Configuracion permite eliminar cada credencial sin borrar CV, vacantes, intereses ni guias.

Aviso

Al ejecutar analisis, los hechos profesionales confirmados y la descripcion necesaria se procesan en la nube de DeepSeek.

Ame dentro del terrario

Un solo GLB ocupa el fondo completo y reproduce su animacion original de nueve segundos.


Animacion El clip Animation se reproduce completo en bucle. El GLB permanece identico byte por byte y no se crean subclips.	Rotacion Arrastra para observar la escena. Los limites de orbita evitan angulos inutilis.
Zoom Usa la rueda o el gesto de pinza. La distancia minima y maxima impiden perder el modelo.	Desplazamiento Boton derecho o dos dedos mueven el encuadre dentro de limites seguros.
Restablecer El boton de camara recupera el centro, zoom y objetivo calculados desde el volumen real del GLB.	Accesibilidad Movimiento reducido mantiene una pose estable. WebGL ausente activa una ilustracion estatica con los mismos paneles DOM.

Interfaz

No hay globos, nombres de avatares ni consola de agentes: solo resultados, acciones y errores claros.

Componentes y diagnostico

REST ejecuta comandos, SSE transmite progreso y los checkpoints permiten reanudar.



Persistencia app.db conserva perfiles, vacantes e intereses. checkpoints.db conserva el estado del grafo. artifacts/ contiene entradas y PDF.	Inicio Ejecuta bootstrap una vez y dev para iniciar API y frontend en loopback.
---	--

```
git clone https://github.com/AruHonshou/Amework.git
cd Amework
.\scripts\bootstrap.ps1
.\scripts\dev.ps1
# UI http://127.0.0.1:5173
# API http://127.0.0.1:8765
```

Problemas	Sin resultados: amplia el rol y revisa cobertura. Error 401: vuelve a validar la clave. Error de fuente: reintenta despues del limite indicado.
------------------	---

EN 01 / WORKFLOW

From resume to interview

The interface keeps every important decision under your control.

- 01

Configure connections
Validate TheirStack for search and DeepSeek for analysis in separate Settings cards. Both keys stay in Windows Credential Manager.
- 02

Confirm both resumes
Import one Spanish and one English version. Review the extracted facts and confirm the profile; each job automatically uses the matching language.
- 03

Search a role
Enter QA, Developer, Data analyst, or another target. The first batch retrieves up to 25 Costa Rica jobs.
- 04

Filter or load more
Switch between 24 hours, 7 days, and 30 days locally. Load 25 more requests and caches the next page.
- 05

Continue
Open the analysis, visit the official posting, or select I'm interested to save the job and create its interview PDF.

Coverage

All means all retrievable results from the enabled sources during that run, not every job on the Internet.

EN 02 / SOURCES

TheirStack first, safe fallbacks

Automated search respects API credits, caching, provenance, attribution, and rate limits.

Primary source TheirStack searches open Costa Rica jobs no older than 30 days and returns at most 25 records per batch.	Credits Each returned job may consume one credit. Billable pages are never retried automatically and duplicate requests are blocked.
Date rule UTC publication time must be exact, not future, and no earlier than search start minus 30 days. Updated time is not accepted.	Provenance Provider, source portal, source URL, final URL, and link type stay separate. A portal link is never labeled official.
Fallbacks Jobicy, Remotive, Remote OK, Himalayas, We Work Remotely, and configured ATSS remain available if TheirStack fails.	Deduplication Equivalent copies are merged with final_url first, then url, then source_url.

Applications

The application never fills a form, sends email, or submits an application.

EN 03 / PROVIDER SAFETY

Two keys, two boundaries

Credentials are validated separately and never returned to the browser.

DeepSeek deepseek-v4-pro supports role expansion and validates fit mappings with typed JSON. Dates, scoring, and interview PDFs remain deterministic.	TheirStack Validation uses an authenticated endpoint that reveals no jobs and consumes no result credits.
Original resume The file stays on the computer. Only confirmed professional facts without contact details are sent.	Failures Authentication, balance, quota, and timeout errors are explicit and retryable from the checkpoint.
Secret boundary The key never enters SQLite, logs, SSE events, checkpoints, errors, or exported documents.	Human control The user confirms facts, chooses jobs, opens external links, and owns every application decision.

Cloud notice

Confirmed professional facts and the necessary job description are processed by DeepSeek when analysis runs.

EN 04 / SCENE

Ame inside the terrarium

One GLB fills the background and loops its original nine-second animation.

Animation The complete Animation clip loops. The GLB stays byte-for-byte identical and no subclips are created.	Rotate Drag to inspect the scene. Orbit limits avoid unusable angles.
Zoom Use the wheel or pinch gesture. Minimum and maximum distances keep the model in reach.	Pan Right drag or two fingers move the composition within safe limits.
Reset The camera button restores center, zoom, and target computed from the real GLB bounds.	Accessibility Reduced motion keeps a stable pose. Missing WebGL activates a static illustration with the same DOM controls.

Interface

No speech bubbles, avatar labels, or agent console: only results, actions, and clear errors.

EN 05 / VERIFICATION

How to test the project

CI uses simulated sources and a fake DeepSeek server; the optional smoke test uses the saved key.

```
.\scripts\validate-assets.ps1
.\scripts\test.ps1
pnpm --dir frontend typecheck
pnpm --dir frontend test -- --run
pnpm --dir frontend build
```

Search Boundary times, pagination, deduplication, source failures, rate limits, large result sets, and portal no-automation policy.	Privacy Key and contact data are absent from databases, logs, events, checkpoints, errors, and PDF output.
Evidence Structured outputs reject unknown IDs; recommendations and interview answers cannot fabricate experience.	Visuals Single-GLB download, nine-second loop, orbit limits, reset, reduced motion, and static fallback.

Project folder

Run all commands from the cloned AmeWork repository root.

EN 06 / REFERENCE

Endpoints and data ownership

The browser receives status, never the DeepSeek key.

Settings Separate DeepSeek and TheirStack GET, PUT, DELETE endpoints expose configured status and validation time only.	Search POST /api/career/searches requests the first 25-job page; /more accepts only the cached run's next page.
Results Stored jobs include exact publication time, modality, provider, source portal, link type, verification, and quick fit.	Interests One interest per profile and job. Repeated clicks are idempotent and preserve the existing guide.
Delete Removing either credential does not delete the confirmed resume, saved jobs, interests, or guides.	License Smol Ame in an Upcycled Terrarium by Seafoam remains CC BY 4.0 and separate from Apache-2.0 application code.

Final rule

Never put real resumes, API keys, downloaded jobs, or undocumented third-party assets into a public repository.