

Tu equipo para buscar trabajo

Uso, arquitectura, seguridad y experiencia visual del orquestador personal para Costa Rica.

Flujo principal

Crea uno o mas perfiles, confirma su CV en espanol e ingles, busca con TheirStack y genera una guia profesional y versionada desde Me interesa.



AME ORQUESTADORA

Terrario 3D | animacion original

ES 01 / USO

De tu CV a la entrevista

La interfaz mantiene las decisiones importantes en tus manos.

01

Entra a tu estacion

El boton Entrar habilita la musica ambiental al 25 %. El control junto a Configuracion silencia o reactiva el audio y conserva la preferencia.

02

Crea un perfil

Crea perfiles ilimitados para QA, Desarrollo, Datos u otros objetivos. Puedes renombrar, duplicar o eliminar cada uno con confirmacion.

03

Confirma sus dos CV

Importa una version en espanol y otra en ingles, corrige los hechos y confirma. Cada vacante usa automaticamente el CV de su idioma.

04

Busca y filtra

Selecciona el perfil, escribe un rol y filtra la misma busqueda por 24 horas, 7 dias o 30 dias sin gastar otros creditos.

05

Analiza y prepara

Abre la matriz requisito-evidencia o pulsa Me interesa para guardar la vacante y generar una guia PDF profesional.

Regla de alcance

Todos significa todos los resultados recuperables desde las fuentes habilitadas en esa ejecucion, no todo Internet.

ES 02 / FUENTES

TheirStack primero, respaldo seguro

La busqueda automatica respeta API, creditos, cache, procedencia y atribucion.

Fuente principal TheirStack busca vacantes abiertas en Costa Rica, con antigüedad máxima de 30 días y 25 resultados por tanda.	Creditos Cada vacante devuelta puede consumir un credito. No hay retries automaticos de paginas cobrables y el doble clic queda bloqueado.
Ventana La fecha UTC debe ser exacta, no futura y posterior al inicio de la busqueda menos 30 días. Una fecha de actualizacion no cuenta.	Procedencia Proveedor, portal de origen, URL de origen, URL final y tipo de enlace se guardan por separado. Un enlace de portal nunca se llama oficial.
Respaldo Jobicy, Remotive, Remote OK, Himalayas, We Work Remotely y ATS configurados siguen disponibles si TheirStack falla.	Deduplicacion Las copias equivalentes se fusionan; se prioriza final_url, luego url y finalmente source_url.

Enlaces

La aplicacion nunca completa formularios, envia correos ni presenta candidaturas.

Cinco roles internos, una Ame visible

LangGraph conserva cinco responsabilidades separadas; la interfaz no representa conversaciones ni razonamiento privado.

Rol	Responsabilidad	Limite
Coordinacion	Comprueba el perfil, delega y comunica.	No busca ni puntua.
Busqueda	Amplia el rol y consulta fuentes autorizadas.	No recibe datos personales.
Analisis	Relaciona requisitos con hechos confirmados.	No inventa experiencia.
Preparacion	Ordena evidencia para la entrevista.	No postula por el usuario.
Revision	Comprueba fechas, enlaces, evidencia y PDF.	No relaja validadores.

Autoridad	LangChain create_agent propone JSON tipado. Fechas, filtros, deduplicacion, puntuacion y PDF se validan de forma determinista.
-----------	--

ES 04 / PERFILES

Un perfil para cada camino profesional

La búsqueda, el análisis y la guía conservan para siempre el perfil que los origino.

Sin limite fijo Crea perfiles separados para QA, Desarrollo, Datos o cualquier otro objetivo. El nombre visible debe ser unico.	Dos idiomas Cada perfil exige CV espanol e ingles revisados y confirmados. La vacante elige el conjunto de hechos del idioma detectado.
Duplicar Copia CV, hechos y preferencias con identificadores nuevos; no copia busquedas, intereses ni guias.	Preferencias Configura seniority, modalidad, ubicaciones y exclusiones. Los datos desconocidos avisan; no descartan.
Filtro seguro Solo una incompatibilidad explicita separa la vacante en Revisar aparte. Una tecnologia ausente queda visible como brecha de aprendizaje.	Revision Cambiar hechos o preferencias incrementa la revision. Las guias anteriores siguen accesibles y se marcan desactualizadas.

Vinculo estricto

Cambiar el perfil activo no altera una busqueda anterior ni hace que una guia use el CV equivocado.

Una preparacion real para la entrevista

Me interesa guarda la vacante de forma idempotente y crea un PDF normalmente de 10 a 20 paginas.

Entender el puesto Resume objetivo, responsabilidades, requisitos, modalidad, empresa, fecha, fuente y enlace de la publicacion.	Matriz de evidencia Cada requisito se clasifica por prioridad y categoria, y se vincula a hechos confirmados o a una brecha explicita.
Preguntas tecnicas Incluye 8 a 12 preguntas con respuesta tecnica de referencia, ejercicios probables y temas para estudiar.	Experiencia personal Solo sugiere como conectar una respuesta con tu experiencia cuando existe un fact_id verificado en el CV correcto.
Entrevista completa Añade historias STAR, preguntas conductuales, preguntas para la empresa, plan de estudio y lista final.	Versiones Regenerar crea una version nueva sin sobrescribir la anterior. El Redactor y el Revisor internos deben aprobar evidencia y estructura.

Cero invencion

Una respuesta tecnica educativa nunca se presenta como experiencia personal. Si falta evidencia, la guia lo marca como tema para estudiar.

ES 06 / CLAVES

Dos proveedores, dos limites

Las credenciales se validan por separado y nunca regresan al navegador.

DeepSeek deepseek-v4-pro apoya la expansion, el analisis, la seleccion de evidencia y la revision de guias con JSON tipado.	TheirStack La validacion consulta un endpoint autenticado sin recuperar vacantes ni consumir creditos de resultados.
CV original El PDF no sale del equipo. Se envian solo hechos confirmados sin correo, telefono ni direccion.	Errores Autenticacion, saldo, cuota o timeout se muestran claramente y pueden reintentarse desde el checkpoint.
Sin secretos La clave no aparece en SQLite, logs, SSE, checkpoints, errores ni documentos exportados.	Borrar Configuracion permite eliminar cada credencial sin borrar CV, vacantes, intereses ni guias.

Aviso

Al ejecutar analisis, los hechos profesionales confirmados y la descripcion necesaria se procesan en la nube de DeepSeek.

ES 07 / ESCENA

Ame dentro del terrario

Un solo GLB ocupa el fondo completo y reproduce su animacion original de nueve segundos.


Animacion El clip Animation se reproduce completo en bucle. El GLB permanece identico byte por byte y no se crean subclips.	Rotacion Arrastra para observar la escena. Los limites de orbita evitan angulos inutilis.
Zoom Usa la rueda o el gesto de pinza. La distancia minima y maxima impiden perder el modelo.	Desplazamiento Boton derecho o dos dedos mueven el encuadre dentro de limites seguros.
Restablecer El boton de camara recupera el centro, zoom y objetivo calculados desde el volumen real del GLB.	Accesibilidad Movimiento reducido mantiene una pose estable. WebGL ausente activa una ilustracion estatica con los mismos paneles DOM.

Interfaz

La estacion retro conserva contraste, foco, teclado, paneles moviles y selectores animados. No hay globos ni nombres internos.

Componentes y diagnostico

REST ejecuta comandos, SSE transmite progreso y los checkpoints permiten reanudar.



Persistencia app.db conserva perfiles, vacantes e intereses. checkpoints.db conserva el estado del grafo. artifacts/ contiene entradas y PDF.	Inicio Ejecuta bootstrap una vez y dev para iniciar API y frontend en loopback.
---	--

```
git clone https://github.com/AruHonshou/Amework.git
cd Amework
.\scripts\bootstrap.ps1
.\scripts\dev.ps1
# UI http://127.0.0.1:5173
# API http://127.0.0.1:8765
```

Problemas	Sin resultados: amplia el rol y revisa cobertura. Error 401: vuelve a validar la clave. Error de fuente: reintenta despues del limite indicado.
------------------	---

EN 01 / WORKFLOW

From resume to interview

The interface keeps every important decision under your control.

- 01

Configure connections
Validate TheirStack for search and DeepSeek for analysis in separate Settings cards. Both keys stay in Windows Credential Manager.
- 02

Create a profile
Create separate profiles for QA, Development, Data, or another path, each with its own preferences.
- 03

Confirm both resumes
Import one Spanish and one English version. Review the facts and confirm the profile; each job uses the matching language.
- 04

Search a role
Enter QA, Developer, Data analyst, or another target. The first batch retrieves up to 25 Costa Rica jobs.
- 05

Filter or load more
Switch between 24 hours, 7 days, and 30 days locally. Load 25 more requests and caches the next page.
- 06

Continue
Open the evidence analysis or select I'm interested to save the job and create its versioned professional guide.

Coverage

All means all retrievable results from the enabled sources during that run, not every job on the Internet.

EN 02 / SOURCES

TheirStack first, safe fallbacks

Automated search respects API credits, caching, provenance, attribution, and rate limits.

Primary source TheirStack searches open Costa Rica jobs no older than 30 days and returns at most 25 records per batch.	Credits Each returned job may consume one credit. Billable pages are never retried automatically and duplicate requests are blocked.
Date rule UTC publication time must be exact, not future, and no earlier than search start minus 30 days. Updated time is not accepted.	Provenance Provider, source portal, source URL, final URL, and link type stay separate. A portal link is never labeled official.
Fallbacks Jobicy, Remotive, Remote OK, Himalayas, We Work Remotely, and configured ATSS remain available if TheirStack fails.	Deduplication Equivalent copies are merged with final_url first, then url, then source_url.

Applications

The application never fills a form, sends email, or submits an application.

EN 03 / PROVIDER SAFETY

Two keys, two boundaries

Credentials are validated separately and never returned to the browser.

DeepSeek deepseek-v4-pro supports role expansion and validates fit mappings with typed JSON. Dates, scoring, and interview PDFs remain deterministic.	TheirStack Validation uses an authenticated endpoint that reveals no jobs and consumes no result credits.
Original resume The file stays on the computer. Only confirmed professional facts without contact details are sent.	Failures Authentication, balance, quota, and timeout errors are explicit and retryable from the checkpoint.
Secret boundary The key never enters SQLite, logs, SSE events, checkpoints, errors, or exported documents.	Human control The user confirms facts, chooses jobs, opens external links, and owns every application decision.

Cloud notice

Confirmed professional facts and the necessary job description are processed by DeepSeek when analysis runs.

EN 04 / PROFILES

One profile for every career path

Search, analysis, interests, and guides permanently retain the profile that created them.

Unlimited profiles Create, rename, duplicate, and delete distinct professional profiles with explicit confirmation.	Bilingual evidence Each profile requires reviewed Spanish and English resumes. Only facts from the detected job language are used.
Safe filter Explicit seniority, mode, location, or exclusion conflicts move a job to Review separately. Missing technology never hides it.	Full analysis Every requirement is classified and mapped to exact evidence, a gap, or an unknown, with an independent confidence value.
Revision tracking Profile changes mark earlier guides out of date without deleting them.	Strict binding Switching the active profile never changes the profile stored with an earlier search or guide.

No résumé generation

Recommendations may clarify existing evidence, but AmeWork never creates a tailored résumé or adds missing skills.

EN 05 / INTERVIEW GUIDES

A professional guide for the selected job

The saved-job flow generates, reviews, renders, and versions an evidence-grounded PDF.

Role briefing Explains the role, company, responsibilities, requirements, posting date, source, and application link.	Evidence matrix Labels each requirement as supported, gap, or unknown and cites only confirmed fact_id records.
Technical practice Provides 8 to 12 questions with reference answers plus up to three likely exercises.	Personal connection Connects an answer to personal experience only when the selected resume contains verified evidence.
Complete preparation Adds behavioral prompts, grounded STAR structures, employer questions, study plan, and final checklist.	Immutable versions Regenerate creates a new version while previous PDFs remain available. Unsupported personal wording blocks release.

Reference versus experience

Educational reference answers never imply that the user already owns a missing skill; the guide marks it as a study topic.

EN 06 / SCENE

Ame inside the terrarium

One GLB fills the background and loops its original nine-second animation.

Animation The complete Animation clip loops. The GLB stays byte-for-byte identical and no subclips are created.	Rotate Drag to inspect the scene. Orbit limits avoid unusable angles.
Zoom Use the wheel or pinch gesture. Minimum and maximum distances keep the model in reach.	Pan Right drag or two fingers move the composition within safe limits.
Reset The camera button restores center, zoom, and target computed from the real GLB bounds.	Accessibility Reduced motion keeps a stable pose. Missing WebGL activates a static illustration with the same DOM controls.

Interface

No speech bubbles, avatar labels, or agent console: only results, actions, and clear errors.

EN 07 / VERIFICATION

How to test the project

CI uses simulated sources and a fake DeepSeek server; the optional smoke test uses the saved key.

```
.\scripts\validate-assets.ps1
.\scripts\test.ps1
pnpm --dir frontend typecheck
pnpm --dir frontend test -- --run
pnpm --dir frontend build
```

Search Boundary times, pagination, deduplication, source failures, rate limits, large result sets, and portal no-automation policy.	Privacy Key and contact data are absent from databases, logs, events, checkpoints, errors, and PDF output.
Evidence Structured outputs reject unknown IDs; recommendations and interview answers cannot fabricate experience.	Visuals Single-GLB download, nine-second loop, orbit limits, reset, reduced motion, and static fallback.

Project folder

Run all commands from the cloned AmeWork repository root.

EN 08 / REFERENCE

Endpoints and data ownership

The browser receives status, never the DeepSeek key.

Settings Separate DeepSeek and TheirStack GET, PUT, DELETE endpoints expose configured status and validation time only.	Search POST /api/career/searches requests the first 25-job page; /more accepts only the cached run's next page.
Results Stored jobs include exact publication time, modality, provider, source portal, link type, verification, and quick fit.	Interests One interest per profile and job. Regeneration creates immutable guide versions and keeps earlier files available.
Delete Removing either credential does not delete the confirmed resume, saved jobs, interests, or guides.	License Smol Ame in an Upcycled Terrarium by Seafoam remains CC BY 4.0 and separate from Apache-2.0 application code.

Final rule

Never put real resumes, API keys, downloaded jobs, or undocumented third-party assets into a public repository.