Lab.13 2D and 3D Data Visualization using Matplotlib and Seabron

Name: Arul Kumar ARK


Roll No.: 225229103

Matplotlib:


Line

```
In [1]:  ) import pandas as pd
    import matplotlib.pyplot as plt
    plt.rcParams["figure.figsize"] = [11.50, 5.50]
    plt.rcParams["figure.autolayout"] = True

df = pd.read_csv('C:/Users/arulk/OneDrive/Desktop/student_marks.csv')
    df.set_index('Name').plot(ylabel='Marks')
    plt.show()
```



Bar




Histogram

```
In [3]: | import pandas as pd
    import matplotlib.pyplot as plt
    plt.rcParams["figure.figsize"] = [11.50, 5.50]
    plt.rcParams["figure.autolayout"] = True


    df = pd.read_csv('C:/Users/arulk/OneDrive/Desktop/student_marks.csv',)

    df.plot(kind = 'hist')
    plt.show()
```



Box Plot


```
import pandas as pd
import matplotlib.pyplot as plt
df = pd.read_csv('C:/Users/arulk/OneDrive/Desktop/student_marks.csv')
boxplot = df.boxplot(figsize = (9,9), rot = 80, fontsize= '10')
plt.show()
```



Seabron:

Histogram

Out[5]: <AxesSubplot:ylabel='Count'>



Box Plot

```
import seaborn as sns
import pandas

data = pandas.read_csv('C:/Users/arulk/OneDrive/Desktop/student_marks.csv')
s=sns.boxplot(data["Maths"])
print(s)
```

AxesSubplot(0.125,0.125;0.775x0.755)

C:\Users\arulk\anaconda3\lib\site-packages\seaborn_decorators.py:36: Futur eWarning: Pass the following variable as a keyword arg: x. From version 0.1 2, the only valid positional argument will be `data`, and passing other arg uments without an explicit keyword will result in an error or misinterpreta tion.

warnings.warn(

