Rajalakshmi Engineering College

Name: arul_santhosh X

Email: 241501022@rajalakshmi.edu.in

Roll no: 241501022 Phone: 9361955774

Branch: REC

Department: I AIML AD

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 4

Attempt: 1 Total Mark: 10 Marks Obtained: 10

Section 1: Coding

1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

Input Format

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

Output Format

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

```
Sample Test Case
```

```
Input: 5
    78 89 34 51 67
    Output: 67 51 34 89 78
    Answer
    #include <stdio.h>
#include <stdlib.h>
    struct Node {
      int data:
      struct Node* next;
    };
    void insertAtFront(struct Node** head,int value){
        struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
        newNode->data = value;
        newNode->next = *head; // Point the new node to the current head
                              // Update the head to the new node
        *head = newNode;
      void printList(struct Node* head){
        struct Node* temp=head;
        while(temp!=NULL){
          printf("%d ",temp->data);
          temp=temp->next;
        printf("\n");
      }
    int main(){
      struct Node* head = NULL;
scanf("%d", &n);
```

247507022

```
24,50,1022
                                                          24,50,1022
         .., r++) {
... activity;
scanf("%d", &activity);
insertAtFront(&bo
       for (int i = 0; i < n; i++) {
         int activity;
          insertAtFront(&head, activity);
       printList(head);
       struct Node* current = head;
       while (current != NULL) {
          struct Node* temp = current;
          current = current->next;
          free(temp);
                             241501022
                                                          24,50,1022
return 0;
                                                                               Marks: 10/10
     Status: Correct
```

241501022

24,50,1022

24,50,1022

24,150,1022

24,50,1022

241501022

24,150,1022

247501022