

Step_trainer_landing

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists three tables: 'accelerometer_landing', 'customer_landing', and 'step_trainer_landing'. The 'step_trainer_landing' table is selected. The main editor area displays the SQL query: `SELECT COUNT(*) FROM "handson-project-database"."step_trainer_landing";`. The query has been executed successfully, as indicated by the 'Completed' status. The results show a single row with the value 28680. The query statistics show a time in queue of 104 ms, a run time of 731 ms, and 3.15 MB of data scanned.

handson-project-database

Tables and views [Create](#) [Filter tables and views](#)

▼ Tables (3) < 1 >

- accelerometer_landing
- customer_landing
- step_trainer_landing

► Views (0) < 1 >

SQL Ln 10, Col 1

[Run again](#) [Explain](#) [Cancel](#) [Clear](#) [Create](#)

☐ Reuse query results up to 60 minutes ago

Query results Query stats

Completed Time in queue: 104 ms Run time: 731 ms Data scanned: 3.15 MB

Results (1) [Copy](#) [Download results CSV](#)

Search rows

#	_col0
1	28680

Accelerometer_landing

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists two tables: 'accelerometer_landing' and 'customer_landing'. The 'accelerometer_landing' table is selected. The main editor area displays the SQL query: `SELECT COUNT(*) FROM "handson-project-database"."accelerometer_landing";`. The query has been executed successfully, as indicated by the 'Completed' status. The results show a single row with the value 81273. The query statistics show a time in queue of 101 ms, a run time of 719 ms, and 6.55 MB of data scanned.

handson-project-database

Tables and views [Create](#) [Filter tables and views](#)

▼ Tables (2) < 1 >

- accelerometer_landing
- customer_landing

► Views (0) < 1 >

SQL Ln 12, Col 1

[Run again](#) [Explain](#) [Cancel](#) [Clear](#) [Create](#)

☐ Reuse query results up to 60 minutes ago

Query results Query stats

Completed Time in queue: 101 ms Run time: 719 ms Data scanned: 6.55 MB

Results (1) [Copy](#) [Download results CSV](#)

Search rows

#	_col0
1	81273

Cutomer_landing

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists one table: 'customer_landing'. The 'customer_landing' table is selected. The main editor area displays the SQL query: `SELECT COUNT(*) FROM "handson-project-database"."customer_landing";`. The query has been executed successfully, as indicated by the 'Completed' status. The results show a single row with the value 956. The query statistics show a time in queue of 107 ms, a run time of 612 ms, and 286.89 KB of data scanned.

handson-project-database

Tables and views [Create](#) [Filter tables and views](#)

▼ Tables (1) < 1 >

- customer_landing

► Views (0) < 1 >

SQL Ln 15, Col 1

[Run](#) [Explain](#) [Cancel](#) [Clear](#) [Create](#)

☐ Reuse query results up to 60 minutes ago

Query results Query stats

Completed Time in queue: 107 ms Run time: 612 ms Data scanned: 286.89 KB

Results (1) [Copy](#) [Download results CSV](#)

Search rows

#	_col0
1	956

Customer_trusted

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists four tables: `accelerometer_landing`, `customer_landing`, `customer_trusted`, and `step_trainer_landing`. The main editor area contains the SQL query: `SELECT COUNT(*) FROM "handson-project-database"."customer_trusted";`. The query has been executed successfully, as indicated by the 'Completed' status. The results show a single row with the value 482. The query statistics are: Time in queue: 102 ms, Run time: 464 ms, Data scanned: 161.06 KB.

Query results

#	_col0
1	482

Accelerometer_trusted

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists four tables: `accelerometer_landing`, `customer_landing`, `customer_trusted`, and `step_trainer_landing`. The main editor area contains the SQL query: `SELECT COUNT(*) FROM "handson-project-database"."accelerometer_trusted";`. The query has been executed successfully, as indicated by the 'Completed' status. The results show a single row with the value 40981. The query statistics are: Time in queue: 98 ms, Run time: 734 ms, Data scanned: 3.30 MB.

Query results

#	_col0
1	40981

Step_trainer_trusted

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists four tables: `accelerometer_landing`, `customer_landing`, `customer_trusted`, and `step_trainer_landing`. The main editor area contains the SQL query: `SELECT COUNT(*) FROM "handson-project-database"."step_trainer_trusted";`. The query has been executed successfully, as indicated by the 'Completed' status. The results show a single row with the value 14460. The query statistics are: Time in queue: 121 ms, Run time: 673 ms, Data scanned: 1.59 MB.

Query results

#	_col0
1	14460

Customer_curated

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists tables in the 'handson-project-database', including 'accelerometer_landing', 'customer_landing', 'customer_trusted', and 'step_trainer_landing'. The main editor displays a SQL query: `SELECT COUNT(*) FROM "handson-project-database"."customer_curated";`. Below the query, the 'Query results' tab shows a 'Completed' status with a 'Time in queue' of 101 ms, 'Run time' of 625 ms, and 'Data scanned' of 161.03 KB. The 'Results (1)' section shows a single row with the value 482.

ML_curated

The screenshot shows the Amazon Athena Query Editor interface. On the left, the 'Tables and views' panel lists tables in the 'handson-project-database', including 'accelerometer_landing', 'accelerometer_trusted', 'customer_curated', 'customer_landing', 'customer_trusted', 'ml_curated', 'step_trainer_landing', and 'step_trainer_trusted'. The main editor displays a SQL query: `SELECT COUNT(*) FROM "handson-project-database"."ml_curated";`. Below the query, the 'Query results' tab shows a 'Completed' status with a 'Time in queue' of 104 ms, 'Run time' of 769 ms, and 'Data scanned' of 5.84 MB. The 'Results (1)' section shows a single row with the value 43681.

Glue Job Python code shows that the option to dynamically infer and update schema is enabled.

The screenshot shows the AWS Glue console for a job named 'project-job5'. The 'Visual' tab is selected, showing a workflow diagram with a 'Data target - S3 bucket' node labeled 'ML_CURATED'. The 'Data preview' tab is active, displaying a message: 'Target node not supported. You have selected a data target node which is not supported for data preview. Please select another type of node instead.' The 'Data Catalog update options' section is expanded, showing three options: 'Do not update the Data Catalog' (unselected), 'Create a table in the Data Catalog and on subsequent runs, update the schema and add new partitions' (selected), and 'Create a table in the Data Catalog and on subsequent runs, keep existing schema and add new partitions' (unselected). The 'File partitioning' section is also expanded, showing two options: 'Autogenerate files (Recommended)' (selected) and 'Multiple file output' (unselected).

S3 bucket

aws

Search

[Alt+S] Ask Amazon Q

United States (N. Virginia)

c0w18371281613634408 (314561120146)

voclabs/user5048319=6f2106d7-8294-419f-b22c-1...

Amazon S3

Buckets

handson-project-1

handson-project-1

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

File systems - new

Access Points

Objects (4)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

Name

athena-result/

curated/

landing/

trusted/

Type

Folder

Folder

Folder

Folder

Last modified

-

-

-

-

Size

-

-

-

-

Storage class

-

-

-

-

Jobs executed successfully

Job runs (28)

Info

Filter job runs by property

Job name

Run status

Type

Start time (Local)

End time (Local)

Run time

Capacity

Worker type

DPU hours

project-job5

Succeeded

Glue ETL

07/07/2026 13:54:51

07/07/2026 13:56:17

1 minute

10

G.1X

0.22

project-job2

Succeeded

Glue ETL

07/07/2026 13:45:43

07/07/2026 13:47:07

1 minute

10

G.1X

0.22

project-job5

Succeeded

Glue ETL

07/07/2026 13:07:30

07/07/2026 13:08:56

1 minute

10

G.1X

0.22

project-job5

Succeeded

Glue ETL

07/07/2026 12:11:35

07/07/2026 12:13:00

1 minute

10

G.1X

0.22

project-job5

Succeeded

Glue ETL

07/07/2026 12:07:25

07/07/2026 12:08:56

1 minute

10

G.1X

0.23

project-job4

Succeeded

Glue ETL

07/07/2026 11:52:27

07/07/2026 11:53:50

1 minute

10

G.1X

0.21

project-job3

Succeeded

Glue ETL

07/07/2026 11:44:41

07/07/2026 11:47:21

3 minutes

10

G.1X

0.43

project-job3

Succeeded

Glue ETL

07/07/2026 11:39:37

07/07/2026 11:41:02

1 minute

10

G.1X

0.22

project-job3

Succeeded

Glue ETL

07/07/2026 11:27:48

07/07/2026 11:29:28

1 minute

10

G.1X

0.25

project-job2

Succeeded

Glue ETL

07/07/2026 11:19:11

07/07/2026 11:21:12

2 minutes

10

G.1X

0.31

aws

Search

[Alt+S] Ask Amazon Q

United States (N. Virginia)

c0w18371281613634408 (314561120146)

voclabs/user5048319=6f2106d7-8294-419f-b22c-1...

AWS Glue

Monitoring

AWS Glue

Getting started

ETL jobs

Visual ETL

Notebooks

Job run monitoring

Data Catalog tables

Data connections

Job runs (28)

Info

Filter job runs by property

Job name

Run status

Type

Start time (Local)

End time (Local)

Run time

Capacity

Worker type

DPU hours

project-job2

Succeeded

Glue ETL

07/07/2026 11:17:14

07/07/2026 11:18:38

1 minute

10

G.1X

0.22

project-job2

Failed

Glue ETL

07/07/2026 11:09:29

07/07/2026 11:10:35

1 minute

10

G.1X

0.17

project-job1

Succeeded

Glue ETL

07/07/2026 10:57:58

07/07/2026 10:59:09


1 minute

10

G.1X

0.17

Visual ETL



Glue Tables

AWS Glue > Tables

A table is the metadata definition that represents your data, including its schema. A table can be used as a source or target in a job definition.

Tables (8) Last updated (UTC) July 7, 2026 at 09:52:53 Delete Add tables using crawler Add table

View and manage all available tables.

Choose catalog
314561120146

Choose database
handson-project-database

☐	Name	Database	Location	Classification	Deprecated	View data	Data quality	Column st...
☐	accelerometer_landi	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	accelerometer_trust	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	customer_curated	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	customer_landing	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	customer_trusted	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	ml_curated	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	step_trainer_landin	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics
☐	step_trainer_trustec	handson-project-da	s3://handson-proje	JSON	-	Table data	View data quality	View statistics

Left Sidebar:

- AWS Glue**
 - Getting started
 - ETL jobs
 - Visual ETL
 - Notebooks
 - Job run monitoring
 - Data Catalog tables**
 - Data connections
 - Workflows (orchestration)
 - Zero-ETL integrations New
 - Data Catalog**
 - Catalogs
 - Databases
 - Tables**
 - Stream schema registries
 - Schemas
 - Connections
 - Crawlers
 - Classifiers
 - Catalog settings
 - Data Integration and ETL**
 - Legacy pages**