
1. Linear, Gaussian
2. Curved exponential
3. Cubic, flat at the center
4. Heteroscedastic, beta design
Simultaneous coverage
100%
95%
90%
85%
80%
75%
100
250
500
1000
Sample size
Pairs bootstrap
Subsampling (1/3)
Subsampling (estimated rate)
HulC (Bonferroni)
cosi-m (rectangle)
cosi-m+


5. Student t with 3 degrees of freedom
6. Skewed Pareto errors
7. Constant function
8. Plateau followed by a rise
Simultaneous coverage
100%
95%
90%
85%
80%
75%
70%
60%
50%
40%
100
250
500
1000
Sample size
Pairs bootstrap
Subsampling (1/3)
Subsampling (estimated rate)
HulC (Bonferroni)
cosi-m (rectangle)
cosi-m+


9. Unequal slopes at the center
10. Increasing function with a jump
11. Sparse design near the center
12. Student t with 1.5 degrees of freedom
Simultaneous coverage
Sample size
100%
95%
90%
85%
80%
75%
70%
60%
50%
25%
0%
100
250
500
1000
Pairs bootstrap
Subsampling (1/3)
Subsampling (estimated rate)
HulC (Bonferroni)
cosi-m (rectangle)
cosi-m+