05 - Strings in Python

Ex. No.: 5.1 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

# String characters balance Test

Write a program to check if two strings are balanced. For example, strings s1 and s2 are balanced if all the characters in the s1 are present in s2. The character's position doesn't matter. If balanced display as "true" ,otherwise "false".

Input	Result
Yn PYnative	True

For example:

### **Program:**

a=input()
b=input()
if a in b or b in a:
 print("True")
else:
 print("False")

		Input	Expected	Got	
•	<b>~</b>	Yn PYnative	True	True	<b>~</b>
,	<b>~</b>	Ynf PYnative	False	False	*

Ex. No.: 5.2 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

# **Decompress the String**

Assume that the given string has enough memory. Don't use any extra space (IN-PLACE) Sample Input 1  $\,$  a 2b4c6  $\,$ 

Sample Output 1 aabbbbcccccc

```
s=input()
r=""
i=0
while i< len(s):
    char=s[i]
    i+=1
    num=""
    while i<len(s) and s[i].isdigit():
        num+=s[i]
        i+=1
    r+=char*int(num)
print(r)</pre>
```

	Input	Expected	Got	
~	a2b4c6	aabbbbccccc	aabbbbccccc	~
~	a12b3d4	aaaaaaaaaabbbdddd	aaaaaaaaaabbbdddd	<b>~</b>

Ex. No.: 5.3 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

## First N Common Chars

Two string values S1, S2 are passed as the input. The program must print first N characters present in S1 which are also present in S2. Input Format:

The first line contains S1.

The second line contains S2.

The third line contains N.

Output Format:

The first line contains the N characters present in S1 which are also present in S2.

**Boundary Conditions:** 

2 <= N <= 10 2 <= Length of S1, S2 <= 1000

Example Input/Output 1:

Input:

abcbde cdefghbb 3

Output:

bcd

Note:

b occurs twice in common but must be printed only once.

```
a=input()
b=input()
n=int(input())
bset=set(b)
cc=[]
c=0
for i in a:
    if i in bset and i not in cc:
        cc.append(i)
        c=c+1
        if(c==n):
        break
s=".join(cc)
print(s)
```

	Input	Expected	Got	
~	abcbde cdefghbb 3	bcd	bcd	~

Ex. No.: 5.4 Date: 17.04.24

### **Username Domain Extension**

Name: ARUN BHARATHI M B

Given a string S which is of the format USERNAME@DOMAIN.EXTENSION, the program must print the EXTENSION, DOMAIN, USERNAME in the reverse order.

#### **Input Format**:

The first line contains S.

Register No.: 231901007

### **Output Format:**

The first line contains EXTENSION. The second line contains DOMAIN. The third line contains USERNAME.

## **Boundary Condition:**

 $1 \le \text{Length of S} \le 100$ 

### Example Input/Output 1:

### Input:

vijayakumar.r@rajalakshmi.edu.in

### **Output**:

edu.in rajalakshmi vijayakumar.r

### **Program:**

s=input()
at=s.index('@')
dot=s.index('.')
username=s[:at]
domain=s[at+1:dot]
exten=s[dot+1:]
print(exten)
print(domain)
print(username)

	Input	Expected	Got	
~	abcd@gmail.com	com gmail abcd	com gmail abcd	<b>~</b>

Ex. No.: 5.5 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

# **Count Chars**

Write a python program to count all letters, digits, and special symbols respectively from a given string

## For example:

Input	Result
rec@123	3

```
x=input()
a,b,c=0,0,0
for i in x:
    if(i.isalpha()):
        a+=1
    elif(i.isalnum()):
        b+=1
    else:
        c+=1
print(a,b,c,sep="\n")
```

	Input	Expected	Got	
~	rec@123	3	3	~
		3	3	
		1	1	
~	P@#yn26at^&i5ve	8	8	~
		3	3	
		4	4	
~	abc@12&	3	3	~
		2	2	
		2	2	

Ex. No.: 5.6 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

## **Reverse String**

Reverse a string without affecting special characters. Given a string S, containing special characters and all the alphabets, reverse the string without affecting the positions of the special characters.

Input: A&B Output: B&A Explanation: As we ignore '&' and As we ignore '&' and then reverse, so answer is "B&A". For example: Input Result A&x# x&A# **Program:** s=input() 1=[] for i in s: if(i.isalpha()): l.append(i) 1.reverse() r=" index=0 for i in s: if(i.isalpha()):

r+=1[index]

```
index+=1
else:
    r+=i
print(r)
```

	Input	Expected	Got	
~	A&B	B&A	В&А	~

Ex. No.: 5.7 Date: 17.04.24

# **Longest Word**

Name: ARUN BHARATHI M B

Write a python to read a sentence and print its longest word and its length

## For example:

Register No.: 231901007

Input	Result
This is a sample text to test	sample 6

```
sen=input()
words=sen.split()
l=""
maxi=0
for word in words:
   if(len(word)>maxi):
    l=word
    maxi=len(word)
print(l,maxi,sep="\n")
```

	Input	Expected	Got	
~	This is a sample text to test	sample	sample	~
~	Rajalakshmi Engineering College, approved by AICTE	Rajalakshmi 11	Rajalakshmi 11	~
<b>~</b>	Cse IT CSBS MCT	CSBS 4	CSBS 4	~

Ex. No.: 5.8 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

# Remove Palindrome Words

String should contain only the words are not palindrome.

```
Sample Input 1
Malayalam is my mother tongue
```

Sample Output 1 is my mother tongue

```
s=input()
words=s.split()
x="
for word in words:
  word=word.lower()
  if (word!=word[::-1]):
    print(word,end=" ")
```

	Input	Expected	Got	
•	Malayalam is my mother tongue	is my mother tongue	is my mother tongue	<b>~</b>

Ex. No.: 5.9 Date: 17.04.24

Register No.: 231901007 Name: ARUN BHARATHI M B

## **Remove Characters**

Given two Strings s1 and s2, remove all the characters from s1 which is present in s2.

Constraints 1<= string length <= 200

Sample Input 1 experience enc Sample Output 1 xpri

## Program:

s1=input()
s2=input()
x=".join(char for char in s1 if char not in s2)
print(x)

	Input	Expected	Got	
~	experience enc	xpri	xpri	<b>*</b>

Ex. No.: 5.10 Date: 17.04.24

# **Unique Names**

Name: ARUN BHARATHI M B

In this exercise, you will create a program that reads words from the user until the user enters a blank line. After the user enters a blank line your program should display each word entered by the user exactly once. The words should be displayed in the same order that they were first entered. For example, if the user enters:

### Input:

first second

first third

second

then your program should display:

Register No.: 231901007

### **Output:**

first

second

third

```
l=[]
while(True):
    a=input()
    if a!=" ":
        l.append(a)
    else:
        break
l=dict.fromkeys(l)
```

# for i in 1:

# print(i)

	Input	Expected	Got	
~	first second first third second	first second third	first second third	<b>~</b>
~	rec cse it rec cse	rec cse it	rec cse it	~