```
package com.ecommerce;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.SQLException;
public class DBConnection {
       private Connection connection;
        public DBConnection(String dbURL, String user, String pwd) throws
ClassNotFoundException, SQLException{
                Class.forName("com.mysql.jdbc.Driver");
                this.connection = DriverManager.getConnection(dbURL, user, pwd);
       public Connection getConnection(){
            return this.connection;
       public void closeConnection() throws SQLException {
               if (this.connection != null)
                        this.connection.close();
import java.io.IOException;
import java.io.InputStream;
import java.io.PrintWriter;
import java.math.BigDecimal;
import java.sql.CallableStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.Properties;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import com.ecommerce.DBConnection;
* <u>Servlet</u> implementation class ProductDetails
@WebServlet("/ProductDetails")
public class ProductDetails extends HttpServlet {
        private static final long serialVersionUID = 1L;
* @see HttpServlet#HttpServlet()
    public ProductDetails() {
        super();
        // TODO Auto-generated constructor stub
    }
```

```
* @see HttpServlet#doGet(HttpServletRequest request, HttpServletResponse
response)
        protected void doGet(<u>HttpServletRequest</u> request, <u>HttpServletResponse</u>
response) throws ServletException, IOException {
                // TODO Auto-generated method stub
                try {
                         PrintWriter out = response.getWriter();
                         out.println("<html><body>");
                        InputStream in =
getServletContext().getResourceAsStream("/WEB-INF/config.properties");
                        Properties props = new Properties();
                        props.load(in);
                        DBConnection conn = new
DBConnection(props.getProperty("url"), props.getProperty("userid"),
props.getProperty("password"));
                        CallableStatement stmt =
conn.getConnection().prepareCall("{call add product(?, ?)}");
                        stmt.setString(1, "new product");
                        stmt.setBigDecimal(2, new BigDecimal(1900.50));
                        stmt.executeUpdate();
                        out.println("Stored procedure has been executed.<Br>");
                        stmt.close();
                        out.println("</body></html>");
                        conn.closeConnection();
                } catch (ClassNotFoundException e) {
                        e.printStackTrace();
                } catch (SQLException e) {
                        e.printStackTrace();
                }
        }
        /**
         * @see HttpServlet#doPost(HttpServletRequest request, HttpServletResponse
response)
        protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
                // TODO Auto-generated method stub
                doGet(request, response);
        }
}
```