

Assignment 1


Inheritance Types Using JavaScript

Program Outputs

Roll No: **A24126552267**

1. Single Inheritance – Output

File executed: **01_single_inheritance.js**. The screenshot below shows the command and output in a VS Code terminal style.



The screenshot shows a VS Code terminal window with the title bar 'full-stack-web-development'. The terminal has tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is active), and 'PORTS'. The terminal content shows a PowerShell prompt 'PS C:\Users\aruna\full-stack-web-development>' followed by the command 'node 01_single_inheritance.js'. The output of the command is 'Balance: 1000', 'Interest added', and 'Balance: 1100'. The terminal ends with another PowerShell prompt 'PS C:\Users\aruna\full-stack-web-development>'. At the bottom right of the terminal, the status bar shows 'Ln 1, Col 1' and 'UTF'.

```
full-stack-web-development

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\aruna\full-stack-web-development> node 01_single_inheritance.js


Balance: 1000
Interest added
Balance: 1100

PS C:\Users\aruna\full-stack-web-development>

Ln 1, Col 1  UTF
```

2. Multilevel Inheritance – Output

File executed: **02_multilevel_inheritance.js**. The screenshot below shows the command and output in a VS Code terminal style.



The screenshot shows a VS Code terminal window with the title bar 'full-stack-web-development'. The terminal has tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is active and underlined), and 'PORTS'. The terminal content shows a PowerShell prompt 'PS C:\Users\aruna\full-stack-web-development>' followed by the command 'node 02_multilevel_inheritance.js'. The output of the script is displayed on three lines: 'Device is ON', 'WiFi connected', and 'Time displayed'. The prompt returns to 'PS C:\Users\aruna\full-stack-web-development>'. At the bottom right of the terminal, the status bar shows 'Ln 1, Col 1' and 'UTF'.

```
full-stack-web-development

PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS

PS C:\Users\aruna\full-stack-web-development> node 02_multilevel_inheritance.js


Device is ON
WiFi connected
Time displayed

PS C:\Users\aruna\full-stack-web-development>

Ln 1, Col 1    UTF
```

3. Hierarchical Inheritance – Output

File executed: **03_hierarchical_inheritance.js**. The screenshot below shows the command and output in a VS Code terminal style.



The screenshot shows a VS Code terminal window with the title bar 'full-stack-web-development'. The terminal has tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is active), and 'PORTS'. The command prompt is 'PS C:\Users\aruna\full-stack-web-development>'. The command entered is 'node 03_hierarchical_inheritance.js'. The output consists of four lines: 'Notification sent', 'Email notification', 'Notification sent', and 'SMS notification'. The prompt returns to 'PS C:\Users\aruna\full-stack-web-development>'. At the bottom right, the status bar shows 'Ln 1, Col 1' and 'UTF'.

```
full-stack-web-development

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\aruna\full-stack-web-development> node 03_hierarchical_inheritance.js


Notification sent
Email notification
Notification sent
SMS notification

PS C:\Users\aruna\full-stack-web-development>

Ln 1, Col 1  UTF
```

4. Multiple Inheritance (Using Mixins) – Output

File executed: **04_multiple_inheritance.js**. The screenshot below shows the command and output in a VS Code terminal style.



The screenshot shows a VS Code terminal window with the title bar 'full-stack-web-development'. The terminal has tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is active), and 'PORTS'. The command prompt shows the user running 'node 04_multiple_inheritance.js' in the directory 'C:\Users\aruna\full-stack-web-development'. The output of the script is 'Scanning object' followed by 'Report generated' on a new line. The terminal status bar at the bottom right indicates 'Ln 1, Col 1' and 'UTF' encoding.

```
full-stack-web-development

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS


PS C:\Users\aruna\full-stack-web-development> node 04_multiple_inheritance.js
Scanning object
Report generated

PS C:\Users\aruna\full-stack-web-development>
```

Ln 1, Col 1 UTF

5. Hybrid Inheritance – Output

File executed: **05_hybrid_inheritance.js**. The screenshot below shows the command and output in a VS Code terminal style.



The screenshot shows a VS Code terminal window with the title bar 'full-stack-web-development'. The terminal has tabs for 'PROBLEMS', 'OUTPUT', 'DEBUG CONSOLE', 'TERMINAL' (which is active), and 'PORTS'. The terminal content shows a PowerShell prompt 'PS C:\Users\aruna\full-stack-web-development>' followed by the command 'node 05_hybrid_inheritance.js'. The output of the script is three lines: 'User logged in', 'Student is studying', and 'Material downloaded'. The terminal ends with the same PowerShell prompt. At the bottom right of the terminal, the status bar shows 'Ln 1, Col 1' and 'UTF'.

```
full-stack-web-development

PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\aruna\full-stack-web-development> node 05_hybrid_inheritance.js

User logged in
Student is studying
Material downloaded

PS C:\Users\aruna\full-stack-web-development>

Ln 1, Col 1  UTF
```