





YEAR II

SEM IV

CS 8492

UNIT NO. 1

1.1.1 DATA MODELS













CS8492



INFORMATION TECHNOLOGY

DATABASE MANAGEMENT SYSTEMS

(Common to CSF & IT)

1.1.1 DATA MODELS

Content (Times New Roman 12)

A set of concepts to describe the structure of a database, the operations for manipulating these structures, and certain constraints that the database should obey.

Data Model Structure and Constraints:

- Constructs are used to define the database structure
- Constructs typically include elements (and their data types) as well as groups of elements
- (e.g. entity, record, table), and relationships among such groups
- Constraints specify some restrictions on valid data; these constraints must be enforced at all times
- Data Modeling and Data Models Data model emphasizes on
 - (1) what data is needed and
 - (2) how it should be organized instead of what operations need to be performed on the data.
- Simple representations of complex real-world data structures.
- Useful for supporting a specific problem domain Model Abstraction of a real-world object or event
- Data Models are used to support the development of information systems by providing the definition and format of data to be involved in future systems.
- Data model also gives idea about possible alternatives to achieve targeted solution.

Advantages of Data model

- The main goal of a designing data model is to make certain that data objects offered by the functional team are represented accurately.
- The data model should be detailed enough to be used for building the physical



CS8492



INFORMATION TECHNOLOGY

DATABASE MANAGEMENT SYSTEMS

(Common to CSF & IT)

database.

- The information in the data model can be used for defining the relationship between tables, primary and foreign keys, and stored procedures.
- Data Model helps business to communicate the within and across organizations.
- Data model helps to documents data mappings in ETL process Help to recognize correct sources of data to populate the model

Data Model Basic Building Blocks

- Entity: Unique and distinct object used to collect and store data Attribute: Characteristic of an entity
- Relationship: Describes an association among entities
- One-to-many (1:M)
- Many-to-many (M:N or M:M)
- One-to-one (1:1)
- Constraint: Set of rules to ensure data integrity

Data Model Operations

- These operations are used for specifying database retrievals and updates by referring to the constructs of the data model.
- Operations on the data model may include
- basic model operations (e.g. generic insert, delete, update) and
- user-defined operations (e.g. compute_student_gpa, update_inventory)

Categories of Data Models

- Conceptual (high-level, semantic) data models:
- Provide concepts that are close to the way many users perceive data.
- (Also called entity-based or object-based data models.)
- Physical (low-level, internal) data models:
- Provide concepts that describe details of how data is stored in the computer. These are usually specified in an ad-hoc manner through DBMS design and administration manuals
- Implementation (representational)data models:
- Provide concepts that fall between the above two, used by many commercial DBMS







DATABASE MANAGEMENT SYSTEMS

(Common to CSF & IT)

implementations (e.g. relational data models used in many commercial systems).

TYPES OF DATA MODELS

- File based approach
- Hierarchical Model
- Network Model
- Relational Model
- ER Model
- Object Oriented Model
- Object Relational Model
- Deductive / Inference Model

FILE BASED APPROACH

- A collection of un-related files and a collection of application programs that perform services for the end-users, such as the production of reports.
- Each program defines and manages its own data.
- Traditionally each department in a company would maintain its own collection of files.
- The data processing department would write programs for each application each office needed performed.

LIMITATIONS OF THE FILE-BASED APPROACH

- Separation and isolation of data
- Duplication of data
- Incompatible File Formats
- Data dependence
- Fixed queries/proliferation of application programs
- Inability to generate timely reports

HIERARCHICAL MODEL

- Oldest data base model. (1950's)
- Tree structure is most frequently occurring relationship.
- organize data elements as tabular rows








DATABASE MANAGEMENT SYSTEMS

(Common to CCF & IT)



ADVANTAGES

- Simplicity
- Data security
- Data Integrity
- Efficiency: When contains large no of relations

DISADVANTAGES

- Implementation complexity
- Database management problem : maintaining difficult
- Lack of structural independence
- programming complexity

Network Model

- Graph structure
- Allow more connection between nodes
- Ex: A employee work for two department is not possible in hierarchical model, but here it is possible








DATABASE MANAGEMENT SYSTEMS

(Common to CSF & IT)



Advantages

- Conceptual simplicity
- handle more relationships
- Ease of data access
- Data integrity
- Data independence
- Database standards

Disadvantages

- System Complexity
- Absence of structural independence

RELATIONAL MODEL

- Data in the form of table
- each table is à application entity
- each row is à instances of that entity
- each column is a attribute
- SQL serves as a uniform interface for users providing a collection of standard expression for storing and retrieving data
- Most popular database model





DATABASE MANAGEMENT SYSTEMS

(Common to CCF & IT)




table (relation)

ERModel-The Entity-Relationship Model

- The E-R (entity-relationship) data model views the real world as a set of basic objects (entities) and relationships among these objects.
- It is intended primarily for the DB design process by allowing the specification of an enterprise scheme.
- This represents the overall logical structure of the DB. An entity is represented by a set of attributes. (E.g. name, S.S.N., Phone-Num for "customer" entity.)
- The domain of the attribute is the set of permitted values (e.g. the telephone * number must be seven positive integers).
- Formally, an attribute is a function which maps an entity set into a domain. *
- Every entity is described by a set of (attribute, data value) pairs. There is one pair for each attribute of the entity set.
- E.g. a particular student entity is described by the set {(name, Yeoh), (S.S.N., * 890-123-456), (street, Blaine), (city, Riverside)}.

OO Model- Object Oriented Model





CS8492

DATABASE MANAGEMENT SYSTEMS (Common to CSF & IT)

- > Object oriented data model is based upon real world situations.
- These situations are represented as objects, with different attributes. All these object have multiple relationships between them.
- ➤ In contrast to relational database management systems (RDBMSs), where data is stored in tables with rows and columns, an object-oriented database stores complex data and relationships between data directly, without mapping any links to relational rows and columns.

