## OPEN ELECTIVE ON FIRST AID AND MEDICAL EMERGENCY-ASSIGNMENT 1

Points: 100%

Answer all questions.

C) Fracture

D) Sprain

What is the type of wound in which the part of the body is completely torn away due to excessive force?

 A) Avulsion
 B) Abrasion
 C) Bruise
 D) Laceration

 Following are the qualities of an effective first aider EXCEPT:

 A) Integrity
 B) Readiness to act
 C) Slow movement
 D) Tactfulness

 What is the term used for the injury which occurs at the joint due to ligamental tear?

 A) Dislocation
 B) Dislodgement

4. Following statements HOLDS TRUE with regard to the first aid for unconsciousness EXCEPT:

	A) Arrange medical aid	
	B) Make the surrounding crowd disperse.	
	C) Put the victim in a recovery position	
	D) Give the victim something orally.	
	hat is letter 'E' referring to in the acronym 'RICE' in relation to the first aid management o velling in the joints?	f
	A) Elevation	
	B) Exercise	
	C) Education	
	D) Excision	
6.	llowing are the first aid measures for heat stroke EXCEPT:	
	A) Cool the body quickly	
	B) Dry the skin of the victim once the body temperature returns to normal.	
	C) Place the victim in a tub of ice cold water	
	D) Undress the victim	
7.	hich among the following is NOT the first aid measure for closed fracture?	
	A) Apply pressure to control bleeding.	
	B) Elevate the affected limb to minimize swelling.	
	C) Immobilize the fractured limb while bandaging.	
	D) Place adequate padding between bony prominences while splinting.	
8.	llowing statement DOES NOT HOLDS TRUE with regard to First aid:	
	A) First aid can be given by anyone who has the elementary knowledge and understanding of the human body systems	
	B) First aider's responsibility begins with the arrival of licensed Medical help.	
	C) First aid does not include the treatment of acute & chronic diseases.	
	D) First aid measures are only for accidents & emergencies.	

9. Which among the following should NOT be performed as a first aid measure for relieving swelling in the joints?

	A) Compression
	B) Elevation of limb
	C) Ice application
	D) Mobilization
LO	. Which among the following is an example for wound caused by sliding fall?
	A) Avulsion
	B) Bruise
	C) Graze
	D) Laceration

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms | Privacy and cookies | Terms of use