Reg No.:_____ Name:_____

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

Sixth Semester B.Tech Degree Examination June 2022 (2019 Scheme)

Course Code: CST302

Course Name: COMPILER DESIGN

Max. Marks: 100 Duration: 3 Hours

PART A

Answer all questions, each carries 3 marks. Marks

1		Find the lexemes in the following programming statement. sum = a * (b -10) ; Define tokens and patterns for the above statement.	(3)
2		Explain the importance of sentinels in input buffering used in lexical analysis	(3)
3		With an example write the steps to remove left recursion?	(3)
4		Find FIRST set and FOLLOW set of each nonterminal in the following grammar E → E A E | (E) | - E | id A → + | *	(3)
5		What are viable prefixes?	(3)
6		What are the different parsing conflicts in the SLR parsing table?	(3)
7		Differentiate between synthesized attributes and inherited attributes with an example.	(3)
8		What is the role of activation record in compiler design?	(3)
9		Explain code motion with an example.	(3)
10		Write the algorithm for partitioning a sequence of three-address instructions into basic blocks	(3)

PART B

Answer one full question from each module, each carries 14 marks.

Module I

11	a)	Explain the working of different phases of a compiler. Illustrate with a source language statement.	(8)
	b)	Explain different compiler construction tools.	(6)

OR

12	a)	Explain the role of transition diagrams in recognition of tokens.	(7)
	b)	Explain bootstrapping with an example.	(7)

Module II

13 a) i. Show that the grammar (6)

S -> iCtSeS | iCtS | b , C -> a is ambiguous.

ii. Eliminate ambiguity from the above grammar.

b) Construct a Recursive descent Parser for handling Arithmetic Expressions. (8)

OR

14 a) Write Non-recursive predictive parsing algorithm. (6)

b) Prove that the following grammar is not LL(1) (8)

S → iEtSS' | a

S → eS | ε

E → b

Module III

15 a) Construct canonical LR(0) collection of items for the grammar below. (9)

S → L = R | R

L → * R | id

R → L

Prove that this grammar is not SLR(1).

b) What is handle pruning? Indicate the handles in the reduction of the sentence aaabbb to the start symbol using the grammar (5)

S → aABb , A → aA | a , B → bB | b

OR

16 a) Derive LR (1) parsing table for following grammar (9)

S → Aa | bAc | Bc | bBa

A → d

B → d

b) Write all moves by the LR parser for parsing the input 'bdc'. [use the parsing table created in question number 16.a] (5)

Module IV

17 a) Write the SDD for a simple type declaration and draw the annotated parse tree for the declaration float a, b, c. (7)

b) With an SDD for a desk calculator, write the steps involved in the bottom up evaluation for the expression (3*5) –2. (7)

OR

18	a)	Explain static allocation and heap allocation strategies.	(7)
	b)	Construct the DAG and three address code for the expression a+a*(b-c)+b*(b-c)+b	(7)

Module V

19	a)	With suitable examples explain loop optimization techniques	(7)
	b)	With suitable example of a basic block, explain the code-improving transformations of a basic block.	(7)

OR

20	a)	Explain issues in design of a code generator	(6)
	b)	Write the code generation algorithm. Using this algorithm generate code sequence for the expression x = (a – b) + (a + c) + (a + c)	(8)

****