keyboarddemo 〉 iPhone XR

Running keyboarddemo on iPhone XR

keyboarddemo
- keyboarddemo
  - AppDelegate.swift
  - ViewController.swift M
  - Main.storyboard M
  - Assets.xcassets
  - LaunchScreen.storyboard
  - Info.plist
- keyboarddemoTests
  - keyboarddemoTests.swift
  - Info.plist
- keyboarddemoUITests
  - keyboarddemoUITests.swift
  - Info.plist
- Products

keyboarddemo 〉 k...o 〉 M...rd 〉 Main.storyboard (Base) 〉 Vi...e 〉 Vi...er

- View Controller Scene
  - View Controller
    - View
      - Safe Area
      - T1
  - First Responder
  - Exit
  - Storyboard Entry Poi...

View as: iPhone 8 (wC hR)

Automatic 〉 ViewController.swift 〉 ViewController

```swift
//
//  ViewController.swift
//  keyboarddemo
//
//  Created by Student on 03/09/22.
//  Copyright © 2022 Student@lpu. All rights reserved.
//

import UIKit

class ViewController: UIViewController,UITextFieldDelegate{

    override func viewDidLoad() {
        super.viewDidLoad()
        self.t1.delegate = self
    }
    @IBOutlet weak var t1: UITextField!

    //keyboard disappear by clicking outside
    override func touchesBegan(_ touches: Set<UITouch>, with event: UIEvent?) {
        self.view.endEditing(true)
    }
    //keyboard disappear by clicking return button
    func textFieldShouldReturn(_ textField: UITextField) -> Bool {
        t1.resignFirstResponder()
        return true
    }

}
```

Identity and Type

Name: ViewController.swift
Type: Default - Swift Source
Location: Relative to Group
ViewController.swift
Full Path: /Users/student/Downloads/keyboarddemo/keyboarddemo/ViewController.swift

On Demand Resource Tags

Only resources are taggable

Target Membership

- keyboarddemo
- keyboarddemoTests
- keyboarddemoUITests

Text Settings

Text Encoding: No Explicit Encoding
Line Endings: No Explicit Line Endings
Indent Using: Spaces
Widths: 4 (Tab) 4 (Indent)
Wrap lines

```
    A55CC81383CA/data/Containers/Shared/SystemGroup/
    systemgroup.com.apple.configurationprofiles
2022-09-03 10:44:29.608522+0530 keyboarddemo[1137:15173] [MC] Reading from
    private effective user settings.
```

All Output