Status	Finished
Started	Wednesday, 21 October 2026, 11:45 PM
Completed	Wednesday, 21 October 2026, 11:50 PM
Duration	5 mins 13 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'tuple'>

b. <class 'str'> ✓

c. <class 'int'>

d. str

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {2,5,3,1}

c. {3} ✓

d. {2,5,1}

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

- a. ii
- b. iii
- c. All of the above
- d. i,ii ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. {1,3,8,9,41}
- b. ("Wonder")
- c. (1,4,5,6,7) ✓
- d. [1,2,3,4]

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- a. (10, 20, 30, 40) (40, 50, 60, 70, 80)
- b. (30, 40, 50)(40, 50, 60, 70, 80)
- c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- d. (30, 40, 50) (10, 20, 30, 40)

Question **6**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain either string or integer but not both at a time.

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain both integers and strings as its elements. ✓

d. In Python, a tuple can contain only integers as its elements.

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

a. tupl[1]=2

b. tupl.append(2)

c. tupl.sort()

d. tupl1=tupl+tupl ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
True

b. False
False

c. True
False

d. True ✓
True

Question **9**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. "==" is not supported for set in Python

b. Yes, Yes

c. Yes, No ✓

d. No, No

Question **10**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. True ✓

b. False

Question **11**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['30', '8', '3', '2']

b. ['8', '30', '3', '2'] ✓

c. ['2', '3', '8', '30']

d. ['2', '3', '30', '8']

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer

b. (Computer)

c. () ✓

d. Error

Question **13**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

a. (11,3,11,11,3,11,11,11,3)

b. (11, 3, 11, 3, 11, 3) ✓

c. [11,11,11,3,3,3]

d. (11,3)(11,3)(11,3)

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {4} ✓

b. {2}

c. {1,3,2}

d. {1,3,4}

Question **15**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t1 = (55, 44, 33, 22, 11)

x = [t1[i] for i in range(0, len(t1), 2)]

print(x)

a. [(55,33,11)]

b. [55, 33, 11] ✓

c. (55,33,11)

d. ([55,33,11])